

# EXECUTIVE SUMMARY APPEAL OF PRELIMINARY MITIGATED NEGATIVE DECLARATION

### HEARING DATE: MARCH 18, 2021

Case No.: Project Address:	2015-009955ENV 1525 Pine Street
Zoning:	Polk Street Neighborhood Commercial District District
	65-A Height and Bulk District
Block/Lot:	0667/020
Project Sponsor:	1525 Pine Street Dev LLC
	c/o Toby Morris – Kerman Morris Architects LLP
	139 Noe Street
	San Francisco, CA 94114
Property Owner:	1525 Pine Street Dev LLC
	1555 Pacific Avenue
	San Francisco, CA 94109
Staff Contact:	Michael Li
	628.652.7538, <u>michael.j.li@sfgov.org</u>
Recommendation:	Uphold

# **Project Description**

The proposed project consists of the demolition of a one-story restaurant and the construction of a new eightstory, 83-foot-tall building containing 21 dwelling units and approximately 2,855 square feet of commercial space.

# **Required Commission Action**

In order for the proposed project to proceed, the Commission must uphold the Department's decision to prepare a Mitigated Negative Declaration (MND).

# **Issues and Other Considerations**

The Department published a Preliminary Mitigated Negative Declaration on January 27, 2021 and received an appeal letter from David Cincotta on February 16, 2021, appealing the determination to issue an MND. The appeal letter states that the MND fails to adquately address the following issues:

- <u>Transportation</u>: The analysis of cumulative transportation impacts, including impacts related to public transit and vehicle miles traveled, is inadequate
- <u>Historic Resources</u>: The analysis of the proposed project's impact on a historic resource is contradictory and inadequate
- <u>Wind</u>: The analysis of the proposed project's wind impact on the adjacent property to the west is inadequate
- <u>Shadow</u>: The analysis of the proposed project's shadow impact on the adjacent property to the west is inadequate

The Department received five letters supporting the appeal. In addition to the topics listed above, the letters supporting the appeal state that the MND fails to adequately address the following issues:

- <u>Air Quality</u>: The analysis of the proposed project's construction and operational air quality impacts is inadequate
- Noise: The analysis of the proposed project's construction-related noise impacts is inadequate
- <u>Privacy</u>: The MND does not analyze the proposed project's impact on privacy for some of the units on the adjacent property to the west
- <u>Views and Property Values</u>: The MND does not analyze the proposed project's impact on views from some of the units on the adjacent property to the west. The loss of views would impact the property values of the affected units.

The Department has addressed all of the issues listed above in its appeal response. The Department has amended the MND to update two footnotes in the project description in which the project plans were cited and to replace the plans dated July 31, 2020 with plans dated March 18, 2021 (Attachment A).

# **Basis for Recommendation**

The Department recommends that the Commission adopt the motion to uphold the MND. No substantial evidence supporting a fair argument that a significant environmental effect may occur as a result of the proposed project has been presented that would warrant preparation of an Environmental Impact Report. By upholding the MND, the Commission would not prejudge or restrict its ability to consider whether the proposed project's land uses or design is appropriate for the neighborhood.

# **Attachments:**

Draft Motion Exhibit A – Planning Department Response to Appeal of PMND Exhibit B – Appeal and Letters Supporting the Appeal Exhibit C – Mitigated Negative Declaration







# **PLANNING COMMISSION DRAFT MOTION**

HEARING DATE: MARCH 18, 2021

Case No.:	2015-009955ENV
Project Address:	1525 PINE STREET
Zoning:	Polk Street Neighborhood Commercial District
	65-A Height and Bulk District
Block/Lot:	0667/020
<b>Project Sponsor:</b>	1525 Pine Street Dev LLC
	c/o Toby Morris – Kerman Morris Architects LLP
	139 Noe Street
	San Francisco, CA 94114
Property Owner:	1525 Pine Street Dev LLC
	1555 Pacific Avenue
	San Francisco, CA 94109
Staff Contact:	Michael Li
	628.652.7538, <u>michael.j.li@sfgov.org</u>

ADOPTING FINDINGS RELATED TO THE APPEAL OF THE PRELIMINARY MITIGATED NEGATIVE DECLARATION, FILE NUMBER 2015-009955ENV, FOR THE PROPOSED DEVELOPMENT THAT WOULD DEMOLISH A ONE-STORY RESTAURANT AND CONSTRUCT A NEW EIGHT-STORY, 83-FOOT-TALL BUILDING CONTAINING 21 DWELLING UNITS AND APPROXIMATELY 2,855 SQUARE FEET OF COMMERCIAL SPACE ("PROJECT") AT 1525 PINE STREET, ON ASSESSOR'S BLOCK 0667, LOT 20, IN THE POLK STREET NEIGHBORHOOD COMMERCIAL DISTRICT AND A 65-A HEIGHT AND BULK DISTRICT.

**MOVED,** that the San Francisco Planning Commission (hereinafter "Commission") hereby AFFIRMS the decision to issue a Mitigated Negative Declaration, based on the following findings:

- On May 9, 2016, pursuant to the provisions of the California Environmental Quality Act ("CEQA"), the State CEQA Guidelines, and Chapter 31 of the San Francisco Administrative Code, the San Francisco Planning Department ("Department") received an Environmental Evaluation Application form for the Project, in order that it might conduct an initial evaluation to determine whether the Project might have a significant impact on the environment.
- 2. On January 27, 2021, the Department determined that the Project, as proposed, could not have a

significant effect on the environment.

- **3.** On January 27, 2021, a notice of determination that a Preliminary Mitigated Negative Declaration (PMND) would be issued for the Project was duly published in a newspaper of general circulation in the City, and the PMND was posted on the Department website and distributed in accordance with law.
- **4.** On February 16, 2021, an appeal of the decision to issue a PMND was timely filed by David Cincotta on behalf of Patricia Rose, Claire Rose, and other neighbors.
- **5.** A staff memorandum, dated March 11, 2021, addresses and responds to all points raised by appellant in the appeal letter. That memorandum is attached as Exhibit A and staff's findings regarding those points are incorporated by reference herein as the Commission's own findings. Copies of that memorandum have been delivered to the Commission, and a copy of that memorandum is on file and available for public review at 49 South Van Ness Avenue, Suite 1400, San Francisco, California.
- 6. On March 18, 2021, amendments were made to the PMND to update two footnotes in the project description in which the project plans were cited and to replace the plans dated July 31, 2020 with plans dated March 18, 2021 (Attachment A). Such amendments do not include new, undisclosed environmental impacts and do not change the conclusions reached in the PMND. The changes do not require "substantial revision" of the PMND, and therefore recirculation of the PMND would not be required.
- 7. On March 18, 2021, the Commission held a duly noticed and advertised public hearing on the appeal of the PMND, at which testimony on the merits of the appeal, both in favor of and in opposition to, was received.
- **8.** All points raised in the appeal of the PMND at the March 18, 2021 Commission hearing have been addressed either in the memorandum or orally at the public hearing.
- **9.** After consideration of the points raised by appellant, both in writing and at the March 18, 2021 hearing, the Department reaffirms its conclusion that the proposed project could not have a significant effect upon the environment.
- **10.** In reviewing the PMND issued for the Project, the Commission has had available for its review and consideration all information pertaining to the Project in the Department's case file.
- **11.** The Commission finds that Department's determination on the Mitigated Negative Declaration reflects the Department's independent judgment and analysis.
- **12.** The Commission Secretary is the custodian of records; the File for Record No. 2015-009955ENV is located at 49 South Van Ness Avenue, Suite 1400, San Francisco, California.



# DECISION

The Commission HEREBY DOES FIND that the proposed Project could not have a significant effect on the environment, as shown in the analysis of the Mitigated Negative Declaration, and HEREBY DOES AFFIRM the decision to issue a Mitigated Negative Declaration, as prepared by the Department.

I hereby certify that the Commission ADOPTED the foregoing Motion on March 18, 2021.

Jonas P. Ionin Commission Secretary

AYES:

NAYS:

ABSENT:

**RECUSE:** 

ADOPTED: March 18, 2021



This page intentionally left blank.



# EXHIBIT A TO DRAFT MOTION PLANNING DEPARTMENT RESPONSE TO APPEAL OF PRELIMINARY MITIGATED NEGATIVE DECLARATION

## PLANNING CASE NO. 2015-009955ENV - 1525 PINE STREET PUBLISHED ON MARCH 11, 2021

# Background

The project sponsor submitted an application, 2015-009955ENV, for the proposed project at 1525 Pine Street on May 9, 2016 for a proposal to demolish a one-story restaurant and construct a new eight-story, 83-foot-tall building containing 21 dwelling units and approximately 2,855 square feet (sf) of commercial space. The project site is within the Polk Street Neighborhood Commercial use district and a 65-A height and bulk district. The proposed project would require conditional use authorization from the Planning Commission (Commission).

The Planning Department (Department) issued a preliminary mitigated negative declaration (PMND) for the proposed project on January 27, 2021. On February 16, 2021, the appellant filed an appeal of the PMND. A copy of the appeal letter is included with this appeal response packet.

# **Appeal Filed**

David Cincotta submitted the appeal on February 16, 2021.

A copy of the appeal letter is included with this appeal response packet.

# **Planning Department Responses**

The concerns raised in the appeal letter are addressed in the responses below.

**Response 1:** The PMND analyzes the project-level and cumulative transportation impacts associated with the proposed project, and that analysis was conducted in accordance with the methodology established in the Department's 2019 Transportation Impact Analysis Guidelines (TIA Guidelines). The proposed project would generate 12 vehicle trips during the p.m. peak hour, and the Department's transportation planners determined that an in-depth study was not required.

The appeal does not provide any substantial evidence supporting a fair argument to refute the Department's determination that the proposed project would not combine with other projects to result in significant cumulative transportation impacts other than to state the estimated number of vehicle trips that would be generated by the

cumulative projects. Congestion in and of itself is not an impact under CEQA. The appeal does not demonstrate how congestion would create hazardous conditions, interfere with emergency access, or delay public transit.

Impacts C-TR-2, C-TR-3, and C-TR-4 (PMND pp. 38-39) discuss how the proposed project would not combine with cumulative projects to create hazardous conditions for people walking, bicycling, or driving or for public transit operations (C-TR-2), interfere with accessibility of people walking or bicycling or result in inadequate emergency access (C-TR-3), or substantially delay public transit (C-TR-4). Impact C-TR-2 states that the proposed project and five of the seven cumulative projects<sup>1</sup> would not include garages. Collectively, these six projects would not result in vehicles entering and exiting off-street garages at the respective project sites and potentially conflicting with people driving, walking, or bicycling or with public transit operations. The two cumulative projects that include garages, 1101 Sutter Street and 1200 Van Ness Avenue, are each located on a site with three street frontages. Each of these projects could be designed in such a way that the garage fronts on a street that does not include a bicycle lane or public transit service. Impact C-TR-3 discusses how the proposed project and the cumulative projects would not alter the established street grid, degrade or permanently close any streets or sidewalks, eliminate or reconfigure any existing bicycle routes, or preclude or restrict emergency vehicle access to the project sites and surrounding areas. Impact C-TR-4 states that operation of the proposed project and cumulative projects would result in an increase in the number of vehicles on the local roadway network. The cumulative projects are geographically dispersed throughout the project vicinity, and all of the additional vehicle trips would be distributed along the local street network instead of being concentrated on one or two streets on which public transit operates. In addition, the proposed project and six of the seven cumulative projects would also not result in relocation or removal of any existing bus stops or other changes that would alter transit service; the Van Ness Bus Rapid Transit Project is a cumulative project that would implement right-of-way improvements along a two-mile-long segment of Van Ness Avenue (from Mission Street to Lombard Street) to accommodate bus rapid transit service. The PMND concluded that for all three topics discussed above, the cumulative impacts would be less than significant. No further analysis is required under CEQA.

In accordance with the methodology established in the TIA Guidelines, the analysis of the proposed project's transportation impacts related to vehicle miles traveled (VMT) was based on VMT estimates for the Transportation Analysis Zone (TAZ) in which the project site is located; TAZ 327 covers four blocks from Van Ness Avenue to Leavenworth Street between Pine and Bush streets.

As discussed under Impact TR-5 (PMND p. 39), the future 2040 average daily VMT per capita for residential uses and future 2040 average daily VMT per employee for office uses in TAZ 327 are more than 15 percent below the future 2040 regional VMT estimates. Thus, the PMND concluded that the proposed project would not combine with cumulative projects to cause substantial additional VMT. This impact would be less than significant, and no further analysis is required under CEQA.

The appellant contends that the VMT analysis for the cumulative scenario should have considered other TAZs in the project vicinity. The surrounding TAZs (322, 330, 332, 334, 734, and 760) all exhibit similar future 2040 VMT estimates for residential and retail uses as TAZ 327 (i.e., the VMT estimates are all more than 15 percent below the regional VMT estimates).

The VMT methodology established in the TIA Guidelines is consistent with technical advisories published by the California Governor's Office of Planning and Research in January 2016 and December 2018. The use of VMT estimates at the TAZ level is appropriate for the proposed project as it is an infill development in an established neighborhood that is well-served by

<sup>&</sup>lt;sup>1</sup> The seven cumulative projects are 1567 California Street, 1240 Bush Street, 1101 Sutter Street, 955 Post Street, 1200 Van Ness Avenue, 1033 Polk Street, and the Van Ness Bus Rapid Transit Project.



#### CASE NO. 2015-009955ENV 1525 Pine Street

public transit. Furthermore, the appeal does not provide any evidence to refute the Department's determination that the VMT methodology, significance threshold, approach to analysis, and impact conclusion are based on substantial evidence.

**Response 2:** The appellant argues that the project's potential impacts on historic resources warrant a higher level of environmental review under CEQA. The appellant does not dispute the Department's finding that the existing building on the project site is not individually eligible as a historic resource or that the existing building is a contributor to the California Register-eligible Polk Gulch LGBTQ Historic District (District). The appellant disputes the Department's finding that the proposed project would not result in a significant effect on a historic resource. The Department determined that the proposed demolition of a district contributor would not result in a significant effect on the District, which is the historic resource. The appellant argues that the district contributor is individually an historic resource but does not substantiate this claim.

The Department has determined that the project would not cause a substantial adverse change in the significance of the historic resource for reasons outlined below:

## A. The existing building is a district contributor and not an individually eligible historic resource.

The appellant does not dispute the Department's findings that the subject property is not an individually eligible historic resource. The information included below is a summary of the Department's evaluation process and it provides context for the Department's findings, based on the Department's records and the Historic Resource Evaluation (HRE) Part I filed with the Department.

The project site is a through lot located on the south side of Pine Street with a secondary frontage on Austin Street. The surrounding neighborhood consists of mixed-use commercial and residential uses representing a variety of architectural styles and types including Renaissance Revival, Edwardian, Art Deco/Eclectic, post-war Modern, and contemporary. The existing building at 1525 Pine Street is a raised, one-story lunch wagon-style diner that houses Grubstake, a restaurant that has operated at the site since the 1960s. From the 1960s and well into the 1980s and 1990s, Grubstake became well known and loved as a welcoming and open establishment to the LGBTQ community during a time when other businesses did not open their doors to them. The restaurant catered mostly to after-hours crowds searching for late-night meals after a night out and eventually became frequented by transgender women and artists who would perform and participate in drag shows at nearby venues.

The rectilinear plan building covers two-thirds of the frontmost portion of the parcel and includes a large paved space at the rear. The building is comprised of two volumes: a lunch wagon originally constructed before 1916 by an unknown manufacturer/designer that features a sheet metal curved roof and four metal sash, single lite casement windows with awning toplites; and a main wood-frame rectangular volume that was added to the lunch wagon in 1975 and consists of a flat roof, vertical wood siding, two aluminum sliding windows and a partially glazed wood door. To supplement the HRE, an oral history conducted by Page & Turnbull was submitted to the Department which consisted of interviews with local residents and patrons of Grubstake who discussed the history of and their experiences at the restaurant. Based on Department records and the findings of the HRE and oral history, Department staff determined that the existing building at 1525 Pine Street is not individually eligible for inclusion in the California Register. For a property to be considered eligible for listing in the California Register, it must be found significant under one or more of these four criteria: Criterion 1 (Events); Criterion 2 (People); Criterion 3 (Architecture); Criterion 4 (Information Potential). As outlined in the Department's HRER Part I, Department staff determined that the subject property is not individually eligible under any of the four criteria, as it is not directly associated with any qualifying events or persons, does not possess a high degree of architectural interest, and is not a significant example of the work of a master architect. Criterion 4 applies mostly to archeological sites,



and that review was completed by the Department's archeological staff. As such, the proposed project would not result in a significant impact to an individual historic resource.

# *B.* The Department determined that the existing building is a contributor to the California Register-eligible Polk Gulch LGBTQ Historic District and that the project would not cause a significant impact to the District.

The appellant disputes the Department's finding that the proposed project would not result in a significant impact to a historic resource. The appellant misunderstands that the historic district, not 1525 Pine Street individually, is the historic resource. Under CEQA, a "project with an effect that may cause a substantial adverse change in the significance of an historical resource is a project that may have a significant effect on the environment." (CEQA Guidelines Section 15064.5(b)). In this case, the "historic resource" is the California Register-eligible Polk Gulch LGBTQ Historic District. The existing building on the project site was determined to be a contributor to the District, but not individually eligible for inclusion in the California Register. Therefore, the Department appropriately analyzed whether the project would cause a substantial adverse change to the California Register-eligible Polk Gulch LGBTQ Historic District.

The California Register-eligible Polk Gulch LGBTQ Historic District was initially identified and discussed in the Department's *Citywide Historic Context Statement for LGBTQ History in San Francisco* (adopted October 2015), which discussed the Polk Gulch neighborhood as a potentially significant LGBTQ neighborhood. The District was evaluated in the Historic Resource Evaluation (HRE) prepared by Page & Turnbull (March 13, 2019) and confirmed in the HRER and found to be significant under Criterion 1 for its association with the development of early LGBTQ enclaves in the Polk Gulch neighborhood beginning in the 1960s through the 1990s.

Although not formally surveyed by the Department, the boundaries of the California Register-eligible Polk Gulch LGBTQ Historic District are generally Washington Street to the north, Geary Street to the south, Hyde Street to the east, and Franklin Street to the west. The district consists of properties associated with LGBTQ businesses and social groups during Polk Gulch's development as a queer enclave during the 1960s and 1970s. The period of significance for the Polk Gulch historic district is identified as approximately 1960 to the 1990s. This period begins with the establishment of the first LGBTQ-associated business in the neighborhood and ends with a period that is associated with the relevant themes identified in the LGBTQ Historic Context Statement. The HRE identified 15 properties that are considered contributors to the Polk Gulch historic district; there is a potential for more properties to be identified upon further research. These properties are not located immediately adjacent to one another, but rather form a noncontiguous physical pattern of development.

Character-defining features associated with the California Register-eligible District include:

- Polk Street commercial corridor "spine" with clusters of contributing properties
- Dense urban fabric with one- and two-way streets, paved sidewalks, and minimal street trees
- Commercial uses of contributing resources, which historically included a variety of LGBTQ-associated businesses such as bars, nightclubs, restaurants, clothing stores, record stores, bathhouses, and theaters.
- Twentieth century commercial blocks and residential-over-commercial buildings (most built between 1907 and 1921) with:
  - o One- to four-story massing
  - o Classical Revival (Edwardian era), Eclectic, and altered styles
  - o Ground-floor storefronts (most are altered)
  - o Angled bay windows at upper floors of some buildings
  - o Flat roofs



#### CASE NO. 2015-009955ENV 1525 Pine Street

According to the HRER Part I, staff determined that 1525 Pine Street is a contributor to the California Register-eligible Polk Gulch LGBTQ Historic District as an early business established in the Polk Gulch neighborhood that accepted and catered to the growing LGBTQ community beginning in the 1960s. The business gained a reputation for being an open and welcoming establishment to the LGBTQ community during a time when businesses often did not open their doors to them.

After reviewing the proposed project and the character-defining features of the California Register-eligible Polk Gulch LGBTQ Historic District identified above, the Department determined that, for the purposes of CEQA, the proposed demolition and new construction would not result in a significant impact to the California Register-eligible District. The proposed project includes the reuse or replication of many of the contributor's character-defining features, including but not limited to: signage, windows, and lighting.<sup>2</sup> Additionally, the demolition of one contributor would not result in the District's inability to continue to convey its significance as the District would continue to retain its character-defining features after project implementation.

A substantial adverse change is defined as: "physical demolition, destruction, relocation, or alteration of the resource or its immediate surroundings such that the significance of a historic resource would be materially impaired." (CEQA Guidelines Section 15064.5(b)(1).) The significance of a historical resource is materially impaired when a project "demolishes or materially alters in an adverse manner those physical characteristics of an historical resource that convey its historical significance and that justify its inclusion in, or eligibility for, inclusion in" a local register of historical resources pursuant to local ordinance or resolution. Thus, a project may cause a change in a historic resource, but still not have a significant adverse effect on the environment as defined by CEQA, as long as the impact of the change on the historic resource is determined to be less than significant. Where the historic resource is a historic district, as here, a significant impact would exist if the project would result in a substantial adverse change to the historic district. After project completion, the California Register-eligible Polk Gulch LGBTQ Historic District would consist of 14 identified contributing properties, with a potential for more to be identified through further research. The proposed project for the subject property at 1525 Pine Street will incorporate a substantial amount of salvage and reuse of historic materials such that the new construction was found to be compatible with the existing district. Therefore, the California Register-eligible Polk Gulch LGBTQ Historic District for its association with the development of early LGBTQ enclaves in the Polk Gulch neighborhood beginning in the 1960s through the 1990s.

# C. The Department determined that the project would not cause a significant impact to a historic resource and therefore determined that no mitigation measures are required.

The appellant states that the Department should have considered mitigation measures in order to reduce the impact to historical resources. As discussed above, the Department determined that the project would not result in a significant impact to the historic district. CEQA Guidelines 15126.4(3) clearly states that "Mitigation measures are not required for effects which are not found to be significant."

**Response 3:** As discussed under Impact WI-1 (PMND p. 67), the CEQA significance criterion for wind focuses on whether a project would create wind hazards in publicly accessible areas of substantial pedestrian use. The wind analysis was based on an assessment prepared by a wind consultant with extensive experience in evaluating wind effects from proposed development projects. The wind analysis concluded that the adjacent 12-story, 130-foot-tall building to the west, The Austin, would largely shelter the proposed project from prevailing westerly winds. Due to this sheltering effect, the proposed project would have little to no potential to intercept overhead winds and redirect them downward to the Pine

<sup>&</sup>lt;sup>2</sup> For a complete list of features to be reused or replicated, see *Historic Resource Evaluation Response, Part II, 1525 Pine Street*, October 22, 2020, pp. 1-2.



Street sidewalk. The proposed project would not create wind hazards in publicly accessible areas of substantial pedestrian use. This impact would be less than significant, and no further analysis is required under CEQA.

A project's wind impact on privately accessible spaces does not fall under the scope of CEQA. The appellant's concerns regarding the proposed project's wind effect on the private decks of The Austin may be addressed through the design review/entitlement process and/or may be considered by the Commission during their deliberations on the merits of the proposed project.

**Response 4:** As discussed under Impact SH-1 (PMND pp. 68-69), the CEQA significance criterion for shadow focuses on whether a project would create new shadow in a manner that substantially and adversely affects the use and enjoyment of publicly accessible open spaces. A shadow analysis prepared by a shadow consultant confirmed that shadow from the proposed project would not reach any nearby publicly accessible open spaces at any time during the year. This impact would be less than significant, and no further analysis is required under CEQA.

A project's shadow impact on private properties, including privately accessible spaces like decks, does not fall under the scope of CEQA. The PMND acknowledges that although occupants of nearby properties may regard the increase in shadow as undesirable, the limited increase in shading of private properties as a result of the proposed project would not be considered a significant impact under CEQA. The appellant's concerns regarding the proposed project's shadow effect on the private decks and units of The Austin with east-facing windows may be addressed through the design review/entitlement process and/or may be considered by the Commission during their deliberations on the merits of the proposed project.

# Comment Letters on the PMND, in Addition to Appeal

In addition to the appeal described above, five comment letters were received on the PMND. These letters, which are attached, raise several issues regarding the analyses contained in the PMND. The concerns raised in the comment letters are addressed in the responses below.

**Response 1:** Some of the comment letters raise issues that are the same or similar to the issues raised in the appeal. These issues include concerns about traffic congestion, pedestrian safety, the historic significance of Grubstake, wind, and shadow/sunlight. These issues are not addressed separately here. Please see the previous discussions of these issues earlier in this appeal response.

**Response 2:** As discussed under Impact AQ-1 (PMND pp. 55-57), the proposed project's construction activities are subject to the provisions of the Construction Dust Control Ordinance. Required compliance with this ordinance would reduce the quantity of dust generated by the proposed project's construction activities. This impact would be less than significant, and no further analysis is required under CEQA.

Land use projects typically result in emissions of criteria air pollutants (CAPs) and toxic air contaminants (TACs), primarily from an increase in motor vehicle trips. As discussed under Impact AQ-3 (PMND p. 61), the Bay Area Air Quality Management District (air district) has developed screening criteria to determine whether a project requires an analysis of project-generated CAPs. If all of the screening criteria are met by a proposed project, then the lead agency or applicant does not need to perform a detailed air quality assessment, and it is presumed that such a project would generate CAPs at levels that would not exceed the air district's CEQA significance thresholds. With 21 dwelling units and approximately 2,855 sf of commercial space, the proposed project is expected to generate 97 daily vehicle trips to and from the project site. The proposed project would be 24 times below the screening criterion for the "apartment, high-rise" land use type (510 dwelling units) and 16 times below the screening criterion for the "quality restaurant" land use type (47,000 sf). A



detailed air quality assessment is not required, and the proposed project would not exceed any of the significance thresholds for CAPs. This impact would be less than significant, and no further analysis is required under CEQA.

As discussed under Impact AQ-4 (PMND pp. 61-62), individual projects result in emissions of TACs, primarily from an increase in vehicle trips. The air district considers roads with fewer than 10,000 vehicles per day "minor, low-impact" sources that do not pose a significant health impact even in combination with other nearby sources and recommends that these sources be excluded from the environmental analysis. The proposed project's 97 daily vehicle trips would be 103 times below the 10,000-vehicles-per-day threshold. Therefore, a detailed air quality assessment is not required, and the proposed project would not generate a substantial amount of TAC emissions that could affect nearby sensitive receptors. This impact would be less than significant, and no further analysis is required under CEQA.

The restaurant would have exhaust vents located on the roof of the proposed building. It may be possible to reorient the exhaust vents so that they do not face the existing units at The Austin. This concern may be addressed through the design review/entitlement process and/or may be considered by the Commission during their deliberations on the merits of the proposed project.

**Response 3:** As discussed under Impact NO-1 (PMND pp. 40-42), the proposed project's construction activities would result in temporary and intermittent increases in noise levels. As shown in Table 2: Typical Noise Levels from Proposed Project Construction Equipment (PMND p. 41), the noise levels generated by the anticipated construction equipment would not exceed the limits established in the San Francisco Noise Ordinance. The increases in noise levels are not expected to be substantially greater than ambient noise levels in the project vicinity, which are already high (greater than 70 dBA during a typical 24-hour period). The proposed project's construction activities would not expose individuals to temporary increases in noise levels that are substantially greater than ambient noise levels. This impact would be less than significant, and no further analysis is required under CEQA.

**Response 4:** Loss of privacy due to the proximity between new and existing buildings is not an issue that falls under the scope of CEQA. Comments regarding loss of privacy may be addressed through the design review/entitlement process and/or may be considered by the Commission during their deliberations on the merits of the proposed project.

**Response 5:** The additional building height proposed under state density bonus law would obstruct views from some of the units at The Austin. Loss of private views from private properties is not an issue that falls under the scope of CEQA. Comments regarding the loss of views from some of the units at The Austin may be addressed through the design review/entitlement process and/or may be considered by the Commission during their deliberations on the merits of the proposed project.

**Response 6:** CEQA focuses on the physical environmental effects that may result from a proposed development project. Pursuant to CEQA Guidelines Section 15131(a), "economic or social effects of a project shall not be treated as significant effects on the environment. An EIR may trace a chain of cause and effect from a proposed decision on a project through anticipated economic or social changes resulting from the project to physical changes caused in turn by the economic or social changes. The intermediate economic or social changes need not be analyzed in any detail greater than necessary to trace the chain of cause and effect. The focus of the analysis shall be on the physical changes."

The proposed project's perceived economic effect on the property values of some of the units at The Austin or other adjacent or nearby properties is not a physical effect on the environment that must be analyzed under CEQA. Comments regarding this issue may be considered by the Commission during their deliberations on the merits of the proposed project.



# Conclusion

For the reasons provided in this appeal response, Department staff recommends that the Commission deny the appeal of the CEQA determination. The appellant has not provided substantial evidence supporting a fair argument that the project would have significant impacts on the environment with implementation of feasible mitigation measures identified in the PMND that would warrant preparation of an environmental impact report.

# EXHIBIT B Appeal and Letters Supporting the Appeal

This page intentionally left blank.



David P. Cincotta dcincotta@jmbm.com Two Embarcadero Center, 5th Floor San Francisco, California 94111-3813 (415) 398-8080 (415) 398-5584 Fax www.jmbm.com

79518-0001

February 16, 2021

President Joel Koppel SF Planning Commission 49 South Van Ness Avenue, Ste. 1400 San Francisco, CA 94103

> Re: Appeal of Preliminary Mitigated Negative Declaration of 1525 Pine Street Development ("PMND")

Dear Mr. Koppel:

On behalf of Ms. Patricia Rose and Claire Rose and other neighbors, we are appealing the grossly inadequate environmental review being presented as a PMND for the proposed project at 1525 Pine Street (the "Project"). As analyzed and presented below, it is without question that further research and analysis is necessary before the Planning Commission has sufficient information to make an informed decision about the merits of the proposed project.

While we believe there are multiple areas of inadequacy in this PMND we will be providing specific analysis of several areas of review.

#### **Transportation and Circulation**

The PMND completely ignores the potential significant environmental impact when it fails to provide any substantive analysis of the potential cumulative impacts of all the development that it has identified in the immediate vicinity of the Project.

#### **Cumulative Impacts are Potentially Devastating**

The PMND identifies that within a quarter-mile of the proposed project there are developments which are either under construction or being processed by the Department for 522 dwelling units, 155,770 square feet of medical office, commercial or office uses. It then **concludes without any detailed analysis** of the potential impacts of all this development in this neighborhood that there will be **no significant impacts to transportation or circulation**. This becomes obviously incredible when the PMND states that the mere 21 units and 2,800 square feet of commercial space of the proposed project at 1525 Pine will generate 112 vehicle trips, 429 walking trips, 213 transit trips, and 70 trips by other modes (e.g., bicycle, motorcycle, taxi).

68783249v1

That would mean that cumulative development, within a quarter-mile of the project, <u>conservatively</u> would be <u>in excess</u> of 3,000 vehicle trips; 6,000 walking trips; 700 transit trips; and 2000 other modes of trips. Yet, the PMND has done no significant analysis to determine this would create significant environmental impacts. It should be noted that only about 300 parking spaces will be added with all the cumulative development.

### Public Transit Must be Impacted Significantly

More specifically, the PMND concludes that there would be no significant impacts and no mitigation measures are necessary for mitigating the potential impacts on Public Transit. There is Public Transit on Pine, Polk and Sutter Streets and Van Ness Avenue. Only about 300 parking spaces will be added within all the cumulative development projects. It is beyond credibility to imagine how many vehicles will be circling these few blocks in this neighborhood while trying to find parking to go home or those looking for parking before their doctor's appointments. It is incomprehensible that this traffic would not delay or interrupt Public Transit. Yet no analysis of any intersections was done in the PMND. Further, no analysis of the impacts on pedestrians along Polk Street, Austin Alley, Pine Street or Van Ness will be impacted. Again, there would only be 27 vehicle trips generated by the Project during the P.M. peak hours for a 21-unit development. How many vehicle trips would be generated by over 522 units and 155,700 square feet of commercial uses? The PMND does not provide this calculation. This is seriously deficient.

#### Vehicle Miles Traveled Analysis is Grossly Inadequate

The PMND focuses its analysis of Vehicle Miles Traveled ("VMT") solely on the impacts within Transportation Analysis Zone 327 (TAZ 327). [See the attached drawing showing the TAZ 327.] It concludes then that there would be no significant impacts and no mitigation measures would be necessary. When reviewing this carefully, it is obvious that the analysis is remarkably deficient when considering cumulative impacts. The size of TAZ 327 is approximately 4 blocks from Van Ness Avenue to Leavenworth. Of the 522 dwelling units and 155,700 square feet of commercial space of cumulative development <u>only 5 new dwelling units</u> are within TAZ 327. To repeat, in addition to the Project, only 5 new units are in TAZ 327. So 517 dwelling units and 155,700 square feet of commercial space are entirely ignored. Of course there would not be any significant impacts if only considering the Project plus 5 new dwelling units. Yet, the analysis completely ignores the cumulative impacts of the remaining 517 dwelling units and 155,700 square feet of medical offices and commercial space. Yet the PMND concludes that no significant impact will occur and no mitigation measures are necessary.

The PMND makes 3 conclusions that are just not supported by the evidence and analysis provided in the document:



<u>Impact C-TR-2</u>: Operation of the proposed project, in combination with cumulative projects, would not create potentially hazardous conditions for people driving, walking, or bicycling, or for public transit operations. (Less than Significant)

<u>Impact C-TR-3</u>: The proposed project, in combination with cumulative projects, would not interfere with accessibility of people walking or bicycling to and from the project site and adjoining areas or result in inadequate emergency access. (Less than Significant)

<u>Impact C-TR-4</u>: The proposed project, in combination with cumulative projects, would not substantially delay public transit. (Less than Significant)

<u>Impact C-TR-5</u>: The proposed project, in combination with cumulative projects, would not cause substantial additional VMT or substantially induce automobile travel by increasing physical roadway capacity in congested areas or by adding roadways to the network.

It just takes common sense to realize that this requires much more and much better analysis of the cumulative transportation and circulation impacts because <u>the potential impacts to this neighborhood are overwhelming</u>.

#### **Cultural Resources Findings Are Inconsistent**

The PMND, through the Historic Resource Evaluation Report, takes the positive step of identifying the **Grubstake** diner as a **historic resource** as it is a **contributor to the Polk Gulch LGBTQ Historic District** and is eligible for listing in the California Register. The PMND also cites the CEQA Guidelines and states that a <u>historical resource is materially impaired when a</u> project "demolishes or materially alters in an adverse manner those physical characteristics of a historical resource that conveys its historical significance."

Then, inexplicably, the PMND says the demolition of the Grubstake "would not cause a substantial change in the significance of [the] historical resource" so the demolition of the Grubstake is "Less than Significant". Adding even more confusion to its findings, the PMND then states that <u>the existing building</u>, even though it has undergone major alterations, <u>has retained its integrity</u> and continues to convey its significance as a contributor to the historic district.

To summarize, the Grubstake is a historic resource and a contributor to a historic district, its building has retained its integrity to the historic district and the total demolition of the building is "less than significant". This is inconsistent with the CEQA guidelines and the prevailing law of CEQA.

It is noted that there are proposals within the proposed project that <u>attempt to replicate the</u> <u>Grubstake</u> within the proposed new building <u>by removing and reincorporating specific features</u> in the new project. Curiously, though, these specific efforts are <u>not mitigation measures</u>. It could



be argued that even these efforts are insufficient to mitigate the loss of the historic resource. There is not sufficient discussion in the HRER that could help determine what measures would actually be sufficient to retain some of the key features that would reduce this loss to "less than significant" More importantly though, these are not identified as "mitigation measures"; there is no guarantee that these efforts would actually occur. Further, if these are not "mitigation measures", then the loss of a significant historic resource to the historic district has not reduced this demolition of the resource to "less than significant".

The treatment of this historic resource is embarrassingly inadequate. In order to overcome the demolition of this resource a minimum amount of protections must be present in the PMND and would more appropriately be contained in an Environmental Impact Report. First, specific, detailed mitigation measures must be included in order to either preserve or replicate the integrity of the resource. In any case, the Planning Commission would also need to find "overriding circumstances" to approve the project before permitting the demolition of this historic resource.

The discussion of Cultural Resources is wholly inadequate and an EIR must be prepared or the PMND and the HRER must be rewritten to address the legal insufficiencies to demolish the historic resource.

### Wind Analysis is Limited and Incomplete

As is noted in other letters attached to this appeal, the wind impacts from the proposed project have not been adequately analyzed. It is clear that there are sensitive receptors immediately adjacent to the proposed development at 1545 Pine Street. While the RWDI analysis has reviewed the impacts on pedestrian and sensitive receptors at the ground level, there is an obvious omission to the analysis by not considering the wind impacts to the deck areas of the adjacent building which are 22 feet wide. This condition is quite likely to create a dangerous wind tunnel at the higher levels which could then create dangers to pedestrians below.

This <u>potential negative impact is foreseeable and significant</u> and should be analyzed before this PMND could be considered complete and adequate. It should be noted that this potential wind impact at the higher levels could be a direct result of the additional height being proposed through the State Density Bonus. An additional 18 feet plus a 17 foot mechanical penthouse create an unusual and potentially harmful environmental impact. Only after such a complete wind analysis could the PMND determine that there are no significant wind impacts.

We urge you to require further wind analysis at the higher levels of 1545 Pine Street before the environmental review process could be considered complete.



# Shadow Impacts Beyond Public Spaces Are Foreseeable and Negative to Sensitive Receptors

As also mentioned by other neighbors to the proposed Project, the PMND neglects to analyze the impacts of shadows on other sensitive receptors, including seniors and other neighbors to the development. In order to appropriately analyze the shadow impacts of the Project, additional analysis should be prepared to review the impacts to the seniors at the Leland-Polk Senior Community Housing as well as those residents of 1545 Pine Street whose only natural light will be lost due to the State Density Bonus being sought for the development of the Project at 1525 Pine Street. To repeat, these are foreseeable and potentially significant environmental impacts and must be undertaken before this environmental review process can be considered adequate and complete.

#### Summary

The PMND for the 1525 Pine Street is completely inadequate, incomplete and without proper supportive documentation for its findings and conclusions.

More specifically, the Traffic and Circulation analysis completely ignores the cumulative impacts to pedestrians, vehicle trips and public transit. We have pointed out the omission to review the cumulative development projects in the immediate vicinity for their impacts on the neighborhood.

Further, the demolition of the Grubstake diner which is an identified historic resource, contributor to a historic district and is eligible for inclusion to the California Register, has inexplicably not been treated as a historic resource. There are no specific, detailed mitigation measures to mitigate the loss of the historic resource. Moreover, there are no identifiable overriding circumstances that have been prepared to justify the loss of the historic resource.

Finally, we have identified the limited analysis of wind and shadow impacts as they only analyze the pedestrian and open space impacts when there are other foreseeable and potentially significant impacts which should be considered in order to protect sensitive receptors within the vicinity of the Project.

In closing, it should be noted that many, if not all, of the impacts we have identified which are potentially significant negative impacts appear to be a direct result of the increased height being proposed for the Project through the State Density Bonus. The analysis should show the differences in the impacts to Traffic, Wind and Shadow for a project <u>without</u> the State Density Bonus. This would be more appropriately reviewed as an Alternative Project in an Environmental Impact Report. There are <u>ten</u> exceptions identified in the PMND that are being sought through the State Density Bonus--- height, bulk, rear yard, usable open space, permitted obstructions, dwelling unit exposure, setbacks on narrow streets, ground-floor ceiling height, ground floor transparency and fenestration. It was never contemplated that the State Density



Bonus would be used to grant so many exceptions particularly when the resulting project would create so many significant environmental impacts.

We urge you to require the further analysis of an Environmental Impact Report to adequately review the significant environmental impacts and the Alternatives for the proposed Project. Thank you for your attention.


Very truly yours,

DAVID P. CINCOTTA, Of Counsel to Jeffer Mangels Butler & Mitchell LLP

DPC:gd Enclosures

cc: Lisa Gibson, Environmental Review Officer Michael Li Samantha Updegrave





Dear Mr. Koppel,

This letter is regarding the Mitigated Negative Declaration and the Environmental Review Documents for 1525 Pine St.

As the owner of unit 701 in The Austin building, directly west of the proposed project, we have several concerns regarding this project and the documents that support it. They are as follows:

1. <u>Air Quality</u>: The erection of this building, with the only entrance being on Austin Alley, will create a traffic nightmare on the alley with increased pollution from vehicles and rideshares dropping off and picking up residents. In addition, car owners in the building without parking will need to circle the neighborhood for limited street parking. The increased traffic on the surrounding blocks will also cause further pollution to sensitive receptors.

1a. Ingress/Egress from 1545 Pine St garage on Austin Alley will be impacted, as it is a one way, very narrow street already. Austin owners may not be able to exit if there are rideshares or other cars waiting for residents from 1525.

2. <u>Shade</u>: The study does not address the shade issue of an 83ft tall building (with an elevator penthouse of an additional 17ft) on the residents/homeowners of The Austin directly west.

2a. Currently, as the sun rises in the east, Austin residents enjoy sunshine into our homes from sunrise over Nob Hill only until 12 Noon at best. With the erection of this 83 ft building, the only sunshine will be brief, perhaps for 30 minutes a day and NOT be into our homes, but onto our decks. The shade factor will be negatively impactful all day.

3. <u>Wind</u>: The Wind study does not address the wind tunnel that will be created by an 83 ft building next to The Austin, west of the proposed structure. There will be a gap, 22 ft wide from the 7th floor up to the proposed 83 ft plus structure.

3a. Currently, the wind blowing in from the north, or any storm, is so strong that furniture needs to be tied down. Creating more of a funnel from Pine St to Austin Alley will make the patios totally unusable, unlivable and dangerous, as items can fly off the balconies onto the streets below.

4. <u>Construction Impact during Covid</u>: The east side of The Austin is all glass; units have floor to ceiling windows. Most residents of The Austin, during the pandemic, are working from home. The noise from the erection of this building would severely impact homeowners on the east side with noise disruptions, dust and dirt all day long.

5. <u>Loss of Privacy</u>: The east side of The Austin is glass, each unit above the 6th floor have floor to ceiling windows. An 83ft building with a roof top patio will directly impact the privacy of all homes and balconies from the 7th floor to the 10th floor with onlookers from the proposed building.

Respectfully,

Patricia Rose & Claire Rose 1545 Pine Street, Unit 701 San Francisco, CA 94109 Shawn Farrell 1545 Pine Street, #702 San Francisco, CA 94109

RE: 1525 Pine Street - Grubstake

Dear Planning Commission,

I am a resident of The Austin which was built in 2018, the property adjacent to the proposed project at 1525 Pine Street. When we purchased our east facing condominium located on the seventh floor with a large terrace in 2018 it was under the assumption that when the new Grubstake building was built it would be 65-feet or lower. The gentleman who owns the property at 1525 Pine Street actually rented a unit at The Austin and was informing all new owners at The Austin he would not build anything taller than 65 feet because he did not want to block our views. It was one of the factors why we purchased our condominium. Our seventh floor terrace is approximately 300 square feet. Our condominium is 700 square feet. The terrace and the view is the entire reason we purchased the condominium.

Alas, with the newly available State Density Bonus Program, our Grubstake neighbor modified his originally submitted architectural drawings to the City Planning Dept and increased the height of the building to 85 feet, which I believe will now greatly diminish our property value by several hundred thousand dollars because the view will become completely obstructed (circled in red below).

**But perhaps even more important** -- with no underground parking at this proposed new taller building, and with the Grubstake restaurant taking the entirety of the front portion of the building, all residents must enter and exit through Austin Alley. Austin Alley is a small one lane alley which I do not believe can handle the amount of automobile traffic (Uber, Lyft, cars dropping off homeowners, guests, cars waiting, etc.) that will be caused by an 8-story building. I think this will simply cause too much congestion and a bottleneck and <u>do not believe there has been a sufficient traffic analysis</u> done on Austin Alley to warrant approval of this 8-story building.

Therefore, I would recommend the requested State Density Bonus Program be denied and the Planning Commission require a more in-depth traffic analysis be complete before any approval is finalized on his project. Thank you for your consideration.



Sincerely,

Shawn Farrell

Attention: Joel Koppel President San Francisco Planning Commission

Cc: Michael Li Senior Environmental Planner

Date: February 15, 2021

### RE: 2015-009955ENV, 1525 Pine Street (Grubstake)

Dear Mr. Koppel:

Please accept the following appeal comments with regards to the preliminary mitigated negative declaration report for the project titled: 1525 Pine St.

The newly proposed designs for a taller building of 83ft (plus an additional 17ft elevator penthouse) severely impacts my east facing home in The Austin at 1545 Pine st. When purchasing my home at The Austin, it was my understanding that a smaller development might happen at this site. With the designs available for this development at that time, the impact should not have been as severe. But now with a 100ft tall structure to the east, it changes the environment of my home severely. Had this plan been available at the time of purchase - I wouldn't have purchased a home here.

 <u>Outdoor living terrace</u>: My home has an attached (23ft in length) east-facing terrace with the only source of sun coming from the east direction. This space was sold as an extension of the home - and it's actively used as a living + gardening space (Attachments B, C and D). With the proposed plan, my sunny terrace with active gardening would be akin to a shaded prison yard (Attachment A) that as a homeowner, I can no longer utilize in the same way.

Additionally, I also have major safety concerns with there being a possibility of someone being able to climb onto the terrace that opens right into my residence.

- 2. <u>Sunlight</u>: The only source of any sun and direct light inside my home is from a direct east facing sun, in through a large window. I am extremely concerned that this development will cause direct emotional and mental impact for me by completely blocking access to all sunlight. Especially in challenging times like the ones we saw during the pandemic, where I will have to spend extended periods of time at home.
- 3. <u>Density</u>: I believe there is an inclination to maximize units in new developments in San Francisco. However, the design of this project doesn't support that in a practical way. There are plans for tiny 290sqft studios, and no one-bedroom units which are arguably the most sought after home configuration in this neighborhood. There are also several other recent new developments on Polk St (at Sutter, California, Bush) which are all increasing the number of housing units in this general area, so I feel strongly against this project needing to utilize the state's density bonus program.
- 4. <u>Overly congested Austin St</u>: The above point is a good segue into congestion. With no car parking being planned for this development and the increased ridership from

ride-sharing apps, as well as the entrance to the residential units being from Austin St - it appears that Austin st will get extremely congested. This alley is already being used for neighboring restaurants for outdoor dining which means residents of this new development won't be able to get rides to their dwellings or move in/out without disrupting outdoor dining. Austin St congestion is also a severe concern during the construction phase of this development, which will completely disrupt outdoor dining as well.

- 5. **Privacy**: There are two open spaces in the proposed new development, both of which bring up privacy and safety concerns for Austin homeowners. These spaces are directly facing my residential windows which they put occupants of the new development at less than 30ft away from my bedroom. Which means that any activity in my home can be easily seen, and I no longer have any privacy whatsoever.
- 6. Grubstake significance: As an original railroad wagon restaurant, Grubstake has a lot of historic and LGBTQ significance which is at the core of why some of us bought homes in The Austin. When Grubstake first changed ownership in 2015, during the Lower Polk CBD meetings the new owners, Jimmy & Nick had assured neighbors that the restaurant wouldn't lose its current form. And no high-rise development will happen over it. Yet, it seems like the place will be changed altogether. I have reviewed the proposals for reusing some of the existing materials, but not having the restaurant there for 2 years and changing its original shape as well as staff, will lose the frequent patronage that a lot of us were hoping to continue having as neighbors.
- 7. <u>Air quality</u>: The proposed plans have Grubstake restaurant's exhaust creating emissions at their rooftop and pointing towards my east facing home. This has a lot of health and particle pollution concerns for me, now that the exhaust vent will be less than 20ft away from my windows and outdoor space. In addition to the fact that their kitchen will be operating at late night hours. As a homeowner, I'm quite concerned about the potential for respiratory illnesses developing from continued exposure to smoke and particles for extended times during the evening and late night.

I hope the planning commission will take into account the several concerns from my appeal letter, in response to the PMND issued recently.

I would also urge the commission to consider asking the developer to plan for a shorter building with total height (including mechanical penthouse) equal to or less than 55ft. In addition to having a residential entrance from Pine st, instead of being exclusively on Austin St.

With Regards,

Rajan Arora 1545 Pine St, Unit 703 San Francisco CA 94109

# ATTACHMENTS



Α.

В.



C.

Amir Kavousian 1545 Pine St, Apt 902 San Francisco, CA 94110

To: Mr. Joel Koppel, President of the SF Planning Commission 49 South Van Ness, Ste 1400 San Francisco, CA 94103

Copied: Mr. Michael Li

### RE: 1525 Pine Street projects (Grubstake Project) - 2015-009955ENV

Dear Mr. Koppel,

As a long-term San Francisco resident and an owner of unit #902 at 1545 Pine St (The Austin), I am writing to express my deep concern for the results of the environment review referenced above, and request for an appeal of the decision. I am particularly concerned by the negative long-term impacts that the proposed project would have on air quality, congestion level, natural light, and wind for neighborhood residents.

In particular, the decision to extend the project height above the 65-ft height restrictions of the zone will severely impact the livelihood of the residents with units facing the project (us included). For many units in The Austin project, an east-facing window is the only source of natural light. By extending the project height above 65', several families at The Austin will lose access to this basic need (natural light). This is particularly concerning during these times when we are all following officials' guidelines to shelter in place and help protect each other from the spread of COVID-19.

Additionally, by overreaching beyond its 65-ft height limit and dwelling unit density, the project will negatively impact the livability of the block by adding congestion and traffic to the alreadystrained Austin Alley. While the project does not include car parking, each residence will, without doubt, contribute to car traffic by using deliveries, ride-sharing, and other car-centric modes of transportation and shipment.

Lastly, the proposed project will have a considerable negative economic impact on The Austin homeowners by negatively impacting their property values. This is particularly concerning during these times when we are collectively more vulnerable to the economic shocks as a result of COVID-19 impacts.

Thank you for providing an opportunity for residents to express their concern over this project.

Sincerely,

Amir Kavousian

Dr. Jimmy Choi The Austin 1545 Pine Street, Unit 704 San Francisco, CA 94109 (415) 794-7468 jimchoi729@gmail.com

February 12, 2021

Joel Koppel San Francisco Planning Department, 49 South Van Ness, Ste 1400 San Francisco, CA 94103

RE: 1525 Pine Street Project

Dear Mr. Koppel,

As a resident of The Austin, at 1545 Pine Street, directly adjacent to the 1525 Pine Street project, I would like to offer my comments and concerns regarding the project. I am particularly concerned with what appears to be inadequate consideration of problems posed by the location of the proposed project immediately across from the Leland-Polk Senior Community Housing, which provides affordable housing for persons 62 years and older. Residents of this senior community housing will be severely affected by the noise impact of the construction and by the long term impact of deteriorated air quality and wind and shadow problems posed by construction of a facility less than 17 feet from their rooms. The ramifications are troublesome and will be felt for years to come after construction is completed.

1) Shadow Impacts

A. The Preliminary Mitigated Negative Declaration fails to address the enormous extent of shadows cast by the project on sidewalks, streets, and adjacent buildings, especially the senior living center. To reduce shadow impacts, the City should consider reducing the building height footprint. The PMND considers only new shadows on public open spaces. The PMND must also evaluate shadow impacts on private spaces that serve confined seniors unable to access public open space. The PMND must also consider the impact to frail seniors associated with the permanent loss of natural sunlight to windows at the Leland-Polk Senior Community. Residents of this community rely on light from the north facing windows that will no longer be available due to the 1525 Polk project. Gerontologists have determined that artificial light is not effective mitigation for shadow impacts. This could be accomplished by reducing the height of the project.

### 2) Transportation Impacts

A. The project will dramatically increase traffic on Austin Street, which is in conflict with pedestrians using the already narrow sidewalks. The PMND does not account for the special needs of elderly residents in the area, many of whom have impaired vision, hearing, and mobility. These pedestrians would be less able to avoid collisions with vehicles in the already congested main streets of Polk, and especially, Van Ness. The analysis of pedestrians near the proposed project. The project, located in between major transit corridors of Polk and Van Ness will create added traffic , not only due to private vehicles, but also the ride sharing platforms of Uber and causing more conflicts between pedestrians and vehicles.

There are many other criticisms of this project, many of which were not considered in the PMND (because its contents are limited to specific environmental issues). The impact of a building so much "out of scale" with the neighborhood and its impact on the quality of life for residents in the area which the 72 seniors residents of the nearby area are extremely serious issues which I am sure the Planning Department and Commission will weigh carefully in making a decision. Thank you for providing an opportunity for residents to express their serious concern over the 1525 Pine Street project.

Sincerely,

Jimmy Choi, MD

This page intentionally left blank.

# EXHIBIT C Mitigated Negative Declaration

This page intentionally left blank.





# **MITIGATED NEGATIVE DECLARATION**

PMND Date:	January 27, 2021; amended on March 18, 2021
Case No.:	2015-009955ENV, 1525 Pine Street
Zoning:	Polk Street Neighborhood Commercial District
	65-A Height and Bulk District
Plan Area:	Not applicable
Block/Lot:	0667/020
Lot Size:	3,000 square feet
Project Sponsor:	1525 Pine Street Dev LLC
	c/o Toby Morris – Kerman Morris Architects LLP
	415.749.0302, toby@kermanmorris.com
Staff Contact:	Michael Li
	628.652.7538, michael.j.li@sfgov.org

# **Project Description**

The project site (Assessor's Block 0667, Lot 020) is a 3,000-square-foot rectangular parcel on the south side of Pine Street between Van Ness Avenue and Polk Street in San Francisco's Nob Hill neighborhood. The project site is a through lot with one frontage on Pine Street and one frontage on Austin Street, and it is occupied by a one-story restaurant called Grubstake. The project site slopes up gradually from east to west (Polk Street to Van Ness Avenue) and from south to north (Austin Street to Pine Street). The project site is in the Polk Street Neighborhood Commercial District and a 65-A Height and Bulk District.

The proposed project consists of demolishing the existing one-story restaurant and constructing an eight-story, 83-foot-tall building (plus an additional 17-foot-tall elevator penthouse) containing 21 dwelling units and approximately 2,855 square feet of commercial space. The existing restaurant, Grubstake, would vacate the premises during the demolition and construction period but would return to occupy the basement, ground floor, and mezzanine of the new building. The dwelling units would be on the second through eighth floors. The proposed project would not include any automobile parking, and the existing curb cut on Austin Street would be removed. A total of 32 bicycle parking spaces would be provided (28 Class 1 spaces in a storage room in the basement of the proposed building and two Class 2 spaces on both the Pine Street and Austin Street sidewalks adjacent to the project site). Usable open space for the residents of the proposed project would be provided in the form of a common roof deck.

A substantial amount of interior and exterior features of the existing building would be removed and reused and/or replicated in the new commercial space:

- Match the original footprint/orientation of the lunch wagon
- Match the existing scale and proportion of the lunch wagon
- Replicate the metal barrel vault ceiling
- Replicate the train car façade
- Reuse/replicate decorative lights and side globe lights
- Reuse existing windows where possible and where not possible, replicate to match existing
- Salvage, restore and reuse murals
- Reuse the existing Grubstake signage, including light box signage and neon lights
- Replicate the wooden bar
- Reuse/replicate the tile floor, chrome accents, linear counter and backless stools
- Retain the menu style and most-liked traditional dishes

In addition, the project sponsor would develop and implement an interpretive program that focuses on the history of the project site. The primary goal of the interpretive program is to educate visitors and future residents about the property's historical themes, associations, and lost contributing features within broader historical, social, and physical landscape contexts. The interpretive program would include the installation of permanent on-site interpretive displays but may also include development of digital/virtual interpretive products.

## Finding

This project could not have a significant effect on the environment. This finding is based upon the criteria of the Guidelines of the State Secretary for Resources, Sections 15064 (Determining Significant Effect), 15065 (Mandatory Findings of Significance), and 15070 (Decision to Prepare a Negative Declaration), and the following reasons as documented in the initial study for the project, which is attached. Mitigation measures are included for this project to avoid potentially significant effects (see Section F, Mitigation Measures and Improvement Measures, pp. 96-110).

In the independent judgment of the Planning Department, there is no substantial evidence the project could have a significant effect on the environment.

Lisa Gibson Environmental Review Officer Date of Adoption of Final Mitigated Negative Declaration

cc: Toby Morris – Kerman Morris Architects LLP Alexis Pelosi – Pelosi Law Group Samantha Updegrave – Current Planning Division Supervisor Aaron Peskin, District 3

### **INITIAL STUDY TABLE OF CONTENTS**

### **1525 Pine Street**

### Page

Section	on		Page
А.	Projec	ct Description	1
В.	Projec	ct Setting	4
C.	Comp	patibility with Existing Zoning and Plans	5
D.	Sumn	nary of Environmental Effects	8
E.	Evalua	ation of Environmental Effects	9
	E.1.	Land Use and Planning	9
	E.2	Population and Housing	11
	E.3.	Cultural Resources	13
	E.4	Tribal Cultural Resources	27
	E.5.	Transportation and Circulation	28
	E.6.	Noise	40
	E.7.	Air Quality	49
	E.8.	Greenhouse Gas Emissions	64
	E.9.	Wind	67
	E.10	Shadow	68
	E.11.	Recreation	69
	E.12.	Utilities and Service Systems	71
	E.13.	Public Services	77
	E.14.	Biological Resources	79
	E.15.	Geology and Soils	81
	E.16.	Hydrology and Water Quality	86
	E.17.	Hazards and Hazardous Materials	89
	E.18.	Mineral Resources	91
	E.19.	Energy	92
	E.20.	Agriculture and Forestry Resources	93
	E.21	Wildfire	94
	E.22.	Mandatory Findings of Significance	95

F.	Mitigation Measures and Improvement Measures	96
G.	Public Notice and Comment	
H.	Determination	111
Ι.	Initial Study Preparers	
Figure	S	Page
Figure 1	L: Project Location Map	2
Tables		Daga
		Page
Table 1		•
	: Average Daily Vehicle Miles Traveled	
Table 1	: Average Daily Vehicle Miles Traveled : Typical Noise Levels from Proposed Project Construction Equipment	
Table 1 Table 2	<ul> <li>Average Daily Vehicle Miles Traveled</li> <li>Typical Noise Levels from Proposed Project Construction Equipment</li> <li>Caltrans Vibration Damage Potential Threshold Criteria</li> </ul>	
Table 1 Table 2 Table 3	<ul> <li>Average Daily Vehicle Miles Traveled</li> <li>Typical Noise Levels from Proposed Project Construction Equipment</li> <li>Caltrans Vibration Damage Potential Threshold Criteria</li> <li>Predicted Construction Vibration Levels at Receptor</li> </ul>	

Attachment A – Project Plans (March 18, 2021)

### **Initial Study**

### 1525 Pine Street

### Planning Department Case No. 2015-009955ENV

### A. Project Description

### **Project Location**

The project site (Assessor's Block 0667, Lot 020) is a 3,000-square-foot rectangular parcel on the south side of Pine Street between Van Ness Avenue and Polk Street in San Francisco's Nob Hill neighborhood (see Figure 1). The project site is a through lot with one frontage on Pine Street and one frontage on Austin Street, and it is occupied by a one-story restaurant called Grubstake. The project site slopes up gradually from east to west (Polk Street to Van Ness Avenue) and from south to north (Austin Street to Pine Street). The project site is in the Polk Street Neighborhood Commercial District (NCD) and a 65-A Height and Bulk District.

### **Project Characteristics**

The proposed project consists of demolishing the existing one-story restaurant and constructing an eight-story, 83-foot-tall building (plus an additional 17-foot-tall elevator penthouse) containing 21 dwelling units and approximately 2,855 square feet of commercial space. The existing restaurant, Grubstake, would vacate the premises during the demolition and construction period but would return to occupy the basement, ground floor, and mezzanine of the new building. The dwelling units would be on the second through eighth floors. The proposed project would not include any automobile parking, and the existing curb cut on Austin Street would be removed. A total of 32 bicycle parking spaces would be provided (28 Class 1 spaces in a storage room in the basement of the proposed building and two Class 2 spaces on both the Pine Street and Austin Street sidewalks adjacent to the project site). Usable open space for the residents of the proposed project would be provided in the form of a common roof deck. See Attachment A for the project plans.

A substantial amount of interior and exterior features of the existing building would be removed and reused and/or replicated in the new commercial space:<sup>1</sup>

- Match the original footprint/orientation of the lunch wagon
- Match the existing scale and proportion of the lunch wagon
- Replicate the metal barrel vault ceiling
- Replicate the train car façade
- Reuse/replicate decorative lights and side globe lights
- Reuse existing windows where possible and where not possible, replicate to match existing

Project plans for 1525 Pine Street, Sheets G6.00 and G6.01, July 31, 2020 March 18, 2021. All documents cited in this Initial Study are available for review at the San Francisco Planning Department, 49 South Van Ness Avenue, Suite 1400, San Francisco, California as part of the project file for Case No. 2015-009955ENV.



Figure 1: Project Location

SOURCE: San Francisco Planning Department

- Salvage, restore and reuse murals
- Reuse the existing Grubstake signage, including light box signage and neon lights
- Replicate the wooden bar
- Reuse/replicate the tile floor, chrome accents, linear counter and backless stools
- Retain the menu style and most-liked traditional dishes

In addition, the project sponsor would develop and implement an interpretive program that focuses on the history of the project site.<sup>2</sup> The primary goal of the interpretive program is to educate visitors and future residents about the property's historical themes, associations, and lost contributing features within broader historical, social, and physical landscape contexts. The interpretive program would include the installation of permanent on-site interpretive displays but may also include development of digital/virtual interpretive products. See Section E.3, Cultural Resources, of this initial study for more information.

### **Project Construction**

Construction of the proposed project is expected to last 18 months. The proposed building would rest on a concrete mat slab foundation supported by drilled piers; pile driving would not be required. Construction of the proposed project would require excavation to a depth of up to 14 feet below ground surface and the removal of about 1,500 cubic yards of soil from the project site.

### **Project Approvals**

The proposed project would require the following approvals:

#### **Planning Commission**

- Conditional Use Authorization to develop a lot larger than 2,499 square feet, establish a nonresidential use larger than 1,999 square feet, establish a restaurant on the ground floor, establish a liquor license, operate a business between the hours of 2:00 a.m. and 6:00 a.m., reuse the vintage projecting blade sign, and modify the required dwelling unit mix
- Granting of waivers under the Individually Requested State Density Bonus Program related to building height/bulk, rear yard, usable open space, permitted obstructions, dwelling unit exposure, setbacks on narrow streets, ground-floor ceiling height, and ground-floor transparency and fenestration.

#### **Actions by Other City Departments**

- Demolition Permit (*Planning Department and Department of Building Inspection*)
- Site/Building Permit (*Planning Department and Department of Building Inspection*)

Conditional Use Authorization by the Planning Commission constitutes the Approval Action for the proposed project. The Approval Action date establishes the start of the 30-day period for the appeal of the Final Mitigated Negative Declaration to the Board of Supervisors pursuant to Section 31.04(h) of the San Francisco Administrative Code.

<sup>&</sup>lt;sup>2</sup> Project plans for 1525 Pine Street, Sheet G6.01, July 31, 2020 March 18, 2021.

### B. Project Setting

### **Project Site and Surrounding Land Uses**

The project site is on the northern half of an improved block bounded by Pine Street on the north, Polk Street on the east, Bush Street on the south, and Van Ness Avenue on the west. Austin Street, which runs east-west and divides the project block into northern and southern halves, forms the southern boundary of the project site. The topography of the project site and the project vicinity slopes up from east to west.

Existing buildings on the project block vary in height from one story to 12 stories. The property adjacent to and east of the project site is occupied by a three-story building with residential uses above a ground-floor commercial use. Other buildings on the project block that front Polk Street, Bush Street, and Van Ness Avenue vary in height from one story to five stories and contain residential, commercial, and industrial uses. The property adjacent to and west of the project site is occupied by a six-story building and a 12-story building containing a total of approximately 100 dwelling units and 10,000 square feet of ground-floor commercial space.

The project vicinity is characterized by residential, retail, office, hotel, and automotive uses. The scale of development in the project vicinity ranges in height from 15 feet to 225 feet. On the northeast corner of Pine Street and Van Ness Avenue, there is a 25-story, 225-foot-tall hotel (Holiday Inn). On the southwest corner of Pine Street and Van Ness Avenue, there is a 12-story, 128-foot-tall retirement home (San Francisco Towers). Other land uses in the area include Stuart Hall High School (0.3 mile west of the project site), Lafayette Park (0.3 mile northwest), Redding Elementary School (0.1 mile east), Saint Francis Memorial Hospital (0.2 mile east), and Sergeant John Macaulay Park (0.3 mile southeast).

The project site is well served by public transit. Within one-quarter mile of the project site, Muni operates the 1 California, 1AX California "A" Express, 1BX California B" Express, 2 Clement, 3 Jackson, 19 Polk, 27 Bryant, 31AX Balboa "A" Express, 31BX Balboa "B" Express, 38 Geary, 38AX Geary "A" Express, 38BX Geary "B" Express, 38R Geary Rapid, 47 Van Ness, and 49 Van Ness/Mission bus lines and the California cable car. Golden Gate Transit operates multiple bus lines along Van Ness Avenue, one-half block west of the project site.

### **Cumulative Context**

The cumulative context for land use effects are typically localized, within the immediate vicinity of the project site, or at the neighborhood level. Cumulative development in the project vicinity (within approximately a quartermile radius of the project site) includes the following projects, which are either under construction or for which the Planning Department has a project application on file. The areas and the projects relevant to the analysis vary, depending on the topic, as detailed in the cumulative analyses presented in subsequent sections of this document.

- Case No. 2018-011249ENV: 1567 California Street (demolition of an existing two-story commercial building and construction of an eight-story building containing 100 dwelling units and approximately 9,825 square feet of commercial space)
- Case No. 2020-004634ENV: 1240 Bush Street (addition of five dwelling units to an existing 16-unit building)
- Case No. 2019-022850ENV: 1101 Sutter Street (renovation of an existing three-story building, demolition of an existing two-story building, and construction of a 14-story building containing a total of 201 dwelling

units, approximately 6,970 square feet of commercial space, 2,000 square feet of office space, 3,650 square feet of childcare space, and 59 parking spaces)

- Case No. 2015-015950ENV: 955 Post Street (demolition of an existing two-story building and construction of an eight-story building containing 90 dwelling units and approximately 1,540 square feet of commercial space)
- Case No. 2015-012577ENV: 1200 Van Ness Avenue (demolition of an existing five-story medical office building and construction of a 13-story building containing 107 dwelling units, approximately 109,260 square feet of medical offices, approximately 25,570 square feet of commercial space, and 275 parking spaces)
- Case No. 2014.0914ENV: 1033 Polk Street (demolition of an existing two-story commercial building and construction of an eight-story building containing 19 dwelling units and approximately 605 square feet of commercial space)
- Van Ness Bus Rapid Transit Project: Implementation of right-of-way improvements along a two-mile-long segment of Van Ness Avenue (from Mission Street to Lombard Street) to accommodate bus rapid transit service

Implementation of the nearby cumulative development projects would result in the construction of a total of 522 dwelling units, approximately 44,510 square feet of commercial space, 2,000 square feet of office space, 3,650 square feet of childcare space, 109,260 square feet of medical offices, and 334 parking spaces in the project vicinity.

### C. Compatibility with Existing Zoning and Plans

	Applicable	Not Applicable
Discuss any variances, special authorizations, or changes proposed to the planning code or zoning map, if applicable.	$\boxtimes$	
Discuss any conflicts with any adopted plans and goals of the City or region, if applicable.	$\boxtimes$	
Discuss any approvals and/or permits from city departments other than the planning department or the Department of Building Inspection, or from regional, state, or federal agencies.	$\boxtimes$	

### San Francisco Planning Code and Zoning Maps

The San Francisco Planning Code, which incorporates by reference the City's zoning maps, governs permitted uses, densities, and the configuration of buildings within San Francisco. Permits to construct new buildings or to alter or demolish existing buildings may not be issued unless the proposed project complies with the Planning Code, an exception or variance is granted pursuant to the provisions of the Planning Code, or legislative amendments to the Planning Code are included and adopted as part of the proposed project.

#### Land Use

The project site is in the Polk Street NCD. Pursuant to Planning Code Section 723, the zoning controls of the Polk Street NCD are designed to encourage and promote development that is compatible with the surrounding neighborhood. The building standards monitor large-scale development and protect rear yards at residential

levels. Consistent with the mixed-use character of Polk Street, new buildings may contain most types of commercial uses on the ground and second floors. The zoning controls encourage neighborhood-serving businesses but limit new eating, drinking, other entertainment, and financial service uses, which can produce parking congestion, noise, and other nuisances. The proposed project's residential and restaurant uses are principally permitted and conditionally permitted, respectively (i.e., conditional use authorization from the Planning Commission pursuant to Planning Code Section 723, Table 723) is required for the restaurant).

### Height and Bulk

The project site is in a 65-A Height and Bulk District, which permits a maximum building height of 65 feet. Bulk controls reduce the size of a building's floorplates as the building increases in height. Pursuant to Planning Code Section 270(a), the bulk controls in an "A" Bulk District become effective at a building height of 40 feet. Beginning at a building height of 40 feet, the maximum length of any wall shall not exceed 110 feet, and the maximum diagonal dimension shall not exceed 125 feet. The proposed project would exceed the height and bulk controls for the project site. The project sponsor is requesting that the Planning Commission grant waivers from the height and bulk controls pursuant to the Individually Requested State Density Bonus Program.

### **Parking and Loading**

Pursuant to Planning Code Section 151, parking for residential and commercial uses is not required. Pursuant to Planning Code Section 151.1, up to 0.5 parking spaces is permitted for each dwelling in the Polk Street NCD. Additionally, up to one parking space for every 2,000 square feet of occupied floor area is permitted for eating and drinking uses. The proposed project would not provide any parking spaces. Pursuant to Planning Code Section 152, off-street freight loading loading spaces are required for residential uses that exceed 100,000 square feet of occupied floor area and for retail uses that exceed 10,000 square feet of occupied floor area. The proposed residential and restaurant uses would not exceed these thresholds; no off-street freight loading spaces are required or proposed. Pursuant to Planning Code Section 155.2, the project is required to provide 21 Class 1 bicycle parking spaces (21 for the dwelling units, none for the restaurant) and three Class 2 bicycle parking spaces (one for the dwelling units, two for the restaurant). The project would provide a total of 32 bicycle parking spaces (28 Class 1 spaces in a storage room in the basement of the proposed building and two Class 2 spaces on both the Pine Street and Austin Street sidewalks adjacent to the project site).

### Floor Area Ratio

Floor area ratio (FAR) is the ratio of gross floor area of all the buildings on a lot to the area of the lot. Pursuant to Planning Code Section 124(b), FAR shall not apply to dwellings or other residential uses in NCDs. The proposed project consists of residential and commercial uses in the Polk Street NCD. FAR is not applicable to the residential component of the proposed project, but the nonresidential component of the proposed project complies with the 2.5 to 1 FAR applicable to the project site. The project site has an area of 3,000 square feet. Up to 7,500 square feet of nonresidential space could be developed on the project site, and the restaurant would be approximately 2,855 square feet.

### **Plans and Policies**

#### San Francisco General Plan

The *San Francisco General Plan (General Plan)* establishes objectives and policies to guide land use decisions related to the physical development of San Francisco. It is comprised of ten elements, each of which addresses a particular topic that applies citywide: Air Quality; Arts; Commerce and Industry; Community Facilities; Community Safety; Environmental Protection; Housing; Recreation and Open Space; Transportation; and Urban Design. Any conflict between the proposed project and polices that relate to physical environmental issues are discussed in Section E, Evaluation of Environmental Effects. The compatibility of the proposed project with *General Plan* policies that do not relate to physical environmental issues will be considered by decision-makers as part of their deliberations on whether to approve or disapprove the proposed project.

#### Proposition M - The Accountable Planning Initiative

In November 1986, the voters of San Francisco approved Proposition M, the Accountable Planning Initiative, which added Section 101.1 to the Planning Code and established eight Priority Policies. These policies, and the topics in Section E, Evaluation of Environmental Effects, that address the environmental issues associated with these policies, are: (1) preservation and enhancement of neighborhood-serving retail uses; (2) protection of neighborhood character; (3) preservation and enhancement of affordable housing (Question 2b, Population and Housing, regarding housing supply and displacement issues); (4) discouragement of commuter automobiles (Questions 5a and 5b, Transportation and Circulation); (5) protection of industrial and service land uses from commercial office development and enhancement of resident employment and business ownership; (6) maximization of earthquake preparedness (Question 15a, Geology and Soils); (7) landmark and historic building preservation (Question 3a, Cultural Resources); and (8) protection of open space (Question 10a, Shadow, and Question 11a, Recreation).

Prior to issuing a permit for any project that requires an Initial Study under CEQA, prior to issuing a permit for any demolition, conversion, or change of use, and prior to taking any action that requires a finding of consistency with the *General Plan*, the City is required to find that the proposed project or legislation would be consistent with the Priority Policies.

As noted above, the compatibility of the proposed project with *General Plan* objectives and policies that do not relate to physical environmental issues will be considered by decision-makers as part of their deliberations on whether to approve or disapprove the proposed project. Any potential conflicts that are identified as part of the process would not alter the physical environmental effects of the proposed project and are not required to be addressed in this Initial Study.

#### **Regional Plans and Policies**

The five principal regional planning agencies and their overarching policy-plans to guide planning in the ninecounty Bay Area include the Association for Bay Area Governments' *Plan Bay Area* and *Projections 2040*, the Bay Area Air Quality Management District's *Bay Area 2017 Clean Air Plan*, the Metropolitan Transportation Commission's *Regional Transportation Plan – Transportation 2035*, the San Francisco Regional Water Quality Control Board's *San Francisco Basin Plan*, and the San Francisco Bay Conservation and Development Commission's *San Francisco Bay Plan*. Based on the size and nature of the proposed project, no anticipated conflicts with regional plans would occur.

### D. Summary of Environmental Effects

The proposed project could potentially affect the environmental factor(s) checked below. The following pages present a more detailed checklist and discussion of each environmental factor.

	Land Use and Planning		Greenhouse Gas Emissions	Hydrology and Water Quality
	Aesthetics		Wind	Hazards and Hazardous Materials
	Population and Housing		Shadow	Mineral Resources
$\square$	Cultural Resources		Recreation	Energy
$\boxtimes$	Tribal Cultural Resources		Utilities and Service Systems	Agriculture and Forestry Resources
	Transportation and Circulation		Public Services	Wildfire
$\boxtimes$	Noise		Biological Resources	Mandatory Findings of Significance
$\square$	Air Quality	$\square$	Geology and Soils	

This Initial Study examines the proposed project to identify potential effects on the environment. For each item on the Initial Study checklist, the evaluation has considered the impacts of the proposed project both individually and cumulatively. All items on the Initial Study checklist that have been checked "Less than Significant Impact with Mitigation Incorporated," "Less than Significant Impact," "No Impact," or "Not Applicable" indicate that, upon evaluation, the Planning Department has determined that the proposed project could not have a significant adverse environmental effect relating to that issue. A discussion is included for those issues checked "Less than Significant Impact with Mitigation Incorporated" and "Less than Significant Impact," and for most items checked with "No Impact" or "Not Applicable." For all of the items checked "No Impact" or "Not Applicable" without discussion, the conclusions regarding potential significant adverse environmental effects are based upon field observation, staff experience and expertise on similar projects, and/or standard reference material available within the Planning Department, such as the *Transportation Impact Analysis Guidelines for Environmental Review* or the California Natural Diversity Data Base and maps, published by the California Department of Fish and Wildlife. The items checked above have been determined to be "Less than Significant with Mitigation Incorporated."

### **Aesthetics and Parking**

In accordance with CEQA Section 21099: Modernization of Transportation Analysis for Transit-Oriented Projects, aesthetics and parking shall not be considered in determining if a project has the potential to result in significant environmental effects, provided the project meets all of the following three criteria:

a) The project is in a transit priority area;

- b) The project is on an infill site; and
- c) The project is residential, mixed-use residential, or an employment center.

The proposed project meets each of the above criteria; therefore, this initial study does not consider aesthetics or parking in determining the significance of project impacts under CEQA.<sup>3</sup>

### Automobile Delay and Vehicle Miles Traveled

In addition, CEQA Section 21099(b)(1) requires that the Governor's Office of Planning and Research (OPR) develop revisions to the CEQA Guidelines establishing criteria for determining the significance of transportation impacts of projects that "promote the reduction of greenhouse gas emissions, the development of multimodal transportation networks, and a diversity of land uses." CEQA Section 21099(b)(2) states that upon certification of the revised guidelines for determining transportation impacts pursuant to Section 21099(b)(1), automobile delay, as described solely by level of service or similar measures of vehicular capacity or traffic congestion, shall not be considered a significant impact on the environment under CEQA.

In January 2016, the OPR published for public review and comment a *Revised Proposal on Updates to the CEQA Guidelines on Evaluating Transportation Impacts in CEQA*<sup>4</sup> recommending that transportation impacts for projects be measured using a vehicle miles traveled (VMT) metric. On March 3, 2016, in anticipation of the future certification of the revised CEQA Guidelines, the San Francisco Planning Commission adopted the OPR's recommendation to use the VMT metric instead of automobile delay to evaluate the transportation impacts of projects (Resolution No. 19579). The VMT metric does not apply to the analysis of project impacts on non-automobile modes of travel such as riding transit, walking, and bicycling.

### E. Evaluation of Environmental Effects

Торіс	<u>x:</u>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
1.	LAND USE AND PLANNING. Would the project:					
a)	Physically divide an established community?				$\boxtimes$	
b)	Cause a significant physical environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?					

### Impact LU-1: The proposed project would not physically divide an established community. (No Impact)

The division of an established community typically involves the construction of a physical barrier to neighborhood access, such as a new freeway, or the removal of a means of access, such as a bridge or a roadway.

<sup>&</sup>lt;sup>3</sup> San Francisco Planning Department, *Eligibility Checklist for CEQA Section 21099: Modernization of Transportation Analysis, 1525 Pine Street* (hereinafter "*CEQA section 21099 Checklist*"), December 30, 2020.

<sup>&</sup>lt;sup>4</sup> Governor's Office of Planning and Research. Available at http://opr.ca.gov/docs/Revised\_VMT\_CEQA\_Guidelines\_Proposal\_January\_20\_2016.pdf, accessed August 23, 2020.

Implementation of the proposed project would not result in the construction of a physical barrier to neighborhood access or the removal of an existing means of access; it would result in the construction of a new building containing 21 dwelling units and approximately 2,855 square feet of commercial space. Implementation of the proposed project would not alter the established street grid or permanently close any streets or sidewalks. Although portions of the sidewalks adjacent to the project site could be closed for periods of time during project construction, these closures would be temporary in nature. For these reasons, the proposed project would not physically divide an established community and would have no impact.

# Impact LU-2: The proposed project would not cause a significant physical environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect. *(Less than Significant)*

Land use impacts would be considered significant if the proposed project would conflict with any plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect. Environmental plans and policies are those that directly address environmental issues and/or contain targets or standards that must be met in order to preserve or improve characteristics of the City's physical environment. Examples of such plans, policies, or regulations include the Bay Area Air Quality Management District's *2017 Clean Air Plan* and the San Francisco Regional Water Quality Control Board's *San Francisco Basin Plan*. As discussed in Section C, Compatibility with Existing Zoning and Plans, the proposed project would not substantially conflict with any plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect, including Article 10 of the San Francisco Planning Code, the *2017 Clean Air Plan*, San Francisco's *Strategies to Address Greenhouse Gas Emissions* (GHG Reduction Strategy), and the San Francisco Urban Forestry Ordinance, as discussed in Section E.3, Cultural Resources, Section E.7, Air Quality, Section E.8 Greenhouse Gas Emissions, and Section E.14, Biological Resources, respectively. Therefore, the proposed project would have a less-thansignificant impact related to conflicts with land use plans, policies, or regulations.

# Impact C-LU-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative land use impact. *(Less than Significant)*

Cumulative development in the project vicinity (within a quarter-mile radius of the project site) includes projects that are either under construction or for which the Planning Department has a project application on file.

As previously discussed in the Project Setting, the nearby cumulative development projects would result in the construction of a total of 522 dwelling units, approximately 44,510 square feet of commercial space, 2,000 square feet of office space, 3,650 square feet of childcare space, 109,260 square feet of medical offices, and 334 parking spaces in the project vicinity. The nearby cumulative development projects would not physically divide an established community by constructing a physical barrier to neighborhood access or removing a means of access. Like all projects proposed in San Francisco, the nearby cumulative development projects are required to comply with applicable plans, policies, and regulations, including those adopted for the purpose of avoiding or mitigating an environmental effect such as Article 10 of the San Francisco Planning Code, the *2017 Clean Air Plan*, San Francisco's GHG Reduction Strategy, and the San Francisco Urban Forestry Ordinance. For these reasons, the proposed project would not combine with past, present, and reasonably foreseeable future projects to conflict with such plans, policies, or regulations and would not create a significant cumulative land use impact.

Торіс	cs:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
2.	POPULATION AND HOUSING. Would the project:					
a)	Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?					
b)	Displace substantial numbers of existing people or housing units, necessitating the construction of replacement housing?			$\boxtimes$		

### Impact PH-1: The proposed project would not directly or indirectly induce substantial unplanned population growth. *(Less than Significant)*

In general, a project would be considered growth-inducing if its implementation would result in substantial unplanned population growth or new development that might not otherwise occur without the project. The proposed project, which would result in the construction of a new building containing 21 dwelling units and approximately 2,855 square feet of commercial space, would directly increase the residential population on the project site and contribute to anticipated population growth in both the neighborhood and citywide contexts.

The 2010 United States Census reported a population of 805,235 persons in San Francisco.<sup>5</sup> Based on an average of 2.36 persons per household from 2014 to 2018, implementation of the proposed project would increase the residential population at the project site by about 50 residents.<sup>6</sup> The increase in the number of dwelling units and residents associated with the proposed project is not considered substantial unplanned population growth that would cause a substantial adverse physical change to the environment. Moreover, the project site is already developed, is in an established neighborhood, is in a zoning district that principally permits residential uses, and is served by existing infrastructure. The proposed project would not indirectly induce substantial population growth in the project vicinity because it would not extend any roads or other infrastructure into areas where roads or other infrastructure currently do not exist.

The existing restaurant, Grubstake, would vacate the premises during the demolition and construction period but would return to occupy the basement, ground floor, and mezzanine of the new building. The restaurant would increase in size from 1,660 to 2,855 square feet, but the number of employees is not expected to increase substantially, if at all. Implementation of the proposed project would not induce substantial unplanned employment growth that would cause a substantial adverse physical change to the environment.

The proposed project would be consistent with *San Francisco General Plan* objectives and policies and Association of Bay Area Governments (ABAG) priority development area goals and criteria; it is located on an infill site, would be served by existing transit, and is in an area containing a mix of moderate density housing, services, retail, employment, and civic or cultural uses.

<sup>&</sup>lt;sup>5</sup> United States Census Bureau, QuickFacts, San Francisco County, California. Available at

https://www.census.gov/quickfacts/fact/table/sanfranciscocountycalifornia,US/PST045219, accessed October 1, 2020.
 *Ibid.*

The proposed project would not directly or indirectly induce substantial population or employment growth in the project vicinity or citywide such that an adverse physical change to the environment would occur. This impact would be less than significant, and no mitigation measures are necessary.

# Impact PH-2: The proposed project would not displace substantial numbers of existing housing units or people necessitating the construction of replacement housing. *(Less than Significant)*

The proposed project would not displace substantial numbers of existing housing units because there are no existing housing units on the project site. Implementation of the proposed project would not result in the need to construct replacement units to house substantial numbers of people. The project sponsor is also the owner/operator of Grubstake, the existing restaurant on the project site. Grubstake would be temporarily displaced from the project site during the demolition and construction period but would return to occupy the basement, ground floor, and mezzanine of the new building. For these reasons, the proposed project would not displace substantial numbers of existing units or people. This impact would be less than significant, and no mitigation measures are necessary.

# Impact C-PH-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative impact related to population and housing. *(Less than Significant)*

The cumulative context for population and housing effects is typically citywide. Over the last several years, the supply of housing has not met the demand for housing in San Francisco. In December 2013, the ABAG projected regional housing needs in the Regional Housing Need Plan, San Francisco Bay Area: 2015-2023. According to this plan, the housing growth need of San Francisco for 2015 through 2023 is 28,869 dwelling units: 6,234 units in the very low income level (0 to 50 percent of the area median income); 4,639 units in the low income level (51 to 80 percent); 5,460 units in the moderate income level (81 to 120 percent); and 12,536 units in the above moderate income level (120 percent and higher).<sup>7</sup> These numbers are consistent with the development pattern identified in Plan Bay Area 2040, a state-mandated, integrated long-range transportation, land use, and housing plan.<sup>8</sup> As part of the planning process for Plan Bay Area 2040, San Francisco identified priority development areas, which consist of areas where new development will support the day-to-day needs of residents and workers in a pedestrianfriendly environment served by transit. The project site is located within the Downtown/Van Ness/Northeast Neighborhoods Priority Development Area. Although the proposed project, in combination with other past, present, and reasonably foreseeable future projects, would increase the population in the area, it would not induce substantial population growth beyond that already anticipated to occur. For these reasons, the proposed project, in combination with other past, present, and reasonably foreseeable future projects, would not result in a significant cumulative impact related to population and housing.

 <sup>&</sup>lt;sup>7</sup> Association of Bay Area Governments (ABAG), *Regional Housing Need Plan, San Francisco Bay Area:* 2015-2023, July 2013. Available at https://abag.ca.gov/sites/default/files/2015-23\_rhna\_plan.pdf, accessed December 28, 2020.

<sup>&</sup>lt;sup>8</sup> Metropolitan Transportation Commission and ABAG, *Plan Bay Area 2040*, July 26, 2017. Available at https://www.planbayarea.org/plan-bay-area-2040, accessed December 28, 2020.

Topics:		Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
3.	CULTURAL RESOURCES. Would the project:					
a)	Cause a substantial adverse change in the significance of a historical resource pursuant to §15064.5, including those resources listed in article 10 or article 11 of the San Francisco Planning Code?					
b)	Cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?					
c)	Disturb any human remains, including those interred outside of formal cemeteries?		$\boxtimes$			

### Impact CR-1: The proposed project would not cause a substantial adverse change in the significance of a historical resource. *(Less than Significant)*

Historical resources are those properties that meet the definitions in Section 21084.1 of the CEQA statute and Section 15064.5 of the CEQA Guidelines. Historical resources include properties listed in, or formally determined eligible for listing in, the California Register of Historical Resources (California Register) or in an adopted local historic register. Historical resources also include resources identified as significant in a historical resource survey meeting certain criteria. Additionally, properties that are not listed but are otherwise determined to be historically significant, based on substantial evidence, would also be considered historical resources. The significance of a historical resource is materially impaired when a project "demolishes or materially alters in an adverse manner those physical characteristics of a historical resource that convey its historical significance ..."<sup>9</sup>

### **Existing Building**

The existing building on the project site is a raised one-story lunch-wagon-style diner that consists of two volumes. The western volume is a lunch wagon originally constructed before 1916 that features a curved sheet metal roof and four metal sash, single lite casement windows with awning toplites. The eastern volume, which wraps around the rear of the western volume is a wood-frame rectangular structure that was added to the lunch wagon in 1975 and consists of a flat roof, vertical wood siding, two aluminum sliding windows, and a partially glazed wood door. The eastern volume is set back from the front property line, and the setback is filled with a raised porch that extends to the sidewalk.

Determining whether the existing building is a historical resource under CEQA involves an assessment of the building's significance, integrity, and character-defining features.

#### Significance

The existing building is a contributor to the Polk Gulch LGBTQ Historic District and is eligible for listing in the California Register under Criterion 1 (Events) for its association with the development of LGBTQ enclaves in the Polk Gulch neighborhood from the 1960s to the 1970s.<sup>10</sup> The existing building is a contributor to the historic

<sup>&</sup>lt;sup>9</sup> CEQA Guidelines Section 15064.5(b)(2)(A).

<sup>&</sup>lt;sup>10</sup> San Francisco Planning Department, *Historic Resource Evaluation Response, Part I, 1525 Pine Street* (hereinafter "*HRER, Part I*"), May 15, 2019, p. 3.

district based on its strong association with LGBTQ businesses and social groups. The restaurant (re)opened as Grubstake in the 1960s and was a popular destination for the LGBTQ community through the 1980s. Grubstake developed a reputation for being an open and welcoming establishment to members of the LGBTQ community during a time when businesses often did not open their doors to them.

The existing building is not eligible for listing in the California Register as an individual resource under Criterion 1 (Events).<sup>11</sup> The existing building does not appear to have individually made any significant contributions to the early development of the Polk Gulch neighborhood. The original lunch wagon structure was relocated to the project site from Sutter Street around 1916 after the neighborhood had been largely redeveloped and reconstructed following the 1906 earthquake. Additionally, no significant events were identified through archival research or through oral history as having taken place at Grubstake that on their own influenced local, regional or national trends related to LGBTQ rights, activism, or cultural and social trends.

Under Criterion 2 (Persons), the existing building is not eligible for listing in the California Register as an individual resource or as a contributor to the Polk Gulch LGBTQ Historic District.<sup>12</sup> In order to be considered eligible under Criterion 2, a property must illustrate (rather than commemorate) a person's important achievements and must be associated with the person's productive life and work during the period in which those achievements were accomplished. From the 1910s through the 1980s, the restaurant changed ownership several times. Although many of the owners were successful businessmen and/or restaurateurs, none of them appear to have made significant contributions to local, state, or national history such that the subject property would be individually significant for its association with their work. During the 1960s and 1970s, Grubstake became a popular late-night eatery among the LGBTQ community that thrived in the Polk Gulch neighborhood at the time. While many patrons of the Grubstake included prominent figures within the LGBTQ community, such as Harvey Milk, Grubstake was not a primary place where significant or recognizable individuals conducted their business.

Under Criterion 3 (Architecture), the existing building is not eligible for listing in the California Register as an individual resource or as a contributor to the Polk Gulch LGBTQ Historic District.<sup>13</sup> The existing building is not the work of a master architect or builder and does not embody the distinctive characteristics of a type, period, region, or method of construction. Prior to or around 1916, a lunch wagon, the manufacturer and origins of which are unknown, was relocated to the project site from Sutter Street. The lunch wagon sustained a minor gabled roof rear addition shortly after being relocated to the project site. In 1975, additional alterations to expand the lunch wagon at the east side and rear created the current conditions on the project site. Many of the prominent features that characterize lunch wagons (e.g., small rectilinear layout, simple entrance stairs, decorative glazing, an interior layout/circulation defined by a lunch counter with limited seating, and the relationship of a small wagon to the overall site) no longer exist due to the 1975 expansion. The existing building is no longer representative of a lunch wagon as it appears to have evolved from a lunch wagon into a diner by way of the 1975 expansion. The additions that allowed the existing building to transition from a mobile eatery to a larger permanent restaurant were not completed by a master architect or builder and do not characterize the building in a unique or outstanding manner such that it would be considered an individually eligible resource. Additionally, 1525 Pine Street was surveyed as part of the Planning Department's *Draft Neighborhood Commercial Buildings Historic Resources Survey* 

<sup>&</sup>lt;sup>11</sup> *HRER, Part I*, p. 5.

<sup>&</sup>lt;sup>12</sup> *HRER, Part I*, pp. 6-7.

<sup>&</sup>lt;sup>13</sup> *HRER, Part I*, pp. 7-8.

and was determined not to be significant under Criterion 3 (Architecture) as an exemplary or outstanding storefront.

Under Criterion 4 (Information Potential), the existing building is not eligible for listing in the California Register as an individual resource or as a contributor to the Polk Gulch LGBTQ Historic District.<sup>14</sup> Regarding the built environment, this criterion applies to rare construction types. The existing building is not an example of a rare construction type.

#### Integrity

Although the existing building has undergone major alterations, those alterations were implemented in 1975, which is within the period of significance of the Polk Gulch LGBTQ Historic District (1960s to 1990s). Therefore, the existing building retains integrity and conveys its overall significance as a contributor to the historic district.<sup>15</sup>

#### **Character-Defining Features**

The character-defining features of the existing building include the following and express its historical significance as a contributor to the Polk Gulch LGBTQ Historic District under Criterion 1 (Events) for its association with the development of LGBTQ enclaves in the Polk Gulch neighborhood from the 1960s to the 1970s:<sup>16</sup>

- Polk Street commercial corridor "spine" with clusters of contributing properties
- Dense urban fabric with one- and two-way streets, paved sidewalks, and minimal street trees
- Commercial uses of contributing resources, which historically included a variety of LGBTQ-associated businesses such as bars, nightclubs, restaurants, clothing stores, record stores, bathhouses, and theaters.
- Twentieth century commercial blocks and residential-over-commercial buildings (most constructed between 1907 and 1921) with:
  - o One- to four-story massing
  - o Classical Revival (Edwardian era), Eclectic, and altered styles
  - o Ground-floor storefronts (most are altered)
  - Angled bay windows at upper floors of some buildings
  - o Flat roofs

The character-defining features of the existing building include the following:<sup>17</sup>

- Stepped up, one-story massing that includes a raised porch at the front and a stepped up entry
- Projecting volume at the front comprised of the former lunch wagon structure that includes a curved sheet metal roof and four front-facing and three side-facing metal-sash, single-lite casement windows with narrow awning-style toplites of green marbled decorative glazing

<sup>&</sup>lt;sup>14</sup> *HRER, Part I*, p. 9.

<sup>&</sup>lt;sup>15</sup> *HRER, Part I*, p. 9.

<sup>&</sup>lt;sup>16</sup> *HRER, Part I*, pp. 9-10.

<sup>&</sup>lt;sup>17</sup> *HRER, Part I*, p. 10.

- Prominent signage including the projecting sign at the front and the business sign above the rectangular massing
- Interior features including:
  - Two distinct interior spaces: the dining room and the lunch wagon space occupied by a bar partially separated by the east wall of the lunch wagon
  - o Large mural located along the east wall by Jason Philips, dated 1976
  - o Chevron-shaped bar that extends the length of the lunch wagon space
  - o Stained glass infilled skylight openings in the curved roof of the lunch wagon volume
  - o Checkered patterned floor tiles within the lunch wagon volume
  - o Globe light fixtures mounted to the walls throughout the dining room and lunch wagon
  - o Mixture of booth and table seating

In summary, the existing building is eligible for listing in the California Register as a contributor to the Polk Gulch LGBTQ Historic District under Criterion 1 (Events), retains its integrity, and exhibits character-defining features. For these reasons, the existing building is considered a contributor to the California Register-eligible Polk Gulch LGBTQ Historic District, which is a historical resource under CEQA.

### **Proposed Project**

The proposed project consists of the demolition of the existing one-story restaurant, Grubstake, and the construction of an eight-story mixed-use building. The ground floor would contain a one-story-with-mezzanine commercial space to be reoccupied by Grubstake, and the second through eighth floors would contain 21 dwelling units. A substantial amount of interior and exterior features of the existing building would be removed and reincorporated replicated in the new commercial space:<sup>18</sup>

- Match the original footprint/orientation of the lunch wagon
- Match the existing scale and proportion of the lunch wagon
- Replicate the metal barrel vault ceiling
- Replicate the train car façade
- Reuse/replicate decorative lights and side globe lights
- Reuse existing windows where possible and where not possible, replicate to match existing
- Remove, restore and reinstall murals
- Reuse the existing Grubstake signage, including light box signage and neon lights
- Replicate the wooden bar
- Reuse/replicate the tile floor, chrome accents, linear counter and backless stools

<sup>&</sup>lt;sup>18</sup> San Francisco Planning Department, *Historic Resource Evaluation Response, Part II, 1525 Pine Street* (hereinafter "*HRER, Part II*"), October 22, 2020, pp. 1-2.

• Retain the menu style and most-liked traditional dishes

The Polk Gulch LGBTQ Historic District is significant for its association with the LGBTQ community that developed as an enclave in the Polk Gulch neighborhood beginning in the 1960s and generally is exhibited by the characterdefining features discussed on the preceding page. The historic district currently contains 15 identified known contributing properties, including the existing building, and has the potential for more contributors to be identified through additional research.

Although the proposed project includes the demolition of a contributor to the historic district, the proposed project would not cause a significant impact to the historic district; additionally, the existing building is not an individually eligible historic resource.<sup>19</sup> There would be 14 known contributing properties remaining after the proposed project has been completed, and there is the potential for more contributing properties to be identified through additional research. As discussed above, many of the character-defining features of the existing building would be reincorporated, or otherwise replicated in the new commercial space (interior and exterior) to be reoccupied by Grubstake as part of the design of the proposed project. Retention of character-defining features through reincorporation and/or replication improves the proposed project's compatibility with the character of the historic district.

The proposed eight-story building would generally be compatible with the character-defining features of the Polk Gulch LGBTQ Historic District:<sup>20</sup>

- The existing commercial use's relationship to the Polk Street commercial corridor "spine" would not change.
- The proposed project would maintain the existing sidewalk widths and features and would add street trees on Pine and Austin streets.
- While the existing building would be demolished, the new building would include a ground-floor-withmezzanine commercial space to be reoccupied by Grubstake. Interior and exterior character-defining features from the existing Grubstake space would be removed and reincorporated, or otherwise replicated in the new commercial space. The features to be reincorporated are those that have been identified as illustrating the significance of the contributing space to the Polk Gulch LGBTQ Historic District.
- The proposed project would include a ground-floor storefront to be reoccupied by Grubstake, angled bay windows at the residential upper floors above, and a flat roof.

While the proposed project includes the demolition of a contributing property in an identified-eligible historic district, the new building would retain and reuse and/or replicate many of the historic aspects and features of the property that make it a contributor such that it would generally be compatible with the character-defining features of the district. The character-defining features to be retained and incorporated into the design of the proposed project are features that illustrate and will continue to illustrate the existing building's significance as a contributor to the Polk Gulch LGBTQ Historic District. Overall, the proposed project would not result in the material impairment of the district, as the district would still convey its significant association with the

<sup>&</sup>lt;sup>19</sup> HRER, Part II, p. 2.

<sup>&</sup>lt;sup>20</sup> *HRER, Part II*, pp. 2-3.

development of LGBTQ enclaves in the Polk Gulch neighborhood from the 1960s to the 1990s.<sup>21</sup> This impact would be less than significant, and no mitigation measures are necessary.

The project sponsor has agreed to implement Improvement Measures I-CR-1a: Documentation, I-CR-1b: Interpretation, and I-CR-1c: Salvage Architectural Materials from the Site for Public Information and Reuse.<sup>22</sup>

### Improvement Measure I-CR-1a: Documentation

A. Historic American Building/Historic American Landscape Survey

Prior to the issuance of demolition or site permits, the project sponsor should undertake Historic American Building/Historic American Landscape Survey-like (HABS/HALS-like) level documentation of the subject property, structures, objects, materials, and landscaping. The documentation should be funded by the project sponsor and undertaken by a qualified professional who meets the standards for history, architectural history, or architecture (as appropriate), as set forth by the Secretary of the Interior's Professional Qualification Standards (36 Code of Federal Regulation, Part 61) and will assist with the reuse and/or replication of character-defining features to be incorporated into the new construction and provide content to the interpretation program, both of which are part of the proposed project. The professional overseeing the documentation should meet with Planning Department staff for review and approval of a coordinated documentation plan before work on any one aspect may commence. The specific scope of the documentation should be reviewed and approved by the Planning Department. The documentation package created should consist of the items listed below.

*Measured Drawings:* A set of measured drawings that depict the existing size, scale, and dimension of the subject property. Planning Department preservation staff will accept the original architectural drawings or an as-built set of architectural drawings (plan, section, elevation, etc.) with modification to meet HABS guidelines as determined by Planning Department preservation staff. Planning Department preservation staff will assist the consultant in determining the appropriate level of measured drawings.

*Historic American Buildings/Historic American Landscape Survey Level Photographs:* Either Historic American Buildings/Historic American Landscape Survey (HABS/HALS) standard large-format or digital photography should be used. The scope of the digital photographs should be reviewed by Planning Department preservation staff for concurrence, and all digital photography should be undertaken by a qualified professional with demonstrated experience in HABS/HALS photography. Photograph views for the data set should include contextual views; views of each side of the building and interior views, including any original interior features, where possible; oblique views of the building; and detail views of character-defining features, including landscape elements. All views should be referenced on a photographic key. This photographic key should be on a map of the property and should show the photograph number with an arrow to indicate the direction of the view. Historic photographs should also be collected, reproduced, and included in the data set.

<sup>21</sup> HRER, Part II, p. 3.

Agreement to Implement Mitigation Monitoring and Reporting Program, 2019-009955ENV, 1525 Pine Street, January 25, 2021.

The professional(s) should prepare the documentation and the Planning Department should monitor its preparation. The HABS/HALS documentation scope will determine the requested documentation type for each facility, and the project sponsor will conduct outreach to identify other interested repositories.

The professional(s) should submit the completed documentation for review and approval by Planning Department preservation staff before issuance of building permits. All documentation will be reviewed and approved by Planning Department preservation staff before any demolition or site permit is granted for the affected historical resource.

The final approved documentation should be provided in both printed and electronic form to the Planning Department and offered to repositories including, but not limited to, the San Francisco Public Library, the Northwest Information Center, San Francisco Architectural Heritage, the California Historical Society, and the GLBT Historical Society. The Planning Department will make electronic versions of the documentation available to the public at no charge.

### B. Video Recordation

Prior to any demolition or substantial alteration of an individual historical resource or contributor to a historic district on the project site, the project sponsor should retain a qualified professional to undertake video documentation of the affected historical resource and its setting. This mitigation measure would supplement the traditional HABS/HALS documentation, and would enhance the collection of reference materials that would be available to the public and inform future research.

The documentation should be conducted by a professional videographer with experience recording architectural resources. The professional videographer should provide a storyboard of the proposed video recordation for review and approval by Planning Department preservation staff. The documentation should be narrated by a qualified professional who meets the standards for history, architectural history, or architecture (as appropriate), as set forth by the Secretary of the Interior's Professional Qualification Standards (36 Code of Federal Regulations, Part 61). The documentation should include as much information as possible—using visuals in combination with narration—about the materials, construction methods, current condition, historical use, and historic context of the historic resources.

The final video should be reviewed and approved by Planning Department preservation staff prior to issuance of a demolition permit or site permit or issuance of any building permits for the project.

Archival copies of the video documentation should be submitted to the Planning Department, and to repositories including: History Room at the San Francisco Public Library, Prelinger Archives, the California Historical Society, San Francisco Architectural Heritage, and the Northwest Information Center of the California Historical Information Resource System. This improvement measure would supplement the traditional HABS documentation, and would enhance the collection of reference materials that would be available to the public and inform future research.

### Improvement Measure I-CR-1b: Interpretation

The project sponsor should facilitate the development of an interpretive program focused on the history of the project site as outlined in the project description. The interpretive program should be developed

and implemented by a qualified professional with demonstrated experience in displaying information and graphics to the public in a visually interesting manner, such as a museum or exhibit curator. The project sponsor should utilize the oral histories and subsequent transcripts prepared as part of the Historic Resource Evaluation review process. As feasible, coordination with local artists or community members should occur. The primary goal of the program is to educate visitors and future residents about the property's historical themes, associations, and lost contributing features within broader historical, social, and physical landscape contexts. These themes would include but not be limited to the subject property's historic significance as a contributor to the identified-eligible Polk Gulch LGBTQ Historic District and should include the oral histories previous undertaken for this project.

This program should be initially outlined in a Historic Resources Public Interpretive Plan (HRPIP) subject to review and approval by Planning Department preservation staff. The HRPIP will lay out the various components of the interpretive program that should be developed in consultation with a qualified preservation professional. The HRPIP should describe the interpretive product(s), locations or distribution of interpretive materials or displays, the proposed content and materials, the producers or artists of the displays or installation, and a long-term maintenance program. The HRPIP should be approved by Planning Department staff prior to issuance of a site permit or demolition permit.

The interpretive program should include the installation of permanent on-site interpretive displays but may also include development of digital/virtual interpretive products. For physical interpretation, the plan should include the proposed format and accessible location of the interpretive content, as well as high-quality graphics and written narratives. The permanent display should include the history of 1525 Pine Street and the historical context of the Polk Gulch LGBTQ Historic District. The display should be placed in a prominent, public setting within, on, or in the exterior of the new building. The interpretive material(s) should be installed within the project site boundaries and made of durable all-weather materials. The interpretive material(s) should be of high quality and installed to allow for high public visibility. The interpretive plan should also explore contributing to digital platforms that are publicly accessible, such as the History Pin website or phone applications. Interpretive material could include elements such as virtual museums and content, such as oral history, brochures, and websites. All interpretive material should be publicly available.

The HRPIP should be approved by Planning Department preservation staff prior to issuance of the architectural addendum to the site permit. The detailed content, media and other characteristics of such interpretive program should be approved by Planning Department preservation staff prior to issuance of a Temporary Certificate of Occupancy.

Prior to finalizing the HRPIP, the sponsor and consultant should attempt to convene a community group consisting of local preservation organizations and other interested parties such as SF Heritage and the GLBT Historical Society to receive feedback on the interpretive plan.

The interpretive program should be developed in coordination with the archaeological program if archaeological interpretation is required.

The interpretive program should also coordinate with other interpretive programs currently proposed or installed in the vicinity or for similar resources in the city.

# Improvement Measure I-CR-1c: Salvage Architectural Materials from the Site for Public Information and Reuse

As included in the project description, the project sponsor proposes to reuse many of the significant features associated with Grubstake in the proposed project. Prior to the removal of the characterdefining features of the historic district contributor that are proposed to be incorporated into the proposed project, the project sponsor should provide Planning Department preservation staff with a salvage plan that outlines the details of how the features to be reused and incorporated into the proposed project would be removed, stored, reinstalled, and maintained. The salvage plan should be reviewed and approved by Planning Department preservation staff prior to issuance of the architectural addendum to the site permit.

Implementation of these improvement measures would further reduce the proposed project's less-thansignificant impacts.

# Impact CR-2: The proposed project would cause a substantial adverse change in the significance of an archeological resource. *(Less than Significant with Mitigation)*

Determining the potential for encountering archeological resources is based on relevant factors such as the location, depth, and amount of excavation proposed as well as any recorded information on known resources in the area. Construction of the proposed project would require excavation to a depth of up to 14 feet below ground surface and the removal of about 1,500 cubic yards of soil. Due to the depth of the proposed excavation, the Planning Department conducted a Preliminary Archeological Review and determined that the project site is sensitive for prehistoric archeological resources and human remains as well as historic-period archeological resources.<sup>23</sup>

Excavation as part of the proposed project could damage or destroy these subsurface archeological resources, which would impair their ability to convey important scientific and historical information. The proposed project could result in a significant impact on archeological resources if such resources are present within the project site. Implementation of Mitigation Measure M-CR-2, Archeological Testing, would be required to reduce the potential impact on archeological resources to a less-than-significant level. Archeological resources. The recovery and data recovery would preserve and realize the information potential of archeological resources. The recovery and documentation of information about archeological resources that may be encountered within the project site would enhance knowledge of prehistory and history. This information would be available to future archeological studies, contributing to the collective body of scientific and historic knowledge. With implementation of Mitigation Measure M-CR-2, the proposed project would not cause a substantial adverse change in the significance of an archeological resource should one be discovered during excavation of the project site.

### Mitigation Measure M-CR-2: Archeological Testing

Based on a reasonable presumption that archeological resources may be present within the project site, the following measures shall be undertaken to avoid any potentially significant adverse effect from the proposed project on buried or submerged historical resources and on human remains and associated or unassociated funerary objects. The project sponsor shall retain the services of an archeological consultant from the rotational Qualified Archeological Consultants List (QACL) maintained by the

<sup>&</sup>lt;sup>23</sup> San Francisco Planning Department, *Environmental Planning Preliminary Archeological Review, 1525 Pine Street*, October 27, 2017.

Planning Department (Department) archeologist. After the first project approval action or as directed by the Environmental Review Officer (ERO), the project sponsor shall contact the Department archeologist to obtain the names and contact information for the next three archeological consultants on the QACL.

The archeological consultant shall undertake an archeological testing program as specified herein. In addition, the consultant shall be available to conduct an archeological interpretation, monitoring, and/or data recovery program if required pursuant to this measure. The archeological consultant's work shall be conducted in accordance with this measure at the direction of the ERO. All plans and reports prepared by the consultant as specified herein shall be submitted first and directly to the ERO for review and comment and shall be considered draft reports subject to revision until final approval by the ERO. Archeological monitoring and/or data recovery programs required by this measure could suspend construction of the project for up to a maximum of four weeks. At the direction of the ERO, the suspension of construction can be extended beyond four weeks only if such a suspension is the only feasible means to reduce to a less-than-significant level potential effects on a significant archeological resource as defined in CEQA Guidelines Sections 15064.5(a) and (c).

*Archeological Testing Program.* The archeological consultant and the ERO shall meet and consult on the scope of the archeological testing program reasonably prior to commencement of any project-related soils-disturbing activities. The archeological consultant shall prepare and submit to the ERO for review and approval an archeological testing plan (ATP). The archeological testing program shall be conducted in accordance with the approved ATP. The ATP shall identify the property types of the expected archeological resource(s) that potentially could be adversely affected by the proposed project, the testing program will be to determine to the extent possible the presence or absence of archeological resources and to identify and to evaluate whether any archeological resource encountered on the site constitutes an historical resource under CEQA.

At the completion of the archeological testing program, the archeological consultant shall submit a written report of the findings to the ERO. If, based on the archeological testing program, the archeological consultant finds that significant archeological resources may be present, the ERO, in consultation with the archeological consultant, shall determine if additional measures are warranted. Additional measures that may be required include preservation in place, archeological interpretation, monitoring, additional testing, and/or an archeological data recovery program. No archeological data recovery shall be undertaken without the prior approval of the ERO or the Department archeologist.

If the ERO determines that a significant archeological resource is present and that the resource could be adversely affected by the proposed project, the ERO, in consultation with the project sponsor, shall determine whether preservation of the resource in place is feasible. If so, the proposed project shall be redesigned so as to avoid any adverse effect on the significant archeological resource. If preservation in place is not feasible, a data recovery program shall be implemented, unless the ERO determines that the archeological resource is of greater interpretive than research significance and that interpretive use of the resource is feasible. *Consultation with Descendant Communities.* On discovery of an archeological site<sup>24</sup> associated with descendant Native Americans, the Overseas Chinese, or other potentially interested descendant group, an appropriate representative<sup>25</sup> of the descendant group and the ERO shall be contacted. The representative of the descendant group shall be given the opportunity to monitor archeological field investigations of the site and to offer recommendations to the ERO regarding appropriate archeological treatment of the site, of recovered data from the site, and, if applicable, any interpretative treatment of the associated archeological site. A copy of the Final Archaeological Resources Report shall be provided to the representative of the descendant group.

*Human Remains and Associated or Unassociated Funerary Objects.* The treatment of human remains and of associated or unassociated funerary objects discovered during any soils- disturbing activity shall comply with all applicable state and federal laws. This shall include immediate notification of the Medical Examiner of the City and County of San Francisco and, in the event of the Medical Examiner's determination that the human remains are Native American remains, notification of the Native American Heritage Commission, which shall appoint a Most Likely Descendant (MLD). The MLD shall complete his or her inspection and make recommendations or preferences for treatment and disposition within 48 hours of being granted access to the site (Public Resources Code Section 5097.98). The ERO shall also be notified immediately upon discovery of human remains.

The project sponsor and the ERO shall make all reasonable efforts to develop a Burial Agreement ("Agreement") with the MLD, as expeditiously as possible, for the treatment and disposition, with appropriate dignity, of the human remains and associated or unassociated funerary objects (as detailed in CEQA Guidelines Section 15064.5(d)). The Agreement shall take into consideration the appropriate excavation, removal, recordation, scientific analysis, custodianship, curation, and final disposition of the human remains and associated funerary objects.

Nothing in existing state regulations or in this mitigation measure compels the project sponsor and the ERO to accept recommendations of an MLD. However, if the ERO, project sponsor, and MLD are unable to reach an agreement on scientific treatment of the remains and associated or unassociated funerary objects, the ERO, in cooperation with the project sponsor, shall ensure that the remains and associated or unassociated funerary objects are stored securely and respectfully until they can be reinterred on the property, with appropriate dignity, in a location not subject to further or future subsurface disturbance (Public Resources Code Section 5097.98).

Treatment of historic-period human remains and of associated or unassociated funerary objects discovered during soils-disturbing activity additionally shall follow protocols laid out in the archeological testing program and any agreement established between the project sponsor, the Medical Examiner, and the ERO.

<sup>&</sup>lt;sup>24</sup> The term "archeological site" is intended here to minimally include any archeological deposit, feature, burial, or evidence of burial.

<sup>&</sup>lt;sup>25</sup> An "appropriate representative" of the descendant group is here defined to mean, in the case of Native Americans, any individual listed in the current Native American Contact List for the City and County of San Francisco maintained by the California Native American Heritage Commission and, in the case of the Overseas Chinese, the Chinese Historical Society of America. An appropriate representative of other descendant groups should be determined in consultation with the Department archeologist.

*Archeological Monitoring Program*. If the ERO, in consultation with the archeological consultant, determines that an archeological monitoring program shall be implemented, the archeological monitoring program shall minimally include the following provisions:

- The ERO, in consultation with the archeological consultant, shall determine what project activities shall be archeologically monitored. In most cases, any soils-disturbing activities, such as demolition, foundation removal, excavation, grading, utilities installation, foundation work, driving of piles (foundation, shoring, etc.), site remediation, etc., shall require archeological monitoring because of the risk these activities pose to potential archeological resources and to their depositional context;
- The archeological consultant shall undertake a worker training program for soils-disturbing workers that will include an overview of expected resource(s), how to identify the evidence of the expected resource(s), and the appropriate protocol in the event of apparent discovery of an archeological resource;
- The archeological monitor(s) shall be present on the project site according to a schedule agreed upon by the archeological consultant and the ERO until the ERO has, in consultation with the project archeological consultant, determined that project construction activities could have no effects on significant archeological deposits;
- The archeological monitor shall record and be authorized to collect soil samples and artifactual/ecofactual material as warranted for analysis;
- If an intact archeological deposit is encountered, all soils-disturbing activities in the vicinity of the deposit shall cease. The archeological monitor shall be empowered to temporarily redirect demolition/excavation/pile driving/construction activities and equipment until the deposit is evaluated. If, in the case of pile driving or deep foundation activities (foundation, shoring, etc.), the archeological monitor has cause to believe that the pile driving or deep foundation activities shall be terminated until an appropriate evaluation of the resource has been made in consultation with the ERO. The archeological consultant shall immediately notify the ERO of the encountered archeological deposit. The archeological consultant shall make a reasonable effort to assess the identity, integrity, and significance of the encountered archeological deposit, and present the findings of this assessment to the ERO for a determination as to whether the resources are significant and implementation of an archeological data recovery program therefore is necessary.

Whether or not significant archeological resources are encountered, the archeological consultant shall submit a written report of the findings of the monitoring program to the ERO.

Archeological Data Recovery Program. The archeological data recovery program shall be conducted in accord with an archeological data recovery plan (ADRP). The archeological consultant, project sponsor, and ERO shall meet and consult on the scope of the ADRP prior to preparation of a draft ADRP. The archeological consultant shall submit a draft ADRP to the ERO. The ADRP shall identify how the proposed data recovery program will preserve the significant information the archeological resource is expected to contain. That is, the ADRP will identify what scientific/historical research questions are applicable to the expected resource, what data classes the resource is expected to possess, and how the expected data classes would address the applicable research questions. Data recovery, in general, should be limited to

the portions of the historical property that could be adversely affected by the proposed project. Destructive data recovery methods shall not be applied to portions of the archeological resources if nondestructive methods are practical.

The scope of the ADRP shall include the following elements:

- *Field Methods and Procedures*. Descriptions of proposed field strategies, procedures, and operations.
- *Cataloguing and Laboratory Analysis*. Description of selected cataloguing system and artifact analysis procedures.
- *Discard and Deaccession Policy*. Description of and rationale for field and post-field discard and deaccession policies.
- *Interpretive Program*. Consideration of an on-site/off-site public interpretive program for significant finds.
- *Security Measures*. Recommended security measures to protect the archeological resource from vandalism, looting, and non-intentionally damaging activities.
- *Final Report*. Description of proposed report format and distribution of results.
- *Curation*. Description of the procedures and recommendations for the curation of any recovered data having potential research value, identification of appropriate curation facilities, and a summary of the accession policies of the curation facilities.

*Public Interpretation.* If project soils disturbance results in the discovery of a significant archeological resource, the ERO may require that information provided by archeological data recovery be made available to the public in the form of a non-technical, non-confidential archeological report, archeological signage and displays or another interpretive product. The project archeological consultant shall prepare an Archeological Public Interpretation Plan that describes the interpretive product(s), locations, or distribution of interpretive materials or displays, the proposed content and materials, the producers or artists of the displays or installation, and a long-term maintenance program. The draft interpretive plan may be a stand-alone document or may be included as an appendix to the Final Archeological Resources Report, depending on timing of analyses. The draft interpretive plan shall be subject to the ERO for review and approval and shall be implemented prior to project occupancy.

*Final Archeological Resources Report.* The archeological consultant shall submit a Draft Final Archeological Resources Report (FARR) to the ERO that evaluates the historical significance of any discovered archeological resource and describes the archeological and historical research methods employed in the archeological testing/monitoring/data recovery program(s) undertaken. The Draft FARR shall include a curation and deaccession plan for all recovered cultural materials.

Copies of the Draft FARR shall be sent to the ERO for review and approval. Once approved by the ERO, the consultant shall also prepare a public distribution version of the FARR. Copies of the FARR shall be distributed as follows: the California Archaeological Site Survey Northwest Information Center (NWIC) shall receive one (1) copy and the ERO shall receive a copy of the transmittal of the FARR to the NWIC. The Environmental Planning Division of the Planning Department shall receive one bound and one unlocked, searchable PDF copy of the FARR on CD or other electronic medium, along with GIS shapefiles of the site

and feature locations and copies of any formal site recordation forms (CA DPR 523 series) and/or documentation for nomination to the National Register of Historic Places/California Register of Historical Resources.

With implementation of Mitigation Measure M-CR-2, this impact would be less than significant.

### Impact CR-3: The proposed project would disturb human remains. (Less than Significant with Mitigation)

In the unlikely event that human remains are encountered during construction, any inadvertent damage to human remains would be considered a significant impact. In order to reduce this potential impact to a less-than-significant level, the project sponsor must implement Mitigation Measure M-CR-2, Archeological Testing, which includes the required procedures for the treatment of human remains. With implementation of Mitigation Measure M-CR-2, as described above, the proposed project would have a less-than-significant impact on previously unknown human remains.

### Impact C-CR-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in cumulative impacts on cultural resources. *(Less than Significant)*

The Polk Gulch LGBTQ Historic District currently consists of 15 identified known contributing properties. Besides the proposed project, there is one other cumulate development project proposed within the district boundaries that would result in impacts to a contributor. This other cumulative development project includes the demolition of a two-story commercial building at 1567 California Street and the construction of an eight-story, mixed-use building. The existing building at 1567 California Street, formerly occupied by a popular gay dance club called Buzzby's, is a contributor to the district. Combined, the proposed projects at 1525 Pine Street and 1567 California Street would result in the demolition of two contributors to the district. However, the proposed project at 1525 Pine Street would incorporate a number of the character-defining features of the contributor such that it would be compatible with the historic district and its significance as a contributor would continue to be illustrated. The cumulative impact of the two proposed projects would be minimal such that the district would retain sufficient integrity and continue to convey its significance through the retention of 13 known contributors.<sup>26</sup> This impact would be less than significant, and no mitigation measures are necessary.

Environmental impacts on archeological resources are generally site-specific and limited to the construction area of an individual development project. The nearest cumulative project is at 1567 California Street, approximately 0.1 mile northeast of the project site. The proposed project would not combine with any cumulative projects to create a significant cumulative impact on archeological resources. This impact would be less than significant, and no mitigation measures are necessary.

<sup>&</sup>lt;sup>26</sup> HRER, Part II, p. 3.

Тор	Topics:		Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
4.	TRIBAL	CULTURAL RESOURCES. Would the project:					
a)	signific Public feature geogra of the l	a substantial adverse change in the ance of a tribal cultural resource, defined in Resources Code section 21074 as either a site, e, place, or cultural landscape that is phically defined in terms of the size and scope andscape, sacred place, or object with cultural o a California Native American tribe, and that is:					
	i)	Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or					
	ii)	A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resources Code section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe.					

### Impact TC-1: The proposed project would cause a substantial adverse change in the significance of a tribal cultural resource. *(Less than Significant with Mitigation)*

Public Resources Code Section 21074(a)(2) requires the lead agency to consider the effects of a project on tribal cultural resources. As defined in Section 21074(a)(1), tribal cultural resources are sites, features, places, cultural landscapes, sacred places, and objects with cultural value to a California Native American tribe that are listed, or determined to be eligible for listing, in a national, state, or local register of historical resources.

Pursuant to Assembly Bill 52, effective July 1, 2015, within 14 days of a determination that an application for a project is complete or a decision by a public agency to undertake a project, the lead agency is required to contact the Native American tribes that are culturally or traditionally affiliated with the geographic area in which the project is located. Notified tribes have 30 days to request consultation with the lead agency to discuss potential impacts on tribal cultural resources and measures for addressing those impacts.

On December 4, 2017, the Planning Department mailed a "Tribal Notification Regarding Tribal Cultural Resources and CEQA" to the appropriate Native American tribal representatives who have requested notification. During the 30-day comment period, no Native American tribal representatives contacted the Planning Department to request consultation.

However, there is always some potential for unknown tribal cultural resources to be encountered during excavation activities. As discussed under Impact CR-2, the project site is in an archeologically sensitive area with the potential for prehistoric archeological resources, which may be considered TCRs. In the event that construction activities disturb unknown archeological sites that are considered TCRs, any inadvertent damage

would be considered a significant impact. Mitigation Measure M-TC-1: Tribal Cultural Resources Archeological Resource Preservation Plan and/or Interpretive Program, would address impacts related to the discovery of previously unknown TCRs.

#### Mitigation Measure M-TC-1: Tribal Cultural Resources Archeological Resource Preservation Plan and/or Interpretive Program

In the event of the discovery of an archeological resource of Native American origin, the Environmental Review Officer (ERO), the project sponsor, and the tribal representative shall consult to determine whether preservation in place would be feasible and effective. If it is determined that preservation-in-place of the TCR would be both feasible and effective, then the archeological consultant shall prepare an archeological resource preservation plan, which shall be implemented by the project sponsor during construction to ensure the permanent protection of the resource.

If the ERO, in consultation with the project sponsor and the tribal representative, determines that preservation in place of the TCR is not a sufficient or feasible option, then the project archeologist shall prepare an interpretive program of the TCR in consultation with affiliated Native American tribal representatives and the project sponsor. The plan shall identify proposed locations for displays or installations, the proposed content and materials of those displays or installations, the producers or artists of the displays or installations, and a long-term maintenance program. The interpretive program may include artist installations, preferably by local Native American artists, oral histories with local Native Americans, artifacts displays and interpretation, and educational panels or other informational displays. Upon approval by the ERO and prior to project occupancy, the interpretive program shall be implemented by the project sponsor.

With implementation of Mitigation Measure M-TC-1, impacts on TCRs would be less than significant.

## Impact C-TC-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in cumulative impacts on tribal cultural resources. *(Less than Significant)*

Environmental impacts on TCRs are generally site-specific and limited to the construction area of an individual development project. The nearest cumulative project is at 1567 California Street, approximately 0.1 mile northeast of the project site. The proposed project would not combine with any cumulative projects to create a significant cumulative impact on TCRs. This impact would be less than significant, and no mitigation measures are necessary.

Торіс	3:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
5.	TRANSPORTATION AND CIRCULATION— Would the project:					
a)	Conflict with a program, plan, ordinance, or policy addressing the circulation system, including transit, roadway, bicycle, and pedestrian facilities?					

Торіс	3.	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
b)	Conflict or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b)?			$\boxtimes$		
c)	Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses?			$\boxtimes$		
d)	Result in inadequate emergency access?			$\boxtimes$		

### **Appendix G Questions and Significance Criteria**

San Francisco Administrative Code Chapter 31 directs the Planning Department to identify environmental effects of a project using as its base the environmental checklist form set forth in Appendix G of the CEQA Guidelines. As it relates to transportation and circulation, Appendix G asks whether the project would:

- conflict with a program plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities;
- conflict or be inconsistent with CEQA Guidelines Section 15064.3, subdivision (b);
- substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses; and
- result in inadequate emergency access

The Planning Department uses significance criteria to facilitate the transportation analysis and address the Appendix G checklist. The Planning Department separates the significance criteria into construction and operation.

#### Construction

Construction of the project would have a significant effect on the environment if it would require a substantially extended duration or intense activity; and the effects would create potentially hazardous conditions for people walking, bicycling, or driving, or public transit operations; or interfere with accessibility for people walking or bicycling or substantially delay public transit.

#### Operation

The operational impact analysis addresses the following five significance criteria. A project would have a significant effect if it would:

- create potentially hazardous conditions for people walking, bicycling, or driving or public transit operations;
- interfere with accessibility of people walking or bicycling to and from the project site, and adjoining areas, or result in inadequate emergency access;
- substantially delay public transit;

- cause substantial additional VMT or substantially induce additional automobile travel by increasing physical roadway capacity in congested areas (i.e., by adding new mixed-flow travel lanes) or by adding new roadways to the network; or
- result in a loading deficit and the secondary effects would create potentially hazardous conditions for people walking, bicycling, or driving or substantially delay public transit.

### **Project-Level Impacts**

Impact TR-1: Construction of the proposed project would not require a substantially extended duration or intense activity and the secondary effects would not create potentially hazardous conditions for people walking, bicycling, or driving; or interfere with accessibility for people walking or bicycling; or substantially delay public transit. *(Less than Significant)* 

Construction of the proposed project is expected to last 18 months. During this period, construction activities are expected to occur on weekdays from 7:00 a.m. until 5:00 p.m., with occasional work on Saturdays from 8:00 a.m. until 4:00 p.m. when needed.

Construction staging would largely occur on the project site, with transport of materials either via Pine Street or Austin Street. During the construction period, it may be necessary to temporarily close the sidewalk along Pine Street and/or Austin Street. The project sponsor would be required to follow the *Regulations for Working in San Francisco Streets*.<sup>27</sup> During sidewalk closures, signage and protection for people walking would be erected, as appropriate, and the contractor would be required to maintain adequate bicycle and walking circulation at all times. Travel lane closures along Pine Street would be coordinated with the City in order to minimize the impacts on local traffic. No closure or relocation of existing bus stops or other changes to transit service would be necessary, and no temporary changes to existing bicycle facilities would be necessary

The impact of construction traffic would be a temporary lessening of the capacities on surrounding roadways and truck routes, as well as connecting local streets, due to the slower movement and larger turning radii of trucks. Given the project site's proximity to high-quality local and regional transit service, a substantial portion of construction workers would be expected to take public transit to and from the project site, with only a minor number of workers traveling to and from the project site in private vehicles. Nonetheless, construction truck and worker vehicle traffic could result in minor congestion and conflicts with vehicles, transit, people walking and bicyclists.

Construction activities would be temporary and of limited duration, and the majority of construction activity would occur during off-peak hours when traffic volumes are minimal and potential for conflicts is low (i.e., most construction workers would arrive at the project between 5:30 a.m and 7:00 a.m. and depart from the project site between 2:00 p.m. and 3:30 p.m.).

Considering the temporary duration and the magnitude of project-related construction activities, construction would not result in substantial interference with pedestrian, bicycle, or vehicular circulation or with accessibility

<sup>&</sup>lt;sup>27</sup> San Francisco Municipal Transportation Agency, *Regulations for Working in San Francisco Streets*, September 2012. Available at https://www.sfmta.com/reports/construction-regulations-blue-book, accessed December 31, 2020.

to the project vicinity. Therefore, the proposed project would have a less-than-significant transportation-related construction impact, and no mitigation measures are necessary.

Implementation of Improvement Measure I-TR-1: Coordinated Construction Traffic Management Plan, discussed below, would further reduce any less-than-significant transportation impacts related to project construction.

### Improvement Measure I-TR-1: Coordinated Construction Traffic Management Plan

The project sponsor should participate in the preparation and implementation of a coordinated construction traffic management plan that includes measures to reduce hazards between construction-related traffic and pedestrians, bicyclists, and transit vehicles. The coordinated construction traffic management plan should be prepared in coordination with other public and private projects within a one-block radius that may have overlapping construction schedules and should be subject to review and approval by the City's interdepartmental Transportation Advisory Staff Committee (TASC). The plan should include, but not necessarily be limited to, the following measures:

**Restricted Construction Access Hours:** Limit truck movements and deliveries requiring lane closures to occur between 9:00 a.m. and 4:00 p.m., outside of peak morning and evening weekday commute hours.

Alternative Transportation for Construction Workers: Provide incentives to construction workers to carpool, use transit, bike, and walk to the project site as alternatives to driving alone to and from the project site. Such incentives may include, but not be limited to, providing secure bicycle parking spaces, participating in the free-to-employee-and-employer ride matching program from www.511.org, participating in the emergency ride home program through the City of San Francisco (www.sferh.org), and providing transit information to construction workers.

**Construction Worker Parking Plan:** The location of construction worker parking will be identified as well as the person(s) responsible for monitoring the implementation of the proposed parking plan. The use of on-street parking to accommodate construction worker parking will be discouraged.

**Coordination of Temporary Sidewalk Closures:** The project sponsor should coordinate sidewalk closures with other projects requesting concurrent lane or sidewalk closures through the TASC and interdepartmental meetings to minimize the extent and duration of requested closures.

Maintenance of Transit, Vehicle, Bicycle, and Pedestrian Access: The project sponsor/construction contractor(s) should meet with Public Works, SFMTA, the Fire Department, Muni Operations, and other City agencies to coordinate feasible measures to include in the Coordinated Construction Management Plan to maintain access for transit, vehicles, bicycles, and pedestrians. This should include an assessment of the need for temporary transit stop relocations or other measures to reduce potential traffic, bicycle, and transit disruption and pedestrian circulation effects during construction of the project.

**Proposed Project Construction Updates for Adjacent Businesses and Residents:** Provide regularly updated information regarding project construction, including a construction contact person, construction activities, duration, peak construction activities (e.g., concrete pours), travel lane closures, and lane closures (bicycle and parking) to nearby residences and adjacent businesses

through a website, social media, or other effective methods acceptable to the Environmental Review Officer.

# Impact TR-2: Operation of the proposed project would not create potentially hazardous conditions for people driving, walking, or bicycling, or for public transit operations. (*Less than Significant*)

The proposed project is estimated to generate 824 daily person trips in the form of 112 auto trips, 429 walking trips, 213 transit trips, and 70 trips by other modes (e.g., bicycle, motorcycle, taxi). However, the proposed project would not alter the existing street grid, reconfigure the intersections near the project site, or introduce other physical features that would increase hazards for people driving, walking, or bicycling, or for public transit operations.

### **Driving Impacts**

The proposed project does not include any changes to the public right-of-way that would result in hazards for people driving. The proposed project does not include a garage, so there would be no new curb cuts on Pine Street or Austin Street; the existing curb cut on Austin Street would be removed, eliminating one location at which potential conflicts between people driving could occur. Operation of the proposed project would not create potentially hazardous conditions for people driving. This impact would be less than significant, and no mitigation measures are necessary.

### Walking Impacts

Implementation of the proposed project would increase the level of pedestrian activity in the area above existing levels, with the proposed project estimated to generate 55 walking trips during the p.m. peak hour. People walking to and from the project site would likely be traveling to and from public transit stops and stations in the project vicinity or to and from nearby businesses along Polk Street and Van Ness Avenue. The nearby sidewalks are wide enough to adequately accommodate an increase in the level of pedestrian activity. The Pine Street sidewalk is 9 feet wide, and the portion of the Austin Street sidewalk in front of the project site is 7.5 feet wide; further west, the width of the Austin Street sidewalk increases to 15 feet. The nearest major intersections to the project site (Pine Street/Polk Street and Pine Street/Van Ness Avenue) are controlled intersections with traffic lights that inform pedestrians of when it is safe to cross the street.

The proposed project does not include a garage, so there would be no new curb cuts on Pine Street or Austin Street; the existing curb cut on Austin Street would be removed. Since the proposed project does not include a garage, there would be no vehicles crossing the Pine Street or Austin Street sidewalks and creating potentially hazardous conditions for people walking. This impact would be less than significant, and no mitigation measures are necessary.

### **Bicycling Impacts**

Implementation of the proposed project would increase the level of bicycling activity in the area above existing levels. Bicyclists intending to travel north or south from the project site would exit the building through the rear door on Austin Street and ride approximately 100 feet east to Polk Street, which has a northbound bicycle lane on the east side of the street and a southbound bicycle lane on the west side of the street. From Polk Street, bicyclists can connect to an eastbound bicycle route along California Street (one block north of the project site) and a westbound bicycle route along Sutter Street (two blocks south of the project site).

The proposed project is estimated to generate 12 p.m. peak hour vehicle trips. The addition of this small number of project-generated vehicle trips along surrounding streets would not be substantial. Operation of the proposed project would not create potentially hazardous conditions for people bicycling. This impact would be less than significant, and no mitigation measures are necessary.

### **Public Transit Impacts**

Muni operates buses along Pine, Polk, and Sutter streets, and both Muni and Golden Gate Transit operate multiple bus lines along Van Ness Avenue. Implementation of the proposed project would not alter the established street grid or result in any other changes that could adversely affect public transit operations adjacent to or near the project site. The proposed project does not include a garage, so there would be no new curb cut on Pine Street and no vehicles exiting the project site onto Pine Street and into the path of an approaching bus. Operation of the proposed project would not create potentially hazardous conditions for public transit operations. This impact would be less than significant, and no mitigation measures are necessary.

### Impact TR-3: Operation of the project would not interfere with accessibility of people walking or bicycling to and from the project site and adjoining areas or result in inadequate emergency access. (*Less than Significant*)

Implementation of the proposed project would not alter the established street grid, permanently close any streets or sidewalks, or eliminate or reconfigure any existing bicycle routes. Although portions of the sidewalks adjacent to the project site could be closed for periods of time during project construction, these closures would be temporary in nature. Once construction of the proposed project has been completed, people walking and bicycling would experience unrestricted access to and from the project site as they currently do under existing conditions.

Implementation of the proposed project would not result in the permanent closure of any existing streets in the project vicinity or any alterations to the roadway network that would preclude or restrict emergency vehicle access to the project site. Therefore, emergency vehicle access would remain unchanged from existing conditions. Emergency vehicles would continue to access the project site from Pine Street or Austin Street. This impact would be less than significant, and no mitigation measures are necessary.

# Impact TR-4: Operation of the proposed project would not substantially delay public transit. (*Less than Significant*)

The project site is well served by public transit, with local and regional transit providers (Muni and Golden Gate Transit, respectively) operating multiple bus lines on streets adjacent to and within one-quarter mile of the project site.

The proposed project is estimated to generate 27 transit trips during the p.m. peak hour. Transit riders to and from the project site would use the nearby Muni bus lines for local trips, and the regional lines (potentially with transfers to and from Muni) for trips outside San Francisco. Among transit riders inbound to the project site, trip origins would be dispersed from within San Francisco and regional locations. The variety of origins yields an insubstantial number of project trips coming from any one origin or along any one transit line during the p.m. peak hour and could be accommodated by existing transit capacity. Therefore, the proposed project would

not have an impact on ridership and capacity utilization<sup>28</sup> for local and regional transit operators during the p.m. peak hour.

The proposed project would not result in the relocation or removal of any existing bus stops or other changes that would alter transit service. Although the proposed project is estimated to generate 12 p.m. peak hour vehicle trips, the addition of this small number of project-generated vehicle trips along surrounding streets would not substantially delay public transit. The proposed project would result in a less-than-significant impact related to transit delay, and no mitigation measures are necessary.

Impact TR-5: Operation of the proposed project would not cause substantial additional VMT or substantially induce additional automobile travel by increasing physical roadway capacity in congested areas or by adding new roadways to the network. *(Less than Significant)* 

### Vehicle Miles Traveled (VMT) Analysis

As discussed in Section D, Summary of Environmental Effects, in January 2016, the Governor's Office of Planning and Research (OPR) recommended that transportation impacts for projects be measured using a vehicle miles traveled (VMT) metric. In March 2016, the San Francisco Planning Commission adopted the OPR's recommendation to use the VMT metric instead of automobile delay to evaluate the transportation impacts of projects.

Many factors affect travel behavior. These factors include density, diversity of land uses, design of the transportation network, access to regional destinations, distance to high-quality transit, development scale, demographics, and transportation demand management. Typically, low-density development at great distance from other land uses, located in areas with poor access to non-private vehicular modes of travel, generate more automobile travel compared to development located in urban areas, where a higher density, mix of land uses, and travel options other than private vehicles are available.

Given these travel behavior factors, San Francisco has a lower VMT ratio than the nine-county San Francisco Bay Area region. In addition, some areas of the city have lower VMT ratios than other areas of the city. These areas of the city can be expressed geographically through transportation analysis zones (TAZs). TAZs are used in transportation planning models for transportation analysis and other planning purposes. The zones vary in size from single city blocks in the downtown core, multiple blocks in outer neighborhoods, to even larger zones in historically industrial areas like the Hunters Point Shipyard.

The San Francisco County Transportation Authority (Transportation Authority) uses the San Francisco Chained Activity Model Process (SF-CHAMP) to estimate VMT by private automobiles and taxis for different land use types. Travel behavior in SF-CHAMP is calibrated based on observed behavior from the California Household Travel Survey 2010-2012, census data regarding automobile ownership rates and county-to-county worker flows, and observed vehicle counts and transit boardings. SF-CHAMP uses a synthetic population, which is a set of individual actors that represents the Bay Area's actual population, who make simulated travel decisions for a complete day. The Transportation Authority uses tour-based analysis for office and residential uses, which examines the entire chain of trips over the course of a day, not just trips to and from the project. For retail uses, the Transportation Authority uses trip-based analysis, which counts VMT from individual trips to and from the project (as opposed to the entire chain of trips). A trip-based approach, as opposed to a tour-based approach, is necessary for retail

<sup>&</sup>lt;sup>28</sup> Capacity utilization is the number of passengers on board a transit vehicle relative to the total capacity.

projects because a tour is likely to consist of trips stopping in multiple locations, and the summarizing of tour VMT to each location would overestimate VMT.<sup>29, 30</sup>

For residential development, the existing regional average daily VMT per capita is 17.2.<sup>31</sup> For retail development, the existing regional average daily VMT per retail employee is 14.9. Average daily VMT for retail uses are projected to decrease under future 2040 cumulative conditions. Please see Table 1: Average Daily Vehicle Miles Traveled, which includes the TAZ (327) in which the project site is located.

		Existing		Cumulative 2040		
Land Use	Bay Area Regional Average	Bay Area Regional Average minus 15%	TAZ 327 Average	Bay Area Regional Average	Bay Area Regional Average minus 15%	TAZ 327 Average
Households (Residential)	17.2	14.6	2.9	16.1	13.7	2.6
Employment (Retail)	14.9	12.6	7.2	14.6	12.4	7.3

Table 1: Average Daily Vehicle Miles Traveled

A project would have a significant effect on the environment if it would cause substantial additional VMT, which is defined as VMT exceeding the regional average minus 15 percent.<sup>32</sup> The OPR's *Revised Proposal on Updates to the CEQA Guidelines on Evaluating Transportation Impacts in CEQA* ("proposed transportation impact guidelines") recommends screening criteria to identify types, characteristics, or locations of projects that would not result in significant impacts to VMT. If a project meets one of the three screening criteria provided (Map-Based Screening, Small Projects, and Proximity to Transit Stations), then it is presumed that VMT impacts would be less than significant for the project and a detailed VMT analysis is not required. Map-Based Screening is used to determine if a project site is located within a TAZ that exhibits low levels of VMT. Small Projects are projects that would generate fewer than 100 vehicle trips per day. The Proximity to Transit Stations criterion includes projects that are within a half-mile of an existing major transit stop, have a floor area ratio that is equal to or greater than 0.75, vehicle parking that is less than or equal to that required or allowed by the Planning Code without conditional use authorization, and are consistent with the applicable Sustainable Communities Strategy.

<sup>&</sup>lt;sup>29</sup> To state another way: a tour-based assessment of VMT at a retail site would consider the VMT for all trips in the tour, for any tour with a stop at the retail site. If a single tour stops at two retail locations, for example, a coffee shop on the way to work and a restaurant on the way back home, then both retail locations would be allotted the total tour VMT. A trip-based approach allows us to apportion all retail-related VMT to retail sites without double-counting.

<sup>&</sup>lt;sup>30</sup> San Francisco Planning Department, *Executive Summary: Resolution Modifying Transportation Impact Analysis*, Appendix F, Attachment A, March 3, 2016.

<sup>&</sup>lt;sup>31</sup> Includes the VMT generated by the households in the development and averaged across the household population to determine VMT per capita.

<sup>&</sup>lt;sup>32</sup> San Francisco Planning Department, *Transportation Impact Analysis Guidelines for Environmental Review*, February 2019 (updated October 2019), p. 15. Available at https://sfplanning.org/project/transportation-impact-analysis-guidelines-environmental-review-update, accessed October 26, 2020.

In TAZ 327, the existing average daily household VMT per capita is 2.9, and the existing average daily VMT per retail employee is 7.2.<sup>33</sup> In TAZ 327, the future 2040 average daily household VMT per capita is estimated to be 2.6, and the future 2040 average daily VMT per retail employee is estimated to be 7.3. Given that the project site is located in an area in which the existing and future 2040 residential and retail employee VMT would be more than 15 percent below the existing and future 2040 regional averages, the proposed project's residential and restaurant uses would not result in substantial additional VMT. Furthermore, the project site meets the Proximity to Transit Stations screening criterion, which also indicates the proposed project's residential and restaurant uses would not cause substantial additional VMT.<sup>34</sup> This impact would be less than significant, and no mitigation measures are necessary.

#### Roadway Capacity and Roadway Network

The proposed project would not add travel lanes to the existing streets in the project vicinity or create new streets that could accommodate vehicles. For these reasons, the proposed project would not substantially induce additional automobile travel by increasing physical roadway capacity in congested areas or by adding new roadways to the network. This impact would be less than significant, and no mitigation measures are necessary.

#### Impact TR-6: Operation of the proposed project would not result in a loading deficit. (Less than Significant)

#### **Freight Loading**

The proposed project would generate an average of approximately 13 freight delivery/service vehicle trips per day, which corresponds to a demand of one loading space during the average and peak hour of loading activity.<sup>35</sup> The proposed project would not provide any on-street or off-street loading facilities, and there are no on-street commercial freight loading zones (yellow curb) on Pine, Polk, or Austin streets near the project site. Given that the proposed project is entirely residential except for a 2,855-square-foot restaurant, large trucks (e.g. semi-trucks, tractor-trailers) are not anticipated to need access to the project site. There are three on-street parking spaces on the south side of Pine Street between the project site and the intersection with Polk Street that, when available, could be utilized by freight and service delivery vehicles. Since the project site is a through lot, freight and service delivery vehicles could also park on Austin Street, which has lower volumes of vehicle traffic than Pine Street. Although the proposed project would not provide any on-street or off-street loading facilities, the unmet loading demand is not anticipated to create potentially hazardous conditions (e.g., double-parking) for people driving, walking, or bicycling or that substantially delay public transit. This impact would be less than significant, and no mitigation measures are necessary.

#### **Passenger Loading**

The proposed project would generate a passenger loading demand of one vehicle during the p.m. peak hour, resulting in a needed supply equivalent to one passenger vehicle (22 feet).<sup>36</sup> The proposed project would not

<sup>&</sup>lt;sup>33</sup> CEQA Section 21099 Checklist.

<sup>&</sup>lt;sup>34</sup> Ibid.

<sup>&</sup>lt;sup>35</sup> The residential use would generate 0.4 freight delivery/service vehicle trips per day, while the restaurant use would generate 12 freight delivery/service vehicle trips per day. The residential use would generate a peak-hour loading demand of 0.02 space, while the restaurant use would generate a peak-hour loading demand of 0.7 space.

<sup>&</sup>lt;sup>36</sup> During the p.m. peak hour, the residential use would generate a passenger loading demand of 0.02 space. During the p.m. peak hour, the restaurant use would generate a passenger loading demand of 0.08 space. In total, the proposed project would generate a passenger loading demand of 0.1 space, which is rounded up to one space, during the p.m. peak hour.

provide an on-street passenger loading zone (white curb), but there is an approximately 60-foot-long passenger loading zone on Pine Street that begins in front of the project site and extends westward. The length of the passenger loading zone would be sufficient to accommodate the anticipated demand of one vehicle during the p.m. peak hour, including the demand of one loading instance during the peak 15 minutes of the p.m. peak hour.<sup>37</sup> The passenger loading zone is not anticipated to be continually occupied. In addition, there is an approximately 20-foot-long passenger loading zone on the south side of Austin Street across from the project site. The existing supply of passenger loading facilities is sufficient to satisfy the demand and would not result in a loading deficit. This impact would be less than significant, and no mitigation measures are necessary.

#### Residential Move-In/Move-Out Activities

It is anticipated that residents of the building would utilize adjacent on-street parking spaces on the south side of Pine Street for move-in/move-out activities. Should on-street parking be necessary for move-in/move-out activities, spaces would need to be reserved through the SFMTA's temporary signage program.<sup>38</sup> Typically, these activities occur during off-peak times, such as in the evenings and on weekends, when there are lower traffic and walking volumes in the area. Austin Street is another option for move-in/move-out activities if Pine Street is not a convenient location. Given the options available for accommodating residential move-in/move-out activities discussed above, the proposed project would not result in a loading deficit that would create potentially hazardous conditions (e.g., double-parking) for people driving, walking, or bicycling or that substantially delay public transit. This impact would be less than significant, and no mitigation measures are necessary.

### **2040 Cumulative Conditions**

The 2040 cumulative conditions assess the long-term impacts of the proposed project in combination with other reasonably foreseeable projects (cumulative projects) within one-quarter mile of the project site. See Section B, Project Setting, for a list of cumulative projects considered in this analysis.

## Impact C-TR-1: The proposed project, in combination with cumulative projects, would not result in significant construction-related transportation impacts. (*Less than Significant*)

It is possible that the proposed project and cumulative development projects could be constructed simultaneously. All project sponsors would be required to follow the *Regulations for Working in San Francisco Streets*. Sidewalk and travel lane closures would be needed at various stages throughout construction. During sidewalk closures, signage and protection for people walking would be erected, as appropriate, and the contractors would be required to maintain adequate bicycle and walking circulation at all times. Travel lane closures along affected streets would be coordinated with the City in order to minimize the impacts on local traffic.

The effect of any simultaneous construction-related traffic would be a temporary lessening of the capacities on surrounding roadways and truck routes, as well as connecting local streets, due to the slower movement and larger turning radii of trucks. Construction truck and worker vehicle traffic could result in minor congestion and

<sup>&</sup>lt;sup>37</sup> During the peak 15 minutes of the p.m. peak hour, the residential use would generate a passenger loading demand of 0.03 space. During the peak 15 minutes of the p.m. peak hour, the restaurant use would generate a passenger loading demand of 0.17 space. In total, the proposed project would generate a passenger loading demand of 0.2 space, which is rounded up to one space, during the peak 15 minutes of the p.m. peak hour.

<sup>&</sup>lt;sup>38</sup> Information about the San Francisco Municipal Transportation Agency's temporary signage permits is available at https://www.sfmta.com/permits/temporary-signage, accessed October 8, 2020.

conflicts with vehicles, transit, people walking and bicyclists. However, construction activities would be temporary and of limited duration, and the majority of construction activity would occur during off-peak hours when traffic volumes are minimal and potential for conflicts is low.

This impact would be less-than significant, and no mitigation measures are necessary. Implementation of Improvement Measure I-TR-1: Coordinated Construction Traffic Management Plan, would further reduce this less-than-significant impact.

# Impact C-TR-2: Operation of the proposed project, in combination with cumulative projects, would not create potentially hazardous conditions for people driving, walking, or bicycling, or for public transit operations. (*Less than Significant*)

Implementation of the proposed project and cumulative projects would increase the level of vehicle, pedestrian, and bicycle activity in the project vicinity, which has the potential to result in more conflicts between these different modes of transportation. The proposed project does not include a garage, and five of the seven cumulative projects do not include garages. Collectively, these six projects would not result in vehicles entering and exiting the respective project sites and potentially conflicting with people driving, walking, or bicycling or with public transit operations. The two cumulative projects that include garages, 1101 Sutter Street and 1200 Van Ness Avenue, are each located on a site with three street frontages. Each of these projects could be designed in such a way that the garage fronts on a street that does not include a bicycle lane or public transit service. This design approach could eliminate or minimize potential conflicts between vehicles entering and exiting the respective project sites and people driving, walking, or bicycling, and public transit operations.

The proposed project, in combination with cumulative projects, would not create potentially hazardous conditions for people driving, walking, or bicycling or for public transit operations. This impact would be less than significant, and no mitigation measures are necessary.

# Impact C-TR-3: The proposed project, in combination with cumulative projects, would not interfere with accessibility of people walking or bicycling to and from the project site and adjoining areas or result in inadequate emergency access. (*Less than Significant*)

Implementation of the proposed project and cumulative projects would not alter the established street grid, permanently close any streets or sidewalks, or eliminate or reconfigure any existing bicycle routes. Although portions of the sidewalks adjacent to the various project sites could be closed for periods of time during project construction, these closures would be temporary in nature. Once construction of the proposed project and cumulative projects has been completed, people walking and bicycling would experience unrestricted access to and from the various project sites as they currently do under existing conditions.

Implementation of the proposed project and cumulative projects would not result in the permanent closure of any existing streets in the project vicinity or any alterations to the roadway network that would preclude or restrict emergency vehicle access to the project site. Therefore, emergency vehicle access would remain unchanged from existing conditions.

The proposed project, in combination with cumulative projects, would not interfere with accessibility. This impact would be less-than significant, and no mitigation measures are necessary.

## Impact C-TR-4: The proposed project, in combination with cumulative projects, would not substantially delay public transit. (*Less than Significant*)

Operation of the proposed project and cumulative projects would result in an increase in the number of vehicles on the local roadway network. The proposed project would add 97 daily vehicle trips, including 12 vehicle trips during the p.m. peak hour. Based on their respective unit counts and square footages of nonresidential uses, three of the cumulative development projects would generate fewer daily and p.m. peak hour vehicle trips than the proposed project, while four of the cumulative projects would generate more daily and p.m. peak hour vehicle trips than the proposed project. The cumulative projects are geographically dispersed throughout the project vicinity, and all of the additional vehicle trips would be distributed along the local street network instead of being concentrated on one or two streets on which public transit operates.

The proposed project, in combination with cumulative projects, would not substantially delay public transit. This impact would be less than significant, and no mitigation measures are necessary.

# Impact C-TR-5: The proposed project, in combination with cumulative projects, would not cause substantial additional VMT or substantially induce automobile travel by increasing physical roadway capacity in congested areas or by adding new roadways to the network. (*Less than Significant*)

Table 1: Average Daily Vehicle Miles Traveled, under Impact TR-5 shows the estimated VMT in the year 2040 for the San Francisco Bay Area and in TAZ 327. The future 2040 regional average daily household VMT per capita is estimated to be 16.1, and the future 2040 regional average daily VMT per retail employee is estimated to be 14.6. In TAZ 327, the future 2040 average daily household VMT per capita is estimated to be 2.6, and the future 2040 average daily VMT per retail employee is estimated to be 7.3.

Given that the proposed project and cumulative projects are in an area in which the daily averages for future 2040 residential and retail employee VMT would be more than 15 percent below the future 2040 regional averages, the proposed project would not combine with cumulative projects to cause substantial additional VMT. This impact would be less than significant, and no mitigation measures are necessary.

Neither the proposed project nor the cumulative projects would add travel lanes to the existing streets in the project vicinity or create new streets that could accommodate vehicles. For these reasons, the proposed project would not combine with cumulative projects to substantially induce additional automobile travel by increasing physical roadway capacity in congested areas or by adding new roadways to the network. This impact would be less than significant, and no mitigation measures are necessary.

## Impact C-TR-6: The proposed project, in combination with cumulative projects, would not result in significant loading impacts. (*Less than Significant*)

While there would be a general increase in vehicle traffic and loading demand associated with cumulative projects in the project vicinity, loading impacts are localized and site-specific. The cumulative projects are geographically dispersed throughout the project vicinity and would not be close enough to combine with the proposed project or each other to create significant cumulative loading impacts. The nearest cumulative project is at 1567 California Street, approximately 0.1 mile northeast of the project site. The loading demand for this cumulative project would be addressed locally on California Street, not one block to the south (Pine Street) where the project site is located. Similarly, the loading demand for the proposed project would be addressed locally on

Pine and Austin streets, not one block to the north (California Street). The proposed project, in combination with cumulative projects, would not result in a loading deficit that would create potentially hazardous conditions (e.g., double-parking) for people driving, walking, or bicycling or that substantially delay public transit. This impact would be less than significant, and no mitigation measures are necessary.

Topic	x:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
6.	NOISE. Would the project result in:					
a)	Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the loca general plan or noise ordinance, or applicable standards of other agencies?	_				
b)	Generation of excessive groundborne vibration or groundborne noise levels?		$\boxtimes$			
c)	For a project located within the vicinity of a private airstrip or an airport land use plan area, or, where such a plan has not been adopted, in an area within two miles of a public airport or public use airport, would the project expose people residing or working in the area to excessive noise levels?					

The project site is not within the vicinity of a private airstrip or an airport land use plan area or in an area within two miles of a public airport or public use airport. Therefore, Topic E.6.c is not applicable to the proposed project.

# Impact NO-1: Construction and operation of the proposed project would not result in a substantial temporary or permanent increase in ambient noise levels in the project vicinity in excess of established standards. *(Less than Significant)*

### **Construction Impacts**

The construction period for the proposed project would last approximately 18 months and would not involve construction activities at night. Construction equipment and activities would generate noise that could be considered an annoyance by occupants of nearby properties. Construction noise levels would fluctuate depending on construction phase, equipment type and duration of use, distance between noise source and affected receptor, and the presence (or absence) of barriers. Impacts would generally be limited to periods during which excavation occurs, new foundations are installed, and exterior structural and facade elements are altered. Interior construction noise would be substantially reduced by exterior walls.

Construction of the proposed project would require excavation of the project site to a depth of 14 feet below ground surface. The proposed building would rest on a concrete mat slab foundation supported by drilled piers; pile driving would not be required. Therefore, there would be no noise impacts associated with pile driving during construction of the proposed project.

Construction noise is regulated by the San Francisco Noise Ordinance (Article 29 of the Police Code). The ordinance requires that noise levels from individual pieces of construction equipment, other than impact tools, not exceed 80 dBA<sup>39</sup> at a distance of 100 feet from the source. Table 2: Typical Noise Levels from Proposed Project Construction Equipment, provides typical noise levels produced by various types of construction equipment that would be employed for construction of the proposed project. Impact tools (e.g., jackhammers, hoe rams, impact wrenches) are exempt from the Noise Ordinance (Section 2907) provided they have manufacturer-recommended and City-approved mufflers for both intake and exhaust. In addition, Section 2907 requires that jackhammers and pavement breakers be equipped with manufacturer-recommended and City-approved acoustically attenuating shields or shrouds in order to be exempt from the Noise Ordinance limits. Section 2908 prohibits construction work between 8:00 p.m. and 7:00 a.m. if noise would exceed the ambient noise level by 5 dBA at the project property line, unless a special permit is authorized by the Director of San Francisco Public Works or the Director of the Department of Building Inspection. The proposed project would be required to comply with the regulations set forth in the Noise Ordinance.

Construction Equipment and Quantity	Noise Level (dBA, L <sub>eq</sub> at 50 feet)	Noise Level (dBA, L <sub>eq</sub> at 100 feet)
San Francisco Noise Ordinance Limit	86	80
Air Compressor (2)	78	72
Bore/Drill Rig (2)	84	78
Crane (1)	81	75
Dumpers/Tenders (4)	76	70
Excavator (1)	81	75
Forklift (1)	83	77
Pump (1)	81	75
Vibratory Roller (1)	77	71
Notes: The above Leq noise levels are calculated assuming a 100 perce	ent usage factor at full load (i.e., Lmax noise level 100 pe	rcent) for the 1-hour measurement

Table 2: Typical Noise Levels from Proposed Project Construction Equipment<sup>40, 41</sup>

Notes: The above L<sub>eq</sub> noise levels are calculated assuming a 100 percent usage factor at full load (i.e., Lmax noise level 100 percent) for the 1-hour measurement period. Noise levels in **bold** exceed the San Francisco Noise Ordinance limit.

The nearest sensitive receptors to the project site include the adjacent residences on either side of the project site (1515-1517 Pine Street and 106 Austin Street/1331-1339 Polk Street on the east and 1527-1545 Pine Street on the west), residences on the south side of Austin Street about 35 feet south of the project site, residences on the east side of Polk Street about 150 feet east of the project site, Redding Elementary/Early Education School (1421 Pine Street) about 265 feet east of the project site, and Saint Francis Memorial Hospital (900 Hyde Street) about 0.2 mile east of the project site.

<sup>&</sup>lt;sup>39</sup> dBA, or A-weighted decibel, is an overall frequency-weighted sound level in decibels that approximates the frequency response of the human ear. The dBA scale is the most widely used for environmental noise assessment.

<sup>&</sup>lt;sup>40</sup> Federal Highway Administration, *Roadway Construction Noise Model User's Guide*, 2006, p. 3. Available online at http://www.fhwa.dot.gov/environment/noise/construction\_noise/rcnm/rcnm.pdf, accessed January 4, 2021.

<sup>&</sup>lt;sup>41</sup> San Francisco Planning Department, *Noise Impact Analysis Guidelines – DRAFT*, Table 5.1, March 2020.

The adjacent and nearby residences would likely experience temporary and intermittent increases in noise levels associated with construction activities as well as the passage of construction trucks to and from the project site. However, these increases in noise levels are not expected to be substantially greater than ambient noise levels in the vicinity, which already exceed 70  $L_{dn}$ .<sup>42, 43</sup> The school and hospital likely would not experience any construction-related noise disturbances given their further distance from the project site. Project-related construction activities would not expose individuals to temporary increases in noise levels that are substantially greater than ambient noise levels. Construction-related noise impacts would be less than significant, and no mitigation measures are necessary.

### **Operational Impacts**

Implementation of the proposed project would add 21 dwelling units and a 2,855-square-foot restaurant to the project vicinity. Vehicular traffic makes the largest contribution to ambient noise levels throughout most of San Francisco. Generally, traffic would have to double in volume to produce a noticeable 3-dBA increase in ambient noise levels in the project vicinity.<sup>44</sup> The intersection of Pine and Larkin streets, two blocks east of the project site, is the closest intersection for which traffic counts have been collected. Traffic counts recorded 20,444 westbound vehicles passing through this intersection on a daily basis, with 2,038 westbound vehicles passing through this intersection during the p.m. peak hour.<sup>45</sup> The proposed project would generate 97 daily vehicle trips, including 12 during the p.m. peak hour. Project-generated vehicle trips would not cause traffic volumes to double on nearby streets; as a result, project-generated traffic noise would not have a noticeable effect on ambient noise levels in the project vicinity.

Mechanical building equipment, such as heating, ventilation and air conditioning (HVAC) systems, as well as other noise-generating devices (home entertainment systems) associated with the residential uses would create operational noise. However, these noise sources would be subject to the Noise Ordinance. Specifically, Section 2909(a) prohibits any person from producing or allowing to be produced, on a residential property, a noise level in excess of five dBA above ambient noise levels at any point outside the property line. In addition, Section 2909(b) prohibits any person from producing or allowing to be produced, on a commercial or industrial property, a noise level in excess of eight dBA above ambient noise levels at any point outside the property line. Moreover, Section 2909(d) establishes maximum noise levels for fixed noise sources (e.g., mechanical equipment) of 55 dBA (from 7:00 a.m. to 10:00 p.m.) and 45 dBA (from 10:00 p.m. to 7:00 a.m.) inside any sleeping or living room in any dwelling unit located on residential property to prevent sleep disturbance. The proposed project would include standard HVAC equipment, which would generate operational noise. The HVAC systems as well as any noise-generating devices that may be associated with the residential uses would be required to meet the noise standards described above. The proposed project would not include any additional noise-generating sources such as backup generators.

<sup>&</sup>lt;sup>42</sup> San Francisco Planning Department and San Francisco Department of Public Health, *Areas Potentially Requiring Noise Insulations*, March 2009. Available at https://sfplanning.org/sites/default/files/resources/2019-09/Noise.pdf, accessed Octobe 28, 2020.

<sup>&</sup>lt;sup>43</sup> L<sub>dn</sub>, or day-night average sound level, is the energy average of the A-weighted sound levels occurring during a 24-hour period.

<sup>&</sup>lt;sup>44</sup> United States Department of Transportation, Federal Highway Administration, *Highway Traffic Noise: Analysis and Abatement Guidance*, December 2011, p. 9. Available online at http://www.fhwa.dot.gov/environment/noise/regulations\_and\_guidance/analysis\_and\_abatement\_guidance/revguidance.pdf, accessed December 28, 2020.

<sup>&</sup>lt;sup>45</sup> San Francisco Municipal Transportation Agency, *SFMTA Traffic Count Data 1993-2015*. Available at https://www.sfmta.com/reports/sfmta-traffic-count-data, accessed October 6, 2020.

Given that the proposed project's vehicle trips would not cause a doubling of traffic volumes on nearby streets and that proposed mechanical equipment and other noise-generating devices would be required to comply with the Noise Ordinance, operational noise from the proposed project would not result in a noticeable increase in ambient noise levels. The proposed project would not generate a substantial permanent increase in ambient noise levels in the project vicinity in excess of applicable standards. This impact would be less than significant, and no mitigation measures are necessary.

## Impact NO-2: Construction and operation of the proposed project would generate excessive groundborne vibration or groundborne noise levels. (*Less than Significant with Mitigation*)

Vibration is an oscillatory motion through a solid medium in which the motion's amplitude can be described in terms of displacement, velocity, or acceleration. Construction-related vibration primarily results from the use of impact equipment such as pile drivers (both impact and vibratory), hoe rams, vibratory compactors and jackhammers. The operation of heavy construction equipment, particularly pile drivers and other heavy-duty impact devices (such as pavement breakers), creates seismic waves that radiate along the surface of the ground and downward. These surface waves can be felt as ground vibration and can result in effects that range from annoyance for people to damage to structures. Groundborne vibration generally attenuates rapidly with distance from the source of the vibration.

Receptors sensitive to vibration include structures (especially older masonry structures), people (especially residents, the elderly, and the sick), and equipment (e.g., magnetic resonance imaging equipment, high-resolution lithographic, optical, and electron microscopes). In addition, vibration may disturb nesting and breeding activities for biological resources. Except for long-term occupational exposure, groundborne vibration and noise rarely affect human health.

The nearest sensitive receptors to the project site include the adjacent residences on either side of the project site (1515-1517 Pine Street and 106 Austin Street/1331-1339 Polk Street on the east and 1527-1545 Pine Street on the west). The buildings housing these uses are of wood or steel construction (not masonry) and have not been identified as historic resources. However, the two buildings to the east are older residential structures that were constructed prior to 1925.<sup>46</sup> There are no sensitive equipment uses (e.g., facilities using magnetic resources on or near the project site.

### **Construction Impacts**

Construction of the proposed project would not require the types of construction activities, such as blasting or pile driving, that could produce substantial groundborne vibration. However, construction equipment such as excavators bore/drill rigs, loaded trucks, and vibratory rollers could generate varying degrees of temporary groundborne vibration. Therefore, the potential for construction-related vibration impacts on adjacent/nearby sensitive receptors was evaluated.

<sup>&</sup>lt;sup>46</sup> San Francisco Planning Department, Property Information Map, https://sfplanninggis.org/pim/. The building at 1515-1517 Pine Street was constructed in 1924, and the building at 106 Austin Street/1331-1339 Polk Street was constructed in 1908.

The latest California Department of Transportation (Caltrans) guidance manual, *Transportation and Construction Vibration Guidance Manual*,<sup>47</sup> includes guidelines to use in construction projects to address the potential for building damage, as summarized in Table 3: Caltrans Vibration Damage Potential Threshold Criteria. Vibration levels are measured in inches per second and expressed as a peak particle velocity (PPV). This analysis uses the "Continuous/Frequent" threshold of 0.3 PPV for older residential structures for the adjacent buildings to the east of the project site and the "Continuous/Frequent" threshold of 0.5 PPV for new residential structures for the adjacent building to the west of the project site.

	Maximum Peak P	article Velocity (in/sec)
Structure Type and Condition	Transient Sources	Continuous/Frequent Intermittent Sources
Extremely fragile historic buildings	0.12	0.08
Fragile buildings	0.2	0.1
Historic and some old buildings	0.5	0.25
Older residential structures	0.5	0.3
New residential structures	1.0	0.5
Modern industrial/commercial buildings	2.0	0.5
Note: Transient sources create a single, isolated vibration event (e.g include impact pile drivers, pogo-stick compactors, crack-and-seat		•
Source: California Department of Transportation, Transportation an	d Construction Vibration Guidance Man	ual, Table 19, April 2020.

### Table 3: Caltrans Vibration Damage Potential Threshold Criteria

Construction-related vibration levels were estimated using industry standard methodology as documented by Caltrans in the *Transportation and Construction Vibration Guidance Manual* and other relevant authorities. This analysis predicts construction-related vibration levels at the nearest sensitive receptors, conservatively assuming construction equipment is operating at (within 5 feet of) the nearest property line as summarized in Table 4: Predicted Construction Vibration Levels at Receptor. Anticipated construction activities are limited to general earthmoving, light demolition, and other activities that produce relatively low levels of vibration. Activities that produce high levels of vibration, such as blasting or pile driving, are not required or proposed.

<sup>&</sup>lt;sup>47</sup> California Department of Transportation, *Transportation and Construction Vibration Guidance Manual*, April 2020. Available at https://dot.ca.gov/-/media/dot-media/programs/environmental-analysis/documents/env/tcvgm-apr2020-a11y.pdf, accessed January 8, 2021.

	P	Minimum Cafe			
Construction Equipment	1515-1517 Pine Street (setback of 5 feet) 106 Austin Street / 1331-1339 Polk Street (setback of 5 feet)		1527-1545 Pine Street (setback of 5 feet)	Minimum Safe Setback (from older residential structures)	
Bore/Drill Rig	0.52	0.52	0.52	10 feet	
Excavator	0.52	0.52	0.52	10 feet	
Loaded Trucks	0.45	0.45	0.45	9 feet	
Vibratory Roller	1.23	1.23	1.23	19 feet	

Table 4: Predicted Construction Vibrati	ion Levels at Receptor
---	------------------------

Bold values exceed the Caltrans criterion for building damage of 0.3 PPV for older residential structures.

2. Italicized values exceed the Caltrans criterion for building damage of 0.5 PPV for new residential structures.

3. Other construction equipment listed in Table 2: Typical Noise Levels from Proposed Construction Equipment (air compressor, crane, forklift, pump) do not produce vibration levels in the range where building damage is a concern.

Source: California Department of Transportation, Transportation and Construction Vibration Guidance Manual, Table 18 and Equation 12, April 2020.

As shown in Table 4, construction-related vibration levels would exceed the screening threshold of 0.3 PPV at the eastern property line and 0.5 PPV at the western property line. Given that the vibration thresholds would be exceeded at the adjacent properties to the east and west, project construction could result in a potentially significant impact. To reduce construction-related vibration impacts to less-than-significant levels, the project sponsor would be required to implement Mitigation Measure M-NO-2: Protection of Adjacent Buildings/Structures and Vibration Monitoring During Construction, which would require the project sponsor to incorporate all feasible means to avoid damage to potentially affected buildings. Implementation of this mitigation measure may include maintaining buffer distances, using alternative construction equipment, and undertaking a monitoring plan, among other requirements.

#### Mitigation Measure M-NO-2: Protection of Adjacent Buildings/Structures and Vibration Monitoring During Construction

Prior to issuance of any demolition or building permit, the property owner shall submit a project-specific Pre-construction Survey and Vibration Management and Monitoring Plan to the Planning Department (Lead Agency) for approval. The plan shall identify all feasible means to avoid damage to potentially affected buildings. The property owner shall ensure that the following requirements of the Vibration Management and Monitoring Plan are included in contract specifications.

*Pre-construction Survey.* Prior to the start of any ground-disturbing activity, the property owner or their designees shall engage a consultant to undertake a Pre-construction Survey of potentially affected buildings. If potentially affected buildings and/or structures are not potentially historic, a structural engineer or other professional with similar qualifications shall document and photograph the existing conditions of the potentially affected buildings and/or structures. The project sponsor shall submit the survey to the Lead Agency for review and approval prior to the start of vibration-generating construction activity.

If nearby affected buildings are potentially historic, the project sponsor shall engage a historic architect or qualified historic preservation professional and a structural engineer or other professional with similar qualifications to undertake a Pre-construction Survey of potentially affected historic buildings. The Pre-construction Survey shall include descriptions and photographs of both the exterior and interior of all identified historic buildings including all facades, roofs, and details of the character-defining features that could be damaged during construction, and shall document existing damage, such as cracks and loose or damaged features. The report shall also include pre-construction drawings that record the pre-construction of the buildings and identify cracks and other features to be monitored during construction. The historic architect or qualified historic preservation professional should be the lead author of the Pre-construction Survey if historic buildings and/or structures could be affected by the project. These reports shall be submitted to the Lead Agency for review and approval prior to the start of vibration-generating construction activity.

*Vibration Management and Monitoring Plan.* The property owner or their designee shall undertake a monitoring plan to avoid or reduce project-related construction vibration damage to adjacent buildings and/or structures and to ensure that any such damage is documented and repaired. The Vibration Management and Monitoring Plan shall apply to all potentially affected buildings and/or structures. Prior to issuance of any demolition or building permit, the project sponsor shall submit the Vibration Management and Monitoring Plan that lays out the monitoring program to the Lead Agency for approval. If historic buildings could be affected, the Vibration Management and Monitoring Plan shall also be submitted to the Lead Agency's preservation staff for review and approval, if applicable.

The Vibration Management and Monitoring Plan shall include, at a minimum, the following components, as applicable:

- *Maximum Vibration Level.* Based on the anticipated construction and condition of the affected buildings and/or structures on adjacent properties, a qualified acoustical/vibration consultant in coordination with a structural engineer (or professional with similar qualifications) and, in the case of potentially affected historic buildings/structures, a historic architect or qualified historic preservation professional, shall establish a maximum vibration level that shall not be exceeded at each building/structure on adjacent properties, based on existing conditions, character-defining features, soil conditions, and anticipated construction practices (common standards are a peak particle velocity [PPV] of 0.25 inch per second for historic and some old buildings, a PPV of 0.3 inch per second for older residential structures, and a PPV of 0.5 inch per second for new residential structures and modern industrial/commercial buildings).
- *Vibration-generating Equipment.* The plan shall identify all vibration-generating equipment to be used during construction (including, but not limited to, site preparation, clearing, demolition, excavation, shoring, foundation installation, and building construction).
- *Alternative Construction Equipment and Techniques.* The plan shall identify potential alternative equipment and techniques that could be implemented if construction vibration levels are observed in excess of the established standard (e.g., pre-drilled piles could be substituted for driven piles, if feasible, based on soil conditions, or smaller, lighter equipment could be used in some cases).
- *Pile Driving Requirements.* For projects that require pile driving, the project sponsor shall incorporate into construction specifications for the project a requirement that the construction

contractor(s) use all feasible means to avoid or reduce damage to potentially affected buildings. Such methods may include one or more of the following:

- o Incorporate "quiet" pile-driving technologies into project construction (such as predrilling piles, using sonic pile drivers, auger cast-in-place, or drilled-displacement), as feasible; and/or
- Ensure appropriate excavation shoring methods to prevent the movement of adjacent structures
- *Buffer Distances.* The plan shall identify buffer distances to be maintained based on vibration levels and site constraints between the operation of vibration-generating construction equipment and the potentially affected building and/or structure to avoid damage to the extent possible.
- *Vibration Monitoring.* The plan shall lay out the method and equipment for vibration monitoring. To ensure that construction vibration levels do not exceed the established standard, the acoustical consultant shall monitor vibration levels at each affected building and/or structure on adjacent properties and prohibit vibratory construction activities that generate vibration levels in excess of the standard.
  - Should construction vibration levels be observed in excess of those established in the plan, the contractor(s) shall halt construction and put alternative construction techniques identified in the plan into practice, to the extent feasible.
  - The historic architect or qualified historic preservation professional (for effects on historic buildings and/or structures) and/or structural engineer (for effects on historic and non-historic buildings and/or structures) shall inspect each affected building and/or structure in the event the development project exceeds the established standards.
    - If vibration has damaged nearby buildings and/or structures that are not historic, the structural engineer shall immediately notify the Lead Agency and prepare a damage report documenting the features of the building and/or structure that has been damaged.
    - If vibration has damaged nearby buildings and/or structures that are historic, the historic preservation consultant shall immediately notify the Lead Agency and prepare a damage report documenting the features of the building and/or structure that has been damaged.
    - If no damage has occurred to nearby buildings and/or structures, then the historic preservation professional (if potentially affected buildings are historic) and/or structural engineer (for effects on historic and non-historic buildings) shall submit a monthly report to the Lead Agency for review. This report shall identify and summarize the vibration level exceedances and describe the actions taken to reduce vibration.
  - Following incorporation of the alternative construction techniques and/or Lead Agency review of the damage report, vibration monitoring shall recommence to ensure that vibration levels at each affected building and/or structure on adjacent properties are not exceeded.
- *Periodic Inspections.* The plan shall lay out the intervals and parties responsible for periodic inspections. The historic architect or qualified historic preservation professional (for effects on

historic buildings and/or structures) and/or structural engineer (for effects on historic and nonhistoric buildings and/or structures) shall conduct regular periodic inspections of each affected building and/or structure on adjacent properties during vibration-generating construction activity on the project site. The plan will specify how often inspections and reporting shall occur.

• *Repairing Damage.* The plan shall also identify provisions to be followed should damage to any building and/or structure occur due to construction-related vibration. The building(s) and/or structure(s) shall be remediated to their pre-construction condition at the conclusion of vibration-generating activity on the site. For historic resources, should damage occur to any building and/or structure, the building and/or structure shall be restored to its pre-construction condition in consultation with the historic architect or qualified historic preservation professional and Lead Agency.

*Vibration Monitoring Results Report.* After construction is complete, the Lead Agency shall receive a final report from the historic architect or qualified historic preservation professional (for effects on historic buildings and/or structures) and/or structural engineer (for effects on historic and non-historic buildings and/or structures). The report shall include, at minimum, collected monitoring records, building and/or structure condition summaries, descriptions of all instances of vibration level exceedance, identification of damage incurred due to vibration, and corrective actions taken to restore damaged buildings and structures. The Lead Agency shall review and approve all Vibration Monitoring Results Reports.

With implementation of Mitigation Measure M-NO-2, impacts from construction-related vibration would be less than significant.

### **Operational Impacts**

Operational vibration primarily results from the passing of buses and heavy trucks. The proposed project is a mixed-use building containing residential and restaurant uses that would not include operational sources of vibration. For these reasons, operation of the proposed project would not generate excessive groundborne vibration or groundborne noise levels. This impact would be less than significant, and no mitigation measures are necessary.

# Impact C-NO-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would result in less-than-significant cumulative impacts related to noise and vibration. *(Less than Significant*)

There are seven cumulative development projects in the project vicinity that could contribute to increases in noise and vibration.

## **Cumulative Construction Noise Impacts**

Construction noise associated with the proposed project and cumulative projects would be subject to the Noise Ordinance and would be temporary in duration. The cumulative projects are geographically dispersed throughout the project vicinity and would not be close enough to combine with the proposed project or each other to substantially increase ambient noise levels. For these reasons, the proposed project would not combine with cumulative projects to create a significant cumulative construction noise impact.

### **Cumulative Operational Noise Impacts**

Mechanical equipment and other noise-generating devices associated with the proposed project and the cumulative projects would be required to comply with the Noise Ordinance. The cumulative projects are geographically dispersed throughout the project vicinity and would not be close enough to combine with the proposed project or each other to substantially increase ambient noise levels. In addition, the proposed project would not combine with the cumulative projects to double existing traffic volumes in the project vicinity. The proposed project would add 97 daily vehicle trips, including 12 vehicle trips during the p.m. peak hour. Based on their respective unit counts and square footages of nonresidential uses, three of the cumulative development projects would generate fewer daily and p.m. peak hour vehicle trips than the proposed project, while four of the cumulative projects would generate substantially more daily and p.m. peak hour vehicle trips than the proposed project. All of these additional vehicle trips generated by the proposed project to double existing traffic volumes in the 97 daily vehicle trips generated by the proposed project to double existing traffic volumes in the projects to create a significant cumulative operational noise impact.

### **Cumulative Vibration Impacts**

Environmental impacts related to groundborne vibration are generally site-specific, and groundborne vibration generally attenuates rapidly with distance from the source of the vibration. The cumulative projects are geographically dispersed throughout the project vicinity and would not be close enough to combine with the proposed project or each other to generate excessive groundborne vibration or groundborne noise levels. For these reasons, the proposed project would not combine with cumulative projects to create a significant cumulative impact related to groundborne vibration or groundborne noise levels.

		Potentially Significant	Less Than Significant with Mitigation	Less Than Significant	No	Not
Торіс	33:	Impact	Incorporated	Impact	Impact	Applicable
7.	AIR QUALITY. Would the project:					
a)	Conflict with or obstruct implementation of the applicable air quality plan?			$\boxtimes$		
b)	Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal, state, or regional ambient air quality standard?					
c)	Expose sensitive receptors to substantial pollutant concentrations?		$\boxtimes$			
d)	Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?			$\boxtimes$		

The Bay Area Air Quality Management District (air district) is the regional agency with jurisdiction over the ninecounty San Francisco Bay Area Air Basin (air basin), which includes San Francisco, Alameda, Contra Costa, Marin, San Mateo, Santa Clara, and Napa counties and portions of Sonoma and Solano counties. The air district is responsible for attaining and maintaining air quality in the air basin within federal and state air quality standards, as established by the federal Clean Air Act and the California Clean Air Act, respectively. Specifically, the air district has the responsibility to monitor ambient air pollutant levels throughout the air basin and to develop and implement strategies to attain the applicable federal and state standards. The federal and state Clean Air Acts require plans to be developed for areas that do not meet air quality standards, generally. The most recent air quality plan, the *2017 Clean Air Plan*, was adopted by the air district on April 19, 2017. The *2017 Clean Air Plan* updates the most recent Bay Area ozone plan, the *2010 Clean Air Plan*, in accordance with the requirements of the state Clean Air Act to implement all feasible measures to reduce ozone; provide a control strategy to reduce ozone, particulate matter, air toxics, and greenhouse gases in a single, integrated plan; and establish emission control measures to be adopted or implemented. The *2017 Clean Air Plan* contains the following primary goals:

- Protect air quality and health at the regional and local scale: Attain all state and national air quality standards, and eliminate disparities among Bay Area communities in cancer health risk from toxic air contaminants; and
- Protect the climate: Reduce Bay Area greenhouse gas emissions to 40 percent below 1990 levels by 2030 and 80 percent below 1990 levels by 2050.

The 2017 Clean Air Plan represents the most current applicable air quality plan for the air basin. Consistency with this plan is the basis for determining whether the proposed project would conflict with or obstruct implementation of air quality plans.

### **Criteria Air Pollutants**

In accordance with the state and federal Clean Air Acts, air pollutant standards are identified for the following six criteria air pollutants: ozone, carbon monoxide (CO), particulate matter (PM), nitrogen dioxide (NO<sub>2</sub>), sulfur dioxide (SO<sub>2</sub>), and lead. These air pollutants are termed criteria air pollutants because they are regulated by developing specific public health- and welfare-based criteria as the basis for setting permissible levels. In general, the air basin experiences low concentrations of most pollutants when compared to federal or state standards. The air basin is designated as either in attainment<sup>48</sup> or unclassified for most criteria pollutants with the exception of ozone, PM<sub>2.5</sub>, and PM<sub>10</sub>, for which these pollutants are designated as non-attainment for either the state or federal standards. By its very nature, regional air pollution is largely a cumulative impact in that no single project is sufficient in size to, by itself, result in non-attainment of air quality standards. Instead, a project's individual emissions contribute to existing cumulative air quality impacts. If a project's contribution to cumulative air quality impacts is considerable, then the project's impact on air quality would be considered significant.<sup>49</sup>

Land use projects may contribute to regional criteria air pollutants during the construction and operational phases of a project. Table 5: Criteria Air Pollutant Significance Thresholds, identifies air quality significance thresholds followed by a discussion of each threshold. Projects that would result in criteria air pollutant emissions below these significance thresholds would not violate an air quality standard, contribute substantially to an air quality violation, or result in a cumulatively considerable net increase in criteria air pollutants within the air basin.

<sup>&</sup>lt;sup>48</sup> "Attainment" status refers to those regions that are meeting federal and/or state standards for a specified criteria pollutant. "Nonattainment" refers to regions that do not meet federal and/or state standards for a specified criteria pollutant. "Unclassified" refers to regions where there is not enough data to determine the region's attainment status for a specified criteria air pollutant.

<sup>&</sup>lt;sup>49</sup> Bay Area Air Quality Management District (BAAQMD), *California Environmental Quality Act Air Quality Guidelines*, May 2017, page 2-1.

	Construction Thresholds	Operational Thresholds		
Pollutant	Average Daily Emissions (lbs./day)	Average Daily Emissions (lbs./day)	Maximum Annual Emissions (tons/year)	
ROG	54	54	10	
NOx	54	54	10	
PM10	82 (exhaust)	82	15	
PM <sub>2.5</sub>	54 (exhaust)	54	10	
Fugitive Dust	Construction Dust Ordinance or other Best Management Practices	Not Ap	oplicable	

Table 5: Criteria Air Pollutant Significance Thresholds<sup>50</sup>

**Ozone Precursors.** As discussed previously, the air basin is currently designated as non-attainment for ozone and particulate matter. Ozone is a secondary air pollutant produced in the atmosphere through a complex series of photochemical reactions involving reactive organic gases (ROG) and oxides of nitrogen (NO<sub>x</sub>). The potential for a project to result in a cumulatively considerable net increase in criteria air pollutants, which may contribute to an existing or projected air quality violation, are based on the state and federal Clean Air Acts emissions limits for stationary sources. To ensure that new stationary sources do not cause or contribute to a violation of an air quality standard, air district Regulation 2, Rule 2 requires that any new source that emits criteria air pollutants above a specified emissions limit must offset those emissions. For ozone precursors ROG and NO<sub>x</sub>, the offset emissions level is an annual average of 10 tons per year (or 54 pounds (lbs.) per day).<sup>51</sup> These levels represent emissions below which new sources are not anticipated to contribute to an air quality violation or result in a considerable net increase in criteria air pollutants.

Although this regulation applies to new or modified stationary sources, land use development projects result in ROG and NO<sub>x</sub> emissions as a result of increases in vehicle trips, architectural coating and construction activities. Therefore, the above thresholds can be applied to the construction and operational phases of land use projects, and those projects that result in emissions below these thresholds would not be considered to contribute to an existing or projected air quality violation or result in a considerable net increase in ROG and NO<sub>x</sub> emissions. Due to the temporary nature of construction activities, only the average daily thresholds are applicable to construction phase emissions.

**Particulate Matter (PM<sub>10</sub> and PM<sub>2.5</sub>).**<sup>52</sup> The air district has not established an offset limit for PM<sub>2.5</sub>. However, the emissions limit in the federal New Source Review for stationary sources in nonattainment areas is an appropriate significance threshold. For PM<sub>10</sub> and PM<sub>2.5</sub>, the emissions limit under New Source Review is 15 tons per year (82 lbs. per day) and 10 tons per year (54 lbs. per day), respectively. These emissions limits represent levels below which a source is not expected to have an impact on air quality.<sup>53</sup> Similar to ozone precursor thresholds identified above, land use development projects typically result in particulate matter emissions as a result of

<sup>&</sup>lt;sup>50</sup> *Ibid*, page 2-2.

<sup>&</sup>lt;sup>51</sup> BAAQMD, Revised Draft Options and Justification Report, California Environmental Quality Act Thresholds of Significance, October 2009, page 17.

<sup>&</sup>lt;sup>52</sup> PM<sub>10</sub> is often termed "coarse" particulate matter and is made of particulates that are 10 microns in diameter or smaller. PM<sub>2.5</sub>, termed "fine" particulate matter, is composed of particles that are 2.5 microns or less in diameter.

<sup>&</sup>lt;sup>53</sup> BAAQMD, Revised Draft Options and Justification Report, California Environmental Quality Act Thresholds of Significance, October 2009, page 16.

increases in vehicle trips, space heating and natural gas combustion, landscape maintenance, and construction activities. Therefore, the above thresholds can be applied to the construction and operational phases of a land use project. Again, because construction activities are temporary in nature, only the average daily thresholds are applicable to construction-phase emissions.

**Fugitive Dust.** Fugitive dust emissions are typically generated during construction phases. Studies have shown that the application of best management practices at construction sites significantly controls fugitive dust,<sup>54</sup> and individual measures have been shown to reduce fugitive dust by anywhere from 30 to 90 percent.<sup>55</sup> The air district has identified a number of best management practices to control fugitive dust emissions from construction activities.<sup>56</sup> The City's Construction Dust Control Ordinance (Ordinance No. 176-08, effective July 30, 2008) requires a number of measures to control fugitive dust, and the best management practices employed in compliance with the City's Construction Dust Control Ordinance are an effective strategy for controlling construction-related fugitive dust.

**Other Criteria Pollutants.** Regional concentrations of CO in the Bay Area have not exceeded the state standards in the past 11 years, and SO<sub>2</sub> concentrations have never exceeded the standards. The primary source of CO emissions from development projects is vehicle traffic. Construction-related SO<sub>2</sub> emissions represent a negligible portion of the total basin-wide emissions, and construction-related CO emissions represent less than five percent of the Bay Area total basin-wide CO emissions. As discussed previously, the Bay Area is in attainment for both CO and SO<sub>2</sub>. Furthermore, the air district has demonstrated, based on modeling, that in order to exceed the California ambient air quality standard of 9.0 ppm (8-hour average) or 20.0 ppm (1-hour average) for CO, project traffic in addition to existing traffic would need to exceed 44,000 vehicles per hour at affected intersections (or 24,000 vehicles per hour where vertical and/or horizontal mixing is limited). Therefore, given the Bay Area's attainment status and the limited CO and SO<sub>2</sub> emissions that could result from development projects, development projects would not result in a cumulatively considerable net increase in CO or SO<sub>2</sub> emissions, and quantitative analysis is not required.

### Local Health Risks and Hazards

In addition to criteria air pollutants, individual projects may emit toxic air contaminants (TACs). TACs collectively refer to a diverse group of air pollutants that are capable of causing chronic (i.e., of long duration) and acute (i.e., severe but short-term) adverse effects on human health, including carcinogenic effects. Human health effects of TACs include birth defects, neurological damage, cancer, and mortality. There are hundreds of different types of TACs with varying degrees of toxicity. Individual TACs vary greatly in the health risk they present; at a given level of exposure, one TAC may pose a hazard that is many times greater than another.

Unlike criteria air pollutants, TACs do not have ambient air quality standards but are regulated by the air district using a risk-based approach to determine which sources and pollutants to control as well as the degree of control. A health risk assessment is an analysis in which human health exposure to toxic substances is estimated

<sup>&</sup>lt;sup>54</sup> Western Regional Air Partnership, WRAP Fugitive Dust Handbook, September 7, 2006. Available at http://www.wrapair.org/forums/dejf/fdh/content/FDHandbook\_Rev\_06.pdf, accessed August 25, 2020.

<sup>&</sup>lt;sup>55</sup> BAAQMD, CEQA Air Quality Guidelines, May 2017, page D-47.

<sup>&</sup>lt;sup>56</sup> Ibid.

and considered together with information regarding the toxic potency of the substances to provide quantitative estimates of health risks.<sup>57</sup>

Air pollution does not affect every individual in the population in the same way, and some groups are more sensitive to adverse health effects than others. Land uses such as residences, schools, children's day care centers, hospitals, and nursing and convalescent homes are considered to be the most sensitive to poor air quality because the population groups associated with these uses have increased susceptibility to respiratory distress or, as in the case of residential receptors, their exposure time is greater than that of other land uses. Therefore, these groups are referred to as sensitive receptors. Exposure assessment guidance typically assumes that residences would be exposed to air pollution 24 hours per day, seven days a week, for 30 years.<sup>58</sup> Therefore, assessments of air pollutant exposure to residents typically result in the greatest adverse health outcomes of all population groups.

Exposures to fine particulate matter ( $PM_{2.5}$ ) are strongly associated with mortality, respiratory diseases, lung development in children, and other endpoints such as hospitalization for cardiopulmonary disease.<sup>59</sup> In addition to  $PM_{2.5}$ , diesel particulate matter (DPM) is also of concern. The California Air Resources Board identified DPM as a TAC in 1998, primarily based on evidence demonstrating cancer effects in humans.<sup>60</sup> The estimated cancer risk from exposure to diesel exhaust is much higher than the risk associated with any other TAC routinely measured in the region.

In an effort to identify areas of San Francisco most adversely affected by sources of TACs, San Francisco partnered with the air district to conduct a citywide health risk assessment based on an inventory and assessment of air pollution and exposures from mobile, stationary, and area sources within San Francisco. Areas with poor air quality, termed the "Air Pollutant Exposure Zone," were identified based on health-protective criteria that consider estimated cancer risk, exposures to fine particulate matter, proximity to freeways, and locations with particularly vulnerable populations. Each of the Air Pollutant Exposure Zone criteria is discussed below.

**Excess Cancer Risk.** The Air Pollution Exposure Zone includes areas where modeled cancer risk exceeds 100 incidents per one million persons exposed. This criterion is based on United States Environmental Protection Agency (EPA) guidance for conducting air toxic analyses and making risk management decisions at the facility and community-scale level.<sup>61</sup> As described by the air district, the EPA considers a cancer risk of 100 per one million to be within the "acceptable" range of cancer risk. Furthermore, in the 1989 preamble to the benzene National Emissions Standards for Hazardous Air Pollutants rulemaking,<sup>62</sup> the EPA states that it "…strives to provide

<sup>&</sup>lt;sup>57</sup> In general, a health risk assessment is required if the air district concludes that projected emissions of a specific air toxic compound from a proposed new or modified source suggest a potential public health risk. The applicant is then subject to a health risk assessment for the source in question. Such an assessment generally evaluates chronic, long-term effects, estimating the increased risk of cancer as a result of exposure to one or more TACs.

<sup>&</sup>lt;sup>58</sup> California Office of Environmental Health Hazard Assessment, *Air Toxics Hot Spot Program Risk Assessment Guidelines*, February 2015, pages 4-44 and 8-6.

<sup>&</sup>lt;sup>59</sup> San Francisco Department of Public Health, Assessment and Mitigation of Air Pollutant Health Effects from Intra-Urban Roadways: Guidance for Land Use Planning and Environmental Review, May 2008.

<sup>&</sup>lt;sup>60</sup> California Air Resources Board (ARB), Fact Sheet, "The Toxic Air Contaminant Identification Process: Toxic Air Contaminant Emissions from Diesel-fueled Engines," October 1998.

<sup>&</sup>lt;sup>61</sup> BAAQMD, Revised Draft Options and Justification Report, California Environmental Quality Act Thresholds of Significance, October 2009, page 67.

<sup>&</sup>lt;sup>62</sup> 54 Federal Register 38044, September 14, 1989.

maximum feasible protection against risks to health from hazardous air pollutants by (1) protecting the greatest number of persons possible to an individual lifetime risk level no higher than approximately one in one million and (2) limiting to no higher than approximately one in ten thousand [100 in one million] the estimated risk that a person living near a plant would have if he or she were exposed to the maximum pollutant concentrations for 70 years." The 100 per one million excess cancer cases is also consistent with the ambient cancer risk in the most pristine portions of the Bay Area based on air district regional modeling.<sup>63</sup>

Fine Particulate Matter. In April 2011, the EPA published *Policy Assessment for the Particulate Matter Review of the National Ambient Air Quality Standards*, "Particulate Matter Policy Assessment." In this document, the EPA concludes that the then-current federal annual PM<sub>2.5</sub> standard of 15  $\mu$ g/m<sup>3</sup> should be revised to a level within the range of 13 to 11  $\mu$ g/m<sup>3</sup>, with evidence strongly supporting a standard within the range of 12 to 11  $\mu$ g/m<sup>3</sup>. The Air Pollutant Exposure Zone for San Francisco is based on the health protective PM<sub>2.5</sub> standard of 11  $\mu$ g/m<sup>3</sup>, as supported by the EPA's "Particulate Matter Policy Assessment," although lowered to 10  $\mu$ g/m<sup>3</sup> to account for uncertainty in accurately predicting air pollutant concentrations using emissions modeling programs.

**Proximity to Freeways.** According to the California Air Resources Board, studies have shown an association between the proximity of sensitive land uses to freeways and a variety of respiratory symptoms, asthma exacerbations, and decreases in lung function in children. Siting sensitive uses in close proximity to freeways increases both exposure to air pollution and the potential for adverse health effects. As evidence shows that sensitive uses in an area within a 500-foot buffer of any freeway are at an increased health risk from air pollution,<sup>64</sup> parcels that are within 500 feet of freeways are included in the Air Pollutant Exposure Zone.

Health Vulnerable Locations. Based on the air district's evaluation of health vulnerability in the Bay Area, those zip codes (94102, 94103, 94105, 94124, and 94130) in the worst quintile of Bay Area health vulnerability scores as a result of air pollution-related causes were afforded additional protection by lowering the standards for identifying parcels in the Air Pollutant Exposure Zone to: (1) an excess cancer risk greater than 90 per one million persons exposed, and/or (2)  $PM_{2.5}$  concentrations in excess of 9  $\mu$ g/m<sup>3</sup>.<sup>65</sup>

The above citywide health risk modeling was also used as the basis in approving amendments to the San Francisco Building and Health Codes, referred to as referred to as Health Code Article 38: Enhanced Ventilation Required for Urban Infill Sensitive Use Developments (Article 38). The purpose of Article 38 is to protect the public health and welfare by establishing an Air Pollutant Exposure Zone and imposing an enhanced ventilation requirement for all urban infill sensitive use development within the Air Pollutant Exposure Zone. In addition, projects within the Air Pollutant Exposure Zone require special consideration to determine whether the project's activities would add a substantial amount of emissions to areas already adversely affected by poor air quality.

<sup>&</sup>lt;sup>63</sup> BAAQMD, *Clean Air Plan*, May 2017, page D-43.

<sup>&</sup>lt;sup>64</sup> ARB, *Air Quality and Land Use Handbook: A Community Health Perspective*, April 2005. Available at http://www.arb.ca.gov/ch/landuse.htm, accessed August 25, 2020.

<sup>&</sup>lt;sup>65</sup> San Francisco Planning Department and San Francisco Department of Public Health, 2014 Air Pollutant Exposure Zone Map (Memo and Map), April 9, 2014. These documents are part of San Francisco Board of Supervisors File No. 14806, Ordinance No. 224-14, Amendment to Health Code Article 38.

### **Construction Air Quality Impacts**

Project-related air quality impacts fall into two categories: short-term impacts from construction and long-term impacts from project operation. The following addresses construction-related air quality impacts resulting from the proposed project.

Impact AQ-1: The proposed project's construction activities would generate fugitive dust and criteria air pollutants but would not violate an air quality standard, contribute substantially to an existing or projected air quality violation, or result in a cumulatively considerable net increase in criteria air pollutants. *(Less than Significant)* 

Construction activities (short-term) typically result in emissions of ozone precursors and fine particulate matter in the form of dust (fugitive dust) and exhaust (e.g., vehicle tailpipe emissions). Emissions of ozone precursors and fine particular matter are primarily a result of the combustion of fuel from on-road and off-road vehicles. However, ROGs are also emitted from activities that involve painting, other types of architectural coatings, or asphalt paving. The proposed project includes 21 dwelling units and approximately 2,855 square feet of commercial space. During the project's approximately 18-month construction period, construction activities would have the potential to result in emissions of ozone precursors and fine particulate matter, as discussed below.

#### **Fugitive Dust**

Project-related demolition, excavation, grading, and other construction activities may cause wind-blown dust that could contribute particulate matter into the local atmosphere. Depending on exposure, adverse health effects can occur due to this particulate matter in general and also due to specific contaminants such as lead or asbestos that may be constituents of soil. Although there are federal standards for air pollutants and implementation of state and regional air quality control plans, air pollutants continue to have impacts on human health throughout the country. California has found that particulate matter exposure can cause health effects at lower levels than national standards. The current health burden of particulate matter demands that, where possible, public agencies take feasible available actions to reduce sources of particulate matter exposure. According to the California air board, reducing  $PM_{2.5}$  concentrations to state and federal standards of 12 µg/m<sup>3</sup> in the San Francisco Bay Area would prevent between 200 and 1,300 premature deaths.<sup>66</sup>

In response, the San Francisco Board of Supervisors approved the Construction Dust Control Ordinance (Ordinance No. 176-08, effective July 30, 2008) with the intent of reducing the quantity of dust generated during site preparation, demolition, and construction work in order to protect the health of the general public and of onsite workers, minimize public nuisance complaints, and avoid orders to stop work by the San Francisco Department of Building Inspection (DBI).

The Construction Dust Control Ordinance requires that all site preparation work, demolition, or other construction activities within San Francisco that have the potential to create dust or to expose or disturb more than 10 cubic yards or 500 square feet of soil comply with specified dust control measures whether or not the

<sup>&</sup>lt;sup>66</sup> ARB, Methodology for Estimating Premature Deaths Associated with Long-term Exposure to Fine Airborne Particulate Matter in California, Staff Report, Table 4c, October 24, 2008.

activity requires a permit from the DBI. The Director of the DBI may waive this requirement for activities on sites less than one half-acre that are unlikely to result in any visible wind-blown dust.

In compliance with the Construction Dust Control Ordinance, the project sponsor and the contractor responsible for construction activities at the project site would be required to use the following practices to control construction dust on the site or other practices that result in equivalent dust control that are acceptable to the Director of the DBI:

- Dust suppression activities may include watering all active construction areas sufficiently to prevent dust from becoming airborne; increased watering frequency may be necessary whenever wind speeds exceed 15 miles per hour.
- During excavation and dirt-moving activities, contractors shall wet sweep or vacuum the streets, sidewalks, paths, and intersections where work is in progress at the end of the workday.
- Inactive stockpiles (where no disturbance occurs for more than seven days) greater than 10 cubic yards or 500 square feet of excavated material, backfill material, import material, gravel, sand, road base, and soil shall be covered with a 10-mil (0.01-inch) polyethylene plastic (or equivalent) tarp, braced down, or be contained using other equivalent soil stabilization techniques.
- San Francisco Ordinance No. 175-91 restricts the use of potable water for soil compaction and dust control activities undertaken in conjunction with any construction or demolition project occurring within the boundaries of San Francisco unless permission is obtained from the San Francisco Public Utilities Commission (SFPUC). Non-potable water must be used for soil compaction and dust control activities during project construction and demolition. The SFPUC operates a recycled water truck-fill station at the Southeast Water Pollution Control Plant that provides recycled water for these activities at no charge.

Compliance with the regulations and procedures set forth by the Construction Dust Control Ordinance would ensure that potential dust-related air quality impacts would be reduced to less-than-significant levels.

### Criteria Air Pollutants

As discussed above, construction activities would result in emissions of criteria air pollutants from the use of offand on-road vehicles and equipment. To assist lead agencies in determining whether short-term constructionrelated air pollutant emissions require further analysis as to whether the project may exceed the criteria air pollutant significance thresholds shown in Table 5, above, the air district, in its *CEQA Air Quality Guidelines* (May 2017), developed screening criteria. If a proposed project meets the screening criteria, then construction of the project would result in less-than-significant criteria air pollutant impacts. A project that exceeds the screening criteria may require a detailed air quality assessment to determine whether criteria air pollutant emissions would exceed significance thresholds. The *CEQA Air Quality Guidelines* note that the screening levels are generally representative of new development on greenfield<sup>67</sup> sites without any form of mitigation measures taken into consideration. In addition, the screening criteria do not account for project design features, attributes, or local development requirements that could also result in lower emissions.

<sup>&</sup>lt;sup>67</sup> A greenfield site refers to agricultural or forest land or an undeveloped site earmarked for commercial, residential, or industrial projects.

The proposed project includes 21 dwelling units and approximately 2,855 square feet of commercial space. The size of proposed construction activities would be below the criteria air pollutant screening criteria for the "apartment, high-rise" land use type (249 dwelling units) and the "quality restaurant" land use type (277,000 sf) identified in the air district's *CEQA Air Quality Guidelines*. Thus, quantification of construction-related criteria air pollutant emissions is not required. The proposed project's construction activities would result in a less-than-significant impact related to criteria air pollutants.

# Impact AQ-2: The proposed project's construction activities would generate toxic air contaminants, including diesel particulate matter, which would expose sensitive receptors to substantial pollutant concentrations. *(Less than Significant with Mitigation)*

The project site is located within the Air Pollutant Exposure Zone. The nearest sensitive receptors to the project site include the adjacent residences on either side of the project site 1515-1517 Pine Street and 106 Austin Street/1331-1339 Polk Street on the east and 1527-1545 Pine Street on the west) and residences on the south side of Austin Street about 35 feet south of the project site.

Regarding construction emissions, off-road equipment, which includes construction-related equipment, is a large contributor to DPM emissions in California, although since 2007, the ARB has found the emissions to be substantially lower than previously expected.<sup>68</sup> Newer and more refined emission inventories have substantially lowered the estimates of DPM emissions from off-road equipment such that off-road equipment is now considered the sixth largest source of DPM emissions in California.<sup>69</sup> For example, revised fine particulate matter emission estimates for the year 2010 (DPM is a major component of total fine particulate matter) have decreased by 83 percent from previous 2010 emission estimates for the air basin.<sup>70</sup> Approximately half of the reduction can be attributed to the economic recession, and approximately half can be attributed to updated assumptions independent of the economic recession (e.g., updated methodologies used to better assess construction emissions).<sup>71</sup>

Additionally, a number of federal and state regulations are requiring cleaner off-road equipment. Specifically, both the EPA and the California air board have set emissions standards for new off-road equipment engines, ranging from Tier 1 to Tier 4. Tier 1 emission standards were phased in between 1996 and 2000, and Tier 4 Interim and Final emission standards for all new engines were phased in between 2008 and 2015. To meet the Tier 4 emission standards, engine manufacturers will be required to produce new engines with advanced emission-control technologies. Although the full benefits of these regulations will not be realized for several years, the EPA estimates that by implementing the federal Tier 4 standards, NO<sub>x</sub> and PM emissions will be reduced by more than 90 percent.<sup>72</sup>

<sup>&</sup>lt;sup>68</sup> ARB, Staff Report: Initial Statement of Reasons for Proposed Rulemaking, Proposed Amendments to the Regulation for In-Use Off-Road Diesel-Fueled Fleets and the Off-Road Large Spark-Ignition Fleet Requirements, p. 1 and p. 13 (Figure 4), October 2010.

<sup>&</sup>lt;sup>69</sup> ARB, Staff Report: Initial Statement of Reasons for Proposed Rulemaking, Proposed Amendments to the Regulation for In-Use Off-Road Diesel-Fueled Fleets and the Off-Road Large Spark-Ignition Fleet Requirements, October 2010.

<sup>&</sup>lt;sup>70</sup> ARB, "In-Use Off-Road Equipment, 2011 Inventory Model," Query accessed online, April 2, 2012, http://www.arb.ca.gov/msei/categories.htm#inuse\_or\_category.

<sup>&</sup>lt;sup>71</sup> ARB, Staff Report: Initial Statement of Reasons for Proposed Rulemaking, Proposed Amendments to the Regulation for In-Use Off-Road Diesel-Fueled Fleets and the Off-Road Large Spark-Ignition Fleet Requirements, October 2010.

<sup>&</sup>lt;sup>72</sup> United States Environmental Protection Agency, "Clean Air Nonroad Diesel Rule: Fact Sheet," May 2004.

In addition, construction activities do not lend themselves to analysis of long-term health risks because of their temporary and variable nature. As explained in the air district's *CEQA Air Quality Guidelines*:

"Due to the variable nature of construction activity, the generation of TAC emissions in most cases would be temporary, especially considering the short amount of time such equipment is typically within an influential distance that would result in the exposure of sensitive receptors to substantial concentrations. Concentrations of mobile-source diesel PM emissions are typically reduced by 70 percent at a distance of approximately 500 feet (ARB 2005). In addition, current models and methodologies for conducting health risk assessments are associated with longer-term exposure periods of 9, 40, and 70 years, which do not correlate well with the temporary and highly variable nature of construction activities. This results in difficulties with producing accurate estimates of health risk."<sup>73</sup>

Therefore, project-level analyses of construction activities have a tendency to produce overestimated assessments of long-term health risks. However, within the Air Pollutant Exposure Zone, as discussed above, additional construction activity may adversely affect populations that are already at a higher risk for adverse long-term health risks from existing sources of air pollution.

The proposed project would require heavy-duty off-road diesel vehicles and equipment during the 18-month construction period. Project construction activities would result in short-term emissions of DPM and other TACs. The project site is located in an area that already experiences poor air quality and project construction activities would generate additional air pollution, affecting nearby sensitive receptors and resulting in a significant impact. Implementation of Mitigation Measure M-AQ-2: Construction Air Quality, would reduce the magnitude of this impact to a less-than-significant level. While emissions reductions from limiting idling, educating workers and the public, and properly maintaining equipment are difficult to quantify, other measures, specifically the requirement for equipment with Tier 2 engines and Level 3 Verified Diesel Emission Control Strategy (VDECS) can reduce construction emissions by 89 to 94 percent compared to equipment with engines meeting no emission standards and without a VDECS.<sup>74</sup> Emissions reductions from the combination of Tier 2 equipment with Level 3 VDECS is almost equivalent to requiring only equipment with Tier 4 Final engines. Therefore, compliance with Mitigation Measure M-AQ-2 would reduce construction emissions impacts on nearby sensitive receptors to less-thansignificant levels.

<sup>&</sup>lt;sup>73</sup> BAAQMD, *CEQA Air Quality Guidelines*, May 2017, page 8-7.

PM emissions benefits are estimated by comparing off-road PM emission standards for Tier 2 with Tier 1 and Tier 0. Tier 0 off-road engines do not have PM emission standards, but the United States Environmental Protection Agency's *Exhaust and Crankcase Emissions Factors for Nonroad Engine Modeling – Compression Ignition* has estimated Tier 0 engines between 50 and 100 hp to have a PM emission factor of 0.72 g/hp-hr and greater than 100 hp to have a PM emission factor of 0.40 g/hp-hr. Therefore, requiring off-road equipment to have at least a Tier 2 engine would result in between a 25 percent and 63 percent reduction in PM emission standards for off-road engines between 25 hp and 50 hp for Tier 2 (0.45 g/bhp-hr) and Tier 1 (0.60 g/bhp-hr). The 63 percent reduction comes from comparing the PM emission standards for off-road engines above 175 hp for Tier 2 (0.15 g/bhp-hr) and Tier 0 (0.40 g/bhp-hr). In addition to the Tier 2 requirement, ARB Level 3 VDECSs are required and would reduce PM by an additional 85 percent. Therefore, the mitigation measure would result in between an 89 percent (0.0675 g/bhp-hr) and 94 percent (0.0225 g/bhp-hr) reduction in PM emissions, as compared to equipment with Tier 1 (0.60 g/bhp-hr) or Tier 0 engines (0.40 g/bhp-hr).

#### Mitigation Measure M-AQ-2: Construction Air Quality

The project sponsor or the project sponsor's Contractor shall comply with the following:

- A. Engine Requirements.
  - 1. All off-road equipment greater than 25 hp and operating for more than 20 total hours over the entire duration of construction activities shall have engines that meet or exceed either U.S. Environmental Protection Agency or California Air Resources Board (ARB) Tier 2 off-road emission standards, and have been retrofitted with an ARB Level 3 Verified Diesel Emissions Control Strategy (VDECS). Equipment with engines meeting Tier 4 Interim or Tier 4 Final off-road emission standards automatically meet this requirement.
  - 2. Where access to alternative sources of power are available, portable diesel engines shall be prohibited.
  - 3. Diesel engines, whether for off-road or on-road equipment, shall not be left idling for more than two minutes, at any location, except as provided in exceptions to the applicable state regulations regarding idling for off-road and on-road equipment (e.g., traffic conditions, safe operating conditions). The Contractor shall post legible and visible signs in English, Spanish, and Chinese, in designated queuing areas and at the construction site to remind operators of the two-minute idling limit.
  - 4. The Contractor shall instruct construction workers and equipment operators on the maintenance and tuning of construction equipment and require that such workers and operators properly maintain and tune equipment in accordance with manufacturer specifications.
- B. Waivers.
  - The Planning Department's Environmental Review Officer (ERO) or designee may waive the alternative source of power requirement of Subsection (A)(2) if an alternative source of power is limited or infeasible at the project site. If the ERO grants the waiver, the Contractor must submit documentation that the equipment used for onsite power generation meets the requirements of Subsection (A)(1).
  - 2. The ERO may waive the equipment requirements of Subsection (A)(1) if: a particular piece of off-road equipment with an ARB Level 3 VDECS is technically not feasible; the equipment would not produce desired emissions reduction due to expected operating modes; installation of the equipment would create a safety hazard or impaired visibility for the operator; or, there is a compelling emergency need to use off-road equipment that is not retrofitted with an ARB Level 3 VDECS. If the ERO grants the waiver, the Contractor must use the next cleanest piece of off-road equipment, according to the table below.

Compliance Alternative	Engine Emission Standard	Emissions Control
1	Tier 2	ARB Level 2 VDECS
2	Tier 2	ARB Level 1 VDECS
3	Tier 2	Alternative Fuel*

Table – Off-Road Equipment Compliance Step-down Schedule

How to use the table: If the ERO determines that the equipment requirements cannot be met, then the project sponsor would need to meet Compliance Alternative 1. If the determines that the Contractor cannot supply off-road equipment meeting Compliance Alternative 1, then the Contractor must meet Compliance Alternative 2. If the ERO determines that the Contractor cannot supply off-road equipment meeting Compliance Alternative 2, then the Contractor must meet Compliance Alternative 3. \*\* Alternative fuels are not a VDECS.

- C. *Construction Emissions Minimization Plan.* Before starting on-site construction activities, the Contractor shall submit a Construction Emissions Minimization Plan (Plan) to the ERO for review and approval. The Plan shall state, in reasonable detail, how the Contractor will meet the requirements of Section A.
  - The Plan shall include estimates of the construction timeline by phase, with a description of each piece of off-road equipment required for every construction phase. The description may include, but is not limited to: equipment type, equipment manufacturer, equipment identification number, engine model year, engine certification (tier rating), horsepower, engine serial number, and expected fuel usage and hours of operation. For VDECS installed, the description may include: technology type, serial number, make, model, manufacturer, ARB verification number level, and installation date and hour meter reading on installation date. For off-road equipment using alternative fuels, the description shall also specify the type of alternative fuel being used.
  - 2. The project sponsor shall ensure that all applicable requirements of the Plan have been incorporated into the contract specifications. The Plan shall include a certification statement that the Contractor agrees to comply fully with the Plan.
  - 3. The Contractor shall make the Plan available to the public for review on-site during working hours. The Contractor shall post at the construction site a legible and visible sign summarizing the Plan. The sign shall also state that the public may ask to inspect the Plan for the project at any time during working hours and shall explain how to request to inspect the Plan. The Contractor shall post at least one copy of the sign in a visible location on each side of the construction site facing a public right-of-way.
- D. *Monitoring.* After start of construction activities, the Contractor shall submit quarterly reports to the ERO documenting compliance with the Plan. After completion of construction activities and prior to receiving a final certificate of

occupancy, the project sponsor shall submit to the ERO a final report summarizing construction activities, including the start and end dates and duration of each construction phase, and the specific information required in the Plan.

With implementation of Mitigation Measure M-AQ-2, this impact would be less than significant.

### **Operational Air Quality Impacts**

Land use projects typically result in emissions of criteria air pollutants and TACs primarily from an increase in motor vehicle trips. However, land use projects may also result in criteria air pollutants and TACs from combustion of natural gas, landscape maintenance, use of consumer products, and architectural coating. The following addresses air quality impacts resulting from operation of the proposed project.

# Impact AQ-3: During project operations, the proposed project would result in emissions of criteria air pollutants, but not at levels that would violate an air quality standard, contribute to an existing or projected air quality violation, or result in a cumulatively considerable net increase in criteria air pollutants. *(Less than Significant)*

As discussed under Impact AQ-1, the air district, in its *CEQA Air Quality Guidelines* (May 2017), has developed screening criteria to determine whether a project requires an analysis of project-generated criteria air pollutants. If all of the screening criteria are met by a proposed project, then the lead agency or applicant does not need to perform a detailed air quality assessment.

The proposed project, which includes 21 dwelling units and approximately 2,855 square feet of commercial space, is expected to generate 97 daily vehicle trips to and from the project site. The proposed project would be below the criteria air pollutant screening criteria for the "apartment, high-rise" land use type (510 dwelling units) and the "quality restaurant" land use type (47,000 sf) identified in the air district's *CEQA Air Quality Guidelines*. Thus, quantification of project-generated criteria air pollutant emissions is not required. The proposed project would not exceed any of the significance thresholds for criteria air pollutants and would result in a less-than-significant impact related to criteria air pollutants.

# Impact AQ-4: During project operations, the proposed project would generate toxic air contaminants, including diesel particulate matter, exposing sensitive receptors to substantial air pollutant concentrations. *(Less than Significant)*

As discussed above, the project site is within the Air Pollutant Exposure Zone. The nearest sensitive receptors to the project site include the adjacent residences on either side of the project site (1515-1517 Pine Street and 106 Austin Street/1331-1339 Polk Street on the east and 1527-1545 Pine Street on the west) and residences on the south side of Austin Street about 35 feet south of the project site. The proposed project would not include a new source of TACs, such as a backup diesel generator, but it would add new sensitive receptors (residents) to the project site.

### Sources of Toxic Air Contaminants

**Vehicle Trips.** Individual projects result in emissions of TACs primarily as a result of an increase in vehicle trips. The air district considers roads with fewer than 10,000 vehicles per day "minor, low-impact" sources that do not pose a significant health impact even in combination with other nearby sources and recommends that these

sources be excluded from the environmental analysis. The proposed project's 97 daily vehicle trips would be well below this level and would be distributed among the local roadway network. Therefore, an assessment of project-generated TACs resulting from vehicle trips is not required, and the proposed project would not generate a substantial amount of TAC emissions that could affect nearby sensitive receptors. This impact would be less than significant, and no mitigation measures are necessary.

# Impact AQ-5: The proposed project would not conflict with, or obstruct implementation of, the *2017 Clean Air Plan. (Less than Significant)*

The most recently adopted air quality plan for the air basin is the 2017 Clean Air Plan. The 2017 Clean Air Plan is a road map that demonstrates how the San Francisco Bay Area will achieve compliance with the state ozone standards as expeditiously as practicable and how the region will reduce the transport of ozone and ozone precursors to neighboring air basins. In determining consistency with the 2017 Clean Air Plan, this analysis considers whether the project would: (1) support the primary goals of the 2017 Clean Air Plan, (2) include applicable control measures from the 2017 Clean Air Plan, and (3) avoid disrupting or hindering implementation of control measures identified in the 2017 Clean Air Plan.

The primary goals of the 2017 Clean Air Plan are to: (1) protect air quality and health at the regional and local scale; (2) eliminate disparities among Bay Area communities in cancer health risk from TACs; and (3) protect the climate by reducing greenhouse gas emissions. To meet the primary goals, the 2017 Clean Air Plan recommends specific control measures and actions. These control measures are grouped into various categories and include stationary and area source measures, mobile source measures, transportation control measures, land use measures, and energy and climate measures. The 2017 Clean Air Plan recognizes that to a great extent, community design dictates individual travel mode, and that a key long-term control strategy to reduce emissions of criteria pollutants, air toxics, and greenhouse gases from motor vehicles is to channel future Bay Area growth into vibrant urban communities where goods and services are close at hand and people have a range of viable transportation options. To this end, the 2017 Clean Air Plan includes 85 control measures aimed at reducing air pollution in the air basin.

The measures most applicable to the proposed project are transportation control measures and energy and climate control measures. The proposed project's impact related to greenhouse gases are discussed in Section E.8, Greenhouse Gas Emissions, which demonstrates that the proposed project would comply with the applicable provisions of San Francisco's Greenhouse Gas Reduction Strategy.

The compact development of the proposed project and high availability of viable transportation options ensure that residents could bicycle, walk, and ride transit to and from the project site instead of taking trips via private automobile. These features ensure that the proposed project would avoid substantial growth in automobile trips and vehicle miles traveled. The proposed project's anticipated 97 daily vehicle trips would result in a negligible increase in air pollutant emissions. Furthermore, the proposed project would be generally consistent with the *San Francisco General Plan*, as discussed in Section C, Compatibility with Existing Zoning and Plans. Transportation control measures that are identified in the *2017 Clean Air Plan* are implemented by the *San Francisco General Plan* and the Planning Code, for example, through the City's Transit First Policy, bicycle parking requirements, and transit impact development fees. Compliance with these requirements would ensure that the proposed project would include applicable control measures specified in the *2017 Clean Air Plan*. Therefore, the proposed project would include applicable control measures identified in the *2017 Clean Air Plan* to meet the *2017 Clean Air Plan's* primary goals.

Examples of a project that could cause the disruption or delay of *2017 Clean Air Plan* control measures are projects that would preclude the extension of a transit line or bike path, or projects that propose excessive parking beyond parking requirements. The proposed project would add 21 dwelling units and approximately 2,855 square feet of commercial space to a dense, walkable urban area near a concentration of regional and local transit service. It would not preclude the extension of a transit line, bike path or other transit improvement, and it would not include any parking. Thus, the proposed project would not disrupt or hinder implementation of control measures identified in the *2017 Clean Air Plan*.

For the reasons described above, the proposed project would not interfere with implementation of the 2017 Clean Air Plan. Because the proposed project would be consistent with the applicable air quality plan that demonstrates how the region will improve ambient air quality and achieve the state and federal ambient air quality standards, this impact would be less than significant.

## Impact AQ-6: The proposed project would not create objectionable odors that would affect a substantial number of people. *(Less than Significant)*

Typical odor sources of concern include wastewater treatment plants, sanitary landfills, transfer stations, composting facilities, petroleum refineries, asphalt batch plants, chemical manufacturing facilities, fiberglass manufacturing facilities, auto body shops, rendering plants, and coffee roasting facilities. Observation indicates that the project site is not substantially affected by sources of odors.<sup>75</sup> The proposed project does not include any of the land uses listed above; it includes 21 dwelling units and an approximately 2,855-square-foot restaurant. During construction, diesel exhaust from construction equipment would generate some odors. However, construction-related odors would be temporary and would not persist upon project completion. Thus, the proposed project would not create significant sources of new odors. This impact would be less than significant, and no mitigation measures are necessary.

# Impact C-AQ-1: The proposed project, in combination with past, present, and reasonably foreseeable future development in the project area, would result in less-than-significant cumulative air quality impacts. *(Less than Significant)*

As discussed above, regional air pollution is by its very nature largely a cumulative impact. Emissions from past, present and future projects contribute to the region's adverse air quality on a cumulative basis. No single project by itself would be sufficient in size to result in regional nonattainment of ambient air quality standards. Instead, a project's individual emissions contribute to existing cumulative adverse air quality impacts.<sup>76</sup> The project-level thresholds for criteria air pollutants are based on levels by which new sources are not anticipated to contribute to an air quality violation or result in a considerable net increase in criteria air pollutants. Therefore, because the proposed project's construction (Impact AQ-1) and operational (Impact AQ-3) emissions would not exceed the project-level thresholds for criteria air pollutants, the proposed project would not be considered to result in a cumulatively considerable contribution to regional air quality impacts.

As discussed above, the project site is located in an area that already experiences poor air quality. The proposed project would add new sources of TACs (e.g., construction vehicle trips) within an area already adversely affected by air quality, resulting in a considerable contribution to cumulative health risk impacts on nearby sensitive

<sup>&</sup>lt;sup>75</sup> Field observation, October 6, 2020.

<sup>&</sup>lt;sup>76</sup> BAAQMD, *CEQA Air Quality Guidelines*, May 2017, page 2-1.

receptors. This would be a significant cumulative impact. The proposed project would be required to implement Mitigation Measure M-AQ-2: Construction Air Quality, which could reduce construction emissions by as much as 94 percent. Implementation of this mitigation measure would reduce the project's contribution to cumulative air quality impacts to a less-than-significant level.

Topic	<u>x.</u>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
8.	GREENHOUSE GAS EMISSIONS. Would the project:					
a)	Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?			$\boxtimes$		
b)	Conflict with any applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?					

GHG emissions and global climate change represent cumulative impacts. GHG emissions cumulatively contribute to the significant adverse environmental impacts of global climate change. No single project could generate enough GHG emissions to noticeably change the global average temperature; instead, the combination of GHG emissions from past, present, and future projects have contributed and will continue to contribute to global climate change and its associated environmental impacts.

The Bay Area Air Quality Management District (air district) has prepared guidelines and methodologies for analyzing GHGs. These guidelines are consistent with CEQA Guidelines Sections 15064.4 and 15183.5, which address the analysis and determination of significant impacts from a proposed project's GHG emissions. CEQA Guidelines Section 15064.4 allows lead agencies to rely on a qualitative analysis to describe GHG emissions resulting from a project. CEQA Guidelines Section 15183.5 allows for public agencies to analyze and mitigate GHG emissions as part of a larger plan for the reduction of GHGs and describes the required contents of such a plan. San Francisco's *Strategies to Address Greenhouse Gas Emissions*<sup>77</sup> presents a comprehensive assessment of policies, programs, and ordinances that collectively represent San Francisco's qualified GHG reduction strategy in compliance with the CEQA Guidelines. These GHG reduction actions have resulted in a 35 percent reduction in GHG emissions in 2018 compared to 1990 levels,<sup>78</sup> exceeding the year 2020 reduction goals outlined in the air district's *2017 Clean Air Plan*, Executive Order S-3-05, and Assembly Bill 32 (also known as the Global Warming Solutions Act).<sup>79</sup>

Given that the City has met the state and region's 2020 GHG reduction targets and San Francisco's GHG reduction goals are consistent with, or more aggressive than, the long-term goals established under Executive Orders S-3-

<sup>&</sup>lt;sup>77</sup> San Francisco Planning Department, *Strategies to Address Greenhouse Gas Emissions in San Francisco*, July 2017. Available at https://sfmea.sfplanning.org/GHG/GHG\_Strategy\_October2017.pdf, accessed August 11, 2020.

<sup>&</sup>lt;sup>78</sup> San Francisco Department of the Environment, *San Francisco's Carbon Footprint*. Available at https://sfenvironment.org/carbon-footprint, accessed April 9, 2020.

<sup>&</sup>lt;sup>79</sup> Executive Order S-3-05, Assembly Bill 32, and the air district's *2017 Clean Air Plan* (continuing the trajectory set in the *2010 Clean Air Plan*) set a target of reducing GHG emissions to below 1990 levels by year 2020.

05<sup>80</sup> and B-30-15<sup>81, 82</sup> and Senate Bill 32,<sup>83, 84</sup> the City's GHG reduction goals are consistent with Executive Orders S-3-05 and B-30-15, Assembly Bill 32, Senate Bill 32, and the *2017 Clean Air Plan*. Therefore, proposed projects that are consistent with the City's GHG reduction strategy would be consistent with the aforementioned GHG reduction goals, would not conflict with these plans or result in significant GHG emissions, and would therefore not exceed San Francisco's applicable GHG threshold of significance.

The following analysis of the proposed project's impact on climate change focuses on the project's contribution to cumulatively significant GHG emissions. Because no individual project could emit GHGs at a level that could result in a significant impact on the global climate, this analysis is in a cumulative context, and this section does not include an individual project-specific impact statement.

# Impact C-GG-1: The proposed project would generate greenhouse gas emissions, but not at levels that would result in a significant impact on the environment or conflict with any policy, plan, or regulation adopted for the purpose of reducing greenhouse gas emissions. *(Less than Significant)*

Individual projects contribute to the cumulative effects of climate change by directly or indirectly emitting GHGs during construction and operational phases. Direct operational emissions include GHG emissions from new vehicle trips and area sources (natural gas combustion). Indirect emissions include emissions from electricity providers; energy required to pump, treat, and convey water; and emissions associated with waste removal, disposal, and landfill operations.

The proposed project would increase the intensity of use of the site by introducing a new building containing 21 dwelling units and approximately 2,855 square feet of commercial space on a project site that is currently occupied by a one-story restaurant. Therefore, the proposed project would contribute to annual long-term increases in GHGs as a result of increased vehicle trips (mobile sources) and residential and restaurant operations that result in an increase in energy use, water use, wastewater treatment, and solid waste disposal. Construction activities would also result in temporary increases in GHG emissions.

<sup>&</sup>lt;sup>80</sup> Office of the Governor, Executive Order S-3-05, June 1, 2005. Available at https://www.library.ca.gov/Content/pdf/GovernmentPublications/executive-order-proclamation/5129-5130.pdf, accessed August 11, 2020. Executive Order S-3-05 sets forth a series of target dates by which statewide emissions of GHGs need to be progressively reduced, as follows: by 2010, reduce GHG emissions to 2000 levels (approximately 457 million metric tons of carbon dioxide equivalents (MTCO<sub>2</sub>E)); by 2020, reduce emissions to 1990 levels (approximately 427 million MTCO<sub>2</sub>E); and by 2050 reduce emissions to 80 percent below 1990 levels (approximately 85 million MTCO<sub>2</sub>E). Because of the differential heat absorption potential of various GHGs, GHG emissions are frequently measured in "carbon dioxide-equivalents," which present a weighted average based on each gas's heat absorption (or "global warming") potential.

<sup>&</sup>lt;sup>81</sup> Office of the Governor, Executive Order B-30-15, April 29, 2015. Available at https://www.ca.gov/archive/gov39/2015/04/29/news18938/index.html, accessed August 11, 2020. Executive Order B-30-15 sets a state GHG emissions reduction goal of 40 percent below 1990 levels by the year 2030.

<sup>&</sup>lt;sup>82</sup> San Francisco's GHG reduction goals are codified in Section 902 of the Environment Code and include: (i) by 2008, determine City GHG emissions for year 1990; (ii) by 2017, reduce GHG emissions by 25 percent below 1990 levels; (iii) by 2025, reduce GHG emissions by 40 percent below 1990 levels; and by 2050, reduce GHG emissions by 80 percent below 1990 levels.

<sup>&</sup>lt;sup>83</sup> Senate Bill 32 amends California Health and Safety Code Division 25.5 (also known as the California Global Warming Solutions Act of 2006) by adding Section 38566, which directs that statewide greenhouse gas emissions to be reduced by 40 percent below 1990 levels by 2030.

<sup>&</sup>lt;sup>84</sup> Senate Bill 32 was paired with Assembly Bill 197, which would modify the structure of the State Air Resources Board; institute requirements for the disclosure of greenhouse gas emissions criteria pollutants, and toxic air contaminants; and establish requirements for the review and adoption of rules, regulations, and measures for the reduction of greenhouse gas emissions.

The proposed project would be subject to regulations adopted to reduce GHG emissions as identified in the GHG reduction strategy. As discussed below, compliance with the applicable regulations would reduce the project's GHG emissions related to transportation, energy use, waste disposal, and use of refrigerants.

Compliance with the City's Transportation Sustainability Fee and bicycle parking requirements would reduce the proposed project's transportation-related emissions. These regulations reduce GHG emissions from singleoccupancy vehicles by promoting the use of alternative transportation modes with zero or lower GHG emissions on a per capita basis.

The proposed project would be required to comply with the energy efficiency requirements of the City's Green Building Code, the Residential Water Conservation Ordinance, and the Commercial Water Conservation Ordinance, all of which would promote energy and water efficiency, thereby reducing the proposed project's energy-related GHG emissions.<sup>85</sup>

The proposed project's waste-related emissions would be reduced through compliance with the City's Recycling and Composting Ordinance, Construction and Demolition Debris Recovery Ordinance, and Green Building Code requirements. These regulations reduce the amount of materials sent to a landfill, reducing GHGs emitted by landfill operations. These regulations also promote reuse of materials, conserving their embodied energy<sup>86</sup> and reducing the energy required to produce new materials.

Compliance with the City's street tree planting requirements would serve to increase carbon sequestration. Regulations requiring low-emitting finishes would reduce volatile organic compounds.<sup>87</sup> Thus, the proposed project was determined to be consistent with San Francisco's GHG reduction strategy.<sup>88</sup>

The project sponsor is required to comply with these regulations, which have proven effective as San Francisco's GHG emissions have measurably decreased when compared to 1990 emissions levels, demonstrating that the City has met and exceeded Executive Order S-3-05, Assembly Bill 32, and the *2017 Clean Air Plan* GHG reduction goals for the year 2020. Furthermore, the City has met its 2017 GHG reduction goal of reducing GHG emissions to 25 percent below 1990 levels by 2017. Other existing regulations, such as those implemented through Assembly Bill 32, will continue to reduce a proposed project's contribution to climate change. In addition, San Francisco's local GHG reduction targets are consistent with the long-term GHG reduction goals of Executive Orders S-3-05 and B-30-15, Assembly Bill 32, and the *2017 Clean Air Plan*. Therefore, because the proposed project is consistent with the City's GHG reduction strategy, it is also consistent with the GHG reduction goals of executive Orders S-3-05 and B-30-15, Assembly Bill 32, Senate Bill 32, and the *2017 Clean Air Plan*, would not conflict with these plans, and would therefore not exceed San Francisco's applicable GHG threshold of significance. As such, the proposed project would result in a less-than-significant impact with respect to GHG emissions. No mitigation measures are necessary.

<sup>&</sup>lt;sup>85</sup> Compliance with water conservation measures reduce the energy (and GHG emissions) required to convey, pump and treat water required for the project.

<sup>&</sup>lt;sup>86</sup> Embodied energy is the total energy required for the extraction, processing, manufacture and delivery of building materials to the building site.

<sup>&</sup>lt;sup>87</sup> While not a GHG, volatile organic compounds are precursor pollutants that form ground level ozone. Increased ground level ozone is an anticipated effect of future global warming that would result in added health effects locally. Reducing volatile organic compound emissions would reduce the anticipated local effects of global warming.

<sup>&</sup>lt;sup>88</sup> San Francisco Planning Department, *Greenhouse Gas Analysis: Compliance Checklist for 1525 Pine Street*, October 19, 2020.

Topic	ය <del>.</del>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
9.	WIND. Would the project:					
a)	Create wind hazards in publicly accessible areas of substantial pedestrian use?			$\boxtimes$		

## Impact WI-1: The proposed project would not create wind hazards in publicly accessible areas of substantial pedestrian use. *(Less than Significant)*

A proposed project's wind impacts are directly related to its height, orientation, design, location, and surrounding development context. Based on wind analyses for other development projects in San Francisco, a building that does not exceed a height of 85 feet generally has little potential to cause substantial changes to ground-level wind conditions. The proposed project would be 83 feet tall (plus an additional 17-foot-tall elevator penthouse). A wind consultant evaluated the proposed project for its potential to affect ground-level wind conditions, and the findings of that evaluation are summarized below.<sup>89</sup>

The 12-story, 130-foot-tall building adjacent to and west of the project site substantially shelters the project site from westerly winds. In addition, the 25-story, 225-foot-tall hotel on the northeast corner of Pine Street and Van Ness Avenue shelters the project site from northwesterly winds. Due to this sheltering effect, the proposed project would have little to no potential to intercept overhead winds and redirect them downward to the Pine Street sidewalk. Given its height and surrounding development context, the proposed project would not cause substantial changes to ground-level wind conditions adjacent to and near the project site. For these reasons, the proposed project would not create wind hazards in publicly accessible areas of substantial pedestrian use. This impact would be less than significant, and no mitigation measures are necessary.

## Impact C-WI-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative wind impact. *(Less than Significant)*

Of the cumulative development projects identified in Section B, Project Setting, 1567 California Street is the closest to the project site (0.1 mile northeast). At a proposed height of 85 feet, this cumulative project has little potential to cause substantial changes to ground-level wind conditions. In addition, the presence of intervening multi-story buildings between 1567 California Street and the proposed project would prevent the two projects from interacting with each other to affect ground-level wind conditions. The other cumulative projects are either too short or too far away from the project site to combine with the proposed project to create wind hazards in publicly accessible areas of substantial pedestrian use. For this reason, the proposed project would not combine with past, present, and reasonably foreseeable future projects in the project vicinity to create a significant cumulative wind impact.

<sup>&</sup>lt;sup>89</sup> RWDI, Screening-Level Wind Analysis, 1525 Pine Street, San Francisco, California, October 13, 2020.

Topic	S.	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
10.	SHADOW. Would the project:					
a)	Create new shadow that substantially and adversely affects the use and enjoyment of publicly accessible open spaces?			$\boxtimes$		

## Impact SH-1: The proposed project would not create new shadow that substantially and adversely affects the use and enjoyment of publicly accessible open spaces. *(Less than Significant)*

In 1984, San Francisco voters approved an initiative known as "Proposition K, The Sunlight Ordinance," which was codified as Planning Code Section 295 in 1985. Planning Code Section 295 generally prohibits new structures above 40 feet in height that would cast additional shadows on open space that is under the jurisdiction of the San Francisco Recreation and Park Commission between one hour after sunrise and one hour before sunset, at any time of the year, unless that shadow would not result in a significant adverse effect on the use of the open space. Public open spaces that are not under the jurisdiction of the Recreation and Park Commission as well as private open spaces are not subject to Planning Code section 295.

Implementation of the proposed project would result in the construction of a building exceeding 40 feet in height. The Planning Department prepared a preliminary shadow fan analysis to determine whether the proposed project would have the potential to cast shadow on nearby parks, open spaces, or San Francisco Unified School District (SFUSD) properties that participate in the Shared Schoolyard Project.<sup>90</sup> The shadow fan analysis prepared by the Planning Department determined that the proposed project would not cast shadow on any nearby parks or open spaces but that it has the potential to cast shadow on Redding Elementary School, approximately one block east of the project site.<sup>91</sup>

A shadow analysis confirmed that the proposed project would not cast shadow on Redding Elementary School at any time during the year.<sup>92</sup> Existing buildings between the project site and the school would block shadow from the proposed project from reaching the school.

The proposed project would shade portions of streets, sidewalks, and private properties in the project vicinity at various times of the day throughout the year. Shadows on streets and sidewalks would not exceed levels commonly expected in urban areas and would be considered a less-than-significant effect under CEQA. Although occupants of nearby properties may regard the increase in shadow as undesirable, the limited increase in shading of private properties as a result of the proposed project would not be considered a significant impact under CEQA.

<sup>&</sup>lt;sup>90</sup> The Shared Schoolyard Project is a program that opens certain San Francisco Unified School District properties on weekends to provide recreation opportunities for children and families. More information is available at https://www.sfusd.edu/sharedschoolyard, accessed January 25, 2021.

<sup>&</sup>lt;sup>91</sup> San Francisco Planning Department, *1525 Pine Street Shadow Fan*, August 31, 2019.

<sup>&</sup>lt;sup>92</sup> Prevision Design, *Memorandum of No Shadow Effect: 1525 Pine Street, San Francisco*, December 19, 2019.

For these reasons, the proposed project would not create new shadow that substantially and adversely affects the use and enjoyment of publicly accessible open spaces. This impact would be less than significant, and no mitigation measures are necessary.

## Impact C-SH-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative shadow impact. *(Less than Significant)*

Cumulative shadow impacts occur when two or more projects would shadow the same area. As discussed above, the proposed project would not shade any nearby parks, open spaces, or SFUSD properties that participate in the Share Schoolyard Project. Therefore, the proposed project would not contribute to any cumulative shadow impact on publicly accessible open spaces.

The sidewalks in the project vicinity are already shadowed for much of the day by multi-story buildings. Although implementation of the proposed project and nearby cumulative development projects would add new shadow to the sidewalks in the project vicinity, these shadows would be transitory in nature, would not substantially affect the use of the sidewalks, and would not increase shadows above levels that are common and generally expected in a densely developed urban environment.

For these reasons, the proposed project would not combine with past, present, and reasonably foreseeable future projects in the project vicinity to create a significant cumulative shadow impact.

Topics:		Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
11.	RECREATION. Would the project:					
a)	Increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facilities would occur or be accelerated?					
b)	Include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment?			$\boxtimes$		

Impact RE-1: The proposed project would not increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facilities would occur or be accelerated. *(Less than Significant)* 

The neighborhood parks or other recreational facilities closest to the project site are Lafayette Park (0.3 mile northwest), Helen Wills Park (0.45 mile north), Washington & Hyde Mini Park (0.35 mile northeast), Sergeant John Macaulay Park (0.3 mile southeast), and the Tenderloin Children's Playground (0.45 mile southeast).

The proposed project would increase the population of the project site by about 50 residents. This residential population growth would increase the demand for recreational facilities. The proposed project would partially

offset the demand for recreational facilities by providing on-site open space for the project residents in the form of a common roof deck. Although the project residents may use parks, open spaces, and other recreational facilities in the project vicinity, the additional use of these recreational facilities is expected to be modest in light of the small population increase that would result from the proposed project.

On a citywide/regional basis, the increased demand on recreational facilities from 50 new residents would be negligible considering the number of people living and working in San Francisco and the region as well as the number of existing and planned recreational facilities. For these reasons, implementation of the proposed project would not increase the use of existing recreational facilities such that substantial physical deterioration of the facilities would occur or be accelerated. This impact would be less than significant, and no mitigation measures are necessary.

# Impact RE-2: The proposed project would not include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment. *(Less than Significant)*

The proposed project would provide some on-site open space for the project residents in the form of a common roof deck, which would partially offset the demand for recreational facilities. In addition, the project site is within 0.5 mile of five parks, as discussed above. It is anticipated that these existing recreational facilities would be able to accommodate the increase in demand for recreational resources generated by the project residents. For these reasons, the construction of new or the expansion of existing recreational facilities, both of which might have an adverse physical effect on the environment, would not be required. This impact would be less than significant, and no mitigation measures are necessary.

## Impact C-RE-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative impact on recreational facilities or resources. *(Less than Significant)*

Implementation of the proposed project, in combination with cumulative development in the project vicinity, would result in the construction of 522 dwelling units and an incremental increase in population and demand for recreational facilities and resources. The City has accounted for such growth as part of the Recreation and Open Space Element of the *General Plan*.<sup>93</sup> In addition, San Francisco voters passed two bond measures, in 2008 and 2012, to fund the acquisition, planning, and renovation of the City's network of recreational resources. As discussed above, there are five parks within 0.5 mile of the project site. It is expected that these existing recreational facilities would be able to accommodate the increase in demand for recreational resources generated by nearby cumulative development projects. Moreover, the cumulative development projects would be required to provide usable open space to partially meet the demand for recreational resources from the future residents of those projects. For these reasons, the proposed project would not combine with past, present, and reasonably foreseeable future projects in the project vicinity to create a significant cumulative impact on recreational facilities or resources.

<sup>&</sup>lt;sup>93</sup> San Francisco Planning Department, *San Francisco General Plan*, Recreation and Open Space Element, April 2014, pp. 20-36. Available online at http://generalplan.sfplanning.org/Recreation\_OpenSpace\_Element\_ADOPTED.pdf, accessed August 23, 2020.

Торі	<i>са;</i>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	NotApplicable
12.	UTILITIES AND SERVICE SYSTEMS. Would the project:					
a)	Require or result in the relocation or construction of new or expanded, water, wastewater treatment, or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?					
b)	Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry, and multiple dry years?					
c)	Result in a determination by the wastewater treatment provider which serves or may serve the project that it has inadequate capacity to serve the project's projected demand in addition to the provider's existing commitments?					
d)	Generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?					
e)	Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?			$\boxtimes$		

# Impact UT-1: Implementation of the proposed project would not require or result in the relocation or construction of new or expanded water, wastewater treatment, or stormwater drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects. *(Less than Significant)*

The project site is entirely paved and is currently developed with an existing building, and the restaurant on the project site is already served by existing utilities. Although the proposed project would need to be connected to these existing utilities, the proposed project would not require or result in the relocation or construction of new or expanded water, wastewater treatment, or stormwater drainage, electric power, natural gas, or telecommunications facilities. This impact would be less than significant, and no mitigation measures are necessary.

Impact UT-2: Sufficient water supplies are available to serve the proposed project and reasonably foreseeable future development in normal, dry, and multiple dry years unless the Bay-Delta Plan Amendment is implemented; in that event the SFPUC may develop new or expanded water supply facilities to address shortfalls in single and multiple dry years, but this would occur with or without the proposed project. Impacts related to new or expanded water supply facilities cannot be identified at this time or implemented in the near term; instead, the SFPUC would address supply shortfalls through increased rationing, which could result in significant cumulative effects, but the project would not make a considerable contribution to impacts from increased rationing. *(Less than Significant)* 

#### **Construction Impacts**

The proposed project's construction activities are required to comply with Article 21 of the San Francisco Public Works Code (Ordinance No. 175-91), which restricts the use of potable water for soil compaction and dust control activities undertaken in conjunction with any construction or demolition project occurring within the boundaries of San Francisco, unless permission is obtained from the San Francisco Public Utilities Commission (SFPUC). Non-potable water must be used for soil compaction and dust control activities during project construction or demolition. Recycled water is available from the SFPUC for dust control on roads and streets. However, per State regulations, recycled water cannot be used for demolition, pressure washing, or dust control through aerial spraying. The SFPUC operates a recycled water truck-fill station at the Southeast Water Pollution Control Plant that provides recycled water for these activities at no charge. Required compliance with Ordinance No. 175-91 would ensure that the proposed project's construction activities would result in less-than-significant impacts related to water supply.

#### **Operational Impacts**

In 2016, the SFPUC adopted its *2015 Urban Water Management Plan* (UWMP), which estimates that current and projected water supplies will meet future retail demand through 2035 under normal-year, single-dry-year and multiple-dry-year conditions.<sup>94, 95</sup> However, if a multiple-dry-year event occurs, the SFPUC will implement water use and supply reductions through its retail water shortage allocation plan.

In December 2018, the State Water Resources Control Board adopted amendments to the Water Quality Control Plan for the San Francisco Bay/Sacramento-San Joaquin Delta Estuary, which establishes water quality objectives to maintain the health of rivers and the Bay-Delta ecosystem (the Bay-Delta Plan Amendment).<sup>96</sup> The state water board has stated that it intends to implement the Bay-Delta Plan Amendment by the year 2022, assuming all required approvals are obtained by that time. Implementation of the Bay-Delta Plan Amendment would result in a substantial reduction in the SFPUC's water supplies from the Tuolumne River watershed during dry years, requiring rationing to a greater degree in San Francisco than previously anticipated to address supply shortages not accounted for in the UWMP.

The SFPUC has prepared a memorandum discussing future water supply scenarios given the adoption of the Bay-Delta Plan Amendment.<sup>97</sup> As discussed in the SFPUC memorandum, implementation of the plan amendment is uncertain for several reasons, and whether, when, and the form in which the Bay-Delta Plan Amendment would be implemented and how those amendments could affect SFPUC's water supply is currently unknown. The SFPUC memorandum estimates total shortfalls in water supply (that is, total retail demand minus total retail supply) to retail customers through under three increasingly supply-limited scenarios:

<sup>&</sup>lt;sup>94</sup> San Francisco Public Utilities Commission, *2015 Urban Water Management Plan for the City and County of San Francisco*, June 2016, https://sfwater.org/index.aspx?page=75, accessed July 3, 2020.

<sup>&</sup>lt;sup>95</sup> "Retail" demand represents water the SFPUC provides to individual customers within San Francisco and several individual customers outside of San Francisco. "Wholesale" demand represents water the SFPUC provides to other water agencies supplying other jurisdictions.

<sup>&</sup>lt;sup>96</sup> State Water Resources Control Board Resolution No. 2018-0059, Adoption of Amendments to the Water Quality Control Plan for the San Francisco Bay/Sacramento-San Joaquin Delta Estuary and Final Substitute Environmental Document, December 12, 2018. Available at https://www.waterboards.ca.gov/plans\_policies/docs/2018wqcp.pdf, accessed August 23, 2020.

<sup>&</sup>lt;sup>97</sup> Memorandum from Steven R. Ritchie, SFPUC, to Lisa Gibson, Environmental Review Officer, San Francisco Planning Department, Environmental Planning Division, May 31, 2019.

- 1. Without implementation of the Bay-Delta Plan Amendment wherein the water supply and demand assumptions contained in the UWMP and the 2009 Water Supply Agreement as amended would remain applicable;
- 2. With implementation of a voluntary agreement between the SFPUC and the State Water Resources Control Board that would include a combination of flow and non-flow measures that are designed to benefit fisheries at a lower water cost, particularly during multiple dry years, than would occur under the Bay-Delta Plan Amendment); and
- 3. With implementation of the Bay-Delta Plan Amendment as adopted.

As estimated in the SFPUC memorandum, water supply shortfalls during dry years would be lowest without implementation and highest with implementation of the Bay-Delta Plan Amendment. Shortfalls under the proposed voluntary agreement would be between those with and without implementation of the Bay-Delta Plan Amendment.<sup>98</sup>

Under these three scenarios, the SFPUC would have adequate water to meet total retail demands through 2040 in normal years.<sup>99</sup> For single dry and multiple (years 1, 2 and 3) dry years of an extended drought, the SFPUC memorandum estimates that shortfalls of water supply relative to demand would occur both with and without implementation of the Bay-Delta Plan Amendment. Without implementation of the plan amendment, shortfalls would range from approximately 3.6 to 6.1 million gallons per day (mgd) or a 5 to 6.8 percent shortfall during dry years through the year 2040.

With implementation of the Bay-Delta Plan Amendment, shortfalls would range from 12.3 mgd (15.6 percent) in a single dry year to 36.1 mgd (45.7 percent) in years seven and eight of the 8.5-year design drought based on 2025 demand levels and from 21 mgd (23.4 percent) in a single dry year to 44.8 mgd (49.8 percent) in years seven and eight of the 8.5-year design drought based on 2040 demand.

The proposed project does not require a water supply assessment under the California Water Code. Under Sections 10910 through 10915 of the California Water Code, urban water suppliers like the SFPUC must prepare water supply assessments for certain large "water demand" projects, as defined in CEQA Guidelines Section 15155.<sup>100</sup> The proposed mixed-use project would result in 21 dwelling units and approximately

<sup>&</sup>lt;sup>98</sup> On March 26, 2019, the SFPUC adopted Resolution No. 19-0057 to support its participation in the voluntary agreement negotiation process. To date, those negotiations are ongoing under the California Natural Resources Agency. The SFPUC submitted a proposed project description that could be the basis for a voluntary agreement to the state water board on March 1, 2019. As the proposed voluntary agreement has yet to be accepted by the state water board as an alternative to the Bay-Delta Plan Amendment, the shortages that would occur with its implementation are not known with certainty; however, if accepted, the voluntary agreement would result in dry year shortfalls of a lesser magnitude than under the Bay-Delta Plan Amendment.

<sup>&</sup>lt;sup>99</sup> Based on historic records of hydrology and reservoir inflow from 1920 to 2017, current delivery and flow obligations, and fully implemented infrastructure under the 2018 Phased Water System Improvement Program Variant, normal or wet years occurred 85 out of 97 years. This translates into roughly nine normal or wet years out of every 10 years. Conversely, system-wide rationing is required roughly one out of every 10 years. This frequency is expected to increase as climate change intensifies.

<sup>&</sup>lt;sup>100</sup> Pursuant to CEQA Guidelines Section 15155(a)(1), "a water-demand project" means:

<sup>(</sup>A) A residential development of more than 500 dwelling units.

<sup>(</sup>B) A shopping center or business establishment employing more than 1,000 persons or having more than 500,000 square feet of floor space.

<sup>(</sup>C) A commercial office building employing more than 1,000 persons or having more than 250,000 square feet of floor area.

<sup>(</sup>D) A hotel or motel, or both, having more than 500 rooms.

2,855 square feet of commercial space; as such it does not qualify as a "water-demand" project as defined by CEQA Guidelines Section 15155(a)(1), and a water supply assessment is not required and has not been prepared for the project.

While a water supply assessment is not required, the following discussion provides an estimate of the project's maximum water demand in relation to the three supply scenarios. No single development project alone in San Francisco would require the development of new or expanded water supply facilities or require the SFPUC to take other actions, such as imposing a higher level of rationing across the city in the event of a supply shortage in dry years. Therefore, a separate project-only analysis is not provided for this topic. The following analysis instead considers whether the proposed project, in combination with both existing development and projected growth through 2040 would require new or expanded water supply facilities, the construction or relocation of which could have significant cumulative impacts on the environment. It also considers whether a high level of rationing would be required that could have significant cumulative impacts. It is only under this cumulative context that development in San Francisco could have the potential to require new or expanded water supply facilities or require the SFPUC to take other actions, which in turn could result in significant physical environmental impacts related to water supply. If significant cumulative impacts could result, then the analysis considers whether the project would make a considerable contribution to the cumulative impact.

Based on guidance from the California Department of Water Resources and a citywide demand analysis, the SFPUC has established 50,000 gallons per day as an equivalent project demand for projects that do not meet the definitions provided in CEQA Guidelines Section 15155(a)(1).<sup>101</sup> The development proposed by the project would represent 4.2 percent of the 500-unit limit and 0.7 percent of the 500,000 square feet of commercial space provided in Section 15155(a)(1)(A) and (B), respectively. In addition, the proposed project would incorporate water-efficient fixtures as required by Title 24 of the California Code of Regulations and the City's Green Building Ordinance. It is therefore reasonable to assume that the proposed project would result in an average daily demand of less than 50,000 gallons per day of water.

The SFPUC has prepared estimates of total retail demand in five-year intervals from 2020 through 2040.<sup>102</sup> Assuming the project would demand no more than 50,000 gallons of water per day (or 0.05 mgd), Table 6: Proposed Project Demand Relative to Total Retail Demand (mgd), compares this maximum with the total retail demand from 2020 through 2040. At most, the proposed project's water demand would represent a small fraction of the total projected retail water demand, ranging from 0.07 to 0.06 percent between 2020 and 2040. As such, the project's water demand is not substantial enough to require or result in the relocation or construction of new or expanded water facilities, the construction or relocation of which could cause significant environmental effects.

<sup>(</sup>E) An industrial, manufacturing, or processing plant, or industrial park planned to house more than 1,000 persons, occupying more than 40 acres of land, or having more than 650,000 square feet of floor area.

 <sup>(</sup>F) A mixed-use project that includes one or more of the projects specified in subdivisions (a)(1)(A), (a)(1)(B), (a)(1)(C), (a)(1)(D), (a)(1)(E), and (a)(1)(G) of this section.

<sup>(</sup>G) A project that would demand an amount of water equivalent to, or greater than, the amount of water required by a 500-dwellingunit project.

<sup>&</sup>lt;sup>101</sup> Memorandum from Steven R. Ritchie, SFPUC, to Lisa Gibson, Environmental Review Officer, San Francisco Planning Department, Environmental Planning Division, May 31, 2019.

<sup>&</sup>lt;sup>102</sup> San Francisco Public Utilities Commission, *2015 Urban Water Management Plan for the City and County of San Francisco*, June 2016, https://sfwater.org/index.aspx?page=75, accessed July 3, 2020.

	2020	2025	2030	2035	2040
Total Retail Demand	72.1	79	82.3	85.9	89.9
Total Demand of Proposed Project	0.05	0.05	0.05	0.05	0.05
Total Demand of Proposed Project as Percentage of Total Retail Demand	0.07%	0.06%	0.06%	0.06%	0.06%
Source: San Francisco Public Utilities Commission, 2015 Urban Water Management Plan for the City and County of San Francisco, June 2016					f

#### Table 6: Proposed Project Demand Relative to Total Retail Demand (mgd)

Sufficient water supplies are available to serve the proposed project and reasonably foreseeable future development in normal, dry, and multiple dry years unless the Bay-Delta Plan Amendment is implemented. As indicated above, the proposed project's maximum demand would represent 0.06 percent of the total retail demand in 2040 when implementation of the Bay-Delta Plan Amendment would result in a retail supply shortfall of up to 49.8 percent in a multi-year drought. The SFPUC has indicated that it is accelerating its efforts to develop additional water supplies and explore other projects that would increase overall water supply resilience in the case that the Bay-Delta Plan Amendment develop is implemented. The SFPUC has identified possible projects that it will study, but it has not determined the feasibility of the possible projects, has not made any decision to pursue any particular supply projects, and has determined that the identified potential projects would take anywhere from 10 to 30 years or more to implement. The potential impacts that could result from the construction and/or operation of any such water supply facility projects cannot be identified at this time. In any event, under such a worst-case scenario, the demand for the SFPUC to develop new or expanded dry-year water supplies would exist regardless of whether the proposed project is constructed.

Given the long lead times associated with developing additional water supplies, in the event the Bay-Delta Plan Amendment were to take effect sometime after 2022 and result in a dry-year shortfall, the expected action of the SFPUC for the next 10 to 30 years (or more) would be limited to requiring increased rationing. As discussed in the SFPUC memorandum, the SFPUC has established a process through its Retail Water Shortage Allocation Plan for actions it would take under circumstances requiring rationing. The level of rationing that would be required of the proposed project is unknown at this time. Both direct and indirect environmental impacts could result from high levels of rationing. However, the small increase in potable water demand attributable to the project compared to citywide demand would not substantially affect the levels of dry-year rationing that would otherwise be required throughout the city. Therefore, the proposed project would not make a considerable contribution to a cumulative environmental impact caused by implementation of the Bay-Delta Plan Amendment.

## Impact UT-3: The proposed project would not result in a determination by the wastewater treatment provider which serves or may serve the project that it has inadequate capacity to serve the project's projected demand in addition to the provider's existing commitments. *(Less than Significant)*

Implementation of the proposed project would increase the residential population at the project site by about 50 residents, resulting in an incremental increase of wastewater flows from the project site. The proposed project would incorporate water-efficient fixtures, as required by Title 24 of the California Code of Regulations and the San Francisco Green Building Ordinance. Compliance with these regulations would reduce wastewater flows to the Southeast Water Pollution Control Plant. The SFPUC's infrastructure capacity plans account for projected population and employment growth. For these reasons, implementation of the proposed project would not

exceed the capacity of the Southeast Water Pollution Control Plant to treat wastewater flows from the project site. This impact would be less than significant, and no mitigation measures are necessary.

## Impact UT-4: The proposed project would not generate solid waste in excess of state or local standards or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals. *(Less than Significant)*

In September 2015, the City approved an agreement with Recology, Inc., for the transport and disposal of the City's municipal solid waste at the Recology Hay Road Landfill in Solano County. The City began disposing its municipal solid waste at Recology Hay Road Landfill in January 2016, and that practice is anticipated to continue for approximately nine years, with an option to renew the agreement thereafter for an additional six years. San Francisco had a goal of 75 percent solid waste diversion by 2010, which it exceeded at 80 percent diversion, and has a goal of 100 percent solid waste diversion or "zero waste" to landfill or incineration by 2020. The San Francisco Construction and Demolition Debris Recovery Ordinance requires mixed construction and demolition debris to be transported by a registered transporter to a registered facility that must recover for reuse or recycling and divert from landfill at least 65 percent of all received construction and demolition debris. The San Francisco Green Building Code also requires certain projects to submit a recovery plan to the San Francisco Department of the Environment demonstrating recovery or diversion of at least 75 percent of all demolition debris. The San Francisco to separate solid waste into recyclables, compostables, and landfill trash. The proposed project would be subject to these ordinances and all other applicable statutes and regulations related to solid waste. This impact would be less than significant, and no mitigation measures are necessary.

### Impact C-UT-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative impact on utilities and service systems. *(Less than Significant)*

Implementation of the proposed project, in combination with cumulative development in the project vicinity, would result in the construction of a total of 522 dwelling units, approximately 44,510 square feet of commercial space, 2,000 square feet of office space, 3,650 square feet of childcare space, and 109,260 square feet of medical offices, and 334 parking spaces in the project vicinity. This cumulative development would result in an incremental increase in population, water consumption, and wastewater and solid waste generation. The SFPUC has accounted for such growth in its water demand and wastewater service projections, and the City has implemented various programs to divert 80 percent of its solid waste from landfills. Like all projects proposed in San Francisco, the nearby cumulative development projects are required to comply with ordinances and policies related to water conservation, wastewater minimization, and solid waste reduction. For these reasons, the proposed project would not combine with past, present, and reasonably foreseeable future projects in the project vicinity to create a significant cumulative impact on utilities and service systems.

Торі	ics:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	NotApplicable
13.	PUBLIC SERVICES. Would the project:					
a)	Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services such as fire protection, police protection, schools, parks, or other public facilities?					

The proposed project's impacts on parks are discussed under Section E.9, Recreation. Impacts on other public services are discussed below.

## Impact PS-1: The proposed project would increase demand for fire protection and police protection, but not to the extent that would require new or physically altered fire or police facilities, the construction of which could result in significant environmental impacts. *(Less than Significant)*

The project site receives fire protection and emergency medical services from the San Francisco Fire Department's Battalion 8, which includes Fire Station No. 3 at 1067 Post Street (approximately 0.2 mile southeast of the project site).<sup>103</sup> The project site receives police protection services from the San Francisco Police Department's Northern Station at 1125 Fillmore Street, approximately 0.9 mile northeast of the project site.<sup>104</sup> Implementation of the proposed project would add about 50 residents on the project site, which would increase the demand for fire protection, emergency medical, and police protection services. This increase in demand would not be substantial given the overall demand for such services on a citywide basis. Moreover, fire protection, emergency medical, and police protection resources are regularly redeployed based on need in order to maintain acceptable service ratios. The proximity of the project site to Fire Station No. 3 and Northern Station would help minimize Fire Department and Police Department response times should incidents occur at the project site. For these reasons, implementation of the proposed project would not require the construction of new or alteration of existing fire and police facilities. This impact would be less than significant, and no mitigation measures are necessary.

## Impact PS-2: The proposed project would increase the population of school-aged children and the demand for school services, but not to the extent that would require new or physically altered school facilities, the construction of which could result in significant environmental impacts. *(Less than Significant)*

Implementation of the proposed project would result in the construction of 21 dwelling units and an anticipated population increase of about 50 residents. Some of the new residents of the 21 households could consist of families with school-aged children who might attend schools operated by the San Francisco Unified School District (SFUSD), while other children might attend private schools. It is anticipated that existing SFUSD schools in

<sup>&</sup>lt;sup>103</sup> https://sf-fire.org/fire-station-locations#divisions, accessed August 11, 2020.

<sup>&</sup>lt;sup>104</sup> https://www.sanfranciscopolice.org/station-finder, accessed August 23, 2020.

the project vicinity would be able to accommodate this minor increase in demand. Furthermore, the proposed project would be required to pay a school impact fee based on the construction of net new residential square footage to fund SFUSD facilities and operations. For these reasons, implementation of the proposed project would not result in a substantial unmet demand for school facilities and would not require the construction of new or alteration of existing school facilities. This impact would be less than significant, and no mitigation measures are necessary.

For these reasons, implementation of the proposed project would not result in a substantial unmet demand for school facilities and would not require the construction of new or alteration of existing school facilities. This impact would be less than significant, and no mitigation measures are necessary.

## Impact PS-3: The proposed project would increase demand for other public services, but not to the extent that would require new or physically altered governmental facilities, the construction of which could result in significant environmental impacts. *(Less than Significant)*

Implementation of the proposed project would add about 50 residents on the project site, which would increase the demand for other public services such as libraries. This increase in demand would not be substantial given the overall demand for public services on a citywide basis. Regarding library services, the San Francisco Public Library operates the Main Library and 27 branches throughout San Francisco.<sup>105</sup> It is anticipated that the Main Library (0.75 mile southeast of the project site) and the Chinatown (0.7 mile northeast) and Golden Gate Valley (0.7 mile northwest) branches would be able to accommodate the minor increase in demand for library services generated by the proposed project. For these reasons, implementation of the proposed project would not require the construction of new or alteration of existing governmental facilities. This impact would be less than significant, and no mitigation measures are necessary.

### Impact C-PS-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative impact on public services. *(Less than Significant)*

The geographic context for cumulative fire, police, and library impacts are the police, fire, and library service areas, while the geographic context for cumulative school impacts is the school district service area. Implementation of the proposed project, in combination with cumulative development in the project vicinity, would result in the construction of a total of 522 dwelling units, approximately 44,510 square feet of commercial space, 2,000 square feet of office space, 3,650 square feet of childcare space, 109,260 square feet of medical offices, and 334 parking spaces in the project vicinity, resulting in an incremental increase in population and demand for fire protection, police protection, school services, and other public services. The Fire Department, the Police Department, the school district, and other City agencies have accounted for such growth in providing public services to the residents of San Francisco. In addition, fire protection, emergency medical, and police protection resources are regularly redeployed based on need in order to maintain acceptable service ratios. Nearby cumulative development projects would be subject to many of the same development impact fees applicable to the proposed project. For these reasons, the proposed project would not combine with past, present, and reasonably foreseeable future projects in the project vicinity to create a significant cumulative impact on public services.

<sup>&</sup>lt;sup>105</sup> San Francisco Public Library website, https://sfpl.org, accessed January 26, 2021.

Topic	S.	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
14.	BIOLOGICAL RESOURCES: Would the project:					
a)	Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?					
b)	Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?					
c)	Have a substantial adverse effect on federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?					
d)	Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?					
e)	Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?					
f)	Conflict with the provisions of an adopted habitat conservation plan, natural community conservation plan, or other approved local, regional, or state habitat conservation plan?					

The project site is completely paved and is currently developed with an existing building, so it does not contain any riparian habitat, other sensitive natural community, or federally protected wetlands. There are no adopted Habitat Conservation Plans, Natural Community Conservation Plans, or other approved local, state, or regional habitat conservation plans that apply to the project site. Therefore, Topics E.14.b, E.14.c, and E.14.f are not applicable to the proposed project.

Impact BI-1: The proposed project would not have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service. *(No Impact)* 

The project site and project vicinity are in an urban environment with high levels of human activity. The project site is completely paved and is currently developed with an existing building. Any candidate, sensitive, or special-status species have been previously extirpated (lost) from the area. For these reasons, implementation of the proposed project would have no impact on candidate, sensitive, or special-status species.

Impact BI-2: The proposed project would not interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites. *(Less than Significant)* 

San Francisco is within the Pacific Flyway, a major north-south route of travel for migratory birds along the western portion of the Americas. The project site is fully developed and is not considered an urban bird refuge.<sup>106, 107</sup>

Multi-story buildings are potential obstacles that can injure or kill birds in the event of a collision, and bird strikes are a leading cause of worldwide declines in bird populations. Planning Code Section 139, Standards for Bird-Safe Buildings, establishes building design standards to reduce avian mortality rates associated with bird strikes. This ordinance focuses on location-specific hazards and building feature-related hazards. Location-specific hazards apply to buildings in, or within 300 feet of and having a direct line of sight to, an urban bird refuge. The project site is not in or within 300 feet of an urban bird refuge, so the standards related to location-specific hazards are not applicable to the proposed project. Feature-related hazards, which can occur on buildings anywhere in San Francisco, are defined as freestanding glass walls, wind barriers, skywalks, balconies, and greenhouses on rooftops that have unbroken glazed segments of 24 square feet or larger. The proposed project would be required to comply with the feature-related standards of Planning Code Section 139 by using bird-safe glazing treatment on 100 percent of any feature-related hazards.

The project site is completely paved and is currently developed with an existing building. As discussed above, there are no resident or migratory fish or wildlife species, no established native resident or migratory wildlife corridors, and no native wildlife nursery sites on the project site.

For these reasons, implementation of the proposed project would not interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites. This impact would be less than significant, and no mitigation measures are necessary.

## Impact BI-3: The proposed project would not conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance. *(Less than Significant)*

The project site does not contain existing trees or other vegetation that would need to be removed as part of the proposed project. The removal of street trees or significant trees, as well as the planting of new street trees, is subject to the provisions of the San Francisco Urban Forestry Ordinance, which is codified as Article 16 of the San Francisco Public Works Code.<sup>108</sup> Implementation of the proposed project would include the planting of street trees along Pine Street and Austin Street, subject to review and approval by San Francisco Public Works. The proposed project would not conflict with any local policies or ordinances that protect biological resources. This impact would be less than significant, and no mitigation measures are necessary.

<sup>&</sup>lt;sup>106</sup> An urban bird refuge is defined by San Francisco Planning Code Section 139(c)(1) as an open spaces two acres and larger dominated by vegetation, including vegetated landscaping, forest, meadows, grassland, or wetlands, or open water.

<sup>&</sup>lt;sup>107</sup> San Francisco Planning Department, *Urban Bird Refuge Map*. Available at https://sfplanning.org/resource/urban-bird-refuge, accessed August 23, 2020.

<sup>&</sup>lt;sup>108</sup> Street trees and significant trees are defined in Article 16, Sections 802 and 810A, respectively, of the San Francisco Public Works Code.

#### Impact C-BI-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative impact related to biological resources. *(Less than Significant)*

Cumulative development in the project vicinity would result in the construction of multi-story buildings that can injure or kill birds in the event of a collision and would result in the removal of existing street trees or other vegetation. Nearby cumulative development projects would be subject to the same bird-safe building and urban forestry ordinances applicable to the proposed project. Moreover, there are no candidate, sensitive, or special-status species or any riparian habitat or other sensitive natural community in the project vicinity. For these reasons, the proposed project would not combine with past, present, and reasonably foreseeable future projects in the project vicinity to create a significant cumulative impact on biological resources.

<i>Topic</i> 15.		DLOGY AND SOILS. Would the project:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
н <b>э.</b> а)		ectly or indirectly cause potential substantial					
		erse effects, including the risk of loss, injury, or th involving:					
	i)	Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42.					
	ii)	Strong seismic ground shaking?			$\boxtimes$		
	iii)	Seismic-related ground failure, including liquefaction?			$\boxtimes$		
	iv)	Landslides?			$\boxtimes$		
b)	Resi	ult in substantial soil erosion or the loss of topsoil?			$\boxtimes$		
C)	that and late	ocated on geologic unit or soil that is unstable, or would become unstable as a result of the project, potentially result in on- or off-site landslide, ral spreading, subsidence, liquefaction or apse?					
d)	18-1	ocated on expansive soil, as defined in Table I-B of the Uniform Building Code (1994), creating stantial direct or indirect risks to life or property?					
e)	of se syst	e soils incapable of adequately supporting the use eptic tanks or alternative wastewater disposal ems where sewers are not available for the yosal of waste water?					$\boxtimes$
f)		ctly or indirectly destroy a unique paleontological burce or site or unique geologic feature?		$\boxtimes$			

A geotechnical investigation was conducted to assess the geologic conditions underlying the project site and provide recommendations related to the proposed project's design and construction. The findings and recommendations are presented in a geotechnical report and are summarized below.<sup>109</sup>

The geotechnical investigation included the drilling of two test borings on the project site to depths of approximately 41 and 80 feet below ground surface (bgs). The project site is underlain by about three feet of fill consisting of sand, and this layer of fill is underlain by about 20 feet of loose to medium dense silty sand. From a depth of 23 feet bgs to the maximum depths of the test borings, the soil consists of loose to very dense silty sand.

Groundwater was encountered in the test borings at a depth of about 50 feet bgs. Depending on the amount of rainfall, groundwater levels at the project site are expected to fluctuate seasonally and annually.

## Impact GE-1: The proposed project would not directly or indirectly cause potential adverse effects, including the risk of loss, injury, or death involving rupture of a known earthquake fault, strong seismic ground shaking, seismic-related ground failure, liquefaction, or landslides. *(Less Than Significant)*

The project site is not within an Alquist-Priolo Earthquake Fault Zone, and there are no known active faults that run underneath the project site or in the project vicinity. The closest active fault to the project site is the San Andreas Fault, which is about 7.1 miles to the west. The project site is not in a liquefaction hazard zone or a landslide hazard zone.<sup>110</sup>

The proposed project is required to comply with the seismic safety standards set forth in the California Building Code and the San Francisco Building Code. The Department of Building Inspection (DBI) is the City agency responsible for reviewing the proposed project's building permit application, structural drawings and calculations, and geotechnical report and ensuring that the proposed project complies with the seismic safety standards and other applicable requirements. Project compliance with the Building Code would ensure that the risk of loss, injury, or death involving rupture of a known earthquake fault, strong seismic ground shaking, or seismic-related ground failure would be low.

For these reasons, the proposed project would not cause potential substantial adverse effects, including risk of loss, injury, or death involving rupture of a known earthquake fault, strong seismic ground shaking, seismic-related ground failure, liquefaction, or landslides. This impact would be less than significant, and no mitigation measures are necessary.

## Impact GE-2: The proposed project would not result in substantial soil erosion or the loss of topsoil. *(Less than Significant)*

The project site is entirely paved and is currently developed with an existing building. For these reasons, construction of the proposed project would not result in the loss of topsoil. Site preparation and excavation activities would disturb soil to a depth of up to 14 feet bgs, creating the potential for windborne and waterborne soil erosion. Construction activities would be required to comply with the Construction Site Runoff Ordinance (Ordinance No. 260-13), which requires all construction sites, regardless of size, to implement best management

<sup>&</sup>lt;sup>109</sup> Krazan & Associates, Inc., Updated *Geotechnical Engineering Investigation, Proposed Mixed-Use Facility, 1525 Pine Street, San Francisco, California* (hereinafter "*Geotechnical Report*"), June 28, 2016, updated August 18, 2017.

<sup>&</sup>lt;sup>110</sup> San Francisco Planning Department, GIS database geology layer, accessed August 31, 2020.

practices to prevent construction site runoff discharges into the City's combined stormwater/sewer system. Compliance with the Construction Site Runoff Ordinance would ensure that the project would not result in erosion. This impact would be less than significant, and no mitigation measures are necessary.

## Impact GE-3: The proposed project would not be located on a geologic unit that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse. *(Less than Significant)*

As discussed under Impact GE-1, the potential for landslide or liquefaction at the project site is low. In addition, the proposed project is required to comply with the provisions of the California Building Code and the San Francisco Building Code that address issues related to seismic safety and unstable soil. The geotechnical report includes recommendations related to the following aspects of construction: site preparation; engineered fill; drainage and landscaping; utility trench backfill; foundations; floor slabs and exterior flatwork; lateral earth pressures and retaining walls; pavement design; and seismic parameters. Implementation of these recommendations would ensure that the proposed project would not cause the soil underlying the project site to become unstable and result in on- or off-site landslide, lateral spreading, subsidence, liquefaction, or collapse. This impact would be less than significant, and no mitigation measures are necessary.

### Impact GE-4: The proposed project would not create substantial risks to life or property as a result of being located on expansive soil. (*Less than Significant*)

Expansive soils are characterized by their ability to undergo significant volume change (i.e., to shrink and swell) due to variations in moisture content. Expansive soils are typically very fine-grained and have a high to very high percentage of clay. They can damage structures and buried utilities and increase maintenance requirements. The presence of expansive soils is typically associated with high clay content and determined based on site-specific data. Section 1803 of the California Building Code states that in areas likely to have expansive soil, the building official shall require soil tests to determine where such soils do exist, and if so, the geotechnical report must include recommendations and special design and construction provisions for foundations of structures on expansive soils, as necessary. Compliance with building code requirements would ensure that potential impacts related to expansive soils would be less than significant, and no mitigation measures are necessary.

## Impact GE-5: The project would not have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater. (*Not Applicable*)

The proposed project would not include the use septic tanks or alternative wastewater disposal systems; it would be connected to the existing wastewater disposal system. For these reasons, Topic E.15.e is not applicable to the proposed project.

## Impact GE-6: The project would directly or indirectly destroy a unique paleontological resource or site or unique geologic feature. (*Less than Significant with Mitigation*)

Paleontological resources are fossilized remains, traces, or imprints of organisms preserved in or on the earth's crust that are of paleontological interest and provide information about the history of life on earth. Paleontological resources represent a limited, non-renewable scientific and educational resource. The potential

for a project to affect paleontological resources varies with the depth of disturbance, construction activities, and previous disturbance.

The project site and immediate vicinity have been mapped as having low or unknown potential for paleontological resources. Construction of the proposed project would require excavation to a depth of up to 14 feet bgs and the removal of about 1,500 cubic yards of soil from the project site. Based on the proposed ground-disturbing activities, there is the possibility that unanticipated paleontological resources could be discovered during excavation of the project site. Implementation of Mitigation Measures M-GE-6a: Worker Environmental Awareness Training, and M-GE-6b: Discovery of Unanticipated Paleontological Resources, would address impacts related to paleontological resources.

#### Mitigation Measure M-GE-6a: Worker Environmental Awareness Training

Prior to commencing construction, the project sponsor shall ensure that all workers are trained on the contents of the Paleontological Resources Alert Sheet, as provided by the Planning Department. The Paleontological Resources Alert Sheet shall be prominently displayed at the construction site during ground disturbing activities to provide pre-construction worker environmental awareness training regarding potential paleontological resources.

In addition, the project sponsor (through a designated representative) shall inform construction personnel of the immediate stop work procedures and contact information to be followed if bones or other potential fossils are unearthed at the project site, and the laws and regulations protecting paleontological resources. As new workers arrive at the project site for ground disturbing activities, they would be trained by the construction supervisor.

The project sponsor shall submit a letter confirming the timing of the worker training to the Planning Department. The letter shall confirm the project's location, the date of training, the location of the informational handout display, and the number of participants. The letter shall be transmitted to the Planning Department within five (5) business days of conducting the training.

#### Mitigation Measure M-GE-6b: Discovery of Unanticipated Paleontological Resources

In the event of the discovery of an unanticipated paleontological resource during construction, excavations within 25 feet of the find shall temporarily be halted until the discovery is examined by a qualified paleontologist (pursuant to Society of Vertebrate Paleontology standards (SVP 1995, 1996)). Work within the sensitive area shall resume only when deemed appropriate by the qualified paleontologist in consultation with the Planning Department.

The qualified paleontologist shall determine if: (1) the discovery is scientifically significant; (2) the necessity for involving other agencies and stakeholders; (3) the significance of the resource; and (4) methods for resource recovery. If a paleontological resource assessment results in a determination that the resource is not scientifically important, this conclusion shall be documented in a Paleontological Evaluation Letter to demonstrate compliance with applicable statutory requirements. The Paleontological Evaluation Letter shall be submitted to the Planning Department for review within 30 business days of the discovery.

If a paleontological resource is determined to be of scientific importance and there are no feasible avoidance measures, a Paleontological Mitigation Program (mitigation program) must be prepared by the qualified paleontologist engaged by the project sponsor. The mitigation program shall include measures to fully document and recover the resource. The mitigation program shall be approved by the Planning Department. Ground disturbing activities in the project area shall be monitored as determined by the qualified paleontologist for the duration of such activities in collaboration with the Planning Department, once work is resumed.

The mitigation program shall include: (1) procedures for construction monitoring at the project site; (2) fossil preparation and identification procedures; (3) curation into an appropriate repository; and (4) preparation of a Paleontological Resources Report (report or paleontology report) at the conclusion of ground disturbing activities. The paleontology report shall include dates of field work, results of monitoring, fossil identifications to the lowest possible taxonomic level, analysis of the fossil collection, a discussion of the scientific significance of the fossil collection, conclusions, locality forms, an itemized list of specimens, and a repository receipt from the curation facility. The project sponsor shall be responsible for the preparation and implementation of the mitigation program, in addition to any costs necessary to prepare and identify collected fossils and for any curation fees charged by the paleontological repository. The mitigation program shall be submitted to the Planning Department for review within 10 business days of the discovery. The paleontology report shall be submitted to the Planning Department for review within 30 business days from conclusion of ground disturbing activities or as negotiated following consultation with the Planning Department.

Implementation of Mitigation Measures M-GE-6a and M-GE-6b would reduce impacts on paleontological resources to less-than-significant levels.

A unique geologic or physical feature embodies distinctive characteristics of any regional or local geologic principles, provides a key piece of information important to geologic history, contains minerals not known to occur elsewhere in the county, and/or is used as a teaching tool. The project site is entirely paved and is currently developed with an existing building. No unique geologic features exist at the project site. Therefore, the proposed project would have no impact on unique geologic features.

## Impact C-GE-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative impact related to geology and soils. *(Less than Significant)*

Environmental impacts related to geology and soils are generally site-specific. Nearby cumulative development projects would be subject to the same seismic safety standards and design review procedures applicable to the proposed project. For these reasons, the proposed project would not combine with past, present, and reasonably foreseeable future projects in the project vicinity to create a significant cumulative impact related to geology and soils.

Торіс	:S:		Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
16.	HYDRO	DLOGY AND WATER QUALITY. Would the project:					
a)	discha	e any water quality standards or waste rge requirements or otherwise substantially Je surface or groundwater quality?					
b)	interfe such tl	ntially decrease groundwater supplies or re substantially with groundwater recharge nat the project may impede sustainable dwater management of the basin?					
c)	site or course	antially alter the existing drainage pattern of the area, including through the alteration of the e of a stream or river or through the addition of vious surfaces, in a manner that would:					
	i)	Result in substantial erosion or siltation on- or off-site;			$\boxtimes$		
	ii)	Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site;					
	iii)	Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff?					
d)		d hazard, tsunami, or seiche zones, risk release of ants due to project inundation?				$\boxtimes$	
e)	quality	et with or obstruct implementation of a water v control plan or sustainable groundwater gement plan?					

#### Impact HY-1: The proposed project would not violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality. *(Less than Significant)*

Project-related wastewater and stormwater would flow into the City's combined stormwater/sewer system and would be treated to standards contained in the City's National Pollutant Discharge Elimination System (NPDES) Permit for the Southeast Water Pollution Control Plant prior to discharge into San Francisco Bay. The NPDES standards are set and regulated by the San Francisco Bay Area Regional Water Quality Control Board.

The proposed project's discharges from residential operations and stormwater would not exceed water quality standards. The project would be required to comply with Article 4.2 of the San Francisco Public Works Code, Section 147 (Stormwater Management). The intent of the City's stormwater management program is to reduce the volume of stormwater entering the City's combined and separate sewer systems and to protect and enhance the water quality of receiving waters, pursuant to and consistent with federal and state laws, lawful standards, and orders applicable to stormwater and urban runoff control and the City's authority to manage and operate its drainage systems. Required compliance with all applicable federal and state laws, lawful standards, and orders would ensure that operation of the proposed project would not violate water quality standards or waste discharge requirements.

Construction activities such as excavation, earthmoving, and grading would expose soil and could result in erosion and excess sediments being carried in stormwater runoff to the combined stormwater/sewer system. In addition, stormwater runoff from temporary on-site use and storage of vehicles, fuels, waste, and other hazardous materials could carry pollutants to the combined stormwater/sewer system if proper handling methods are not employed. Runoff from the project site would drain into the City's combined stormwater/sewer system, ensuring that such runoff is properly treated at the Southeast Water Pollution Control Plant before being discharged into San Francisco Bay.

As discussed in Section E.15, Geology and Soils, the project site is generally underlain by fill consisting of sand. This layer of fill is underlain by loose, medium dense, and very dense silty sand. Groundwater is present at approximately 50 feet bgs. The proposed project's excavation and permanent structures do not have the potential to encounter groundwater and impact water quality.

For these reasons, the proposed project would not violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality. This impact would be less than significant, and no mitigation measures are necessary.

## Impact HY-2: The proposed project would not substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin. *(Less than Significant)*

As discussed under Impact HY-1, groundwater is located approximately 50 feet bgs. The proposed project's excavation does not have the potential to encounter groundwater, decrease groundwater supplies, or interfere substantially with groundwater recharge. This impact would be less than significant, and no mitigation measures are necessary.

Impact HY-3: The proposed project would not substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river through the addition of impervious surfaces, in a manner that would result in substantial erosion, siltation, or flooding on- or off-site, substantially increase the rate or amount of surface runoff in a manner which would result in flooding on- or off-site, or create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff. *(Less than Significant)* 

The project site is entirely paved and is currently developed with an existing building. For these reasons, construction of the proposed project would not increase the area of impervious surfaces on the project site or substantially increase the rate or amount of surface runoff in a manner that would result in substantial erosion, siltation, or flooding on-or off-site. With no increase in the area of impervious surfaces on the project site, the proposed project would not create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff. This impact would be less than significant, and no mitigation measures are necessary.

### Impact HY-4: The proposed project would not risk release of pollutants due to project inundation in flood hazard, tsunami, or seiche zones. *(No Impact)*

There are no dams or levees near the project site. As shown on Map 6, Potential Inundation Areas Due to Reservoir Failure, in the Community Safety Element of the *General Plan*, the project site is not in an area that would be flooded in the event that an existing dam or levee fails.<sup>111</sup>

As shown on Map 5, Tsunami Hazard Zones, San Francisco, 2012, in the Community Safety Element of the *General Plan*, the project site is not in a tsunami hazard zone, so the proposed project would not be at risk of inundation by tsunami.<sup>112</sup> A seiche is a periodic oscillation (rise and fall) of the surface of an enclosed or semi-enclosed body of water that can be caused by atmospheric or seismic disturbances. Tidal records for San Francisco Bay show that the 1906 earthquake caused a seiche of approximately four inches. A temporary four-inch rise in the water level of San Francisco Bay would not reach the project site, which is at least one mile from San Francisco's northern and eastern shorelines. Therefore, the proposed project would not be at risk of inundation by seiche.

The proposed project would have no impact related to the release of pollutants due to project inundation in flood hazard, tsunami, or seiche zones.

### Impact HY-5: The proposed project would not conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan. *(Less than Significant)*

As discussed under Impact HY-1, project-related wastewater and stormwater would flow into the City's combined stormwater/sewer system and would be treated to standards contained in the City's NPDES Permit for the Southeast Water Pollution Control Plant prior to discharge into San Francisco Bay. Groundwater encountered during construction or operation of the proposed project would be required to meet certain water quality standards before being discharged into the combined stormwater/sewer system. As discussed under Impact HY-2, the proposed project would not permanently or substantially deplete groundwater resources. For these reasons, the proposed project would not conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan. This impact would be less than significant, and no mitigation measures are necessary.

## Impact C-HY-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative impact related to hydrology and water quality. *(Less than Significant)*

Implementation of the proposed project, in combination with cumulative development in the project vicinity, would result in the construction of a total of 522 dwelling units, approximately 44,510 square feet of commercial space, 2,000 square feet of office space, 3,650 square feet of childcare space, 109,260 square feet of medical offices, and 334 parking spaces in the project vicinity. This cumulative development would result in an incremental increase in water consumption and wastewater generation. The SFPUC has accounted for such growth in its service projections. Nearby cumulative development projects would be subject to the same water conservation, stormwater management, and wastewater discharge ordinances applicable to the proposed project. For these reasons, the proposed project would not combine with past, present, and reasonably

<sup>&</sup>lt;sup>111</sup> San Francisco Planning Department, *San Francisco General Plan*, Community Safety Element, p. 17. Available at http://generalplan.sfplanning.org/Community\_Safety\_Element\_2012.pdf, accessed August 23, 2020.

<sup>&</sup>lt;sup>112</sup> San Francisco Planning Department, *San Francisco General Plan*, Community Safety Element, p. 15. Available online at http://generalplan.sfplanning.org/Community\_Safety\_Element\_2012.pdf, accessed August 23, 2020.

foreseeable future projects in the project vicinity to create a significant cumulative impact related to hydrology and water quality.

Topic	5:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
17.	HAZARDS AND HAZARDOUS MATERIALS. Would the project:					
a)	Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?			$\boxtimes$		
b)	Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?					
c)	Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?					
d)	Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?					
e)	For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?					
f)	Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?			$\boxtimes$		
g)	Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?					

The project site is not located within an area covered by an airport land use plan or within two miles of a public airport or a public use airport. Therefore, Topic E.17.e is not applicable to the proposed project.

### Impact HZ-1: The proposed project would not create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials. *(Less than Significant)*

The proposed project's residential and commercial uses would involve the use of relatively small quantities of hazardous materials such as cleaners and disinfectants for routine purposes. These products are labeled to inform users of potential risks and to instruct them in appropriate handling procedures. Most of these materials are consumed through use, resulting in relatively little waste. For these reasons, the proposed project would not

create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials. This impact would be less than significant, and no mitigation measures are necessary.

## Impact HZ-2: The proposed project would not create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment. *(Less than Significant)*

The existing one-story restaurant was moved from another location to the project site circa 1916; it was subsequently altered and expanded in 1975. Due to the age of the building, it is possible that asbestos-containing material (ACM) and lead-based paint are present on the project site. Demolition of the existing building could release ACM, lead, or other hazardous materials into the environment. The demolition work must be performed in compliance with federal, state, and local regulations related to the abatement of hazardous materials. These regulations include: the Bay Area Air Quality Management District's Regulation 11, Rule 2: Hazardous Pollutants – Asbestos Demolition, Renovation, and Manufacturing; California Code of Regulations, Title 8, Section 1529 (Asbestos); and California Code of Regulations, Title 8, Section 1532.1 (Lead). Required compliance with these regulations would ensure that demolition of the existing building would not create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment.

Therefore, through compliance with existing laws and regulations, impacts related to exposure to hazardous building materials during demolition would be less than significant, and no mitigation measures are necessary.

## Impact HZ-3: The proposed project would not emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school. *(Less than Significant)*

There is one school within one-quarter mile of the project site: Redding Elementary/Early Education School at 1421 Pine Street (0.05 mile east). As discussed under Impact HZ-1, the proposed project would include the use of common household items in quantities too small to create a significant hazard to the public or the environment. The proposed residential and commercial uses would not produce hazardous emissions and would not involve the handling of hazardous or acutely hazardous materials, substances, or waste. This impact would be less than significant, and no mitigation measures are necessary.

## Impact HZ-4: The project site is not included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5. (*Less than Significant*)

The project site is not included on any list of hazardous materials sites compiled pursuant to Government Code Section 65962.5.<sup>113</sup> In addition, the project site is not in an area that is subject to San Francisco Health Code Article 22A, also known as the Maher Ordinance, meaning that the project site is not known or suspected to contain contaminated soil and/or groundwater.<sup>114</sup> Nonetheless, a Phase I Environmental Site Assessment (ESA) has been prepared to evaluate the potential for site contamination, and the findings are summarized below.

<sup>&</sup>lt;sup>113</sup> PIERS Environmental Services, Inc., *Phase I Environmental Site Assessment Report for 1525 Pine Street, San Francisco, California* (hereinafter "*Phase I ESA*"), June 2015, p. 16.

<sup>&</sup>lt;sup>114</sup> San Francisco Planning Department, GIS database hazardous materials layer, accessed August 31, 2020.

The Phase I ESA noted that no hazardous materials or chemicals were observed at the project site other than cleaning supplies. These materials were stored properly, and there was no evidence of improper use, storage, or disposal of hazardous materials or other chemicals. No storage tanks, significant staining on exterior paved surfaces, or stained soil was observed, and no unusual stains or odors were observed around floor drains inside the existing building. The Phase I ESA recommended that no additional investigation be conducted.

The proposed project would not create a significant hazard to the public or the environment. This impact would be less than significant, and no mitigation measures are necessary.

## Impact HZ-5: The proposed project would not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan and would not expose people or structures to a significant risk of loss, injury, or death involving wildland fires. (*Less than Significant*)

The project site is in a densely developed urban environment; it is not adjacent to wildlands or in an area where residences are intermixed with wildlands. In San Francisco, fire safety is ensured through the provisions of the Building Code and the Fire Code. During the review of the building permit application, the DBI and the Fire Department will review the project plans for compliance with all regulations related to fire safety, which may include the development of an emergency procedure manual or an exit drill plan for the residents of the proposed project. Compliance with fire safety regulations would ensure that the proposed project would not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan or expose people or structures to a significant risk of loss, injury, or death involving wildland fires. This impact would be less than significant, and no mitigation measures are necessary.

## Impact C-HZ-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative impact related to hazards and hazardous materials. *(Less than Significant)*

Environmental impacts related to hazards and hazardous materials are generally site-specific. The proposed project could result in potential impacts related to hazardous materials due to construction activities within potentially contaminated soil and demolition of structures that contain hazardous building materials. However, compliance with applicable regulatory requirements would reduce those impacts to less-than-significant levels. Nearby cumulative development projects would be subject to the same regulations related to hazardous materials applicable to the proposed project. For these reasons, the proposed project would not combine with past, present, and reasonably foreseeable future projects in the project vicinity to create a significant cumulative impact related to hazardous materials.

Торіс	5:	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
18.	MINERAL RESOURCES. Would the project:					
a)	Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?					

Торіс	x.	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
b)	Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?				$\boxtimes$	

#### Impact MR-1: The proposed project would not result in the loss of availability of a known mineral resource or a locally-important mineral resource recovery site. *(No Impact)*

All land in San Francisco, including the project site, is designated Mineral Resource Zone 4 (MRZ-4) by the California Division of Mines and Geology under the Surface Mining and Reclamation Act of 1975.<sup>115</sup> This designation indicates that there is inadequate information available for assignment to any other mineral resource zone. Based on the MRZ-4 designation, the project site is not a designated area of known mineral deposits or a locally important mineral resource recovery site. For this reason, the proposed project would have no impact on mineral resources.

### Impact C-MR-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative impact on mineral resources. *(No Impact)*

As discussed above, San Francisco is not a designated area of significant mineral deposits and does not have locally important mineral resource recovery sites. Implementation of nearby cumulative development projects would have no impact on mineral resources. For these reasons, the proposed project would not combine with past, present, and reasonably foreseeable future projects in the project vicinity to create a significant cumulative impact on mineral resources.

Торіс	<u>.</u>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
19.	ENERGY. Would the project:					
a)	Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?					
b)	Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?			$\boxtimes$		

Impact EN-1: The proposed project would not result in a significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources during construction or operation and would not conflict with or obstruct a state or local plan for renewable energy or energy efficiency. *(Less than Significant)* 

<sup>&</sup>lt;sup>115</sup> California Division of Mines and Geology, *Open File Report 96-03, 1996, and Special Report 146 Parts I and II*, 1986.

In California, energy consumption in buildings is regulated by Title 24 of the California Code of Regulations. Title 24 includes standards that regulate energy consumption for the heating, cooling, ventilation, and lighting of residential and nonresidential buildings. In San Francisco, documentation demonstrating compliance with Title 24 standards is required to be submitted with a building permit application. Compliance with Title 24 standards is enforced by the Department of Building Inspection. The proposed project would comply with the standards of Title 24 and the requirements of the San Francisco Green Building Ordinance and would be built to GreenPoint Rated standards, thus minimizing the amount of fuel, water, or energy used during its construction and operational phases. The proposed project would not encourage activities that result in the use of large amounts of fuel, water, or energy, or use them in a wasteful manner. This impact would be less than significant, and no mitigation measures are necessary.

### Impact C-EN-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, would not result in a cumulative impact related to energy. *(Less than Significant)*

Nearby cumulative development projects would be subject to the same energy conservation, water conservation, recycling and composting, and construction and demolition debris ordinances applicable to the proposed project. For this reason, the proposed project would not combine with past, present, and reasonably foreseeable future projects in the project vicinity to create a significant cumulative impact related to energy.

effe Dep	AGRICULTURE AND FORESTRY RESOURCES: In determining cts, lead agencies may refer to the California Agricultural partment. of Conservation as an optional model to use in	Land Evaluatio assessing impa	n and Site Assessn cts on agriculture :	nent Model (199 and farmland. Ir	7) prepared 1 determinir	by the California ng whether
the Asse	acts to forest resources, including timberland, are signific California Department of Forestry and Fire Protection reg essment Project and the Forest Legacy Assessment projec pted by the California Air Resources Board. <b>Would the pr</b> Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance, as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	arding the state ct; and forest ca	e's inventory of for	est land, includi	ing the Fore	st and Range
b)	Conflict with existing zoning for agricultural use, or a Williamson Act contract?					$\boxtimes$
c)	Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?					
d)	Result in the loss of forest land or conversion of forest land to non-forest use?					$\boxtimes$

Торіс	x.	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
e)	Involve other changes in the existing environment which, due to their location or nature, could result in conversion of farmland to non-agricultural use or forest land to non-forest use?					$\boxtimes$

The project site does not contain agricultural uses, is not zoned for agricultural use, and is not subject to a Williamson Act contract.<sup>116</sup> The project site does not contain forest land or timberland as defined in Public Resources Code Sections 12220(g) and 4526, respectively. Therefore, Topics E.20.a through E.20.e are not applicable to the proposed project or cumulative development projects.

Topics:		Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
21.	WILDFIRE. If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:					
a)	Substantially impair an adopted emergency response plan or emergency evacuation plans?					$\boxtimes$
b)	Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire?					
c)	Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?					
d)	Expose people or structure to significant risks including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?					

The project site is not in or near any state responsibility areas for fire prevention or lands classified as very high fire hazard severity zones.<sup>117</sup> Therefore, Topics E.21.a through E.21.d are not applicable to the proposed project or cumulative development projects.

<sup>&</sup>lt;sup>116</sup> California Department of Conservation, *Important Farmland in California, 2016*. Available online at ftp://ftp.consrv.ca.gov/pub/dlrp/FMMP/pdf/statewide/2016/fmmp2016\_20\_23.pdf, accessed May 19, 2020.

<sup>&</sup>lt;sup>117</sup> California Department of Fire and Forest Protection, Fire Resource Assessment Program, Fire Hazard Severity Zones viewer. Available at https://egis.fire.ca.gov/FHSZ, accessed August 23, 2020.

Please see Section E.17, Hazards and Hazardous Materials, for additional discussion of impacts related to wildland fires.

Topics:		Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less Than Significant Impact	No Impact	Not Applicable
22.	MANDATORY FINDINGS OF SIGNIFICANCE. Does the project:					
a)	Have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory?					
b)	Have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.)					
c)	Have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?		$\boxtimes$			

Note: Authority cited: Sections 21083 and 21083.05, 21083.09 Public Resources Code. Reference: Section 65088.4, Gov. Code; Sections 21073, 21074 21080(c), 21080.1, 21080.3, 21083, 21083.05, 21083.3, 21080.3.1, 21080.3.2, 21082.3, 21084.2, 21084.3, 21093, 21094, 21095, and 21151, Public Resources Code; Sundstrom v. County of Mendocino,(1988) 202 Cal.App.3d 296; Leonoff v. Monterey Board of Supervisors, (1990) 222 Cal.App.3d 1337; Eureka Citizens for Responsible Govt. v. City of Eureka (2007) 147 Cal.App.4th 357; Protect the Historic Amador Waterways v. Amador Water Agency (2004) 116 Cal.App.4th at 1109; San Franciscans Upholding the Downtown Plan v. City and County of San Francisco (2002) 102 Cal.App.4th 656.

The proposed project would not substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, or reduce the number or restrict the range of a rare or endangered plant or animal. The proposed project would not result in the elimination of important examples of major periods of California history or prehistory. As discussed in Section E.3, Cultural Resources, construction of the proposed project could cause a substantial adverse change in the significance of an archeological resource. Implementation of Mitigation Measure M-CR-2: Archeological Testing, would reduce this impact to a less-than-significant level. As discussed in Section E.4, Tribal Cultural Resources, construction of Mitigation Measure M-CR-1: Tribal Cultural Resources Archeological Resource Preservation Plan and/or Interpretive Program, would reduce this impact to a less-than-significant level. As discussed in Section E.5, Noise, construction of the proposed project would generate excessive groundborne

vibration that could damage older buildings adjacent to the project site. Implementation of Mitigation Measure M-NO-2: Protection of Adjacent Buildings/Structures and Vibration Monitoring During Construction, would reduce this impact to a less-than-significant level. As discussed in Section E.15, Geology and Soils, construction of the proposed project could directly or indirectly destroy a unique paleontological resource or site. Implementation of Mitigation Measures M-GE-6a: Worker Environmental Awareness Training, and M-GE-6b: Discovery of Unanticipated Paleontological Resources, would reduce this impact to a less-than-significant level.

The proposed project would not combine with past, present, or reasonably foreseeable future projects to create significant cumulative impacts related to any of the topics discussed in Section E, Evaluation of Environmental Effects. There would be no significant cumulative impacts to which the proposed project would make cumulatively considerable contributions.

The proposed project would not result in environmental effects that would cause substantial adverse effects on human beings. As discussed in Section E.7, Air Quality, construction of the proposed project would generate air pollutant emissions in an area that already experiences poor air quality. Implementation of Mitigation Measure M-AQ-2: Construction Air Quality, would reduce this impact to a less-than-significant level.

As discussed in Section E, Evaluation of Environmental Effects, the proposed project is anticipated to only result in less-than-significant impacts for the topics included in the Initial Study checklist. The foregoing analysis identifies potentially significant impacts related to cultural resources, tribal cultural resources, noise, air quality, and geology and soils, which would be mitigated through implementation of mitigation measures as described in more detail in Section F, Mitigation Measures and Improvement Measures.

#### F. Mitigation Measures and Improvement Measures

The following mitigation measures have been identified to reduce potentially significant environmental impacts resulting from the proposed project to less-than-significant levels.

#### **Mitigation Measures**

#### Mitigation Measure M-CR-2: Archeological Testing

Based on a reasonable presumption that archeological resources may be present within the project site, the following measures shall be undertaken to avoid any potentially significant adverse effect from the proposed project on buried or submerged historical resources and on human remains and associated or unassociated funerary objects. The project sponsor shall retain the services of an archeological consultant from the rotational Qualified Archeological Consultants List (QACL) maintained by the Planning Department (Department) archeologist. After the first project approval action or as directed by the Environmental Review Officer (ERO), the project sponsor shall contact the Department archeologist to obtain the names and contact information for the next three archeological consultants on the QACL.

The archeological consultant shall undertake an archeological testing program as specified herein. In addition, the consultant shall be available to conduct an archeological interpretation, monitoring, and/or data recovery program if required pursuant to this measure. The archeological consultant's work shall be conducted in

accordance with this measure at the direction of the ERO. All plans and reports prepared by the consultant as specified herein shall be submitted first and directly to the ERO for review and comment and shall be considered draft reports subject to revision until final approval by the ERO. Archeological monitoring and/or data recovery programs required by this measure could suspend construction of the project for up to a maximum of four weeks. At the direction of the ERO, the suspension of construction can be extended beyond four weeks only if such a suspension is the only feasible means to reduce to a less-than-significant level potential effects on a significant archeological resource as defined in CEQA Guidelines Sections 15064.5(a) and (c).

*Archeological Testing Program.* The archeological consultant and the ERO shall meet and consult on the scope of the archeological testing program reasonably prior to commencement of any project-related soils-disturbing activities. The archeological consultant shall prepare and submit to the ERO for review and approval an archeological testing plan (ATP). The archeological testing program shall be conducted in accordance with the approved ATP. The ATP shall identify the property types of the expected archeological resource(s) that potentially could be adversely affected by the proposed project, the testing method to be used, and the locations recommended for testing. The purpose of the archeological testing program will be to determine to the extent possible the presence or absence of archeological resources and to identify and to evaluate whether any archeological resource encountered on the site constitutes an historical resource under CEQA.

At the completion of the archeological testing program, the archeological consultant shall submit a written report of the findings to the ERO. If, based on the archeological testing program, the archeological consultant finds that significant archeological resources may be present, the ERO, in consultation with the archeological consultant, shall determine if additional measures are warranted. Additional measures that may be required include preservation in place, archeological interpretation, monitoring, additional testing, and/or an archeological data recovery program. No archeological data recovery shall be undertaken without the prior approval of the ERO or the Department archeologist.

If the ERO determines that a significant archeological resource is present and that the resource could be adversely affected by the proposed project, the ERO, in consultation with the project sponsor, shall determine whether preservation of the resource in place is feasible. If so, the proposed project shall be redesigned so as to avoid any adverse effect on the significant archeological resource. If preservation in place is not feasible, a data recovery program shall be implemented, unless the ERO determines that the archeological resource is of greater interpretive than research significance and that interpretive use of the resource is feasible.

*Consultation with Descendant Communities.* On discovery of an archeological site118 associated with descendant Native Americans, the Overseas Chinese, or other potentially interested descendant group, an appropriate representative119 of the descendant group and the ERO shall be contacted. The representative of the descendant group shall be given the opportunity to monitor archeological field investigations of the site and to offer recommendations to the ERO regarding appropriate archeological treatment of the site, of recovered data

<sup>&</sup>lt;sup>118</sup> The term "archeological site" is intended here to minimally include any archeological deposit, feature, burial, or evidence of burial.

<sup>&</sup>lt;sup>119</sup> An "appropriate representative" of the descendant group is here defined to mean, in the case of Native Americans, any individual listed in the current Native American Contact List for the City and County of San Francisco maintained by the California Native American Heritage Commission and, in the case of the Overseas Chinese, the Chinese Historical Society of America. An appropriate representative of other descendant groups should be determined in consultation with the Department archeologist.

from the site, and, if applicable, any interpretative treatment of the associated archeological site. A copy of the Final Archaeological Resources Report shall be provided to the representative of the descendant group.

*Human Remains and Associated or Unassociated Funerary Objects*. The treatment of human remains and of associated or unassociated funerary objects discovered during any soils- disturbing activity shall comply with all applicable state and federal laws. This shall include immediate notification of the Medical Examiner of the City and County of San Francisco and, in the event of the Medical Examiner's determination that the human remains are Native American remains, notification of the Native American Heritage Commission, which shall appoint a Most Likely Descendant (MLD). The MLD shall complete his or her inspection and make recommendations or preferences for treatment and disposition within 48 hours of being granted access to the site (Public Resources Code Section 5097.98). The ERO shall also be notified immediately upon discovery of human remains.

The project sponsor and the ERO shall make all reasonable efforts to develop a Burial Agreement ("Agreement") with the MLD, as expeditiously as possible, for the treatment and disposition, with appropriate dignity, of the human remains and associated or unassociated funerary objects (as detailed in CEQA Guidelines Section 15064.5(d)). The Agreement shall take into consideration the appropriate excavation, removal, recordation, scientific analysis, custodianship, curation, and final disposition of the human remains and associated funerary objects.

Nothing in existing state regulations or in this mitigation measure compels the project sponsor and the ERO to accept recommendations of an MLD. However, if the ERO, project sponsor, and MLD are unable to reach an agreement on scientific treatment of the remains and associated or unassociated funerary objects, the ERO, in cooperation with the project sponsor, shall ensure that the remains and associated or unassociated funerary objects are stored securely and respectfully until they can be reinterred on the property, with appropriate dignity, in a location not subject to further or future subsurface disturbance (Public Resources Code Section 5097.98).

Treatment of historic-period human remains and of associated or unassociated funerary objects discovered during soils-disturbing activity additionally shall follow protocols laid out in the archeological testing program and any agreement established between the project sponsor, the Medical Examiner, and the ERO.

*Archeological Monitoring Program*. If the ERO, in consultation with the archeological consultant, determines that an archeological monitoring program shall be implemented, the archeological monitoring program shall minimally include the following provisions:

- The ERO, in consultation with the archeological consultant, shall determine what project activities shall be archeologically monitored. In most cases, any soils-disturbing activities, such as demolition, foundation removal, excavation, grading, utilities installation, foundation work, driving of piles (foundation, shoring, etc.), site remediation, etc., shall require archeological monitoring because of the risk these activities pose to potential archeological resources and to their depositional context;
- The archeological consultant shall undertake a worker training program for soils-disturbing workers that will include an overview of expected resource(s), how to identify the evidence of the expected resource(s), and the appropriate protocol in the event of apparent discovery of an archeological resource;
- The archeological monitor(s) shall be present on the project site according to a schedule agreed upon by the archeological consultant and the ERO until the ERO has, in consultation with the project archeological

consultant, determined that project construction activities could have no effects on significant archeological deposits;

- The archeological monitor shall record and be authorized to collect soil samples and artifactual/ecofactual material as warranted for analysis;
- If an intact archeological deposit is encountered, all soils-disturbing activities in the vicinity of the deposit shall cease. The archeological monitor shall be empowered to temporarily redirect demolition/excavation/pile driving/construction activities and equipment until the deposit is evaluated. If, in the case of pile driving or deep foundation activities (foundation, shoring, etc.), the archeological monitor has cause to believe that the pile driving or deep foundation activities shall be terminated until an appropriate evaluation of the resource has been made in consultation with the ERO. The archeological consultant shall immediately notify the ERO of the encountered archeological deposit. The archeological consultant shall make a reasonable effort to assess the identity, integrity, and significance of the encountered archeological deposit, and present the findings of this assessment to the ERO for a determination as to whether the resources are significant and implementation of an archeological data recovery program therefore is necessary.

Whether or not significant archeological resources are encountered, the archeological consultant shall submit a written report of the findings of the monitoring program to the ERO.

*Archeological Data Recovery Program.* The archeological data recovery program shall be conducted in accord with an archeological data recovery plan (ADRP). The archeological consultant, project sponsor, and ERO shall meet and consult on the scope of the ADRP prior to preparation of a draft ADRP. The archeological consultant shall submit a draft ADRP to the ERO. The ADRP shall identify how the proposed data recovery program will preserve the significant information the archeological resource is expected to contain. That is, the ADRP will identify what scientific/historical research questions are applicable to the expected resource, what data classes the resource is expected to possess, and how the expected data classes would address the applicable research questions. Data recovery, in general, should be limited to the portions of the historical property that could be adversely affected by the proposed project. Destructive data recovery methods shall not be applied to portions of the archeological resources if nondestructive methods are practical.

The scope of the ADRP shall include the following elements:

- *Field Methods and Procedures*. Descriptions of proposed field strategies, procedures, and operations.
- *Cataloguing and Laboratory Analysis*. Description of selected cataloguing system and artifact analysis procedures.
- *Discard and Deaccession Policy*. Description of and rationale for field and post-field discard and deaccession policies.
- *Interpretive Program*. Consideration of an on-site/off-site public interpretive program for significant finds.
- *Security Measures*. Recommended security measures to protect the archeological resource from vandalism, looting, and non-intentionally damaging activities.
- *Final Report*. Description of proposed report format and distribution of results.

• *Curation*. Description of the procedures and recommendations for the curation of any recovered data having potential research value, identification of appropriate curation facilities, and a summary of the accession policies of the curation facilities.

*Public Interpretation.* If project soils disturbance results in the discovery of a significant archeological resource, the ERO may require that information provided by archeological data recovery be made available to the public in the form of a non-technical, non-confidential archeological report, archeological signage and displays or another interpretive product. The project archeological consultant shall prepare an Archeological Public Interpretation Plan that describes the interpretive product(s), locations, or distribution of interpretive materials or displays, the proposed content and materials, the producers or artists of the displays or installation, and a long-term maintenance program. The draft interpretive plan may be a stand-alone document or may be included as an appendix to the Final Archeological Resources Report, depending on timing of analyses. The draft interpretive plan shall be subject to the ERO for review and approval and shall be implemented prior to project occupancy.

*Final Archeological Resources Report.* The archeological consultant shall submit a Draft Final Archeological Resources Report (FARR) to the ERO that evaluates the historical significance of any discovered archeological resource and describes the archeological and historical research methods employed in the archeological testing/monitoring/data recovery program(s) undertaken. The Draft FARR shall include a curation and deaccession plan for all recovered cultural materials.

Copies of the Draft FARR shall be sent to the ERO for review and approval. Once approved by the ERO, the consultant shall also prepare a public distribution version of the FARR. Copies of the FARR shall be distributed as follows: the California Archaeological Site Survey Northwest Information Center (NWIC) shall receive one (1) copy and the ERO shall receive a copy of the transmittal of the FARR to the NWIC. The Environmental Planning Division of the Planning Department shall receive one bound and one unlocked, searchable PDF copy of the FARR on CD or other electronic medium, along with GIS shapefiles of the site and feature locations and copies of any formal site recordation forms (CA DPR 523 series) and/or documentation for nomination to the National Register of Historic Places/California Register of Historical Resources.

#### <u>Mitigation Measure M-TC-1: Tribal Cultural Resources Archeological Resource Preservation Plan and/or</u> <u>Interpretive Program</u>

In the event of the discovery of an archeological resource of Native American origin, the Environmental Review Officer (ERO), the project sponsor, and the tribal representative shall consult to determine whether preservation in place would be feasible and effective. If it is determined that preservation-in-place of the TCR would be both feasible and effective, then the archeological consultant shall prepare an archeological resource preservation plan, which shall be implemented by the project sponsor during construction to ensure the permanent protection of the resource.

If the ERO, in consultation with the project sponsor and the tribal representative, determines that preservation in place of the TCR is not a sufficient or feasible option, then the project archeologist shall prepare an interpretive program of the TCR in consultation with affiliated Native American tribal representatives and the project sponsor. The plan shall identify proposed locations for displays or installations, the proposed content and materials of those displays or installations, the producers or artists of the displays or installations, and a long-term maintenance program. The interpretive program may include artist installations, preferably by local Native American artists, oral histories with local Native Americans, artifacts displays and interpretation, and educational

panels or other informational displays. Upon approval by the ERO and prior to project occupancy, the interpretive program shall be implemented by the project sponsor.

#### <u>Mitigation Measure M-NO-2: Protection of Adjacent Buildings/Structures and Vibration Monitoring During</u> <u>Construction</u>

Prior to issuance of any demolition or building permit, the property owner shall submit a project-specific Preconstruction Survey and Vibration Management and Monitoring Plan to the Planning Department (Lead Agency) for approval. The plan shall identify all feasible means to avoid damage to potentially affected buildings. The property owner shall ensure that the following requirements of the Vibration Management and Monitoring Plan are included in contract specifications.

*Pre-construction Survey.* Prior to the start of any ground-disturbing activity, the property owner or their designees shall engage a consultant to undertake a Pre-construction Survey of potentially affected buildings. If potentially affected buildings and/or structures are not potentially historic, a structural engineer or other professional with similar qualifications shall document and photograph the existing conditions of the potentially affected buildings and/or structures. The project sponsor shall submit the survey to the Lead Agency for review and approval prior to the start of vibration-generating construction activity.

If nearby affected buildings are potentially historic, the project sponsor shall engage a historic architect or qualified historic preservation professional and a structural engineer or other professional with similar qualifications to undertake a Pre-construction Survey of potentially affected historic buildings. The Pre-construction Survey shall include descriptions and photographs of both the exterior and interior of all identified historic buildings including all facades, roofs, and details of the character-defining features that could be damaged during construction, and shall document existing damage, such as cracks and loose or damaged features. The report shall also include pre-construction drawings that record the pre-construction condition of the buildings and identify cracks and other features to be monitored during construction. The historic architect or qualified historic preservation professional should be the lead author of the Pre-construction Survey if historic buildings and/or structures could be affected by the project. These reports shall be submitted to the Lead Agency for review and approval prior to the start of vibration-generating construction activity.

*Vibration Management and Monitoring Plan.* The property owner or their designee shall undertake a monitoring plan to avoid or reduce project-related construction vibration damage to adjacent buildings and/or structures and to ensure that any such damage is documented and repaired. The Vibration Management and Monitoring Plan shall apply to all potentially affected buildings and/or structures. Prior to issuance of any demolition or building permit, the project sponsor shall submit the Vibration Management and Monitoring Plan that lays out the monitoring program to the Lead Agency for approval. If historic buildings could be affected, the Vibration Management and Monitoring Plan shall also be submitted to the Lead Agency's preservation staff for review and approval, if applicable.

The Vibration Management and Monitoring Plan shall include, at a minimum, the following components, as applicable:

• *Maximum Vibration Level.* Based on the anticipated construction and condition of the affected buildings and/or structures on adjacent properties, a qualified acoustical/vibration consultant in coordination with a structural engineer (or professional with similar qualifications) and, in the case of potentially affected historic buildings/structures, a historic architect or qualified historic preservation professional, shall

establish a maximum vibration level that shall not be exceeded at each building/structure on adjacent properties, based on existing conditions, character-defining features, soil conditions, and anticipated construction practices (common standards are a peak particle velocity [PPV] of 0.25 inch per second for historic and some old buildings, a PPV of 0.3 inch per second for older residential structures, and a PPV of 0.5 inch per second for new residential structures and modern industrial/commercial buildings).

- *Vibration-generating Equipment.* The plan shall identify all vibration-generating equipment to be used during construction (including, but not limited to, site preparation, clearing, demolition, excavation, shoring, foundation installation, and building construction).
- *Alternative Construction Equipment and Techniques.* The plan shall identify potential alternative equipment and techniques that could be implemented if construction vibration levels are observed in excess of the established standard (e.g., pre-drilled piles could be substituted for driven piles, if feasible, based on soil conditions, or smaller, lighter equipment could be used in some cases).
- *Pile Driving Requirements.* For projects that require pile driving, the project sponsor shall incorporate into construction specifications for the project a requirement that the construction contractor(s) use all feasible means to avoid or reduce damage to potentially affected buildings. Such methods may include one or more of the following:
  - o Incorporate "quiet" pile-driving technologies into project construction (such as predrilling piles, using sonic pile drivers, auger cast-in-place, or drilled-displacement), as feasible; and/or
  - Ensure appropriate excavation shoring methods to prevent the movement of adjacent structures
- *Buffer Distances.* The plan shall identify buffer distances to be maintained based on vibration levels and site constraints between the operation of vibration-generating construction equipment and the potentially affected building and/or structure to avoid damage to the extent possible.
- *Vibration Monitoring.* The plan shall lay out the method and equipment for vibration monitoring. To ensure that construction vibration levels do not exceed the established standard, the acoustical consultant shall monitor vibration levels at each affected building and/or structure on adjacent properties and prohibit vibratory construction activities that generate vibration levels in excess of the standard.
  - Should construction vibration levels be observed in excess of those established in the plan, the contractor(s) shall halt construction and put alternative construction techniques identified in the plan into practice, to the extent feasible.
  - The historic architect or qualified historic preservation professional (for effects on historic buildings and/or structures) and/or structural engineer (for effects on historic and non-historic buildings and/or structures) shall inspect each affected building and/or structure in the event the development project exceeds the established standards.
    - If vibration has damaged nearby buildings and/or structures that are not historic, the structural engineer shall immediately notify the Lead Agency and prepare a damage report documenting the features of the building and/or structure that has been damaged.
    - If vibration has damaged nearby buildings and/or structures that are historic, the historic preservation consultant shall immediately notify the Lead Agency and prepare a damage

report documenting the features of the building and/or structure that has been damaged.

- If no damage has occurred to nearby buildings and/or structures, then the historic preservation professional (if potentially affected buildings are historic) and/or structural engineer (for effects on historic and non-historic buildings) shall submit a monthly report to the Lead Agency for review. This report shall identify and summarize the vibration level exceedances and describe the actions taken to reduce vibration.
- Following incorporation of the alternative construction techniques and/or Lead Agency review of the damage report, vibration monitoring shall recommence to ensure that vibration levels at each affected building and/or structure on adjacent properties are not exceeded.
- *Periodic Inspections.* The plan shall lay out the intervals and parties responsible for periodic inspections. The historic architect or qualified historic preservation professional (for effects on historic buildings and/or structures) and/or structural engineer (for effects on historic and non-historic buildings and/or structures) shall conduct regular periodic inspections of each affected building and/or structure on adjacent properties during vibration-generating construction activity on the project site. The plan will specify how often inspections and reporting shall occur.
- *Repairing Damage.* The plan shall also identify provisions to be followed should damage to any building and/or structure occur due to construction-related vibration. The building(s) and/or structure(s) shall be remediated to their pre-construction condition at the conclusion of vibration-generating activity on the site. For historic resources, should damage occur to any building and/or structure, the building and/or structure shall be restored to its pre-construction condition in consultation with the historic architect or qualified historic preservation professional and Lead Agency.

*Vibration Monitoring Results Report.* After construction is complete, the Lead Agency shall receive a final report from the historic architect or qualified historic preservation professional (for effects on historic buildings and/or structures) and/or structural engineer (for effects on historic and non-historic buildings and/or structures). The report shall include, at minimum, collected monitoring records, building and/or structure condition summaries, descriptions of all instances of vibration level exceedance, identification of damage incurred due to vibration, and corrective actions taken to restore damaged buildings and structures. The Lead Agency shall review and approve all Vibration Monitoring Results Reports.

#### Mitigation Measure M-AQ-2: Construction Air Quality

The project sponsor or the project sponsor's Contractor shall comply with the following:

- A. Engine Requirements.
  - All off-road equipment greater than 25 hp and operating for more than 20 total hours over the entire duration of construction activities shall have engines that meet or exceed either U.S. Environmental Protection Agency or California Air Resources Board (ARB) Tier 2 off-road emission standards, and have been retrofitted with an ARB Level 3 Verified Diesel Emissions Control Strategy (VDECS). Equipment with engines meeting Tier 4 Interim or Tier 4 Final off-road emission standards automatically meet this requirement.

- 2. Where access to alternative sources of power are available, portable diesel engines shall be prohibited.
- 3. Diesel engines, whether for off-road or on-road equipment, shall not be left idling for more than two minutes, at any location, except as provided in exceptions to the applicable state regulations regarding idling for off-road and on-road equipment (e.g., traffic conditions, safe operating conditions). The Contractor shall post legible and visible signs in English, Spanish, and Chinese, in designated queuing areas and at the construction site to remind operators of the two-minute idling limit.
- 4. The Contractor shall instruct construction workers and equipment operators on the maintenance and tuning of construction equipment and require that such workers and operators properly maintain and tune equipment in accordance with manufacturer specifications.
- B. Waivers.
  - The Planning Department's Environmental Review Officer (ERO) or designee may waive the alternative source of power requirement of Subsection (A)(2) if an alternative source of power is limited or infeasible at the project site. If the ERO grants the waiver, the Contractor must submit documentation that the equipment used for onsite power generation meets the requirements of Subsection (A)(1).
  - 2. The ERO may waive the equipment requirements of Subsection (A)(1) if: a particular piece of off-road equipment with an ARB Level 3 VDECS is technically not feasible; the equipment would not produce desired emissions reduction due to expected operating modes; installation of the equipment would create a safety hazard or impaired visibility for the operator; or, there is a compelling emergency need to use off-road equipment that is not retrofitted with an ARB Level 3 VDECS. If the ERO grants the waiver, the Contractor must use the next cleanest piece of off-road equipment, according to the table below.

Compliance Alternative	Engine Emission Standard	Emissions Control
1	Tier 2	ARB Level 2 VDECS
2	Tier 2	ARB Level 1 VDECS
3	Tier 2	Alternative Fuel*

Table – Off-Road Equipment Compliance Step-down Schedu	le
Table - On-Road Equipment compliance step-down schedu	iC.

How to use the table: If the ERO determines that the equipment requirements cannot be met, then the project sponsor would need to meet Compliance Alternative 1. If the determines that the Contractor cannot supply off-road equipment meeting Compliance Alternative 1, then the Contractor must meet Compliance Alternative 2. If the ERO determines that the Contractor cannot supply off-road equipment meeting Compliance Alternative 2, then the Contractor must meet Compliance Alternative 3.

\*\* Alternative fuels are not a VDECS.

- C. *Construction Emissions Minimization Plan.* Before starting on-site construction activities, the Contractor shall submit a Construction Emissions Minimization Plan (Plan) to the ERO for review and approval. The Plan shall state, in reasonable detail, how the Contractor will meet the requirements of Section A.
  - 1. The Plan shall include estimates of the construction timeline by phase, with a description of each piece of off-road equipment required for every construction phase. The description may include, but is not limited to: equipment type, equipment manufacturer, equipment identification number, engine model year, engine certification (tier rating), horsepower, engine serial number, and expected fuel usage and hours of operation. For VDECS installed, the description may include: technology type, serial number, make, model, manufacturer, ARB verification number level, and installation date and hour meter reading on installation date. For off-road equipment using alternative fuels, the description shall also specify the type of alternative fuel being used.
  - 2. The project sponsor shall ensure that all applicable requirements of the Plan have been incorporated into the contract specifications. The Plan shall include a certification statement that the Contractor agrees to comply fully with the Plan.
  - 3. The Contractor shall make the Plan available to the public for review on-site during working hours. The Contractor shall post at the construction site a legible and visible sign summarizing the Plan. The sign shall also state that the public may ask to inspect the Plan for the project at any time during working hours and shall explain how to request to inspect the Plan. The Contractor shall post at least one copy of the sign in a visible location on each side of the construction site facing a public right-of-way.
- D. *Monitoring.* After start of construction activities, the Contractor shall submit quarterly reports to the ERO documenting compliance with the Plan. After completion of construction activities and prior to receiving a final certificate of occupancy, the project sponsor shall submit to the ERO a final report summarizing construction activities, including the start and end dates and duration of each construction phase, and the specific information required in the Plan.

#### Mitigation Measure M-GE-6a: Worker Environmental Awareness Training

Prior to commencing construction, the project sponsor shall ensure that all workers are trained on the contents of the Paleontological Resources Alert Sheet, as provided by the Planning Department. The Paleontological Resources Alert Sheet shall be prominently displayed at the construction site during ground disturbing activities to provide pre-construction worker environmental awareness training regarding potential paleontological resources.

In addition, the project sponsor (through a designated representative) shall inform construction personnel of the immediate stop work procedures and contact information to be followed if bones or other potential fossils are unearthed at the project site, and the laws and regulations protecting paleontological resources. As new workers arrive at the project site for ground disturbing activities, they would be trained by the construction supervisor.

The project sponsor shall submit a letter confirming the timing of the worker training to the Planning Department. The letter shall confirm the project's location, the date of training, the location of the informational handout display, and the number of participants. The letter shall be transmitted to the Planning Department within five (5) business days of conducting the training.

#### Mitigation Measure M-GE-6b: Discovery of Unanticipated Paleontological Resources

In the event of the discovery of an unanticipated paleontological resource during construction, excavations within 25 feet of the find shall temporarily be halted until the discovery is examined by a qualified paleontologist (pursuant to Society of Vertebrate Paleontology standards (SVP 1995, 1996)). Work within the sensitive area shall resume only when deemed appropriate by the qualified paleontologist in consultation with the Planning Department.

The qualified paleontologist shall determine if: (1) the discovery is scientifically significant; (2) the necessity for involving other agencies and stakeholders; (3) the significance of the resource; and (4) methods for resource recovery. If a paleontological resource assessment results in a determination that the resource is not scientifically important, this conclusion shall be documented in a Paleontological Evaluation Letter to demonstrate compliance with applicable statutory requirements. The Paleontological Evaluation Letter shall be submitted to the Planning Department for review within 30 business days of the discovery.

If a paleontological resource is determined to be of scientific importance and there are no feasible avoidance measures, a Paleontological Mitigation Program (mitigation program) must be prepared by the qualified paleontologist engaged by the project sponsor. The mitigation program shall include measures to fully document and recover the resource. The mitigation program shall be approved by the Planning Department. Ground disturbing activities in the project area shall be monitored as determined by the qualified paleontologist for the duration of such activities in collaboration with the Planning Department, once work is resumed.

The mitigation program shall include: (1) procedures for construction monitoring at the project site; (2) fossil preparation and identification procedures; (3) curation into an appropriate repository; and (4) preparation of a Paleontological Resources Report (report or paleontology report) at the conclusion of ground disturbing activities. The paleontology report shall include dates of field work, results of monitoring, fossil identifications to the lowest possible taxonomic level, analysis of the fossil collection, a discussion of the scientific significance of the fossil collection, conclusions, locality forms, an itemized list of specimens, and a repository receipt from the curation facility. The project sponsor shall be responsible for the preparation and implementation of the mitigation program, in addition to any costs necessary to prepare and identify collected fossils and for any curation fees charged by the paleontological repository. The mitigation program shall be submitted to the Planning Department for review within 10 business days of the discovery. The paleontology report shall be submitted to the Planning Department for review within 30 business days from conclusion of ground disturbing activities or as negotiated following consultation with the Planning Department.

#### **Improvement Measures**

#### Improvement Measure I-CR-1a: Documentation

A. Historic American Building/Historic American Landscape Survey

Prior to the issuance of demolition or site permits, the project sponsor should undertake Historic American Building/Historic American Landscape Survey-like (HABS/HALS-like) level documentation of the subject property,

structures, objects, materials, and landscaping. The documentation should be funded by the project sponsor and undertaken by a qualified professional who meets the standards for history, architectural history, or architecture (as appropriate), as set forth by the Secretary of the Interior's Professional Qualification Standards (36 Code of Federal Regulation, Part 61) and will assist with the reuse and/or replication of character-defining features to be incorporated into the new construction and provide content to the interpretation program, both of which are part of the proposed project. The professional overseeing the documentation should meet with Planning Department staff for review and approval of a coordinated documentation plan before work on any one aspect may commence. The specific scope of the documentation should be reviewed and approved by the Planning Department. The documentation package created should consist of the items listed below.

*Measured Drawings:* A set of measured drawings that depict the existing size, scale, and dimension of the subject property. Planning Department preservation staff will accept the original architectural drawings or an as-built set of architectural drawings (plan, section, elevation, etc.) with modification to meet HABS guidelines as determined by Planning Department preservation staff. Planning Department preservation staff will assist the consultant in determining the appropriate level of measured drawings.

*Historic American Buildings/Historic American Landscape Survey Level Photographs:* Either Historic American Buildings/Historic American Landscape Survey (HABS/HALS) standard large-format or digital photography should be used. The scope of the digital photographs should be reviewed by Planning Department preservation staff for concurrence, and all digital photography should be conducted according to the latest National Park Service standards. The photography should be undertaken by a qualified professional with demonstrated experience in HABS/HALS photography. Photograph views for the data set should include contextual views; views of each side of the building and interior views, including any original interior features, where possible; oblique views of the building; and detail views of character-defining features, including landscape elements. All views should be referenced on a photographic key. This photographic key should be on a map of the property and should show the photograph number with an arrow to indicate the direction of the view. Historic photographs should also be collected, reproduced, and included in the data set.

The professional(s) should prepare the documentation and the Planning Department should monitor its preparation. The HABS/HALS documentation scope will determine the requested documentation type for each facility, and the project sponsor will conduct outreach to identify other interested repositories.

The professional(s) should submit the completed documentation for review and approval by Planning Department preservation staff before issuance of building permits. All documentation will be reviewed and approved by Planning Department preservation staff before any demolition or site permit is granted for the affected historical resource.

The final approved documentation should be provided in both printed and electronic form to the Planning Department and offered to repositories including, but not limited to, the San Francisco Public Library, the Northwest Information Center, San Francisco Architectural Heritage, the California Historical Society, and the GLBT Historical Society. The Planning Department will make electronic versions of the documentation available to the public at no charge.

### B. Video Recordation

Prior to any demolition or substantial alteration of an individual historical resource or contributor to a historic district on the project site, the project sponsor should retain a qualified professional to undertake video documentation of the affected historical resource and its setting. This mitigation measure would supplement the traditional HABS/HALS documentation, and would enhance the collection of reference materials that would be available to the public and inform future research.

The documentation should be conducted by a professional videographer with experience recording architectural resources. The professional videographer should provide a storyboard of the proposed video recordation for review and approval by Planning Department preservation staff. The documentation should be narrated by a qualified professional who meets the standards for history, architectural history, or architecture (as appropriate), as set forth by the Secretary of the Interior's Professional Qualification Standards (36 Code of Federal Regulations, Part 61). The documentation should include as much information as possible—using visuals in combination with narration—about the materials, construction methods, current condition, historical use, and historic context of the historic resources.

The final video should be reviewed and approved by Planning Department preservation staff prior to issuance of a demolition permit or site permit or issuance of any building permits for the project.

Archival copies of the video documentation should be submitted to the Planning Department, and to repositories including: History Room at the San Francisco Public Library, Prelinger Archives, the California Historical Society, San Francisco Architectural Heritage, and the Northwest Information Center of the California Historical Information Resource System. This improvement measure would supplement the traditional HABS documentation, and would enhance the collection of reference materials that would be available to the public and inform future research.

### Improvement Measure I-CR-1b: Interpretation

The project sponsor should facilitate the development of an interpretive program focused on the history of the project site as outlined in the project description. The interpretive program should be developed and implemented by a qualified professional with demonstrated experience in displaying information and graphics to the public in a visually interesting manner, such as a museum or exhibit curator. The project sponsor should utilize the oral histories and subsequent transcripts prepared as part of the Historic Resource Evaluation review process. As feasible, coordination with local artists or community members should occur. The primary goal of the program is to educate visitors and future residents about the property's historical themes, associations, and lost contributing features within broader historical, social, and physical landscape contexts. These themes would include but not be limited to the subject property's historic significance as a contributor to the identified-eligible Polk Gulch LGBTQ Historic District and should include the oral histories previous undertaken for this project.

This program should be initially outlined in a Historic Resources Public Interpretive Plan (HRPIP) subject to review and approval by Planning Department preservation staff. The HRPIP will lay out the various components of the interpretive program that should be developed in consultation with a qualified preservation professional. The HRPIP should describe the interpretive product(s), locations or distribution of interpretive materials or displays, the proposed content and materials, the producers or artists of the displays or installation, and a long-term maintenance program. The HRPIP should be approved by Planning Department staff prior to issuance of a site permit or demolition permit. The interpretive program should include the installation of permanent on-site interpretive displays but may also include development of digital/virtual interpretive products. For physical interpretation, the plan should include the proposed format and accessible location of the interpretive content, as well as high-quality graphics and written narratives. The permanent display should include the history of 1525 Pine Street and the historical context of the Polk Gulch LGBTQ Historic District. The display should be placed in a prominent, public setting within, on, or in the exterior of the new building. The interpretive material(s) should be installed within the project site boundaries and made of durable all-weather materials. The interpretive material(s) should be of high quality and installed to allow for high public visibility. The interpretive plan should also explore contributing to digital platforms that are publicly accessible, such as the History Pin website or phone applications. Interpretive material could include elements such as virtual museums and content, such as oral history, brochures, and websites. All interpretive material should be publicly available.

The HRPIP should be approved by Planning Department preservation staff prior to issuance of the architectural addendum to the site permit. The detailed content, media and other characteristics of such interpretive program should be approved by Planning Department preservation staff prior to issuance of a Temporary Certificate of Occupancy.

Prior to finalizing the HRPIP, the sponsor and consultant should attempt to convene a community group consisting of local preservation organizations and other interested parties such as SF Heritage and the GLBT Historical Society to receive feedback on the interpretive plan.

The interpretive program should be developed in coordination with the archaeological program if archaeological interpretation is required.

The interpretive program should also coordinate with other interpretive programs currently proposed or installed in the vicinity or for similar resources in the city.

### Improvement Measure I-CR-1c: Salvage Architectural Materials from the Site for Public Information and Reuse

As included in the project description, the project sponsor proposes to reuse many of the significant features associated with Grubstake in the proposed project. Prior to the removal of the character-defining features of the historic district contributor that are proposed to be incorporated into the proposed project, the project sponsor should provide Planning Department preservation staff with a salvage plan that outlines the details of how the features to be reused and incorporated into the proposed project would be removed, stored, reinstalled, and maintained. The salvage plan should be reviewed and approved by Planning Department preservation staff prior to issuance of the architectural addendum to the site permit.

### Improvement Measure I-TR-1: Coordinated Construction Traffic Management Plan

The project sponsor should participate in the preparation and implementation of a coordinated construction traffic management plan that includes measures to reduce hazards between construction-related traffic and pedestrians, bicyclists, and transit vehicles. The coordinated construction traffic management plan should be prepared in coordination with other public and private projects within a one-block radius that may have overlapping construction schedules and should be subject to review and approval by the City's interdepartmental Transportation Advisory Staff Committee (TASC). The plan should include, but not necessarily be limited to, the following measures:

**Restricted Construction Access Hours:** Limit truck movements and deliveries requiring lane closures to occur between 9:00 a.m. and 4:00 p.m., outside of peak morning and evening weekday commute hours.

Alternative Transportation for Construction Workers: Provide incentives to construction workers to carpool, use transit, bike, and walk to the project site as alternatives to driving alone to and from the project site. Such incentives may include, but not be limited to, providing secure bicycle parking spaces, participating in the free-to-employee-and-employer ride matching program from www.511.org, participating in the emergency ride home program through the City of San Francisco (www.sferh.org), and providing transit information to construction workers.

**Construction Worker Parking Plan:** The location of construction worker parking will be identified as well as the person(s) responsible for monitoring the implementation of the proposed parking plan. The use of on-street parking to accommodate construction worker parking will be discouraged.

**Coordination of Temporary Sidewalk Closures:** The project sponsor should coordinate sidewalk closures with other projects requesting concurrent lane or sidewalk closures through the TASC and interdepartmental meetings to minimize the extent and duration of requested closures.

Maintenance of Transit, Vehicle, Bicycle, and Pedestrian Access: The project sponsor/construction contractor(s) should meet with Public Works, SFMTA, the Fire Department, Muni Operations, and other City agencies to coordinate feasible measures to include in the Coordinated Construction Management Plan to maintain access for transit, vehicles, bicycles, and pedestrians. This should include an assessment of the need for temporary transit stop relocations or other measures to reduce potential traffic, bicycle, and transit disruption and pedestrian circulation effects during construction of the project.

**Proposed Project Construction Updates for Adjacent Businesses and Residents:** Provide regularly updated information regarding project construction, including a construction contact person, construction activities, duration, peak construction activities (e.g., concrete pours), travel lane closures, and lane closures (bicycle and parking) to nearby residences and adjacent businesses through a website, social media, or other effective methods acceptable to the Environmental Review Officer.

### G. Public Notice and Comment

On August 23, 2017, the Planning Department mailed a Notification of Project Receiving Environmental Review to owners of properties within 300 feet of the project site, adjacent occupants, and neighborhood groups. Overall, concerns and issues raised by the public in response to the notice were taken into consideration and incorporated in the environmental review as appropriate.

The Planning Department received comments expressing concerns about:

- noise during construction;
- noise from the existing bakery on the adjacent property at 1515-1517 Pine Street;
- loss of sunlight to the adjacent residence at 1515-1517 Pine Street;
- the project's architectural design and the loss of the unique architectural style of the existing restaurant on the project site;

Impacts related to the demolition of the existing architecturally unique restaurant on the project site are discussed in Section E.3, Cultural Resources. Impacts related to construction noise are discussed in Section E.6, Noise. The project sponsor has no control over the amount of noise generated by the existing bakery on the adjacent property at 1515-1517 Pine Street. Impacts related to shadow are discussed in Section E.10, Shadow.

### H. Determination

On the basis of this Initial Study:



 $\square$ 

I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.

I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.

I find that the proposed project MAY have a significant effect on the environment, and an ENVIRONMENTAL IMPACT REPORT is required.

I find that the proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.

I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, no further environmental documentation is required.

Lina Hilom


Lisa Gibson Environmental Review Officer for Rich Hillis Director of Planning

DATE 1/27/2021

### I. Initial Study Preparers

Planning Department, City and County of San Francisco Environmental Planning Division 49 South Van Ness Avenue, Suite 1400 San Francisco, CA 94103

Environmental Review Officer: Lisa Gibson Principal Environmental Planner: Joy Navarrete Senior Environmental Planner: Michael Li ATTACHMENT A Project Plans (March 18, 2021) This page intentionally left blank.



			1
P:	SUBJECT PROPERTY: 1525 PINE STREET		
		Revisions	
A:			
OWNER:	1525 PINE STREET DEV LLC		
PROJECT ADDRESS:	1525 PINE STREET SAN FRANCISCO, CA 94109		
BLOCK / PARCEL:	BLOCK 0667 / LOT 020		
LOT AREA:	3,000 SF (25' X 120')		
SFDBI BPA #:	2018-0208-0768		
PLANNING PERMIT #:	2015-009955 PRJ/PPA/SHDIVAR		
ZONING DISTRICT:	POLK ST NEIGHBORHOOD COMMERCIAL DISTRICT 65-A		
CCUPANCY GROUP:	R-2 OVER M		
DINSTRUCTION TYPE:	S STORIES TYPE IV HEAVY TIMBERCLT OVER 3 STORIES TYPE IA CONCRETE S STORIES TYPE III.A FIRE-TREATED WOOD FRAME OVER 3 STORIES TYPE IA CONCRETE R 8 STORIES TYPE IA CONCRETE		
ARCHITECT:	KERMAN MORRIS ARCHITECTS 139 NOE STREET SAN FRANCISCO, CA 94114	1525 PINE	
CTURAL ENGINEER:	T: (415) 749-0302 DCI ENCINEERING OC MUNICIPAL TO ADD DCI ENCINEERING	1525 PINE STREET SAN FRANCISCO, CA 94109	
	135 MAIN STREET, STE 1800 SAN FRANCISCO, CA 94105	BLOCK 0667 / LOT 020	
HANICAL ENGINEER:	TBD	SFDBI BPA: 2018-0208-0768 PRJ #: 2015-009955	
CIVIL:	TRIAD / HOLMES ASSOCIATES 777 WOODSIDE RD, STE 2A REDWOOD CITY, CA 94061	CONSTRUCTION OF MULTI-FAMILY HOUSING OVER RESTAURANT AND	
EQUIREME	ENTS	BASEMENT IMPLEMENTING THE INDIVIDUALLY REQUESTED STATE DENSITY	
QUIREMENTS CBC CI PRINKLER SYSTEMS:	H.9 PROJECT SHALL BE FULLY SPRINKLERED PER THIS SECTION	BONUS 1525 PINE STREET DEV LLC	
S PER CBC CH. 10		NOTICE	
EMENTS PER CBC CH ND TOILET FACILITIES	1.11A 3: OPTION 2 TO BE USED FOR ALL RESIDENCES IN BUILDING	These drawings and specifications are the property and copyright of Kerman/Morris Architects and shall	
EMENTS PER CBC CH COMMON RESIDENTIA	4.11 <u>B</u> ALSPACES SHALL COMPLY WITH THIS SECTION	not be used on any other work except by written agreement with Kerman/Morris Architects.	
<u>ES</u> I, OVER, OR ADJACEN	IT TO THE SITE, INCLUDING ANY SIGNIFICANT LAND MARK OR STREET TREES.	The Contractor shall verify all existing conditions. Written dimensions take preference over scaled dimensions	
		and shall be verified on the project site. Any discrepancy shall be brought to the attention of Kerman Morris Architects prior to the commencement	$\mathbf{o}$
LOT UNDER SEPARA	THE EXISTING SINGLE STORY COMMERCIAL STRUCTURE (CURRENTLY HOUSING THE TE PERMIT (BPA #2018-0208-0778) AND THE CONSTRUCTION OF A NEW MIXED-USE EIGHT	of any work. These drawings are an industry standards builders set for building permit and to assist the contractor in construction. The drawings show	6
PACE) AND THE RESID	18-0208-0768) CONSISTING OF: GROUND FLOOR COMMERCIAL (THE 'GRUBSTAKE DINER' DENTIAL ENTRY, SEVEN (7) STORIES OF RESIDENTIAL OCCUPANCY (21 DWELLING SEMENT LEVEL SPACES AUXILIARY TO THE COMMERCIAL AND RESIDENTIAL USES.	limited and only representative/typical details.	N
THAN ALLOWED UND	UESTED STATE DENSITY BONUS PROGRAM (S. 206.6) TO ACHIEVE GREATER DENSITY, ER THE BASE ZONING. CONDITIONAL USE APPROVAL, AND REVIEWAPPROVAL OF UNDER THE STATE DENSITY BONUS PROGRAM ARE REQUIRED BY THE SF PLANNING	All attachments, connections, fastenings,etc, are to be properly secured in conformance with best practice, and the Contractor shall be responsible for providing and installing them.	0
RNIA PLUMBING CODI	STATE CODES INCLUDING BUT NOT LIMITED TO: THE 2016 EDITION OF THE CALIFORMA E, THE CALIFORMA MECHANICAL CODE, THE CALIFORMA ELECTRICAL CODE AND THE F THE SAN FRANCISCO BUILDING AND PLANNING CODES; TITLE-24 ENERGY STANDARDS; EDITION); ETC	199499-	œ
	VALS BY SF PLANNING	COVER SHEET	0
Density Bonus Mixed-u 65-A underlying zoning	use Project is		
requested are to the follo		DATE 03/18/2021	Ó
140)		SCALE 1/8" = 1'-0"	
. 261)		DRAWN BY Author	5
		CHECKED BY Checker	
NIN	G COMMISSION	JOB NO. 1914	0
	03/18/2021		2
SFDB	NG PERMIT#: 2015-009955 I BPA#: 2018-0208-0768 molished under separate permit bpa# 2018-0208-0778)	G0.01	PERMIT LICATION ABER:

ABB	BREVIATIONS				TES
-	AND AT	L LAV	ANGLE / LONG / LENGTH LAVATORY	A. GENERAL NOTES: 1. THE CONTRACTOR SHALL PRO	OVIDE COMPLETE PROJECT SYSTEMS AND COMPONENTS AND COMPLY WITH
	DEGREES	LBS	POUND / POUNDS	ALL REQUIREMENTS INDICATED	ED ON THE PROJECT DOCUMENTS.
(E)	DIAMETER OR ROUND EXISTING	LF LVL	LINEAR FEET LEVEL	APPLICABLE BUILDING CODE, F PROJECT AREA BOUNDARIES	INDARIES INDICATED IN THE PROJECT DUCUMENTS AND COMPLY WITH ALL REQULATION, & ORDINANCE REQUIREMENTS. OCCUPANTS ADJACENT TO THE SHALL CONTINUE UNINTERRUPTED OCCUPANCY DURING CONSTRUCTION OF
(N)	NEW FOOT / FEET	LWC	LIGHT WEIGHT CONCRETE	THE PROJECT.	ND COORDINATION WITH THE PROJECT DOCUMENTS PRIOR TO PROCEEDING
	INCH / INCHES PERCENT	MAX MECH	MAXIMUM	WITH THE WORK.	
±	PLUS / MINUS	MFR	MANUFACTURER		H ALL REQUIREMENTS INDICATED IN THE PROJECT DOCUMENTS. PROJECT SITE DURING NORMAL BUSINESS HOURS, UNLESS OTHERWISE
	POUND OR NUMBER	MH MIN	MANHOLE MINIMUM	NOTED.	
AB ADD'L	ANCHOR BOLT ADDITIONAL	MISC MTD	MISCELLANEOUS MOUNTED		H EQUIPMENT, FURNISHINGS AND SYSTEMS PROVIDED BY THE OWNER.
ADJ AFF	ADJACENT ABOVE FINISH FLOOR	MTG	MOUNTING	B. DEFINITIONS: 1 "TYPICAL" OR "TYP" INDICATES	S IDENTICAL COMPLETE SYSTEM SHALL BE PROVIDED FOR EACH
ALT	ALTERNATE	MTL	METAL	OCCURRENCE OF THE CONDITI 2 "SIMILAR" INDICATES COMPLET	TON NOTED.
APPROX	X APPROXIMATE	N N/A	NORTH NOT APPLICABLE	CHARACTERISTICS FOR THE C 3. "AS REQUIRED" INDICATES CO	CONDITION NOTED. DWPONENTS REQUIRED TO COMPLETE THE NOTED. SYSTEM AS INDICATED IN
	ARCHITECTURAL	NIC NO	NOT IN CONTRACT NUMBER	THE PROJECT DOCUMENTS, SH 4. "ALIGN" INDICATES ACCURATE RELATION TO ADJACENT MATE	ELY PROVIDE FINISH FACES OF MATERIALS IN STRAIGHT, TRUE AND PLUMB
	BOTTOM OF BOARD	NRC	NOISE REDUCTION COEFFICIENT	C. DIMENSIONS:	
	BUILDING	NTS	NOT TO SCALE	1. DIMENSIONS ARE INDICATED T NOMINAL FACE OF CMULWALL	TO THE CENTERLINE OF THE STRUCTURAL GRID, FACE OF CONCRETE WALL, FACE OF PARTITION AS SCHEDULED, UNLESS OTHERWISE NOTED.
	CABINET	OC	ON CENTER	2 ALIGNMENT OF PARTITIONS AN	ND FINISHES AS SCHEDULED SHALL BE STRAIGHT. TRUE & PLUMB. THE
	CALIFORNIA BUILDING CODE CALIFORNIA ENERGY CODE	OFCI	OWNER FURNISHED, CONTRACTOR INSTALLED	A. STRUCTURAL DRAWINGS	IONS SHALL BE IN THE FOLLOWING ORDER:
CEM	CEMENT CERAMIC	OFOI	OWNER FURNISHED, OWNER INSTALLED	B. LARGE SCALE DETAILS C. SMALL SCALE DETAILS	
CF	CUBIC FEET	OH OPNG	OPPOSITE HAND OPENING	D. ENLARGED VIEWS E. FLOOR PLANS AND ELEVAT	TIONS
	CALIFORNIA FIRE CODE CONTRACTOR FURNISHED,			<ol> <li>MINIMUM DIMENSIONS FOR AC MAINTAINED.</li> </ol>	CCESSIBILITY CLEARANCES AND BUILDING CODE REQUIREMENTS SHALL BE
CFOI	CONTRACTOR INSTALLED CONTRACTOR FURNISHED,		PROPERTY LINE PLASTIC LAMINATE		CATED TO THE FACE OF THE STRUCTURAL SLAB, UNLESS OTHERWISE NOTED.
	OWNER INSTALLED CONTROL JOINT		PLUMBING PLYWOOD	5. VERTICAL DIMENSIONS ARE IN	NDICATED FROM THE FLOOR ELEVATION TO FACE OF FINISHED MATERIAL.
CL	CENTER LINE	WD POC	POINT OF CONNECTION	UNLESS NOTED ABOVE FINISH F 6. CEILING HEIGHTS ARE INDICAT	TED FROM THE FLOOR ELEVATION TO THE FACE OF SUSPENDED ACOUSTIC
CLR	CEILING CLEAR	PSF	POUNDS PER SQUARE FOOT	PANEL CEILING GRID OR FACE	E OF FINISH MATERIAL FOR OTHER CEILING TYPES, UON.
	CONCRETE MASONRY UNIT COLUMN	PSI PTDF	POUNDS PER SQUARE INCH PRESSURE TREATED	DIMENSIONAL RELATIONSHIP B	DRAWINGS SHALL INDICATE THE REQUIRED SIZE, CLEARANCE AND BETWEEN PROJECT SYSTEMS AND COMPONENTS. DIMENSIONS SHALL NOT BE
CONC		PTN	DOUGLAS FIR PARTITION	DETERMINED BY SCALING THE DR D. DRAWING SET ORGANIZATION	
CONT	CONTINUOUS	PV	PHOTOVOLTAIC	1. EACH DRAWING SET SHEET IS	S IDENTIFIED BY THE SHEET NUMBER IN THE LOWER RIGHT HAND CORNER OF
CPT	CALIFORNIA PLUMBING CODE CARPET	R	RADIUS (IN DIMENSION) / RISER	THE DRAWING TITLE BLOCK. TH THE SHEET. SHEET NUMBER EXAMPLE: 420	HE SHEET TITLE PROVIDES A GENERAL DESCRIPTION OF THE CONTENTS OF
	CENTER	RAD	RADIUS	"A" INDICATES THE DISCIPL "2" INDICATES THE DRAWIN	LINE THAT CREATED THE DRAWING ING CATEGORY CONTAINED ON THE SHEET
	PENNY	RCP RD	REFLECTED CEILING PLAN ROOF DRAIN	"01" INDICATES THE SHEET	TNUMBER
DEPT	DOUBLE DEPARTMENT	REF	REFERENCE REFRIGERATOR	<ol> <li>SHEET NUMBERS MAY INCLUD SUCH AS DRAWING CONTENT, PR LIST OF SHEETS INCLUDED IN TI</li> </ol>	DE SUPPLEMENTAL CHARACTERS TO PROVIDE ADDITIONAL INFORMATION, ROJECT SECTOR OR PHASE. REFER TO THE DRAWING INDEX FOR A COMPLETE THE DOCI INFORT SET
	DOUGLAS FIR DOUBLE HUNG	REG	REGISTER	EXAMPLE: EL201A "EL" INDICATES THE DISC	CIPLINE THAT CREATED THE DRAWING AND THE DRAWING CONTENT =
DIA	DIAMETER	REINF REQ	REINFORCED REQUIRED	"A" INDICATES SECTOR	LIGHTING R "A" OF PLAN SHEET "201". REFER TO THE PROJECT KEY PLAN OR COMPOSITE
	DIMENSION DOWN	RM RO	ROOM ROUGH OPENING	PLAN INDICATING	IG THE RELATIONSHIP OF THE SECTORS.
	DRAIN PIPE DOOR	RWD	REDWOOD	INDEXED BY DISCIPLINE, SHEET N SEQUENTIAL SHEET NUMBERS MA	ES THE COMPLETE LIST OF SHEETS CONTAINED IN THE DRAWING SET, NUMBER AND SHEET TITLE, IN SEQUENTIAL ORDER. NOTE THAT ALL AV BE NOT USED IN THE DRAWING SET.
DS	DOWNSPOUT	RWL	RAIN WATER LEADER	4. DISCIPLINE IDENTIFICATION, IN	IN ORDER BOUND IN THE DRAWING SET. REFER TO THE DRAWING SET INDEX
	DETAIL DRAWING	S SCD	SOUTH SEE CIVIL DRAWINGS	FOR DISCIPLINE CONTAINED	D IN THIS DRAWING SET:
	EAST	SCHED	SCHEDULE / SCHEDULING	G GENERAL INFORMATION C CIVIL L LANDSCAPE	N Q EQUIPMENT F FIRE PROTECTION P PLUMBING
A	EACH	SD SECT	STORM DRAIN SECTION	S STRUCTURAL A ARCHITECTURAL	M MECHANICAL E ELECTRICAL
F	EMERGENCY ESCAPE AND RESCUE OPENING(S)	SED SF	SEE ELECTRICAL DRAWINGS SQUARE FEET	I INTERIORS	T TELECOMMUNICATIONS
	ELEVATION ELECTRICAL	SFD	SEE FIRE PROTECTION DRAWINGS	5. DRAWING CATEGORY IDENTIFI AND SHEET NUMBERS CONTAIN	FICATION, REFER TO THE DRAWING SET INDEX FOR DISCIPLINES, CATEGORIES NED IN THIS DRAWING SET:
ELEV	ELEVATOR / ELEVATION EQUAL	SHT	SHEET		
QUIP	EQUIPMENT	SIM SLD	SIMILAR SEE LANDSCAPE DRAWINGS		
	EXTERIOR	SMD SOG	SEE MECHANICAL DRAWINGS SLAB ON GRADE		
	RE ALARM DOT-CANDLE	SPD	SEE PLUMBING DRAWINGS		
FLOO	OR DRAIN	SQ	SPECIFICATIONS SQUARE		
	FIRE DEPARTMENT CONNECTION		STAINLESS STEEL SEE STRUCTURAL DRAWINGS		
FE		STC	SOUND TRANSMISSION CLASS STANDARD		
	FIRE EXTINGUISHER W/ CABINET	STL	STEEL		
-	FINISH FLOOR	SUSP	STRUCTURAL SUSPENDED		
FLR	FLOOR / FLOORING	SYM	SYMETRICAL SYSTEM		
FO	FLUORESCENT FACE OF		TOP AND BOTTOM		
FOF	FACE OF CONCRETE / CURB FACE OF FINISH	T&G	TONGUE AND GROOVE		
FOS	FACE OF STUD FOOT OR FEET	T/TRD	TOP OF TREAD		
FTG	FOOTING	TB	TOWEL BAR TEMPORARY		
	FABRIC COVERED TACK SURFACE	THK	THICK		
FURG	FURRING	TOC	TOP OF BEAM TOP OF CONCRETE		
	GAUGE GALVANIZED	TOS TP	TOP OF SLAB TOILET PAPER		
GC	GENERAL CONTRACTOR		TYPICAL		
GFIC	GENERAL GROUND FAULT INTERRUPT	UON	UNLESS OTHERWISE NOTED		
GND	GROUND	v	VOLTAGE / VOLT		
GWB	GYPSUM WALL BOARD GYPSUM		VERTICAL VERIFY IN FIELD		
			VAPOR PERMEABLE FLUID		
HD	HOSE BIB HEAVY DUTY		APPLIED MEMBRANE		
HM	HOLLOW METAL HORIZONTAL	W W/	WEST / WIDTH / WIDE WITH		
HR	HOUR	W/O WC	WITHOUT WATER CLOSET		
HT	HOLLOW STEEL SECTION HEIGHT	WD	WOOD		
HVAC	HEATING, VENTILATING, AND AIR CONDITIONING	WH	WINDOW WATER HEATER		
	HOT WATER HEATER	WP WPT	WATERPROOF(ING) WORKING POINT		
	INCH OR INCHES	WRB	WEATHER RESISTIVE BARRIER		
	INSULATE / INSULATION / INSULATING	WT	WEIGHT		
	INTERIOR	х	BY		
	JUNCTION BOX				
	JOINT				

### SHEET INDEX


G0.01	COVER SHEET
G0.02	SHEET LIST, ABBREVIATIONS & GENERAL NOTES
G0.03	PLANNING DEPARTMENT NOTES & SCHEDULES
G0.04	BUILDING DEPARTMENT NOTES & SCHEDULES
G0.50	GREEN BUILDING SUBMITTAL
G0.60	FIRE FLOW & DBI PRE-APP MEETING SUMMARY
G1.00	SITE SURVEY
G1.10	SITE PHOTOS
G1.20	GROSS BUILDING PLANS - EXISTING
G1.21	GROSS BUILDING PLANS - PROPOSED
G1.50	BASE BUILDING DIAGRAMS
G2.00	EGRESS / PATH OF TRAVEL SITE PLAN
G3.00	PROPOSED EXTERIOR PERSPECTIVES & MATERIALS
G3.01	PROPOSED EXTERIOR PERSPECTIVES
G6.00	GRUBSTAKE PRESERVATION MEASURES
G6.01	GRUBSTAKE PROJECT FEATURES
G9.00	GENERAL ACCESSIBILITY REQUIREMENTS
ARCHITECTURE	
AE1.01	EXISTING SITE PLAN
AE2.01	EXISTING FLOOR PLAN


AE2.01	EXISTING FLOOR PLAN
AE5.01	EXISTING EXTERIOR ELEVATION - NORTH
AE5.02	EXISTING EXTERIOR ELEVATION - SOUTH
AE5.03	EXISTING EXTERIOR ELEVATION - WEST
AE5.04	EXISTING EXTERIOR ELEVATION - EAST


GENERAL

ARCHITECTURE DEMO D1.01 DEMOLITION SITE PLAN

ARCHITECTURE	PROPOSED
A1.01	PROPOSED SITE PLAN
A2.01	FLOOR PLANS, BASEMENT - LEVEL 1
A2.02	FLOOR PLANS, LEVEL 2 - LEVEL 3
A2.03	FLOOR PLANS, LEVEL 4 - LEVEL 5
A2.04	FLOOR PLANS, LEVEL 6 - LEVEL 7
A2.05	FLOOR PLANS, LEVEL 8 - ROOF
A5.01	EXTERIOR ELEVATION - NORTH
A5.02	EXTERIOR ELEVATION - EAST
A5.03	EXTERIOR ELEVATION - SOUTH
A5.04	EXTERIOR ELEVATION - WEST
A5.05	EXTERIOR ELEVATION - LIGHTWELLS
A7.01	BUILDING SECTIONS
A7.02	BUILDING SECTIONS
A7.03	BUILDING SECTIONS







	PER SF PLANNING CODE DEFINIT	TION OF "FLOOR.	AREA, GROSS" IN SEC. 102	
NAME	AREA TYPE PER CODE	TOTAL AREA	AREA INCLUDE IN GROSS	COMMENTS
BASEMENT -1			1	
BIKE PARKING	ACCESSORY BICYCLE PARKING (EXEMPT)	620 SF	0 SF	Excluded per SF Planning Code 102 "Floor Area, Gross" (b)(8)
CIRCULATION	CIRCULATION	774 SF	774 SF	
RESTAURANT (BACK OF HOUSE)	BUSINESS	1233 SF	1233 SF	
STORAGE	RESIDENTIAL	112 SF	112 SF	
UTILITY	ACCESSORY BUILDING OPERATIONS & MAINTENANCE (EXEMPT)	162 SF	0 SF	Excluded per SF Planning Code 102 "Floor Area, Gross" (b)(1)
LEVEL 01 (AUSTIN)		2900 SF	2119 SF	
CIRCULATION	CIRCULATION	1083 SF	1083 SF	
TRASH ROOM	ACCESSORY BUILDING OPERATIONS & MAINTENANCE (EXEMPT)	223 SF	0 SF	Excluded per SF Planning Code 102 "Floor Area, Gross" (b)(1)
	(EACHIET)	1307 SF	1083 SF	
LEVEL 01 (PINE)	000010 47001	1054.05	054.05	
CIRCULATION	CIRCULATION	254 SF	254 SF	
RESTAURANT (BACK OF HOUSE)	BUSINESS	535 SF	535 SF	
RESTAURANT (FRONT OF HOUSE)	ASSEMBLY	727 SF	727 SF	
LEVEL 02		1516 SF	1516 SF	
LEVEL 02 CIRCULATION	CIRCULATION	506 SF	506 SF	
DWELLING UNIT	RESIDENTIAL	1492 SF	1492 SF	
PRIVATE OPEN SPACE	RESIDENTIAL	107 SF	0 SF	
RESTAURANT (FRONT OF HOUSE)	BUSINESS	361 SF	361 SF	
LEVEL 03		2465 SF	2359 SF	
CIRCULATION	CIRCULATION	641 SF	641 SF	
DWELLING UNIT	RESIDENTIAL	1975 SF	1975 SF	
DWELLING UNIT	RESIDENTIAL	2616 SF	2616 SF	
LEVEL 04		2010 5F	2010 51"	
CIRCULATION	CIRCULATION	641 SF	641 SF	
DWELLING UNIT	RESIDENTIAL	1980 SF	1980 SF	
DIVECCING ONIT	REODENTINE	2621 SF	2621 SF	
LEVEL 05				
CIRCULATION	CIRCULATION	641 SF	641 SF	
DWELLING UNIT	RESIDENTIAL	1977 SF	1977 SF	
LEVEL 06		2618 SF	2618 SF	
CIRCULATION	CIRCULATION	621 SF	621 SF	
DWELLING UNIT	RESIDENTIAL	2001 SF	2001 SF	
		2622 SF	2622 SF	
LEVEL 07				
CIRCULATION	CIRCULATION	591 SF	591 SF	
DWELLING UNIT	RESIDENTIAL	2027 SF	2027 SF	
		2618 SF	2618 SF	
LEVEL 08				
CIRCULATION	CIRCULATION	597 SF	597 SF	
DWELLING UNIT	RESIDENTIAL	2025 SF 2622 SF	2025 SF 2622 SF	
ROOF		LULL OF	LULL OF	
STAIR/ELEV PENTHOUSE	CIRCULATION FOR ACCESSORY ROOF DECK & MECHANICAL (EXEMPT)	448 SF	0 SF	Excluded per SF Planning Code 102 "Floor Area, Gross" (b)(10
		448 SF	0 SF	
		24353 SF	22794 SF	

GROSS AREA BY FLOOR PER PLANNING CODE - EXISTING						
Name	AREA TYPE PER CODE	Area	Area Included in Gross	Comments		
(E) RESTAURANT (BACK OF HOUSE)	BUSINESS	481 SF	481 SF			
(E) RESTAURANT (FRONT OF HOUSE)	ASSEMBLY	702 SF	702 SF			
(E) DECK	BUSINESS	88 SF	0 SF			
(E) STORAGE	BUSINESS	199 SF	199 SF			
(E) CIRCULATION	CIRCULATION	146 SF	146 SF			
(E) STORAGE	BUSINESS	105 SF	105 SF			
(E) CIRCULATION	CIRCULATION	29 SF	29 SF			
		1750 SF	1661 SF			

NOTE: UNDER SEPARATE PERMIT, EXISTING BUILDING TO BE DEMOLISHED IN ITS ENTIRETY. SEE BUILDING PERMIT #2018-02080778.

NOTE: FOR CORRESPONDING GROSS AREA FLOOR PLAN DIAGRAMS SEE SHEETS G2.20, G2.21

OT : 0667 / 020	ANCISCO, 94109	ZONING INFORMATION AND SDB WAIVER REQUESTS ORIGNAL FILING : HISTORIC STANDING : " HISTORIC STANDING : " " HISTORIC STANDIN	
25'X120' = 3,000 SF Topic	Code Section	PLANING DISTRICT.DISTRICT 3 NORTHEAST Required / Allowed PLANING DISTRICT.DISTRICT 3 NORTHEAST Proposed	kn
0		ND - POLK STREET COMMERCIAL AND RESIDENTIAL MIXED USE	kerman
D USE	SFPC 209 SFPC 207	MIXED USE COMMERCIAL AND RESUBENTIAL MIXED USE PERMITTED UP TO 1 DWELLING UNIT PER 200 SF OF LOT AREA: 3,000 SF / 200 = 15 DWELLING UNITS PER NEAREST RESIDENTIAL DISTRICT - RC-4 DENSITY OF 1 PROJECT PROPOSES 21 DWELLING UNITS POR OWNERSHIP USING THE INDIVIDUALLY REQUESTED STATE DENSITY BONUS, AND SPPC SEC. 206.6	orchitects
	SFPC 124 SFPC 260	2.5 TO 1 FOR NON-RESIDENTIAL USES 2.5 X 3,000 SF= 7,500 SF MAX. NON-RESIDENTIAL USES. PROJECT COMPLIES. 65-A (65' MAXIMUM HEIGHT) 87 PROPOSED WAVER REQUIRED PER STATE DENSITY BONUS; SEE SHEET G1.50 FOR DUAGRAM.	1 25 Anna Steam Star Resources S with the star 7 49 1200
T RD SETBACK		G 5.00 POR UNARROWN 110 MAXIMUM IN LENGTH, 125 MAXIMUM IN DIAGONAL DIMENSION WAIVER REQUIRED PER SDB; SEE SHEET G1.50 FOR DIAGRAM NOT REQUIRED	Revisio
ID SETBACK	SFPC 134(a)(2)	25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15' WAIVER REQUIRED PER SDB (NO REAR YARD PROPOSED); SEE SHEET G1.50 FOR DIAGRAM	
CE FOR DWELLING UNITS	SFPC TABLE 135(a) SFPC 136	60 sqtt OF PRIVATE OR 80 sqtt OF COMMON OPEN SPACE PER DWELLING UNIT IS REQUIRED. 21 UNITS X 80 sqtt = 1,880 SF MIN. COMMON OPEN SPACE REQUIRED. 74 SF COMMON OPEN SPACE PROPOSED; WAIVER REQUIRED PER SDB; SEE SPERMITTED. OVER NARROW STREET WITH NARROW SIDEWALK PROJECTIONS.22 MAX PROJECTION ALLOWABLE: AT PINE STREET FACADE PROJECT PROPOSES BAYS COMPLIANT WITH SEC. 136.	
GUNIT EXPOSURE		AT AUSTIN ST WAIVER REQUIRED PER SDB; SEE SHEET G1:50 FOR DIAGRAM UNIT 202 DOES NOT COMPLY; WAIVER REQUIRED PER SDB; SEE SHEET G1:50 FOR DIAGRAM	
STREET FRONTAGE REVIEW	SFPC 145.1(c)(1) SFPC 145.1(c)(2)	POR UNAGRAM OFF-STREET PARKING AT STREET GRADE MUST BE SET BACK AT LEAST 25 N/A. NO PARKING PROPOSED N/A NO PARKING PROPOSED N/A NO MORE THAN 1/3 OF THE WIDTH OR 22 GIVEN TO PARKING INGRESS OR EGRESS N/A	
		ACTIVE USES REQUIRED PROJECT COMPLIES GROUND FLOOR CEILING HEIGHT HAS A MIN. 14' FLOOR TO FLOOR FOR NON-RESIDENTIAL USES. AT AUSTIN ST PROJECT COMPLIES. AT PINE ST WAIVER REQUIRED PER SDB;	
	SFPC 145.1(c)(5) SFPC 145.1(c)(6)	SEE SHEET G1.50 FOR DIAGRAM GROUND FLOOR SHALL BE AS CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NC DISTRICT PROJECT COMPLES FRONTAGE WITH ACTIVE USES MUST BE FENESTRATED WITH TRANSPARENT WINDOW AND DOORWAYS FOR NO LESS THAN 60% WARVER REQUIRED PER SDB; SEE SHEET G1.50 FOR DIAGRAM	
OOFS ALTERNATIVE ET PARKING	SFPC 145.1(c)(b) SFPC 149 SFPC 151	PROVIDE A MIN. 15% OF ROOF AREA TO BE SOLAR PHOTOVOLTAIC OR 30% OF ROOF AREA TO BE GREEN OR REGITATED ROOF. PROJECT COMPLIES NOT REQUIRED WHEN PROJECT HAS 25 OR MORE NO VEHICLE PARKING REQUIRED DRESC. 155.2 CAR SHARE SPACES REQUIRED WHEN PROJECT HAS 25 OR MORE NO VEHICLE PARKING PROPOSED. PROJECT COMPLIES.	
(	SFPC 155.2	PARKING SPACES, PER SEC. 166. (1) CLASS 1 SPACE FOR EVERY DWELLING UNITS AND (1) CLASS 2 SPACE PER 20 UNITS. DWELLING UNITS, PROJECT COMPLIES.	
		EATING AND DRINKING USES REQUIRE (1) CLASS 1 SPACE FOR EVERY 7,500 SF. (1) CLASS 2 SPACE FOR EVERY 750 SF, 2 SPACES MIN. REQUIRED. A MIN. OF 2 CLASS 1 SPACES AND 2 CLASS 2 SPACES FOR 1,008 SF OF FRONT OF HOUSE RESTAURANT. PROJECT COMPLIES.	
GUNIT MIX MITS: MEASUREMENT	SFPC 207.6 SFPC 260	A MIN. OF 40% OF UNITS TO BE 2-BRs OR 30% TO BE 3-BRs. PROJECT DOES NOT COMPLY. CU AUTHORIZATION SOUGHT FOR RELIEF BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF OR THE MIDPOINT OF A SLOPED ROOF. PROJECT EXCEEDS 65 HEIGHT LIMIT OF NCD / 65 A ZONING. WAIVER REQUIRED	
	SFPC 260(b)	PER INDIVIDUALLY REQUESTED STATE DENSITY BONUS (SPPC 206.6) EXEMPTIONS: THE FOLLOWING FEATURES SHALL BE EXEMPT; PROVIDED THE LIMITATIONS INDICATED FOR EACH ARE OBSERVED, PROVIDED FURTHER THAT THE BUM OF THE HORIZONTAL AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (B)(1) SHALL NOT EXCEED 20 PERCENT OF THE HORIZONTAL AREA OF THE ROOF	
		ABOVE WHICH THEY ARE STRUATED. ANY SUCH SUM OF 20 PERCENT HERETOFORE DESCRIBED MAY BE INCREASED TO 30 PERCENT BY UNROOFED SCREENING DESIGNED EITHER TO OBSCURE THE FEATURES LISTED UNDER (A) AND (B) BELOW OR TO PROVIDE A MORE BALANCED AND GRACEFUL SILHOUETTE FOR THE TOP FOT FE MILINING OR STRUKTINF	
		(A) MECHANICAL EQUIPMENT AND APPURTEMANCES NECESSARY TO THE OPERATION OR MAINTEMANCE OF THE BUILDING OR STRUCTURE ITSELF, INCLUDING (MIMEYS, VEHTLATORS, FLUMIBING VEHT STACKS, COUNS (OUNER TOWER, MARKET ANNES, DAY DEVICES FOR THE COLLECION OF SOLAR OR WIND	
S AT NARROW STREETS	SFPC 261.1	ENERGY, THIS EXEMPTION SHALL BE LIMITED TO THE TOP 10 FEET OF SUCH FEATURES WHERE THE HEIGHT LIMIT IS 65 FEET OR LESS.  PROJECT PROPOSES NO SETBACK OF STREET WALL WAVER REQUIRED PER SDB; SEE SHEET OF JO FOR DIAGRAM	
SIGN GUIDELINES	SFPC 311	SUBJECT TO URBAN DESIGN GUIDELINES	
		PROJECT SUMMARY	
UNIT DISTRIBU	ліон	BUILDING INTERIOR AREA (NET) EXTERIOR OPEN SPACE (NET)	
L STUDIO 2BR 3E	BR TOTAL UN	RESIDENTIAL OTHER	
-1 0 0 0		COMMUNIC         COMMUNIC         COMMUNIC         COMMUNIC           0.SF         0.SF         595.SF         595.SF         605.SF         129.SF         1096.SF         2426.SF         0.SF         0.SF	
USTIN) 0 0 0 INE) 0 0 0	0 0	0.SF         514 SF         322 SF         0.SF	
	) 4 1	93 SF 0 SF 477 SF 1770 SF 0 SF 0 SF 267 SF 2037 SF 0 SF 0 SF 0 SF 53 SF 0 SF 258 SF 2291 SF 0 SF 0 SF 2291 SF 0 SF	1525 PI
4 0 0	) 4 1	63 SF         0 SF         2281 SF         0 SF	1525 PINE STI SAN FRANCISCO,
0 1 1	1 2 11 1 2 11	85 SF 0 SF 481 SF 2366 SF 0 SF 0 SF 0 SF 2366 SF 0 SF 0 SF 78 SF 0 SF	BLOCK 0667 / I
15 3 3		0 SF 0 SF 513 SF 513 SF 0 SF 0 SF 0 SF 513 SF 0 SF 720 SF 24 SF 514 SF 5084 SF 17308 SF 605 SF 334 SF 2473 SF 21235 SF 0 SF 720 SF	SFDBI BPA: 2018- PRJ #: 2015-00
GE: 72% 14% 14	\$% 100%		CONSTRUCTIO MULTI-FAMILY H
			OVER RESTAUR
			BASEMENT IMPLE
		LEVEL UNIT IUNIT TYPE BEDROOMS BATHROOMS UNIT AREA BALCONY	BASEMENT IMPLE THE INDIVIDU REQUESTED STAT
			BASEMENT IMPL THE INDIVIDU REQUESTED STAT BONUS 1525 PINE STREET NOTICE
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL 02         201         A-1A         0         1         475 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         203         P-1C         0         1         504 SF         No           LEVEL 03         203         A-1A         0         1         314 SF         Yes - 105F           LEVEL 03         201         A-1B         0         1         502 SF         No	BASEMENT IMPLE THE INDIVIDU REQUESTED STAT BONUS 1525 PINE STREET NOTICE These drawings and sp are the property and co Kerman/Moris Architec not be used on any oth
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL         201         A-1A         0         1         475 SF         No           LEVEL         202         A-1B         0         1         504 SF         No           LEVEL         203         P-1C         0         1         504 SF         No           LEVEL         203         A-1A         0         1         478 SF         Yes - 105F           LEVEL         302         A-1B         0         1         620 SF         No           LEVEL         303         P-1A         0         1         620 SF         No           LEVEL         303         P-1A         0         1         640 SF         No           LEVEL         304         P-1B         0         1         630 SF         No	BASEMENT MINE HONOID REQUESTED STAT BONUS 1525 PINE STREET NOTICE These drawings and sp are the property and co Kermanikorsis Arthese Kermanikorsis Architec
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL02         201         A-1A         0         1         475 SF         No           LEVEL02         202         A-1B         0         1         694 SF         No           LEVEL02         202         A-1B         0         1         694 SF         No           LEVEL02         301         A-1A         0         1         314 SF         Yes - soor           LEVEL02         301         A-1A         0         1         479 SF         Yes - soor           LEVEL03         302         A-1B         0         1         520 SF         No           LEVEL03         302         P-14         0         1         640 SF         No	BASEMENT MINE HE NOVIDU REQUESTED STAT BONUS 1525 PINE STREET NOTICE Tases drainings and sp am the property and on Kermani/Norris Archite not be used on any oth by writin agreement Kermani/Norris Archite Tase Contextor shall ve conditions. Writien dim preference over scaled
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL 02         201         A-1A         0         1         475 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         301         A-1A         0         1         475 SF         Yes         -105F           LEVEL 02         303         A-1A         0         1         475 SF         Yes         -105F           LEVEL 03         303         P.1A         0         1         405 SF         No           LEVEL 03         303         P.1A         0         1         405 SF         No           LEVEL 04         401         A-1A         0         1         402 SF         No           LEVEL 04         402         A-1B         0         1         402 SF         No           LEVEL 04         402         A-1B         0         1         405 SF         No           LEVEL 04         402         P.1A         0	BASEMENT MINE THE NONIND REQUESTED STAT BONUS 1525 PINE STREET NOTCE These drawings and sp are the property and co KermanNotris Archite The Contractor shall ve conditions. Writien dim preference over scaled site. Any discrepancy to the attention of Kerm
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL 02         201         A-1A         0         1         475 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         203         A-1A         0         1         475 SF         Yes - soosF           LEVEL 03         301         A-1A         0         1         475 SF         No           LEVEL 03         303         P-1A         0         1         405 SF         No           LEVEL 03         303         P-1A         0         1         405 SF         No           LEVEL 04         403         P-1B         0         1         405 SF         No           LEVEL 04         403         P-1B         0         1         405 SF         No           LEVEL 04         403         P-1A         0         1         405 SF         No           LEVEL 04         403         P-1A         0         1         405 SF	BASEMENT MINE BASEMENT MINE HENDVIDU REQUESTED STATA BONUS 1525 PINE STREET NOTCE These drawings and sp are the properly and co Kate minutes of the state by written agreement the Kernamic Archite the verified on site of the proference over state and shall be verified on site. Any discrepancy to be asterioted on from the verified on site. Any discrepancy
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL 02         201         A-1A         0         1         475 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         203         A-1A         0         1         475 SF         Yes - soss           LEVEL 03         301         A-1A         0         1         475 SF         Yes - soss           LEVEL 03         303         P-1A         0         1         478 SF         Yes - soss           LEVEL 03         303         P-1B         0         1         408 SF         No           LEVEL 04         401         A-1A         0         1         492 SF         No           LEVEL 04         403         P-1B         0         1         492 SF         No           LEVEL 04         403         P-1B         0         1         492 SF         No           LEVEL 04         403         P-1B         0         1         4	BASEMENT MIPE THE NONINU REQUESTED STATE BONUS 1525 PINE STREET NOTICE These drawings and spectra with the strength of the strength of the strength of the strength of the strength of the strength of the strength of the conditions achies the strength of the strength of the conditions and the strength of the strength o
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL 02         201         A-1A         0         1         475 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         203         A-1B         0         1         504 SF         No           LEVEL 02         203         A-1A         0         1         479 SF         Yes - 105F           LEVEL 03         301         A-1A         0         1         479 SF         Yes - 105F           LEVEL 03         303         P-1A         0         1         402 SF         No           LEVEL 04         401         A-1A         0         1         402 SF         No           LEVEL 04         402         A-1B         0         1         402 SF         No           LEVEL 04         402         A-1A         0         1         402 SF         No           LEVEL 04         402         A-1B         0         1         505 SF         No           LEVEL 04         403         1.40         1         505 SF         No </td <td>BASEMENT MINE IN MOVING THE NONINGURE IN MOVING REQUESTED STATE BONUS 1525 PINE STREET Name the property and to the drawings and as me the property and to the method of the strength of the strength of the by writin agreement with the strength of the drawing strength of the strength of the strength of the drawing strength of the strength of the drawing are an as the strength of the strength of the Architects port to the strength of the strength of the strength of the strength of the construction. The drawing are an a standards bullets set the permit and to assist the construction. The drawing of the strength of the</td>	BASEMENT MINE IN MOVING THE NONINGURE IN MOVING REQUESTED STATE BONUS 1525 PINE STREET Name the property and to the drawings and as me the property and to the method of the strength of the strength of the by writin agreement with the strength of the drawing strength of the strength of the strength of the drawing strength of the strength of the drawing are an as the strength of the strength of the Architects port to the strength of the strength of the strength of the strength of the construction. The drawing are an a standards bullets set the permit and to assist the construction. The drawing of the strength of the
		LEVEL         UNIT         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL 02         201         A-1A         0         1         475 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         203         A-1B         0         1         475 SF         No           LEVEL 02         203         A-1A         0         1         479 SF         Yes - 109F           LEVEL 03         303         A-1A         0         1         402 SF         No           LEVEL 03         303         P.1A         0         1         402 SF         No           LEVEL 04         401         A-1A         0         1         402 SF         No           LEVEL 04         401         A-1A         0         1         402 SF         No           LEVEL 04         402         A-1B         0         1         505 SF         No           LEVEL 04         402         A-1A         0         1         405 SF         No           LEVEL 05         502         A-1B         0         1	BASEMENT MINE HENDRIPUL REQUESTED STATA BONUS 1525 PINE STREET NOTCE These drawings and sp are the properly and co are the properly and co for be used on any ofh by written agreement two contractor stative contactors written different proference over scaled and shall be verified on site. Any discrepancy to be able verified on state. Any discrepancy to be able verified on the verified on the verified on the verified on the verified on the verified on the verified on the verified on the verified on the verified on the verified on the verifie
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL 02         201         A-1A         0         1         475 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         203         A-1A         0         1         475 SF         No           LEVEL 02         203         A-1A         0         1         475 SF         Yes - soss           LEVEL 03         301         A-1A         0         1         475 SF         Yes - soss           LEVEL 03         303         P-1A         0         1         478 SF         Yes - soss           LEVEL 04         403         A-1B         0         1         408 SF         No           LEVEL 04         401         A-1A         0         1         428 SF         No           LEVEL 04         403         P-1B         0         1         568 SF         No           LEVEL 04         403         P-1B         0         1         568 SF         No           LEVEL 04         403         P-1A         0         1         5	BASEMENT MIPLE THE NOVIDURE NOVIDURE NOVIDURE NOVIDURE NOVIDURE SERVICE 1525 PINE STREET NOTICE These drawings and generation of the service
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL 02         201         A-1A         0         1         475 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         203         A-1B         0         1         475 SF         No           LEVEL 02         203         A-1A         0         1         475 SF         Yes         -105F           LEVEL 03         301         A-1A         0         1         475 SF         Yes         -105F           LEVEL 03         303         P-1A         0         1         440 SF         No           LEVEL 04         401         A-1A         0         1         440 SF         No           LEVEL 04         401         A-1A         0         1         440 SF         No           LEVEL 04         401         A-1A         0         1         405 SF         No           LEVEL 04         404         P-1A         0         1         405 SF         No           LEVEL 05         502         A-1A         0	BASEMENT MIPLE THE NOVIDURE NOVIDURE NOVIDURE NOVIDURE NOVIDURE NOVIDURE STEDE STATE BONUS 1525 PINE STREET NOTICE These drawings and software not be used on any oth by writin agreement with the contractor shift we drawing preference over stadied sub. Any discregancy at to the attention of Kerre Additional schlies and any oth a seasific the conditions. The dama standards builders are the permit and to assist the contractor. The dama data builders and the standards builders are the permit and to assist the contractor. The dama data builders and the schliest and the schliest and the schliest and the schliest and the schliest and the schliest and the schliest and the schliest and the schliest and the schliest and
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL 02         201         A-1A         0         1         475 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         203         A-1A         0         1         475 SF         No           LEVEL 02         203         A-1A         0         1         475 SF         Yes - 105F           LEVEL 03         303         A-1A         0         1         478 SF         Yes - 105F           LEVEL 03         303         P-1A         0         1         480 SF         No           LEVEL 04         401         1         462 SF         No         No           LEVEL 04         402         A-1B         0         1         460 SF         No           LEVEL 04         402         A-1B         0         1         60 SF         No           LEVEL 04         402         A-1B         0         1         60 SF         No           LEVEL 04         403         P-1A         0         1         60 SF         No	BASEMENT MIPE BASEMENT MIPE THE NONINUL RECUESTED STATE BONUS 1525 PINE STREET OTTO THE AND
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL 02         201         A-1A         0         1         475 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         203         A-1A         0         1         475 SF         No           LEVEL 02         203         A-1A         0         1         475 SF         Yes - 105F           LEVEL 03         303         A-1A         0         1         478 SF         Yes - 105F           LEVEL 03         303         P-1A         0         1         480 SF         No           LEVEL 04         401         1         462 SF         No         No           LEVEL 04         402         A-1B         0         1         460 SF         No           LEVEL 04         402         A-1B         0         1         60 SF         No           LEVEL 04         402         A-1B         0         1         60 SF         No           LEVEL 04         403         P-1A         0         1         60 SF         No	BASEMENT MINE IN MOVING REQUESTED STATE HONOYOU REQUESTED STATE HONOYOU REQUESTED STATE BONNOS 1525 PINE STREET NOTE THE STATE AND A STATE
		LEVEL         UNIT         TYPE         BEDROOMS         BATHROOMS         UNIT AREA         BALCONY           LEVEL 02         201         A-1A         0         1         475 SF         No           LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         203         A-1A         0         1         475 SF         No           LEVEL 02         203         A-1A         0         1         475 SF         Yes - 105F           LEVEL 03         303         A-1A         0         1         478 SF         Yes - 105F           LEVEL 03         303         P-1A         0         1         480 SF         No           LEVEL 04         401         1         462 SF         No         No           LEVEL 04         402         A-1B         0         1         460 SF         No           LEVEL 04         402         A-1B         0         1         60 SF         No           LEVEL 04         402         A-1B         0         1         60 SF         No           LEVEL 04         403         P-1A         0         1         60 SF         No	BASEMENT MINE IN MOVING REQUESTED STATE HONOYIDU REQUESTED STATE IN MOVING REQUESTED STATE IN MOVING ADDRESS AND A
		LEVEL         UNIT         UNIT TYPE (BEDROOMS         BATHROOMS         UNIT AREA         BALCOUY           LEVEL 02         201         A-1A         0         1         475 SF         N0           LEVEL 02         202         A-1B         0         1         504 SF         N0           LEVEL 02         203         A-1A         0         1         314 SF         V66         905 F           LEVEL 03         301         A-1A         0         1         449 SF         V66         905 F           LEVEL 03         303         P-1A         0         1         498 SF         N0           LEVEL 03         303         P-1A         0         1         498 SF         N0           LEVEL 04         401         A-1A         0         1         498 SF         N0           LEVEL 04         403         P-1A         0         1         498 SF         N0           LEVEL 04         403         P-1A         0         1         498 SF         N0           LEVEL 05         603         P-22         2         80 SF         N0           LEVEL 05         603         P-22         2         81 SF         N0 </td <td>BASEMENT MINE IN MONITORIAL STREET IN THE INDIVIDUATION OF THE INDIVENTIAL OF THE INDIVIDUATION OF THE INDIVIDUATION OF THE INDIVIDUATION OF THE INDIVENTIAL OF THE INDIVENTIAL OF THE INDIVENTIAL OF</td>	BASEMENT MINE IN MONITORIAL STREET IN THE INDIVIDUATION OF THE INDIVENTIAL OF THE INDIVIDUATION OF THE INDIVIDUATION OF THE INDIVIDUATION OF THE INDIVENTIAL OF THE INDIVENTIAL OF THE INDIVENTIAL OF
		LYE       INT       UNT TYPE       BEDROOMS       BATHROOMS       INT AREA       BALGONT         LYE       1       1       175 SF       No       No <td< td=""><td>BASEMENT MINE IN MOVING REQUESTED STATE HONOYOU REQUESTED STATE HONOYOU REQUESTED STATE BONNOS 1525 PINE STREET NOTE THE STATE AND A STATE</td></td<>	BASEMENT MINE IN MOVING REQUESTED STATE HONOYOU REQUESTED STATE HONOYOU REQUESTED STATE BONNOS 1525 PINE STREET NOTE THE STATE AND A STATE
		LEVEL       UNT       UNT       TATA       TATA       TATA       TATA         LEVEL 02       101       141       1       575       No         LEVEL 02       101       141       1       575       No         LEVEL 02       101       141       1       1475       SP         LEVEL 03       101       1       475       SP       No         LEVEL 04       101       1       475       SP       No       No         LEVEL 04       101       1       475       SP       No       No <td>BASEMENT MINE HE NOVIDU REQUESTED STATE BONUD 1525 PINE STREET DATE NOVIDU These dranking and the second or nary oth by writin agreement to be used on any oth by writin agreement to be used on any oth by writin agreement to be assist the contractor shall be swifted on the beam of the swifted on the swifted on the swifted on the swifted on the beam of the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted o</td>	BASEMENT MINE HE NOVIDU REQUESTED STATE BONUD 1525 PINE STREET DATE NOVIDU These dranking and the second or nary oth by writin agreement to be used on any oth by writin agreement to be used on any oth by writin agreement to be assist the contractor shall be swifted on the beam of the swifted on the swifted on the swifted on the swifted on the beam of the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted on the swifted o
		LEVEL         UNT         UNT         TYPE         BERCOMS         BATHROOMS         UNT AREA         BALCONT           EVEL 10         20         14.0         1         475.85         No         Experimentation         Experimation         Expe	BASEMENT MINE BASEMENT MINE BASEMENT MINE HENDIVIDU RECUESTED STATE BONUS 1525 PINE STREET DIAL STATE AND
		LYRE       UNT       UNT TYPE       BECHONS       MATHREA       BALCONT         LYRE       20       ArA       0       1       475 SF       80         LYRE       20       ArA       0       1       475 SF       90         LYRE       40       ArA       0       1       475 SF       90         LYRE       40       ArA       0       1       475 SF       90         LYRE       40       ArA       0       1       475 SF       90         LYRE       50       PrA       0       1       475 SF       90         LYRE       50       PrA       0       1       475 SF       90         LYRE       50       PrA       0	BASEMENT MINE BASEMENT MINE BASEMENT MINE HENDIVIDU RECUESTED STATE BONUS 1525 PINE STREET <b>DIAL</b> These drawing and and an any off- by writin agreement with robe used on any off- by writin agreement with robe used on any off- by writin agreement with robe and any off- the advertage and a search robe advertage and a search robe advertage and a search robe advertage and the contra- responsible for provide them. <b>PLANNN</b> <b>DEPARTIN</b> <b>DEPARTIN</b> <b>DATE</b> SCALE DRAWN BY
		LYEL         UNT         UNT TYPE BERROOMS         MATHREA         BALCONT           LEVEL 2         20         ArA         0         1         475 SF         100           LEVEL 2         20         ArA         0         1         475 SF         100           LEVEL 2         20         ArA         0         1         475 SF         100           LEVEL 3         30         ArA         0         1         475 SF         100           LEVEL 3         30         ArA         0         1         475 SF         100           LEVEL 4         40         ArA         0         1         405 SF         100           LEVEL 44         474 A         0         1         405 SF         100         100 SF         100           LEVEL 44         474 B         1         100 SF         100         100 SF         100         100 SF         100           LEVEL 44         474 B         1         105 SF         100         100 SF         100         100 SF         100           LEVEL 45         10         1         20 SF         100 SF         100 SF         100 SF         100 SF         100 SF         100 SF	BASEMENT MINE B BASEMENT MINE HENDINDU RECUESTED STATA BONUS 1525 PINE STREET OTTO The Additional State of the State of the State of the State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of Th
		LYRE       UNT       UNT TYPE       BECHONS       MATHREA       BALCONT         LYRE       20       ArA       0       1       475 SF       80         LYRE       20       ArA       0       1       475 SF       90         LYRE       40       ArA       0       1       475 SF       90         LYRE       40       ArA       0       1       475 SF       90         LYRE       40       ArA       0       1       475 SF       90         LYRE       50       PrA       0       1       475 SF       90         LYRE       50       PrA       0       1       475 SF       90         LYRE       50       PrA       0	BASEMENT MINE IN BASEMENT MINE IN MONITORINA RECURSTED STATA BONUS 1525 PINE STREET <b>NOTE</b> These drawings and of any oth by writin agreement to the association of the strength of the strength of the strength of the constraints achies the strength of the strength of the strength of the stre
		LYRE       UNT       UNT TYPE       BECHONS       MATHREA       BALCONT         LYRE       20       ArA       0       1       475 SF       80         LYRE       20       ArA       0       1       475 SF       90         LYRE       40       ArA       0       1       475 SF       90         LYRE       40       ArA       0       1       475 SF       90         LYRE       40       ArA       0       1       475 SF       90         LYRE       50       PrA       0       1       475 SF       90         LYRE       50       PrA       0       1       475 SF       90         LYRE       50       PrA       0	BASEMENT MINE B BASEMENT MINE HENDINDU RECUESTED STATA BONUS 1525 PINE STREET OTTO The Additional State of the State of the State of the State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of The State of Th

COMMERCIAL AND RESIDENTIAL MIXED USE COMMERCIAL AND RESIDENTIAL MIXED USE COMMERCIAL AND RESIDENTIAL MIXED USE COMMERCIAL AND RESIDENTIAL MIXED USE COMMERCIAL AND RESIDENTIAL MIXED USE PROJECT PROPOSES 21 WIELLING UNITS FOR OWNERSHIP USING THE RESUBLED PERSIDENTIAL DISTRICT - RC-4 DENSITY OF 1 RESUBLED VALUE REQUISED STATE DENSITY BONUS, AND SPRC SC, 26.6 25 X 30.00 SP 7, 50.00 FM AX. NOR-RESIDENTIAL USES. PROJECT COMPLES. BY PROPORED VALUER REQUISED PERSIDENTIAL USES. PROJECT COMPLES. WAVER REQUISED PERSIDE VIEL DENSITY BONUS, SEE SHEET G1.50 FOR DUAGRAM N/A REQUISED 21 UNITS X 80 sqft = 1,880 SF MIN. COMMON OPEN SPACE REQUIRED PERS DE SEE SHEET G1.50 FOR DUAGRAM N/A REQUISED PERSIDE SOB SOB SEES SHEET G1.50 FOR DUAGRAM N/A REQUISED PERSIDE SOB SOF COMPLAY. MAVER REQUIRED PERS SOB, SEE SHEET G1.50 FOR DUAGRAM N/A REVISION EQUIRED 21 UNITS X 80 sqft = 1,880 SF MIN. COMMON OPEN SPACE REQUIRED PERS DE SEE SHEET G1.50 FOR DUAGRAM N/A REVISION EQUIRED 21 UNITS X 80 sqft = 1,880 SF MIN. COMMON OPEN SPACE REQUIRED PERS DE SEE SHEET G1.50 FOR DUAGRAM N/A REVISION MAX PROJECTION ALLOWABLE AT AUSTIN ST WAVER REQUIRED PERS DE, SEE SHEET G1.50 FOR DUAGRAM N/A PROJECT COMPLIES N/A N/A PROJECT COMPLIES N/A REVISION SEE SHEET G1.50 FOR DUAGRAM N/A REVISION N/A NO PRAINING RPOPOSED N/A NO PRAINING RPOPOSED PROJECT DORE NOT COMPLIES N/A N/A PROJECT DORE NOT COMPLIES N	NOT REQUIRED 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 26% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 26% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 26% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 27% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 27% OF RIVATE OR 80 sqlf OF COMMON OPEN SPACE PER DWELLING UNIT IS REQUIRED. 21 UNITS X 80 sqlf = 1.880 27% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 27% OF THE VIDENCE THE NARROW STREET WITH NARROW SIDEWALK PROJECTIONS.27 MAX PROJECTION ALLOWABLE. EVERY UNIT TO FACEONTO PUBLIC WAY OR COMPLYING REAR YARD DOF STREET PARKING AT STREET GRADE MUST EE SET BACK AT LESS 25 NO MORE THAN 13 OF THE WIDTH OR 20 GIVEN TO PARKING INGRESS OR EGRESS ACTIVE USES REQUIRED GROUNDFLOOR SHALL BE AS CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NC DISTRICT FRONTAGE WITH ACTIVE USES INUST BE FENESTRATED WITH TRANSPARENT WINDOW AND DORWAYS FOR NO LES PROVIDEA AIM. 15% OF ROAF ARED TO BE SALE MPTOVOLVILL CO RSIO, 90 CROAF ARED TO BE GREEN DRO NOT REQUIRED. MAX. FERMITTED DER SEC. 151. BIKE PARKING REQUIRED PER SEC. 152. CAR SHARE SPACES REQ PARKING SPACE. PRE SEC. 168. (1) CLASS 1 SPACE FOR EVERY DWELLING UNITS AND (1) CLASS 2 SPACE PER 20 UNITS. EATING AND ORINKING USES REQUIRE (1) CLASS 1 SPACE FOR EVERY 7.500 SF. (1) CLASS 2 SPACE FOR EVERY 7.500 SF. (1) CLASS 2 SPACE FOR EVERY DWELLING UNITS AND (1) CLASS 2 SPACE FOR EVERY 7.500 SF. (1) CLASS 2 SPACE FOR EVERY 7.500 SM ANN OF 40% OF UNITS TO BE 2.880 CR 30% TO BE SABR. BULDING HEIGHT IN GASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF OF DEMTIONS. THE FOLLOWING FEATURES SITULE DE XEMT: PROVIDED THE UNITATIONS INDICATED FOR EACH AY SUM OF THE HORIZONIA, AREAS OF ALL FEATURES SITED IN THIS PARGRAPH B(1) SHALL NOT EVECED 20 FEATURES SUMED THE HORIZONIA, AREAS OF ALL FEATURES SITED IN THIS PARGRAPH B(1) SHALL NOT EVECED 20 FEATURES SUM DECHNICKAL EQUIFINITIAND APPURTERVICES MEETED ON THE FORVER FOR THE FORM CURB TO TO POR PLACH A MORE BALAW. (1) MEECHNICAL EQUIFINIT AND AP	ITTED USE         SFPC 209           ITTY         SFPC 207           ITY         SFPC 207           ITY         SFPC 207           IT         SFPC 207           IT         SFPC 201           ITY AND SETBACK         SFPC 136           ISPACE FOR DWELLING UNITS         SFPC 1481(12)           RUCTIONS         SFPC 145 (10)           RUCTIONS         SFPC 145 (10)           SFPC 145 (10)         SFPC 151           SFPC 145 (10)         SFPC 152           SFPC 152         SFPC 200           LING UNIT MIX         SFPC 200           SFPC 200(b)         SFPC 200(b)
COMMERCIAL AND RESIDENTIAL INSECTION OWNERCIAL AND RESIDENTIAL MIXED USE COMMERCIAL AND RESIDENTIAL DISTRICT - RC-4 DENSITY OF 1 PROJECT PROPOSED S S PROJECT PROPOSED WAVER REQUIRED PRY SDB, SEE SHEET G1 SD FOR DARAPEM WAVER REQUIRED PRY SDB, SEE SHEET G1 SD FOR DARAPM WAVER REQU	INCD - POLK STREET COMMERCIAL MIXED USE PERMITTED UP TO 1 DWELLING UNIT PER 200 SF OF LOT AREA. 3,000 SF / 200 = 15 DWELLING UNITS PER NEAREST RE DWELLING UNIT PER 200 SF LOT AREA. 2.5 TO 1 FOR NOR-RESIDENTIAL USES (SEA (SE MXXMMM HEIGHT) 110 MAXIMUM IN LENGTH. 125 MAXIMUM IN DIAGONAL DIMENSION NOT REQUIRED 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 10 Ørght OF PRIVATE OR 80 sght OF COMMON OPEN SPACE PER DWELLING UNIT IS REQUIRED. 21 UNITS X 80 sght = 1,880 PERMITTED. OVER NARROW STREET WITH NARROW SIDEWALK PROJECTIONS.2 MAX PROJECTION ALLOWABLE EVERY UNIT TO FACEONTO PUBLIC WAY OR COMPLYING REAR YARD OFF-STREET PARKING AT STREET GRADE MUST BE SET BACK AT LEAST 25 NO MORE THAN 13.0 F THE WOTH OR 20 GIVEN TO PARKING INGRESS OR EGRESS ACTIVE USES REQUIRED GROUND FLOOR CELING HEIGHT HAS A MIN. 14 FLOOR TO FLOOR FOR NON-RESIDENTIAL USES. GROUND FLOOR SHALL BE AS CLOSE TO SIDEWALK LEVATION AS POSSIBLE IN NC DISTRICT FROVTRAGE WITH ACTIVE USES MUST BE TERST RACK AT LEAST 25 NO MORE THAN 13.0 F THE WOTH TO REST RACK AT LEAST 25 NO MORE THAN 13.0 F THE WOTH OR 20 GIVEN TO PARKING INGRESS OR EGRESS ACTIVE USES REQUIRED GROUND FLOOR CELING HEIGHT HAS A MIN. 14 FLOOR TO FLOOR FOR NON-RESIDENTIAL USES. GROUND FLOOR CELING HEIGHT THAS A MIN. 14 FLOOR TO FLOOR FOR NON-RESIDENTIAL USES. GROUND FLOOR CELING HEIGHT THAS A MIN. 14 FLOOR TO FLOOR FOR NON-RESIDENTIAL USES. GROUND FLOOR CELING HEIGHT DIES SULL DIE SOLAR THE PARKING REQUIRED PER SEC. 155.2 CAR SHARE SPACES REQ PARKING SPACE FOR EVERY DWELLING UNITS AND (1) CLASS 2 SPACE FOR EVERY 7500 SF. (1) CLASS 2 SPACE FOR EVERY 1500 SC. 15.1 BIKE PARKING REQUIRED PER SC. 15.2 CAR SHARE SPACES REQ DESIDENT HE HORIZONTAL AREAS OF ALL FEATURES WHITE MARKS, MORE WAITER THE REGONE ONE RECTORE SECRED RED SERTING AND DRIVEND AND DOORWAYS FOR NO LE SERT ON TREE HUBBANGENT FAND APER TERVER AND STREET FRONTAG	IMAP         MAP ZM2           INTED USE         SFPC 280           ITTED USE         SFPC 287           ITT         SFPC 280           ITT         SFPC 280           ITT         SFPC 280           ITT         SFPC 280           ITT         SFPC 780           ITT VARD SETEACK         SFPC 132           YVARD SETEACK         SFPC 136           ISPACE FOR DWELLING UNITS         SFPC 136           RUCTIONS         SFPC 145 (log)           SFPC 145 (log)         SFPC 145 (log)           S
Commercial And Respleximate Mixer Diss           Diveluins per Nearest resplexitat District - RC-4 Density of 1         PROLECT PROFESS 21 Welline UNITS FOR OWNERSHIP USING THE INDIVIDUALLY REQUESTED STATE DENSity Books, ADD SPC SEC 306.6           25 x 1000 SFP - Top SPAN. COMMERCIAL MARK SPECTRAL USISS FROUND COMPLEX STO DENSITY BOOKS, SEE SHEET G1.50 FOR DIAGRAM         INDIVIDUALY REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM           Waver Required PER SDB, SEE SHEET G1.50 FOR DIAGRAM         NA           Waver Required PER SDB, SEE SHEET G1.50 FOR DIAGRAM         NA           Waver Required PER SDB, SEE SHEET G1.50 FOR DIAGRAM         NA           Waver Required PER SDB, SEE SHEET G1.50 FOR DIAGRAM         NA           Waver Required PER SDB, SEE SHEET G1.50 FOR DIAGRAM         NA           Waver Required PER SDB, SEE SHEET G1.50 FOR DIAGRAM         NA           Waver Required PER SDB, SEE SHEET G1.50 FOR DIAGRAM         NA           Waver Required PER SDB, SEE SHEET G1.50 FOR DIAGRAM         NA           UNIT 20 COES NOT COMPLIES         AT JUSTIN ST WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM           S         NA         NA DARDING PROPOSED           NA         PROLECT COMPLIES         AT JUSTIN ST WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM           S         NA         PROLECT COMPLIES         AT JUSTIN ST WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM           S         NA         PROLECT COMP	MIXED USE PERMITTED ID PTO 1 DWELLING UNIT PER 200 SF OF LOT AREA: 3,000 SF / 200 = 15 OWELLING UNITS PER NEAREST RE DWELLING UNIT PER 200 SF LOT AREA. 25 TO 1 FOR NOREBORENTIAL USES 65-A (65 MAXIMUM HEIGHT) 110 MAXIMUM IN DENOTI-LIS' MAXIMUM IN DIAGONAL DIMENSION NOT REQUIRED 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 26% OTHER LOSEN NO THE LIST AND 15% OF ROOT OF DIBLIC WAY OR COMPLY THIS REQUIRED 21 UNITS X 80 sqft = 1,860 27% OTHER LIST AND 10 OF THE WIDTH OR 29 GIVEN TO PARRIMG NGRESS OR EGRESS 26% OTHER LIST AND 10 OF THE WIDTH OR 29 GIVEN TO PARRIMG NGRESS OR EGRESS 26% OTHER LIST ADD 150 OF AREA TO ES DUST BE PENESTIATED WITH TRANSPARENT WINDOW AND DORINATYS FOR NO LESS 27% OTHER LIST ADD 100 OF AREA TO DE SOLAR THOTOVIC LIC OR 30% OF ROOT AREA TO DE GREEN OR REGIT 27% OTHER LIST ADD 100 OF AREA TO DE SOLAR THOTOVIC LIC OR 30% OF ROOT AREA TO DE GREEN OR REGIT 27% OTHER LIST ADD 100 OF AREA TO DE SOLAR THOTOVIC LIC OR 30% OF ROOT AREA TO DE GREEN OR REGIT 27% OTHER LIST ADD 100 OF AREA TO DE SOLAR THOTOVIC LIC OR 30% OF ROOT AREA TO DE GREEN OR REGIT 27% OTHER LIST ADD 100 OF AREA TO DE SOLAR THOTOVIC LIC OR 30% OF ROOT AREA TO DE GREEN OR REGIT 27% OTHER LIST ADD 100 OF AREA TO DE SOLAR THOTOVIC LIC OR 30% OF ROOT AREA TO DE GRE	ITTED USE         SFPC 209           ITTY         SFPC 207           ITT         SFPC 207           ITT         SFPC 207           ITT         SFPC 201           ITT         SFPC 201           ITT         SFPC 201           ITT         SFPC 201           ITT VARD SETBACK         SFPC 132           ITTARD SETBACK         SFPC 136           ISPACE FOR DWELLING UNITS         SFPC 1451(c)           IRUCTIONS         SFPC 1451(c)           RUCTIONS         SFPC 1451(c)(1)           SFPC 1451(c)(2)         SFPC 1451(c)(1)           SFPC 1451(c)(2)         SFPC 1451(c)(2)           SFPC 1451(c)(2)         SFPC 1552
25 X 300 SP-750 SP MAX. NON-RESIDENTLUSES. PROJECT COMPLIES. BY POPODED WWEER FOLLIPED PRE STATE DENSITY BONUS; SEE SHEET G1 50 FOR DIAGRAM NA NA NA NA NA NA NA REQUIRED 21 UNITS X 80 with = 1.880 SF MIN. COMMON OPEN SPACE REQUIRED PER SDB, SEE SHEET G1 50 FOR DIAGRAM NA NA NA REQUIRED 21 UNITS X 80 with = 1.880 SF MIN. COMMON OPEN SPACE REQUIRED PROJECT COMMON DPEN SPACE REQUIRED NA REQUIRED 21 UNITS X 80 with = 1.880 SF MIN. COMMON OPEN SPACE REQUIRED REFET G1 50 FOR DIAGRAM NA NA REQUIRED 21 UNITS X 80 with = 1.880 SF MIN. COMMON OPEN SPACE REQUIRED REFET G1 50 FOR DIAGRAM NA NA NA NA DIAGRAM NA	E 35 0 1 FOR NON-RESIDENTIAL USES     G5A (65 MAXIMUM HEIGHT)     (11 MAXIMUM LENOTH, 125 MAXIMUM IN DIAGONAL DIMENSION     NOT REQUIRED     25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15     25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15     60 sqt 0F PRIVATE OR 80 sqt 0F COMMON OPEN SPACE PER DWELLING UNIT IS REQUIRED 21 UNITS X 80 sqt = 1,880     PERMITTED. OVER NARROW STREET WITH NARROW SIDEWALK PROJECTIONS 2 MAX PROJECTION ALLOWABLE.     EVERY UNIT TO FACEONTO PUBLIC WAY OR COMPLYING REAR YARD     OFF-STREET PARKING AT STREET GRADE MUST BE SET BACK AT LEAST 25     NO MORE THAN 13 OF THE WIDTH OR 20 GIVEN TO PARKING SPACES OR EGRESS     ACTIVE USES REQUIRED     GROUND FLOOR SHALL BE AS CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NC DISTRICT     FRONTAGE WITH ACTIVE USES MUST BE SET BACK AT LEAST 25     NOT REQUIRED D     GROUND FLOOR SHALL BE AS CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NC DISTRICT     FRONTAGE WITH ACTIVE USES MUST BE FEDERATED WITH TRANSPARENT WINDOW AND DOORWAYS FOR NO LEE     PROVIDE A MIN. 19 OF THE WIDTH OR 20 GIVEN TO VOLCITACIO R300, OF CROOF AREA TO BE GRAEP MORE     NOT REQUIRED MAX. PREMITTED PER SEC. 151. BIKE PARKING REQUIRED PER SEC. 155.2 CAR SHARE SPACES REQ     PROVIDE A MIN. 19 OF ROOF AREA TO E SOLAR PHOTOVOLITALIC OR 300, OF ROOF AREA TO BE GRAEP MORE     NOT REQUIRED MAX. PREMITTED PER SEC. 151. BIKE PARKING REQUIRED PER SEC. 152.2 CAR SHARE SPACES REQ     DATING AND ORNKING USES REQUIRE (1) CLASS 1 SPACE FOR EVERY 7,500 SF. (1) CLASS 2 SPACE FOR EVERY 7750     S. (1) CLASS 1 SPACE FOR EVERY DWELLING UNITS AND (1) CLASS 2 SPACE FOR EVERY 7,500 SF. (1) CLASS 2 SPACE FOR EVERY 7750     S. AMIN OF 40% OF UNITS THE 2.28BIS OR TOR TO BE SRB.     BULDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF O     DESIMPTIONS THE ADMENT AND APPLITERS SHALL BE EXTIMPT: PROVIDED THE LIMITATIONS INDICATED TO REACT PARKING     BUCHMENT, MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF O     DEMEDTING THE ARE S	SFPC 124           HT         SFPC 280           LIMIT         SFPC 748.E 270           IT VARD SETBACK         SFPC 134(a)(2)           ISPACE FOR DWELLING UNITS         SFPC 134(a)(2)           ISPACE FOR DWELLING UNITS         SFPC 134(a)(2)           ILING UNIT EXPOSURE         SFPC 145 (a)(4)           IT / STREET FRONTAGE REVIEW         SFPC 145 (a)(4)           SFPC 145 (a)(4)         SFPC 145 (a)(4)           SFPC 145 (a)(5)         SFPC 145 (a)(4)           SFPC 145 (a)(5)         SFPC 145 (a)(4)           SFPC 145 (a)(5)         SFPC 145 (a)(5)           SFPC 145 (a)(4)         SFPC 152           STREET PARKING         SFPC 152           LING UNIT MIX         SFPC 280 (b)           SFPC 280(b)         SFPC 280(b)
Image: State of the s	110* MAXIMUM IN LENGTH, 125* MAXIMUM IN DIAGONAL DIMENSION NOT REQUIRED 25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15° 80 out OF PRIVATE OR 80 out OF COMMON OPEN SPACE PER DWELLING UNIT IS REQUIRED. 21 UNITS X 80 out = 1.880 PERMITTED. OVER NARROW STREET WITH NARROW SIDEWALK PROJECTIONS.27 MAX PROJECTION ALLOWABLE. EVERY UNIT TO FACEONTO PUBLIC WAY OR COMPLYING REAR YARD OF STREET PARKING AT STREET GADE MAST BE SET BACK AT LEAST 25° NO MORE THAN 13 OF THE WIDTH OR 20 GIVEN TO PARKING INGRESS OR EGRESS ACTIVE USES REQUIRED GROUNDF.LOCK SHALL BE AS CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NC DISTRICT FRONTAGE WITH ACTIVE USES NUST BE FINESTRATED WITH TRANSPARENT WINDOW AND DORWAYS FOR NOLES PROVIDEA AIM. 15% OF ROVE ARED TO BE SALER PHOTOVICULTUC OR 35% OF ROOF AREA TO BE GREEN PRO- PROVIDEA AIM. 15% OF ROOF AREAT DE BSOLAPHOTOVICULTUC OR 35% OF ROOF AREA TO BE GREEN PRO- PROVIDEA AIM. 15% OF ROOF AREAT DE BSOLAPHOTOVICULTUC OR 35% OF ROOF AREA TO BE GREEN PRO- PROVIDEA AIM. 15% OF ROOF AREAT DE BSOLAPHOTOVICULTUC OR 35% OF ROOF AREA TO BE GREEN PRO- PROVIDEA AIM. 15% OF ROOF AREAT DE BSOLAPHOTOVICULTUC OR 35% OF ROOF AREA TO BE GREEN PRO- PROVIDEA AIM. 15% OF ROOF AREAT DE BSOLAPHOTOVICULTUC OR 35% OF ROOF AREA TO BE GREEN PRO- PROVIDEA AIM. 15% OF ROOF AREAT DE BSOLAPHOTOVICULTUC OR 35% OF ROOF AREAT DE BE GREEN PRO- PROVIDEA AIM. 15% OF ROOF AREAT DE BSOLAPHOTOVICULTUC OR 35% OF ROOF AREAT DE GREEN PRO- PROVIDEA AIM. 15% OF ROOF AREAT DE BSOLAPHOTOVICULTUC OR 35% OF ROOF AREAT DE GREEN PRO- PROVIDEA MIN. 15% OF ROOF AREAT DE BSOLAPHOTOVICULTUC OR 35% OF ROOF AREAT DE GREEN PRO- PROVIDEA MIN. 15% OF ROOF AREAT DE BSOLAPHOTOVICULTUC OR 35% OF ROOF AREAT DE GREEN PRO- PROVIDEA MIN. 15% OF ROOF AREAT DE BSOLAPHOTOVIC THE OF ROOF OF CHECK PRO- PROVIDEA MINOR STRUCTURE DE BREADURES STALL BEATHON THE ARARGAPHING INDO MAINTENANCE OF THE BUT BULDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO OP OF FLAT REOF OF DECEDED OF MELLING STRUCTURES WHENT THE ARARGAPHING B	LIMIT SFPC TABLE 270 IT VARD SETBACK SFPC 132 (2) VARD SETBACK SFPC 132 (2) VARD SETBACK SFPC 134(4)(2) SFPC TABLE 135(4) RUCTIONS SFPC 145 (10(1) IT / STREET FRONTAGE REVIEW SFPC 145. (10(1) SFPC 145. (10(2) SFPC 145. (10(2) SFPC 145. (10(2) SFPC 145. (10(3) SFPC 145. (10(3) SFPC 145. (10(4) SFPC 145. (10(3) SFPC 152. (10(3) SFPC 155. (10(3) SFPC 250(b))
Image:         Image:<	25% OF THE LOT DEPTH, BUT IN NO CASE LESS THAN 15 10 60 sqt OF PRIVATE OR 80 sqt OF COMMON OPEN SPACE PER DWELLING UNIT IS REQUIRED. 21 UNITS X 80 sqt = 1,880 PERMITTED. OVER NARROW STREET WITH NARROW SIDEWALK PROJECTIONS.2 MAX PROJECTION ALLOWABLE EVERY UNIT TO FACEONTO PUBLIC WAY OR COMPLYING REAR YARD OFF-STREET PARKING AT STREET GRADE MUST BE SET BACK AT LEAST 25 NO MORE THAN 10 OF THE WIDTH OR 22 GYENT OP ARKING INGRESS OR EGRESS ACTIVE USES REQUIRED GROUND FLOOR CELLING HEIGHT HAS A MIN. 14 FLOOR TO PLOOR FOR NON-RESIDENTIAL USES. GROUND FLOOR SHALL BES A CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NO DSTRET FRONTAGE WITH ACTIVE USES MUST BE SET BACK AT LEAST 25 NO MORE THAN 10 OF THE WIDTH OR 22 GYENT OP ARKING INGRESS OR EGRESS ACTIVE USES REQUIRED GROUND FLOOR SHALL BES A CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NO DSTRET FRONTAGE WITH ACTIVE USES MUST BE FEBESTRATED WITH TRANSPARENT WINDOW AND DOORWAYS FOR NO LES PROVIDE A MIN. 15% OF ROOF AREA TO BE SOLAR PHOTOVOLTAIC OR 39%, OF ROOF AREA TO BE GREEN OR REGIT IN ON TREQUIRED MAX. FEMILTED FEBSEL. 156. UI CLASS 1 SPACE FOR EVERY TO MELLING UNITS AND (1) CLASS 2 SPACE FOR EVERY 7.500 SF. (1) CLASS 1 SPACE FOR EVERY 7.500 SF. (1) CLASS 2 SPACE FOR EVERY 7.500 SF. (1) CLASS 1 SPACE FOR EVERY 7.500 SF. (1) CLASS 2 SPACE FOR EVERY 7.500 SF. (1) CL	IVARD SETBACK         SFPC 134(a)(2)           IVARD SETBACK         SFPC 134(a)(2)           ISPACE FOR DWELLING UNITS         SFPC 136           IRUCTIONS         SFPC 136           LING UNIT EXPOSURE         SFPC 140           HT / STREET FRONTAGE REVIEW         SFPC 145 (1c)(1)           SFPC 145 (1c)(2)         SFPC 145 (1c)(2)           SFPC 145 (1c)(2)         SFPC 145 (1c)(5)           SFPC 145 (1c)(5)         SFPC 150 (1c)           JUNG UNIT MIX         SFPC 207 6           HT LIMITS: MEASUREMENT         SFPC 280(b)           SFPC 280(b)         SFPC 280(b)
EQUIRED 21 UNTS X 80 wth = 1,880 SF MIN. COMMON OPEN SPACE REQUIRED. 24 95 F COMMON OPEN SPACE REQORED RAVORE REQUIRED RES 06; SEE SHEET G1 50 FOR MARAM INT 32 DOES NOT COMPLAN TWITH SEC.136 AT AUSTIN ST WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR MARAM INT 32 DOES NOT COMPLAN, WAIVER REQUIRED PER SDB, SEE SHEET G1.50 FOR MARAM INT 32 DOES NOT COMPLAN, WAIVER REQUIRED PER SDB, SEE SHEET G1.50 FOR MARAM INT 32 DOES NOT COMPLAN, WAIVER REQUIRED PER SDB, SEE SHEET G1.50 FOR MARAM INT 32 DOES NOT COMPLAN, WAIVER REQUIRED PER SDB, SEE SHEET G1.50 FOR MARAM INT 32 DOES NOT COMPLAN, WAIVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DARAM INT 32 DOES NOT COMPLAN, WAIVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DARAM INT 32 DOES NOT COMPLAN, WAIVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DARAM INT 32 DOES NOT COMPLAN, WAIVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DARAM INT 32 DOES NOT COMPLAN, WAIVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DARAM INT 32 DOES NOT COMPLAN, WAIVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DARAM INT 3 C DISTRICT PROJECT COMPLIES AT JUSTING ST PROJECT IN S2 OR DARAM INT 3 C DISTRICT PROJECT COMPLIES INT 3 AT AUSTINS ST PROJECT COMPLES INT 3 AT AUSTINS ST PROJECT COMPLIES INT 3 AT AUSTINS ST PROJECT COMPLES AT AUSTING ST PROJECT COMPLIES INT 3 AT AUSTINS ST PROJECT COMPLES AT AUSTING ST PROJECT COMPLIES INT 3 AT AUSTINS AT AUSTING ST PROJECT COMPLES AT AUSTING ST PROJECT COMPLIES INT 3 AT AUSTING ST PROJECT COMPLES AT AUSTING ST PROJECT COMPLIES INT 3 AT AUSTING ST PROJECT COMPLES AT AUSTING ST PROJECT COMPLES INT 3 AT AUSTING ST PROJECT COMPLES AT AUSTING ST PROJECT COMPLES INT 3 AT AUSTING ST PROJECT PROVIDED FURTHER THAT THE FOR TO TO PO FLAT ROOF OR THE MORDONT OF A SLOPED ROOF. PROJECT EXCEED S BOT COMPLAN, AUX AURCER REQUIRED PER NOT TO PO FLAT ROOF OR THE MORDONT OF A SLOPED ROOF. PROJECT EXCEED S BOT COMPLAN, AUX AURCE REQUIRED PER NOT TO PO FLAT ROOF OR THE MORDONT OF A SLOPED ROOF. PROJECT EXCEED S BOT COMPLAN, AUX AURCER REQUIRED PER NOT TO PO FLAT ROOF OR THE MORDONT OF A SLOPED ROOF. PROJECT EXCER	PERMITTED. OVER NARROW STREET WITH NARROW SIDEWALK PROJECTIONS.2 MAX PROJECTION ALLOWABLE EVERY UNIT TO FACEONTO PUBLIC WAY OR COMPLYING REAR YARD OFF-STREET PARKING AT STREET GRADE MUST BE SET BACK AT LEAST 25 NO MORE THAN 13 OF THE WIDTH OR 20 GIVEN TO PARKING INGRESS OR EGRESS ACTIVE USES REQUIRED GROUND FLOOR CELLING HEIGHT HAS A MIN. 14 FLOOR TO FLOOR FOR NON-RESIDENTIAL USES. GROUND FLOOR SHALL BE AS CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NC DISTRICT FRONTAGE WITH ACTIVE USES MUST BE PENESTRATED WITH TRANSPARENT WINDOW AND DOORWAYS FOR NO LES PROVIDEA AMIN. 150 OF TOOL FARTO TO ES SOLR PHOTOVOL TAILCO RSIO, OF CHOOL FACT DE GREEN NOT REQUIRED. MAX. PREMITTED DER SEC. 151. BIKE PARKING REQUIRED PER SEC. 152.2 CAR SHARE SPACES REQ PARKING SPACE. FRE SEC. 163. (1) CLASS 1 SPACE FOR EVERY DWILLING UNITS AND (1) CLASS 2 SPACE PER 20 UNITS. EATING AND DRINKING USES REQUIRE (1) CLASS 1 SPACE FOR EVERY 7.500 SF. (1) CLASS 2 SPACE FOR EVERY 750 S A MIN. OF 40%. OF UNITS TO BE 2-BRYS OR 30%. TO BE 3-BR. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO OP OF FLAT ROOF (C DOXEMPTIONS: THE FOLLOWING FEATURES SHALL BE EXXMPT: PROVIDED THE UNITATION INDICATED FOR EACH AT SUM OF THE HORIZONTAL AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (6)(1) SHALL NOT PROVIDE ALL NOT RECEED 20 PERC SUMPTIONS: THE FOLLOWING FEATURES SHALL BE EXXMPT: PROVIDED THE UNITATIONS INDICATED FOR EACH AT SUM OF THE HORIZONTAL AREAS OF ALL FEATURES SITED IN THIS PARAGRAPH (6)(1) SHALL NOT PROVE AMORE BALANC OF OTHE HUBINGT AND APPRITERING SISTED UNDER VIET THIS NANDERD MORE MORE BALANC (1) HECHNICAL EQUIRIMENT AND APPRITERING SISTED IN THIS PARAGRAPH (6)(1) SHALL NOT RECEED 20 PERC (1) MECHNICAL EQUIRIENT AND APPRITERING SISTED IN THIS PARAGRAPH (6)(1) SHALL NOT RECEED 20 PERC (1) MECHNICAL EQUIRIENT AND APPRITERING SISTED IN THIS PARAGRAPH (6)(1) SHALL NOT RECEED 20 PERC (1) MECHNICAL EQUIRIENT AND APPRITERIANCES MORE MAINTER TAYNS, MAD PARES OR DEVESSAF (1) HEE CHANICAL EQUIRIENT AND APPRITERIANCES MORE MAINE	RUCTIONS         SFPC 136           LLING UNIT EXPOSURE         SFPC 145.10(1)           SFPC 145.10(2)         SFPC 145.10(2)           STREET PARKING         SFPC 155.2           LING UNIT MIX         SFPC 260(2)           LING UNIT MIX         SFPC 260(b)           SFPC 260(b)         SFPC 260(b)
AT JUSTIN ST WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM       UNIT 220 DOES NOT COMPLY; WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM       NN. NO PARLIS NOT COMPLY; WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM       SI     NA       DENTIAL USES.     AT JUSTIN ST PROJECT COMPLIES       DOW MOD DOORWWYS FOR NO LESS THAN 80%.     WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM       DOF AREA TO BE GREEN OR REGITATED ROOF.     PROJECT COMPLIES       DOW MOD DOORWWYS FOR NO LESS THAN 80%.     WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM       DY AREA TO BE GREEN OR REGUIRED WHEN PROJECT HAS 25 OR MORE     NO VERGLE PARKING PROPOSED. PROJECT COMPLIES.       NTTS.     ANUL OF LOAST 1 SPACES MOD 2 LOAST 3 SPACES REQUIRED FOR 21       JOLASS 2 SPACES FOR EVERY 780 SF, 2 SPACES MINI REQUIRED.     ANUL OF ST LOAST 1 SPACES MOD 2 LOAST 3 SPACES REQUIRED FOR TO THE HOLD TO A SLOPED ROOF.       PROJECT DOOF OF FLAT ROOF OR THE MIDPOINT OF A SLOPED ROOF.     PROJECT COMPLIES SON TO COMPLY US AND 2 CLASS 2 SPACES REQUIRED FOR THO THE HOLD THE TO PIOLSE TO THE HOLD THE HALL AREA OF THE NONIDUALLY REQUIRED FOR THE COLLEGEN OF SON TO SUPHT FOR RELIPF       RON TO TROVIDE A MORE BALANCED AND GRACEFUL SHLUDOR OF.     PROJECT COMPLIES STATE DENSITY BONILS (SFPC 20.80.6)       RUTH	VERY UNIT TO FACEONTO PUBLIC WAY OR COMPLYING REAR YARD OPF-STREET PARKING AT STREET GRADE MUST BE SET BACK AT LEAST 29 NO MORE THAN 13 OF THE WIDTH OR 27 GIVEN TO PARKING INGRESS OR EGRESS ACTIVE USES REQUIRED GROUND FLOOR SHALL BE AS CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NC DISTRICT FRONTAGE WITH ACTIVE USES MUST BE THE THOST TO FLOOR FOR NON-RESIDENTIAL USES. GROUND FLOOR SHALL BE AS CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NC DISTRICT FRONTAGE WITH ACTIVE USES MUST BE THENESTRATED WITH TRANSPARENT WINDOW AND DORWAYS FOR NO LEE PROVIDE AMN. 195 OF ROOT AREA TO DE SOLAR PHOTOVICUTICI OR OSING'O, FORO TAREA TO DE GREENT ON TRANSPARENT WINDOW AND DORWAYS FOR NO LEE PROVIDEA MIN. 195 OF ROOT AREA TO DE SOLAR PHOTOVICUTICI OR OSING'O, FORO TAREA TO DE GREENT ON TRAUBANCES MERGENTING FROUNDES. FREE SEC. 163. (1) CLASS 1 SPACE FOR EVERY DWILLING UNITS AND (1) CLASS 2 SPACE PER 20 UNITS. EATING AND DRINKING USES REQUIRE (1) CLASS 1 SPACE FOR EVERY 7.500 SF. (1) CLASS 2 SPACE FOR EVERY 750 S A MIN. OF 40%: OF UNITS TO BE 2-BRS OR 30%: TO BE 3-BR. BULDING HEIGHT IS MASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO OP OF FLAT ROOF(C) DORMOTIONS: THE FOLLOWING FRATURES SHALL BE EXAMPT: PROVIDED THE LIMITATIONS INDICATED FOR EACH AR SUM OF THE HORIZONTAL AREAS OF ALL FFATURES LISTED IN THIS PARAGRAPH (B(1)) SHALL NOT FOXCED EACH AR SUM OF THE HORIZONTAL AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (B(1)) SHALL NOT ROOTE ACCH THE ADVECENDED THE LIMITATIONS INDICATED FOR EACH AR SUM OF THE HORIZONTAL AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (B(1)) SHALL NOT ROOTE ACCH AR SUM OF THE HORIZONTA AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (B(1)) SHALL NOT ROCEED COF EACH AR SUM OF THE HORIZONTA AREAS OF ALL ELEMETED TO THE TO PORTED THE LIMITATIONS INDICATED FOR EACH AR SUM OF THE HORIZONTA AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (B(1)) SHALL NOT ROCECED DESIGNED ESSIGNED ETHER TO OSCILIER THE FEATURES LISTED IN THIS PARAGRAPH (B(1)) SHALL NOT ROCECED OF DEVER (1) HECHNICAL EQUIPMENT AND APPR	LING UNIT EXPOSURE SFPC 140 HT / STREET FRONTAGE REVIEW SFPC 145.1(c)(1) SFPC 145.1(c)(2) SFPC 145.1(c)(3) SFPC 145.1(c)(4) SFPC 151.2 LING UNIT MIX SFPC 152.2 LING UNIT MIX SFPC 260(b) SFPC 260(b)
FOR DUAGRAM     NA NO PARLING PROPOSED     NA NO PROJECT COMPLIES     NA     NO PARLS     PROJECT COMPLIES     AT AUSTIN ST PROJECT COMPLIES     ADD WANDE DORONWAYS FOR NOLESS THAN 80%.     WAVER REPOLIES PARSING PROPOSED. PROJECT COMPLIES     ADD WAND CORONWAYS FOR NOLESS THAN 80%.     ANNO RE PLANES PROJECT HAS 25 OR MORE     NOVERCLE PARSING PROPOSED. PROJECT COMPLIES     ANNO RE AUGUST AUSTING AUGUST A	OFF-STREET PARKING AT STREET GRADE MUST BE SET BACK AT LEAST 29 NO MORE THAN 13 OF THE WIDTH OR 20 GIVEN TO PARKING NIGRESS OR EGRESS ACTIVE USES REQUIRED GROUND FLOOR CELLING HEIGHT HAS A MIN. 14 FLOOR TO FLOOR FOR NON-RESIDENTIAL USES. GROUND FLOOR SHALL BE AS CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NC DISTRICT FRONTAGE WITH ACTIVE USES MUST BE PENESTRATED WITH TRANSPARENT WINDOW AND DOORWAYS FOR NO LES PROVIDEA AMN. 150 OF ROOT ARAFT DO E SOLAR PHOTOVOL TAIC OR SNO, OF CROOF AREA TO DE GREEN TO ADARKING SPACE. SPEN SEC. 163. (1) CLASS 1 SPACE FOR EVERY DWILLING UNITS AND (1) CLASS 2 SPACE PER 20 UNITS. EATING AND DRIVING USES RESULTED INTO ITS AND (1) CLASS 2 SPACE FOR EVERY 750 S AMIN. OF 40%. OF UNITS TO BE 2-ABRY OR 30%. TO BE 3-ABR. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO OP OF FLAT ROOF ( DOXEMPTIONS. THE FOLLOWING FRATURES SHALL BE EXAMPT: PROVIDED THE LIMITATIONS INDICATED FOR EACH AN SUND OF THE HORIZONTAL AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (6)(1) SHALL NOT PROVIDE ALM ORE POWNED THE UNITATIONS INDICATED FOR EACH AR SUND OF THE HORIZONTAL AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (6)(1) SHALL NOT PROVED A MORE BOAL NOR RECORED DESIGNED ETHER TO OBSCURE THE FAUTURES SHALL BE EXAMPT: PROVIDED THE LIMITATIONS INDICATED FOR EACH AR SUND OF THE HORIZONTAL AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (6)(1) SHALL NOT PROVE AMORE BALANC OT THE HORIZONTAL AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (6)(1) SHALL NOT RECEED 20 PERC (1) MECHANICAL EQUIPMENT AND APPRITENCY CONSCIDENTS THE TO NOR AND TRAVELES AND REVERS THE PROJECT SUMMING WENT STACK, COOLING TO WER WITE TAWKS, MAD PARES ON POWICES THE ENDERNY. THIS EXAMPTIONS AND LIGHTING VENT STACK, OLDING TO THE TO THE TAWKS, MAD PARES ON POWICES AND ENDERNY. THIS EXAMPTIONS AND LIGHTING AND PORTENANCES MORE MATTER TAWKS, MAD PARES ON POWICES THE ENDERNY. THE ENDERNY AND APPRITENCY ON THE OPERATION OR MAINTENANCE OF THE BUIL (1) MECHANICAL EQUIPMENT AND APPRITENCY MISTER TO THE TAWKS, MAD PARES ON	HT / STREET FRONTAGE REVIEW         SFPC 145 (log(1)           SFPC 145 (log(2))         SFPC 145 (log(3))           SFPC 145 (log(4))         SFPC 145 (log(4))           SFPC 145 (log(4))         SFPC 151 (log(4))           STREET PARKING         SFPC 152 (log(4))           LING UNIT MIX         SFPC 280 (log(4))           SFPC 280(b)         SFPC 280(b)
PROJECT COMPLIES         PROJECT COMPLIES         AT ALISTIST PROJECT COMPLIES         AT ALISTIST PROJECT COMPLIES         AT ALISTIST PROJECT COMPLIES         DOW AND DOORWLYS FOR NO LESS THAN 80%.         WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM.         DOW AND DOORWLYS FOR NO LESS THAN 80%.         WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM.         DOW AND DOORWLYS FOR NO LESS THAN 80%.         WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM.         DOW AND DOORWLYS FOR NO LESS THAN 80%.         WAVER REQUIRED PER SDB, SEE SHEET G1.50 FOR DIAGRAM.         DOW AND DOORWLYS FOR NO LESS THAN 80%.         MO VENDLE PARKING PROVOSED. PROJECT COMPLIES.         INTS.         JOLASS 2 SPACES FOR EVERY 750 SF. 2 SPACES MIN. REQUIRED.         A MIN. OF 21 CLASS 1 SPACES AND 2 CLASS 2 SPACES FOR 1.008 SF OF FRONT OF HOUSE RESTAURANT. PROJECT COMPLIES.         JOLASS 2 SPACE FOR EVERY 750 SF. 2 SPACES MIN. REQUIRED.         A MIN. OF 2 CLASS 1 SPACES MOL 2 CLASS 1 SPACES MOL 2 CLASS 1 SPACES NOT 1.008 SF OF FRONT OF HOUSE RESTAURANT. PROJECT COMPLIES.         JOLASS 2 SPACE FOR EVERY 750 SF. 2 SPACES MIN. REQUIRED DOR.         PROJECT DOES NOT COMPLY. U.U.U.HTOHIZATION SOUGHT FOR RELIEF         ROUCED SPECT THE MIDDOINT OF A SLOPED ROOF.         PROJECT DOES NOT COMPLY. U.U.U.HTOHIZATION SOUGHT FOR RELIEF         ROULECT EXCEEDS 65 HEIGHT LIMIT OF NO	ACTIVE USES RECUIRED GROUND FLOOR CELING HEIGHT HAS A MIN. 14 FLOOR TO FLOOR FOR NON-RESIDENTIAL USES. GROUND FLOOR SHALL BE AS CLOSE TO SIDEWALK BEVATION AS POSSIBLE IN NC DISTRICT FRONTAGE WITH ACTIVE USES MUST BE ENBESTRATED WITH TRANSPARENT WINDOW AND DOORWAYS FOR NOL ES PROVIDE A MIN. 15% OF ROOF AREA TO BE SOLAR PHOTOVOLTAL OR 39%, OF ROOF AREA TO BE GREEN OR REGIT NOT REQUIRED MAX. FEMINITID FER SEC. 15. IBME PARKING REQUIRED FER SEC. 155. 2 OR SHARE SPACES REQ MORING SPACES FER SEC. 16. (1) CLASS 1 SPACE FOR EVERY DWELLING UNITS AND (1) CLASS 2 SPACE FER 20 UNITS. EATING AND DRINKING USES REQUIRE (1) CLASS 1 SPACE FOR EVERY 7.500 SF. (1) CLASS 2 SPACE FOR EVERY 780 S A MIN. OF 40% OF UNITS TO BE 2.88% OR 30%. TO BE 3.88%. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CLRB TO TOP OF FLAT ROOF O EXAMPTIONE HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CLRB TO TOP OF FLAT ROOF O EXAMPTIONE HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CLRB TO TOP OF FLAT ROOF O EXAMPTIONE HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CLRB TO TOP OF FLAT ROOF O EXAMPTIONE HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CLRB TO TOP OF FLAT ROOF O EXAMPTIONE HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CLRB TO TOP OF FLAT ROOF O EXAMPTIONE HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CLRB TO TOP OF FLAT ROOF O EXAMPLE AND REFLORED AND AND AND AND AND AND AND AND AND AN	SFPC 145 1(c)(3)           SFPC 145 1(c)(4)           SFPC 145 1(c)(5)           SFPC 155 1           PARK           SFPC 155 2           LING UNIT MIX           SFPC 207.6           HT LIMITS: MEASUREMENT           SFPC 280(b)
EEE SHEET G1 30 FOR DUAGRAM           CDSTRICT         PROJECT COMPLIES           DOW AND DOORWAYS FOR NO LESS THAN 80%         WAVER REQUIRED RES DB, SEE SHEET G1 50 FOR DIAGRAM           SOF AREA TO BE GREEN OR REGITATED DOOF.         PROJECT COMPLIES           INITS.         AMIN. OF 21 CLASS 1 SPACES AND 2 CLASS 2 SPACES REQUIRED FOR 21 DWELLING UNITS. FROJECT COMPLIES.           JOLASS 2 SPACE FOR EVERY 750 SF, 2 SPACES MIN. REQUIRED.         A MIN. OF 21 CLASS 1 SPACES AND 2 CLASS 2 SPACES FOR 1008 SF OF FRONT OF HOUSE RESTALIANT. FROJECT COMPLIES.           NITS.         DWELLING UNITS. FROJECT COMPLIES.         DWELLING UNITS. FROJECT COMPLIES.           NOT CHARLY. CLASS 1 SPACES AND 2 CLASS 2 SPACES FOR 1008 SF OF FRONT OF HOUSE RESTALIANT. FROJECT COMPLIES.         PROJECT DOES NOT COMPLY. U.U.U.HTORIZATION SOUGHT FOR RELIEF           ROM CURB TO TOP OF FLAT ROOF OR THE MIDPOINT OF A SLOPED ROOF.         PROJECT DES NOT COMPLY. U.U.U.HTORIZATION SOUGHT FOR RELIEF           ROM CURB TO TOP OF FLAT ROOF OR THE MIDPOINT OF A SLOPED ROOF.         PROJECT DES NOT COMPLY. U.U.U.HTORIZATION SOUGHT FOR RELIEF           ROM CURB TO TOP OF FLAT ROOF OR THE MIDPOINT OF A SLOPED ROOF.         PROJECT DES NOT COMPLY. U.U.U.U.HTORIZATION SOUGHT FOR RELIEF           ROM CURB TO TOP OF FLAT ROOF OR THE MIDPOINT OF A SLOPED ROOF.         PROJECT EXCEED 20 PRECINT. AREA OF THE ROOF           NO TO TORVICE MARKE BUANCED AND GRAZENT BUILT AREA OF THE ROOF         PROJECT EXCEED 20 PRECINT ANG GRAZENT BUILTOR THE TOP           NO R TORVICE MARGE BUANCE	GROUND FLOOR SHALL BE AS CLOSE TO SIDEWALK ELEVATION AS POSSIBLE IN NC DISTRICT     FROMTAGE WITH ACTIVE USES MUST BE FINESITRATED WITH TRANSPARENT WINDOW AND DOORWAYS FOR NO LEE     FROM TAGE WITH ACTIVE USES MUST BE FINESITRATED WITH TRANSPARENT WINDOW AND DOORWAYS FOR NO LEE     FROVIDE A MIN. 1950 C PROJE AREAT TO BE SOLRE PHOTOVOL, TALC OS MOY, OF CROOF AREAT TO BE GRAEP NO REGIT     NOT REQUIRED MAX. FERMITTED PER SEC. 151. BIKE PARKING REQUIRED PER SEC. 155.2. CAR SHARE SPACES REQ     PARKING SPACES FERS SEC. 163.     (1) CLASS 1 SPACE FOR EVERY DWELLING UNITS AND (1) CLASS 2 SPACE PER 20 UNITS.     EATING AND DRINKING USES REQUIRE (1) CLASS 1 SPACE FOR EVERY 7.500 SF. (1) CLASS 2 SPACE FOR EVERY 7.500     A MIN OF 40% OF UNITS TO BE 2.88%, OR 30% TO BE 3 BR.     BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF O     EXEMPTIONS. THE FOLLOWING FEATURES SHALL BE EXEMPT. PROVIDED THE UNITATION INDICATED FOR BEACH     ANYO EVENT THE FOLLOWING FEATURES SHALL BE EXEMPT. PROVIDED THE UNITATION INDICATED FOR BEACH     ANYO EVENT THE ADVESTIGATE ANY SUCH SUM OF 01 PERCENT HEREFORE OF ORE DESIGNED MAY BE INDERADED     ESIGNED ETHER TO BEC, SURG EATURES USTED IN THIS PARAGRAPH (8)(1) SHALL NOT EXCEED 20 PERC     THE HORIZONTI, AREAS OF ALL FEATURES USTED IN THIS PARAGRAPH (8)(1) SHALL NOT EXCEED 20 PERC     HORE MINITER TO RESCURE THE FEATURES USTED IN THIS PARAGRAPH (8)(1) SHALL NOT EXCEED 20 PERC     HEREFORGE DESIGNED AND A MORE BALANCE     OT HE BUILDING OR STRUCTURE     MORE BALANCE     OT HE BUILDING OR STRUCTURE     MORE BALANCE     OT HE BUILDING SHALL BUIL MED EXCOULS TO THE DE TO PROVIDE A MORE BALANCE     OT HE BUILDING SHALL BOLE MORE VERT TAXIS, AND PRUES TO REDUCES TO     ENROV. THIS PARAGRAPH (8)(1) SHALL NOT EXCEED 20 PERC     MERCHANCE OF THE BUIL     MUST AND APPURTEMANCES NOL DE COULS TO THE TO NON MAINTETANKS. MORE BALANCE     OT HE BUILDING SHALL ADOR (20 OLING TOME MADANCE     THE HEIGHT LIMTT TAXIS, AND MARY WITH TAXIS, AND PARES AND PRUES O	SFPC 145 (Ic)(5) SFPC 145 (Ic)(6) SFPC 145 (Ic)(6) STPC 149 STPC 149 STPC 149 STPC 150 STPC 150 PARK SFPC 151 LING UNIT MIX SFPC 207.6 HT LIMITS: MEASUREMENT SFPC 280 SFPC 260(b)
DOW AND DOORWAYS FOR NOLLESS THAN BOY. WWVER REQUIRED PER SDB.SEE SHEET G1.50 FOR DIAGRAM OVARAEA TO BE GREEN OR REGITATED ROOF. PROJECT COMPLIES C. 155.2 CAR SHARE SPACES REQUIRED WHEN PROJECT HAS 25 OR MORE NO VEHICLE PARKING PROPOSED. PROJECT COMPLIES. ANIN, OF 21 CLASS 1 SPACES AND 2 CLASS 2 SPACES REQUIRED FOR 21 OWELLING UNITS. DWILLING UNITS PROJECT COMPLIES. A MIN, OF 2 CLASS 1 SPACES AND 2 CLASS 2 SPACES FOR 1,006 SF OF FRONT OF HOUSE RESTRIJANA', FROJECT COMPLIES. A MIN, OF 2 CLASS 1 SPACES AND 2 CLASS 2 SPACES FOR 1,006 SF OF FRONT OF HOUSE RESTRIJANA', FROJECT COMPLIES. NOT COMPLY COLLING UNITS PROJECT COMPLIES. A MIN, OF 2 CLASS 1 SPACES AND 2 CLASS 2 SPACES FOR 1,006 SF OF FRONT OF HOUSE RESTRIJANA', FROJECT COMPLIES. NOT COMPLY COLLING UNITS PROJECT COMPLIES. NOT COMPLY COLLING UNITS PROVIDED FOR THE MIDPOINT OF A SLOPED ROOF. PROJECT EXCEEDS OF ROOK OF THE MIDPOINT OF A SLOPED ROOF. PROJECT EXCEEDS OF ROOK OF THE MIDPOINT OF A SLOPED ROOF. PROJECT EXCEEDS OF ROOK OF THE MIDPOINT OF A SLOPED ROOF. PROJECT EXCEEDS OF ROOK OF THE MIDPOINT OF THE HORE THAT THE ROOK TO TOP OF FLAT ROOF OR THE MIDPOINT OF A SLOPED ROOF. PROJECT EXCEEDS OF ROOK OF THE HORE AND GRACETLINE REQUIRED PER NOVING WAIVER REQUIRED PER NOVID CORE BANGE BALVACED AND GRACETLINE AND THE TOP TON OR MANTEMACE OF THE BUILDING OR STRUCTURE ITSELF, INCLUDING NURS, MUP PAREA DO BADYEES FOR THE COLLECION OF SOLAR OR WIND TURES WHERE THE HEIGHT LIMIT IS 66 FEET OR LESS. PROJECT PROPOSES NO SETBACK OF STREET WALL. WAIVER REQUIRED PER NOR, SUP PARKE OR DEVESTOR OF THE COLLECION OF SOLAR OR WIND TURES WHERE THE HEIGHT LIMIT IS 66 FEET OR LESS. PROJECT PROPOSES NO SETBACK OF STREET WALL. WAIVER REQUIRED PER DDB, SEE SHEET G1.50 FOR DIAGRAM.  EXTERNOR OPEN SPACE	PROVINGE WITH ACTIVE USES MUST BE FENESTRATED WITH TRANSPARENT WINDOW AND DOORWAYS FOR NO. USE PROVIDEA AIM. 18% OF ROOF AREAT TO BE GOLD PROTOVICY, TALC 08 30% OF ROOF AREAT PROVIDEA AIM. 18% OF ROOF AREAT TO BE GOLD PROTOVICY, TALC 08 30% OF ROOF AREAT PROVIDEA AIM. 18% OF ROOF AREAT TO BE GOLD PROTOVICY, TALC 08 30% OF ROOF AREAT PROVIDEA MAY. FERMITTED PER SEC. 15.1 BIKE PARKING REQUIRED PER SEC. 15.2 CAR SHARE SPACES REQ PARKING SPACES FERS SEC. 18%. (1) CLASS 1 SPACE FOR EVERY DWELLING UNITS AND (1) CLASS 2 SPACE PER 20 UNITS. EATING AND DRINKING USES REQUIRE (1) CLASS 1 SPACE FOR EVERY 7.500 SF. (1) CLASS 2 SPACE FOR EVERY 7.500 A MIN. OF 40% OF UNITS TO BE 2.88%, OR 30% TO BE 3 BR. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF O COMMITTED. EATING AND DRINKING USES REQUIRE (1) CLASS 1 SPACE FOR EVERY 7.500 SF. (1) CLASS 2 SPACE FOR EVERY 7.500 A MIN. OF 40% OF UNITS TO BE 2.88%, OR 30% TO BE 3 BR. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF O COMMITTED. EATING AND ORIGINAL AREAS OF ALL FRATURES SIMUL BE EXEMPT. PROVIDED THE LIMITATIONS INDICATED FOR BACH AR ANDVE WINCH THE FOLLOWING FRATURES SIMUL BE EXEMPT. PROVIDED THE LIMITATIONS INDICATED FOR BACH AR ANDVE WINCH THE ADVISION SIMUL BE EXEMPT. THON ORDET THE LIMITATIONS INDICATED FOR BACH AR ANDVE WINCH THE ADVISIONS WING TO AND THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF O COMMITTED. EXEMPTIONS OF STRUCTURE ANY SUCH SUM OR 0 TO PROVIDE A MORE BALANCE FO THE BUILDING GO STRUCTURE ANY SUCH SUM OR 0 TO PROVIDE A MORE BALANCE FO THE BUILDING OR STRUCTURES UNTER LIMIN, AND PARES OR DEVERS FO ENDRY, THIS BEAMFIND SHALL BULK TO TO THE TO TO PETER TOR OR STRUCTURES WHERE THE HEIGHT LIMIT IS AUSTIN ST (35 WIDTH) FACADE SERACK MINIMUM 10' ABOVE 125' 35' = 45'9' SUBJECT TO URBAN DESIGN GUIDELINES ENDRIFY SUMMERS AND AREAS AND AND AND AND AREAS AND FOR SUCH SAFE ENDRY. THE REASKNER THE HEIGHT LIMIT IS AUSTING THE HEIGHT AND APRILES OR DEVERS FO ENDRY. THES	ER ROOFS ALTERNATIVE SFPC 149 (10)(6) STREET PARKING SFPC 149 PARK SFPC 151. PARK SFPC 155.2 LING UNIT MIX SFPC 207.6 HT LIMITS: MEASUREMENT SFPC 260 (b) SFPC 260 (b)
EX. 155.2. CAR SHARE SPACES REQUIRED WHEN PROJECT HAS 25 OR MORE NO VEHICLE PARKING POPOSED. PROJECT COMPLIES. A MIN. OF 21 CLASS 1 SPACES AND 2 CLASS 2 SPACES REQUIRED FOR 21 WHILING UNITS: PROJECT COMPLIES. A MIN. OF 2 CLASS 1 SPACES AND 2 CLASS 2 SPACES FREQUIRED FOR 21 WHILING UNITS: PROJECT COMPLIES. A MIN. OF 2 CLASS 1 SPACES AND 2 CLASS 2 SPACES FREQUIRED FOR 21 WHILING UNITS: PROJECT COMPLIES. A MIN. OF 2 CLASS 1 SPACES AND 2 CLASS 2 SPACES FREQUIRED FOR 21 WHILING UNITS: PROJECT COMPLIES. PROJECT COMPLIES. PROJECT DOES NOT COMPLIES. PROJECT PROPOSES NO SETBACK OF STREET WALL WAVER REQUIRED PER SDB: SEE SHEET G1.50 FOR DIAGRAM. PROJECT PROPOSES NO SETBACK OF STREET WALL WAVER REQUIRED PER SDB: SEE SHEET G1.50 FOR DIAGRAM. PROJECT PROPOSES NO SETBACK OF STREET WALL WAVER REQUIRED PER SDB: SEE SHEET G1.50 FOR DIAGRAM. PROJECT PROPOSES NO SETBACK OF STREET WALL WAVER REQUIRED PER SDB: SEE SHEET G1.50 FOR DIAGRAM. PROJECT PROPOSES NO SETBACK OF STREET WALL WAVER REQUIRED PER SDB: SEE SHEET G1.50 FOR DIAGRAM. PROJECT PROPOSES NO SETBACK OF STREET WALL WAVER REQUIRED PER SDB: SEE SHEET G1.50 FOR DIAGRAM. PROJ	NOT REQUIRED MAX. FERMITTED PER SEC. 151. BIKE PARKING REQUIRED PER SEC. 156.2. CAR SHARE SPACES REQ PARKING SPACES, PER SEC. 163. (1) CLASS 1 SPACE FOR EVERY DWELLING UNITS AND (1) CLASS 2 SPACE PER 20 UNITS. EATING AND ORINKING USES REQUIRE (1) CLASS 1 SPACE FOR EVERY 7,500 SF. (1) CLASS 2 SPACE FOR EVERY 750 SF. AUM ON P40% OF UNITS TO BE 2-BBS OR 30% TO BE 3BR8. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF OF UNITS TO BE 2-BBS OR 30% TO BE 3BR8. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF OF UNITS TO BE 2-BBS OF AUX TO BE 3BR8. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF OF UNITS TO BE 2-BBS OF AUX TO BE 3BR8. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF OF UNITS TO BE 2-BBS OF AUX TO BE 3BR8. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF OF UNITS TO BE 2-BBS OF AUX FRATURES SITED IN THIS PARAGRAPH (BJI SHALL NOT EXCEED 20 PERC SUM OF THE HORIZONTAL AREAS OF ALL FEATURES USTED IN THIS PARAGRAPH (BJI SHALL NOT EXCEED 20 PERC OF THE HORIZONTAL AREAS OF ALL FEATURES USTED IN THIS PARAGRAPH (BJI SHALL NOT EXCEED 20 PERC OF THE UNITS AND OR STRUCTURE ANY SUDGE MAY OF DE OPERATION OR MAINTENANCE OF THE BUIL (A) MECHANICAL EQUIFINITATION APPURTED SHALL SUSTED IN THIS PARAGRAPH (BJI SHALL NOT EXCEED 20 PERC (A) MECHANICAL EQUIFIENT AND APPURTED SHALL SUSTED IN THE PARKS AND OR MAINTENANCE OF THE BUIL (A) MECHANICAL EQUIFIENT AND APPURTED SHALL SUSTED IN THE PARKS AND AN MAINTENANCE OF THE BUIL (A) MECHANICAL EQUIFIENT AND APPURTED SHALL SUSTED OT THE TOP SUGAL PARKS AND APPURES ON BEVICES OF ENERGY. THIS BEALMPTION SHALL BE LIMITED TO THE TOP 10 FEET OF SUCH FEATURES WHERE THE HEIGHT LIMIT IS SUBJECT TO URBAN DESIGN GUIDELINES BUBJECT TO URBAN DESIGN GUIDELINES	STREET PARKING SFPC 151 PARK SFPC 155.2 LIING UNIT MIX SFPC 207.6 HT LIMITS: MEASUREMENT SFPC 260 SFPC 260(b)
UCLASS 2 SPACE FOR EVERY 750 SF, 2 SPACES MIN. REQUIRED.         A MIN. GP 2 CLASS 1 SPACES MAD 2 CLASS 2 SPACES FOR 1008 SF OF FRONT OF HOUSE RESTAURANT. PROJECT COMPLES.           PROJECT DES NOT COMPLY. CLASS 1 SPACES MAD 2 CLASS 2 SPACES FOR 1008 SF OF FRONT OF HOUSE RESTAURANT. PROJECT COMPLES.         PROJECT DES NOT COMPLY. CLASS 1 SPACES MAD 2 CLASS 2 SPACES FOR 1008 SF OF FRONT OF HOUSE RESTAURANT. PROJECT COMPLES.           REAL TO TOP OF FLAT ROOF OR THE MIDPOINT OF A SLOPED ROOF.         PROJECT EXCEEDS 65 HEIGHT LIMIT OF NCD / 65A 220NING. WAVER REQUIRED PER INDIMINICATED FOR EACH ARE OSSERVED, PROVIDED FURTHER THAT THE INDIMINICATED FOR EACH ARE OSSERVED, PROVIDED FURTHER THAT THE INDIMINICATED FOR EACH ARE OSSERVED, PROVIDED FURTHER THAT THE INDIMINICATED FOR EACH ARE OSSERVED. MINO OFED SCREENING WO RT OR PROVIDE A MORE BLAURCED SCREENING WO RT OR PROVIDE MORE BLAURCED SCREENING WO RT OR PROVIDE MORE BLAURCED SCREENING WOR TO PROVIDE MORE BLAURCED SCREENING WOR TO PROVIDE MORE BLAURCED FOR THE COLLECION OF SOLAR OR WIND URRES WHERE THE HEIGHT LIMIT IS 65 FEET OR LESS.           PROJECT EXPOSISION OF STRUCTURE ITSELF, INCLUDING NOR, MAINTENANCE OF THE BUILDING OR STRUCTURE ITSELF, INCLUDING NOR, SAND PARELS OR DEVICES FOR THE COLLECION OF SOLAR OR WIND URRES WHERE THE HEIGHT LIMIT IS 65 FEET OR LESS.           PROJECT EXPOSISION OS ETBACK OF STREET WALL. WAIVER REQUIRED PER SOB; SEE SHEET G1. 50 FOR TIACE AND	ATING AND DRINKING USES REQUIRE (1) CLASS 1 SPACE FOR EVERY 7,500 SF. (1) CLASS 2 SPACE FOR EVERY 750 S A MIN. OF 40% OF UNITS TO BE 2.8% OR 30% TO BE 3.8%. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF OF EXEMPTIONS. THE FOLLOWING FRATURES SHALL BE EXEMPT. PROVIDED THE: UNITATIONS INDICATED FOR EACH AN SUM OF THE HORIZONTIAL AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (B)(1) SHALL NOT EXCEED 20 FROM ADD/S WINGT HER ARE STOLED. ANY SLOH SUM OF 20 FERCENT HERE TOPORE DISCRIDED MAY BE INCREASED UP THE HORIZONTIAL AREAS OF ALL FEATURES LISTED UNDER (A) AND (8) BELOW OR TO PROVIDE A MORE BALANCE (A) HER AND AND ADD ADD ADD ADD ADD ADD ADD ADD	LING UNIT MIX SFPC 207.6 HT LIMITS: MEASUREMENT SFPC 280 SFPC 280(b)
OF HOUSE RESTAURANT. PROJECT DOWNES. PROJECT DOES NOT COMPLY U.U.U.THORIZATION SOUGHT FOR RELIEF PROVINCE TO SEEN OF COMPLY U.U.U.THORIZATION SOUGHT FOR RELIEF PROVINCE TO SEEN OF COMPLY U.U.U.THORIZATION SOUGHT FOR RELIEF PER INDIVIDUATED FOR EACH ARE OSBERVED, PROVIDED PURTHER THAT THE PER INDIVIDUATED FOR EACH ARE OSBERVED, PROVIDED PURTHER THAT THE PER INDIVIDUATED FOR EACH ARE OSBERVED, PROVIDED PURTHER THAT THE PER INDIVIDUATED FOR EACH ARE OSBERVED, PROVIDED PURTHER THAT THE PER INDIVIDUATED FOR EACH ARE OSBERVED, PROVIDED PURTHER THAT THE PER INDIVIDUATED FOR EACH ARE OSBERVED, BROWDED PURTHER THAT THE PER INDIVIDUATED FOR EACH ARE OSBERVED, BROWDED PURTHER THAT THE PER INDIVIDUATED FOR EACH ARE OSBERVED, BROWDED PURTHER THAT THE PER INDIVIDUATED FOR EACH ARE OSBERVED, BROWDED PURTHER THAT THE PER INDIVIDUATED FOR EACH ARE OSBERVED, BROWDED PURTHER THAT THE PER INDIVIDUATED FOR EACH ARE OSBERVED, BROWDED FOR THE FOR THE TOP TION OR MAINTENANCE OF THE BUILDING OR STRUCTURE ITSELF, INCLUING NURS, MAPRELS OR DEVICES FOR THE COLLECION OF SOLAR OR WIND URES WHERE THE HEIGHT LIMIT IS 65 FEET OR LESS. PROJECT PROPOSES NO SETBACK OF STREET WALL. WAIVER REQUIRED PER SOB; SEE SHEET G1.50 FOR THE COLLECION OF SOLAR OR WIND URES WHERE THE HEIGHT LIMIT IS 65 FEET OR LESS. PROJECT PROPOSES NO SETBACK OF STREET WALL. WAIVER REQUIRED PER SOB; SEE SHEET G1.50 FOR THE COLLECION OF SOLAR OR WIND URES WHERE THE HEIGHT LIMIT IS 65 FEET OR LESS. PROJECT PROPOSES NO SETBACK OF STREET WALL. WAIVER REQUIRED PER SOB; SEE SHEET G1.50 FOR THE COLLECION OF SOLAR OR WIND URES WHERE THE HEIGHT LIMIT IS 65 FEET OR LESS. PROJECT PROPOSES NO SETBACK OF STREET WALL. WAIVER REQUIRED PER SOB; SEE SHEET G1.50 FOR DIAGRAM.	A MIN. OF 40% OF UNITS TO BE 2.8Rs OR 30% TO BE 3.8Rs. BUILDING HEIGHT IS MEASURED FROM ONE POINT ON THE STREET FRONTAGE FROM CURB TO TOP OF FLAT ROOF OF EXEMPTIONS: THE FOLLOWING FEATURES SHALL BE EXEMPT. PROVIDED THE UNITATIONS INDICATED FOR EACH AN SIMI OF THE HOLEXONTIAL MERS OF ALL FEATURES SHALL BE EXEMPT. PROVIDED THE UNITATIONS INDICATED FOR EACH AN SIMI OF THE HOLEXONTIAL MERS OF ALL FEATURES SHALL BE EXEMPT. PROVIDED THE UNITATIONS INDICATED FOR EACH AN EXEMPTIONS: THE FOLLOWING FEATURES SHALL BE EXEMPT. PROVIDED THE UNITATIONS INDICATED FOR EACH AN EXEMPTION STATUS THE FEATURES SHALL BE EXEMPT. PROVIDED THE INITATIONS INDICATED FOR EACH AN EXEMPTION SHALL NOT EXCEED ANY SUCH SIM OF 20 PERCENT HERETORORE DESCRIBED IN WE BARANCEANH (S) (S) HALL NOT EXCEED 20 PERC PO THE BUILDING OR STRUCTURE. (A) MECHANICAL ECON DESCRIPTION STATUS COOLING TO PROVIDE A MORE BALANCE FO THE BUILDING OR STRUCTURE. (A) MECHANICAL EQUIPMENT AND APPURTENANCES NECESSARY TO THE OPERATION OR INANTENANCE OF THE BUI CHIMINE'S, VENTILATORS, PLUMBING VENT STACKS, COOLING TOWER WATTER TANKS, AND PANELS OR DEVICES PC DENERGY. THIS EXEMPTION SHALL BLUMTED TO THE OF 10 FOR TO SOLVER FAURES WHERE THE HEIGHT LIMIT IS AUSTIN ST (3S' WIDTH) FACADE SETBACK MINIMUM 10' ABOVE 1.25 * 3S' = 43-9' [SUBJECT TO URBAN DESIGN GUIDELINES PROJECT SUMMARY SAND APPLICATIONS OF AND APPLICATIONS OF AND PANELS OR DEVICES PC EXEMPTION SHALL BLUMTED TO THE OF 10 SECT OF 50 CONFERENCE THE HEIGHT LIMIT IS AUSTIN ST (3S' WIDTH) FACADE SETBACK MINIMUM 10' ABOVE 1.25 * 3S' = 43-9' [SUBJECT TO URBAN DESIGN GUIDELINES	LING UNIT MIX SFPC 207.6 HT LIMITS: MEASUREMENT SFPC 260 SFPC 260(b)
Intromes indicated for each are observed; PROVIDED FURTHER THAT THE       Image:	EXEMPTIONS: THE FOLLOWING FEATURES SHALL BE EXEMPT: PROVIDED THE LIMITATIONS INDICATED FOR EACH AS SUM OF THE HORIZONTAL AREAS OF ALL FEATURES LISTED IN THIS PARAGRAPH (B(1)) SHALL NOT EXCEED 20 PERC MOVE WHICH THEY ARE SITUATED ANY SUCH SUM OF 20 PERCENT HEREFORCE DESGRAPED MAY BE INCREASED DESIGNED ETHER TO OBSCURE THE FEATURES LISTED IN THIS PARAGRAPH (B(1)) SHALL NOT EXCEED 20 PERC DESIGNED ETHER TO OBSCURE THE FEATURES LISTED IN THIS PARAGRAPH (B(1)) SHALL NOT ROLED AN ORE BALANC FO THE BUILDING OR STRUCTURE (A) NECHNICAL EQUIPMENT AND APPORTEMANCES NECESSARY TO THE OPERATION OR MAINTENANCE OF THE BUIL ON INCOMING STRUCTURE (N) NECHNICAL EQUIPMENT AND APPORTEMANCES NECESSARY TO THE OPERATION OR MAINTENANCE OF THE BUIL UNING STRUCTURES (STRUCTURE) SHALL BE LIMITED TO THE TOP 10 FEET OF SUCH FEATURES WHERE THE HEIGHT LIMIT IS AUSTIN ST( SWIDTH) FACADE SETRICK MINIMUM 10' ABOVE 1.25' 35' = 43'9' SUBJECT TO URBAN DESIGN GUIDELINES	SFPC 260(b)
(8)(1) SHALL NOT EXCEED 20 PERCENT OF THE HORIZONTAL AREA OF THE ROOF I DESCRIBED AWE INCREASE DO 30 SPECKOTE Y UNROCEDE SCREENING W OR TO ROVIDE A MORE BALANCED AND GRACEFUL SILHOUETTE FOR THE TOP IONI OR MAINTENANCE OF THE BUILDING OR STRUCTURE ITSELF, INCLUDING NOS, AND PARES TO REVCESS OR THE COLLECION OF SOLAR OR WIND TURES WHERE THE HEIGHT LIMIT IS 65 FRET OR LESS. PROJECT PROPOSES NO SETBACK OF STREET WALL. WAIVER REQUIRED PER SDB; SEE SHEET G1.50 FOR DIAGRAM	SUM OF THE HORIZONTAL AREAS OF ALL FEATURES USTED IN THIS PARAGRAPH (B)(1) SHALL NOT EXCEED 20 PERC MOVE WHICH THEY ARE SITUATED ANY SUCH SWO GO 2P REPCENT HEREFORCE DESIGNED MY BE INCREASED DESIGNED EITHER TO OBSCURE THE FEATURES LISTED UNDER (A) AND (B) BELOW OR TO PROVIDE A MORE BALANC FO THE BUILDONG OR STRUCTURE (A) MECHANICAL EQUIPMENT AND APPORTEMANCES NECESSARY TO THE OPERATION OR MAINTENANCE OF THE BUIL ON MECHANICAL EQUIPMENT AND APPORTEMANCES NECESSARY TO THE OPERATION OR MAINTENANCE OF THE BUILDON CHIMNER'S, USTINITATORS, PLUBING VENT STACKS, COOLING TOWER WATER TANKS, MOP PARELS OR DEVICES FO ENERGY. THIS DEMEMTION SHALL BE LIMITED TO THE TOP TO FEET OF SUCH FEATURES WHERE THE HEIGHT LIMIT TO AUSTIN ST (3S WOTTH) FACADE ENERGY MINIMIN TO ABOVE 1.25 "35" = 43".9" SUBJECT TO URBAN DESIGN GUIDELINES	
TION OR MAINTENANCE OF THE BUILDING OR STRUCTURE ITSELF, INCLUDING NINS, MUP PANELS OR DEVICES FOR THE COLLECION OF SOLAR OR WIND URES WHERE THE HEIGHT LIMIT IS 65 FEET OR LESS. PROJECT PROPOSES NO SETBACK OF STREET WALL. WAIVER REQUIRED PER SOD; SEE SHEET G1.50 FOR DIAGRAM.	FO THE BUILDING OR STRUCTURE. (A) MECHANICAL EQUIPMENT AND APPURTEINANCES NEGESSARY TO THE OPERATION OR MAINTENANCE OF THE BU CHIMINEYS, VENTILATORS, PLUMBING VENT STACKS, COOLING TOWER, WATER TANKS, AND PANELS OR DEVICES FO ENERGY. THIS SEMPTION SHALL BLUMTED TO THE TO 10 FEET OF SUCH FEATURES WHERE THE HEIGHT LIMIT IS AUSTIN ST (35' WIDTH) FACADE SETBACK MINIMUM 10' ABOVE 1.25 * 35' = 43'.9'' SUBJECT TO URBAN DESIGN GUIDELINES PROJECT SUMMARY	
NWS, AND PANELS OR DEVICES FOR THE COLLECION OF SOLAR OR WIND URRES WHERE THE HEIGHT LIMIT IS 65 FEET OR LESS. PROJECT PROPOSES NO SETBACK OF STREET WALL. WAIVER REQUIRED PER SDB; SEE SHEET G1.50 FOR DIAGRAM EXTERIOR OPEN SPACE EXTERIOR OPEN SPACE	CHINNESS, VENTILATORS, PLUMBING VENT STACKS, COOLING TOWER, WATTER TANKS, AND PANELS OR DEVICES FO ENERGY. THIS SEMPTION SHALL ELIMITED TO THE OF 10 FOET OF SAUH FEATURES WHERE THE HEIGHT LIMIT IS AUSTIN ST (35' WIDTH) FACADE SETBACK MINIMUM 10' ABOVE 1.25 * 35' = 43'-9' SUBJECT TO URBAN DESIGN GUIDELINES PROJECT SUMMARY	
SDE; SEE SHEET G1.00 FOR DIAGRAM	SUBJECT TO URBAN DESIGN GUIDELINES PROJECT SUMMARY	
	PROJECT SUMMARY	
	BUILDING INTERIOR AREA (NET)	
COMMERCIAL TOTAL PRIVATE COMMON	ILING	EVEL STUDIO 2BR 3BR TOTAL UNIT
1096 SF 2426 SF 0 SF 0 SF		
0.05F 10415F 0.5F 0.5F 11105F 12615F 0.5F 0.5F 2675F 20375F 0.5F 0.5F	0 SF 0 SF 152 SF 152 SF 0 SF 0 SF 1110 SF 1261 SF	01 (PINE) 0 0 0 0
0 SF 2291 SF 0 SF 0 SF 0 SF 1525 Pl 1525 Pl 1525 Pl	1763 SF 0 SF 528 SF 2291 SF 0 SF 0 SF 0 SF 2291 SF	03 4 0 0 4 176
0 SF 2291 SF 0 SF 0 SF 1525 PINE ST 1525 PINE ST 3AN FRANCISCO, SAN FRANCISCO,	1878 SF 0 SF 481 SF 2360 SF 0 SF 0 SF 0 SF 2360 SF	06 0 1 1 2 18
0.05F 23665F 0.5F 0.5F 0.5F 23605F 0.5F 0.5F 0.5F 5135F 0.5F 0.5F 5135F 5135F 5135F 5135F 5135F	1878 SF 0 SF 481 SF 2360 SF 0 SF 0 SF 0 SF 2360 SF	08 0 1 1 2 18
USF         513SF         USF         720SF         SFDBI BPA 2018           2473 SF         21235 SF         0 SF         720 SF         PRU #: 2015-00		
CONSTRUCTI MULTI-FAMUY		
OVER RESTAUS BASEMENT IMPLE THE INDIVIDU		
REQUESTED STAT BONUS	UNIT TYPES	
1525 PINE STREET	LEVEL 02 201 A-1A 0 1 475 SF No	
No         NOTICE           VSF         Yes - group         These drawings and sp	LEVEL 02         202         A-1B         0         1         504 SF         No           LEVEL 02         203         P-1C         0         1         314 SF         Yes -90SF	
1SF No Keman/Moris Arbited and the used on any dhe not be used on any dhe	LEVEL 03 302 A-1B 0 1 520 SF No	
SF No Kerman/Moris Architec	LEVEL 03 304 P-1B 0 1 356 SF No	
ISF Yes - 195F	LEVEL 04 402 A-1B 0 1 507 SF Yes - 19SF	
ISF No allo state de velie do ISF Yes - 19SF to the adention of Kerr	LEVEL 04 404 P-1B 0 1 356 SF No	
ISF No or any work.	LEVEL 05 503 P-1A 0 1 408 SF No	
36 SF Yes - 19SF set 5	LEVEL 06 601 A-3 3 2 1066 SF Yes - 19SF	
18 SF Yes - 19SF	LEVEL 07 701 A-3 3 2 1068 SF Yes - 19SF	
6 SF Yes 19SF All ettachments, come	LEVEL 08 801 A-3 3 2 1066 SF Yes - 19SF	
practice, and the Control responsible for providin	Grand total: 21 NOTE: PRIVATE OPEN SPACE DOES NOT MEET PLANNING CODE	
19SQFT	MINIMUMS. COMMON OPEN SPACE PROVIDED ON THE ROOF = 749 SQ FT (1680 SQ FT REQUIRED FOR 21 UNITS: WAIVER REQUIRED)	
PLANN		
DEPARTI NOTE:		
SCHEDU	BICYCLE PARKING	
PROPOSED		
DATE		
SCALE DRAWN BY	CLASS I SPACES         1 SPACE > 7,500 SF: 1         1           CLASS II SPACES         MIN. 2 SPACES REQUIRED: 2         2	
	RESIDENTIAL         3           CLASS I SPACES         1 SPACE PER UNIT: 21         27	
JOB NO.	CLASS II SPACES 1 SPACE PER 20 UNITS: 2 2 29	
	TOTAL PROPOSED SPACES: 32	
G0.0		

	.UNIT TYPES							
LEVEL	UNIT	UNIT TYPE	BEDROOMS	BATHROOMS	UNIT AREA	BALCONY		
	1		-					
LEVEL 02	201	A-1A	0	1	475 SF	No		
LEVEL 02	202	A-1B	0	1	504 SF	No		
LEVEL 02	203	P-1C	0	1	314 SF	Yes - 90SF		
LEVEL 03	301	A-1A	0	1	479 SF	Yes - 19SF		
LEVEL 03	302	A-1B	0	1	520 SF	No		
LEVEL 03	303	P-1A	0	1	408 SF	No		
LEVEL 03	304	P-1B	0	1	356 SF	No		
LEVEL 04	401	A-1A	0	1	492 SF	No		
LEVEL 04	402	A-1B	0	1	507 SF	Yes - 19SF		
LEVEL 04	403	P-1A	0	1	408 SF	No		
LEVEL 04	404	P-1B	0	1	356 SF	No		
LEVEL 05	501	A-1A	0	1	479 SF	Yes - 19SF		
LEVEL 05	502	A-1B	0	1	520 SF	No		
LEVEL 05	503	P-1A	0	1	408 SF	No		
LEVEL 05	504	P-1B	0	1	356 SF	No		
LEVEL 06	601	A-3	3	2	1066 SF	Yes · 19SF		
LEVEL 06	603	P-2	2	2	813 SF	No		
LEVEL 07	701	A-3	3	2	1068 SF	Yes . 19SF		
LEVEL 07	702	P-2	2	2	817 SF	No		
LEVEL 08	801	A-3	3	2	1066 SF	Yes . 19SF		
LEVEL 08	802	P-2	2	2	813 SF	No		

BICYCLE PARKING					
BICYCLE CLASS	REQUIRED	PROPOSED			
COMMERCIAL					
CLASS I SPACES	1 SPACE > 7,500 SF: 1	1			
CLASS II SPACES	MIN. 2 SPACES REQUIRED: 2	2			
RESIDENTIAL		3			
CLASS I SPACES	1 SPACE PER UNIT: 21	27			
CLASS II SPACES	1 SPACE PER 20 UNITS: 2	2			
		29			
TOTAL PROPOSED S	PACES:	32			

### COMMERCIAL SQ FOOTAGE INCREASE

EXISTING GROSS AREA OF RESTAURANT SUBTRACTED FROM PROPOSED GROSS AREA OF RESTAURANT: 2,856 - 1661 = 1195 SF INCREASE

# APPLICATION 2018-0208-0768


-			BUILDING DE		06.2 FOR ADDITI
#	Description	Code Ref. (CBC, U.O.N.)	Allowable	Min/Max	Propos
1.0	ENERAL PROJECT INFORMATION				
1.1	TYPE OF CONSTRUCTION	602.1			TYPE IV o
1.2	OCCUPANCY CLASSIFICATION	310.4			R-2 (21 UNITS) 1ST FL
1.3	HIGH-RISE BUILDING CLASSIFICATION	403.1	N/A		N/A
	EIGHT AND AREA LIMITATIONS				
3.1	BUILDING HEIGHT	Table 504.3	85'-0" 85'-0"	Max.	83'-0
3.11	MAX. HEIGHT OF HIGHEST FLOOR IN NON-HIGH RISE BUILDING	403.1	75'-0"	Max.	83'-0
3.2	BUILDING STORIES ABOVE GRADE	Table 504.4	IV: 5 STORIES AND I-A: UL	Max.	5 STORIES TYP STORIES T
3.3	LARGEST STORY AREA	Table 506.2	UL FOR TYPE I; 20,500 SF FOR TYPE IV	Max.	TYPE I: 3,000 S 2618 S
3.4	TOTAL BUILDING AREA		FORTIFEIV		24,507
	IXED OCCUPANCY & SPECIAL PROVISIONS				
4.1	MIXED OCCUPANCY REQUIREMENTS	508.1	N/A		N/A
	IRE RESISTANCE RATING REQUIREMENTS				
	PRIMARY STRUCTURAL FRAME	Table 601	2 HR	Min.	2 HF
6.2 6.3	BEARING WALLS - EXTERIOR BEARING WALLS - INTERIOR	Table 601 Table 601	2 HR 1 HR	Min. Min.	2 HF 1 HF
6.4	NON-BEARING WALLS - EXTERIOR	Table 601	Varies - see below	IVIII I.	
6.41	WHERE FIRE SEPARATION DISTANCE (FSD) <5	Table 602	1 HR	Min.	1 HF
6.42	WHERE 5' = FSD <10'</td <td>Table 602</td> <td>1 HR</td> <td>Min.</td> <td>1 HF</td>	Table 602	1 HR	Min.	1 HF
6.5	NON-BEARING WALLS - INTERIOR	Table 601	Not Required		
	NON-BEARING WALLS - TENANT SEPARATION	708	1 HR	Min.	1 HF
6.6	FLOOR CONSTRUCTION AND ASSOCIATED SECONDARY MEMBERS	Table 601 and 510.4	2 HR	Min.	2 HF
6.7	ROOF CONSTRUCTION AND ASSOCIATED SECONDARY MEMBERS	Table 601	1 1/2 HR	Min.	1 1/2 1
6.81	SHAFT ENCLOSURES CONNECTING LESS THAN 4 STORIES	713.4	1 HR / 2 HR WHEN PENETRATING 2 HR FLOOR	Min.	2 HF
6.82	SHAFT ENCLOSURES CONNECTING 4 STORIES OR MORE	713.4	2 HR	Min.	2 HF
6.9	HORIZONTAL EXIT (USED AT CORRIDORS)	1026.2 & 711.2.4	2 HR	Min.	2 HF
	IRE AND SMOKE PROTECTION FEATURES				
7.1	MAXIMUM AREA OF EXTERIOR WALL OPENINGS				
	AND PROTECTION REQUIRED				
7.11	WHERE FIRE SEPARATION DISTANCE (FSD) < 3'	SF DBI AB-009	45 MINUTES	Min.	45 MINU
7.12	WHERE 3' = FSD <5'</td <td>Table 705.8</td> <td>15% OPENING PERMITTED UNPROTECTED,</td> <td>Max.</td> <td>N/A</td>	Table 705.8	15% OPENING PERMITTED UNPROTECTED,	Max.	N/A
7 13	WHERE 5' = FSD <10'</td <td>Table 705.8</td> <td>SPRINKLERED 25% OPENING</td> <td>Max.</td> <td>N/A</td>	Table 705.8	SPRINKLERED 25% OPENING	Max.	N/A
			PERMITTED UNPROTECTED, SPRINKLERED		
7.14	WHERE 10' = FSD <15'</td <td>Table 705.8</td> <td>45% OPENING</td> <td>Max.</td> <td>N/A</td>	Table 705.8	45% OPENING	Max.	N/A
			PERMITTED UNPROTECTED, SPRINKLERED		
7.15	WHERE 15' = FSD <20'</td <td>Table 705.8</td> <td>75% OPENING</td> <td>Max.</td> <td>N/A</td>	Table 705.8	75% OPENING	Max.	N/A
			PERMITTED UNPROTECTED,		
7.16	WHERE FSD >/= 20'	Table 705.8	SPRINKLERED No Limit		
	IRE PROTECTION SYSTEMS				
9.1	AUTOMATIC, FULLY SPRINKLERED SYSTEM	903 and NFPA 13	Required per CBC 903 and NFPA 14		YES, provided p and NFP
9.2	STANDPIPE SYSTEMS	905 AND NFPA 14	Required per CBC 905 and NFPA 14 for buildings > 3		YES, provided p and NFP
93	FIRE PUMPS	901.8.913 and	stories Fire Flow Calcs demonstrate		YES, provided pe
		NFPA 20	a Fire Pump is required on this project		913 and N
9.4	FIRE ALARM AND DETECTION SYSTEM	907 and NFPA 72	Required per CBC 907 and NFPA 72		YES, provided p and NFP
9.5	EMERGENCY VOICE / ALARM COMMUNICATION SYSTEM	907 and NFPA 72	Required per CBC 907 and NFPA 72		YES, provided p and NFP
	EMERGENCY RESPONDER RADIO COMMUNICATION SYSTEM	403.4.5, 916, AND CFC 510	Per CFC 510 as required by Fire Code Official		YES, provided 916, AND C
9.6	Common of the Charlen				
	MEANS OF EGRESS & OCCUPANT LOAD				
10 - 1		1005.3.1 & 10.11.2	36"	Min.	36" Stairs F
10 - I 10.1 1	MEANS OF EGRESS & OCCUPANT LOAD	10.11.2 1005.3.2 &	36" 36"	Min. Min.	> 36" at all
10 - 1 10.1 1 10.1 2	MEANS OF EGRESS & OCCUPANT LOAD STAIRWAY WIDTH	10.11.2			
10 - 1 10.1 1 10.1 2	MEANS OF EGRESS & OCCUPANT LOAD STAIRWAY WIDTH OTHER EGRESS COMPONENT WIDTHS	10.11.2 1005.3.2 & 1011.2	36"	Min.	> 36" at all Compor
10 - 1 10.1 10.1 2 10.2 1 10.2	MEANS OF EGRESS & OCCUPANT LOAD STAIRWAY WIDTH OTHER EGRESS COMPONENT WIDTHS NUMBER OF EXITS - COMMON AREAS	10.11.2 1005.3.2 & 1011.2 1006.2	36" 2	Min. Min.	> 36" at all Compon 2
10 - 1 10.1 10.1 2 10.2 1 10.2 2 10.3	VEANS OF EGRESS & OCCUPANT LOAD STARWAY WIDTH OTHER EGRESS COMPONENT WIDTHS NUMBER OF EXITS - COMMON AREAS NUMBER OF EXITS - WITHIN DWELLING UNITS	10.11.2 1005.3.2 & 1011.2 1006.2 1006.2.1	36" 2 1 1/3 Building Diagonal Not Required in Sleeping	Min. Min. Min.	> 36" at all Compor 2 1 > 1/3 Building Not Provided i
10 - 1 10.1 1 10.2 1 10.2 1 10.2 2 10.3 10.4	MEANS OF EGRESS & OCCUPANT LOAD STAIRWAY WIDTH OTHER EGRESS COMPONENT WIDTHS NUMBER OF EXITS - COMMON AREAS NUMBER OF EXITS - WITHIN DWELLING UNITS DISTANCE BETWEEN EXIT ACCESS STAIRWAYS EMERGENCY ESCAPE AND RESCUE	10.11.2 1005.3.2 & 1011.2 1006.2 1006.2.1 1007.1.1	36" 2 1 1/3 Building Diagonal	Min. Min. Min.	> 36" at all Compor 2 1 > 1/3 Building
10 - 1 10.1 1 10.1 1 10.2 1 10.2 1 10.2 1 10.3 10.4 11A	VEANS OF EGRESS & OCCUPANT LOAD STARWAY WIDTH OTHER EGRESS COMPONENT WIDTHS NUMBER OF EXITS - COMMON AREAS NUMBER OF EXITS - WITHIN DWELLING UNITS DISTANCE BETWEEN EXIT ACCESS STAIRWAYS	10.11.2 1005.3.2 & 1011.2 1006.2 1006.2.1 1007.1.1	36" 2 1 1/3 Building Diagonal Not Required in Sleeping	Min. Min. Min.	> 36" at all Compor 2 1 > 1/3 Building Not Provided i


.BUILDING AREA BY USE (GROSS).						
NAME	AREA					
BIKE PARKING	620 SF					
CIRCULATION	6,350 SF					
DWELLING UNIT	13,476 SF					
PRIVATE OPEN SPACE	107 SF					
RESTAURANT (BACK OF HOUSE)	1,768 SF					
RESTAURANT (FRONT OF HOUSE)	1,088 SI					
STAIR/ELEV PENTHOUSE	448 SF					
STORAGE	112 SF					
TRASH ROOM	223 SF					
UTILITY	162 SF					
TOTAL:	24,353 SF					


		Revisions	
	ANALYSIS		
ONAL INFORI	WATION Comments		
over I-A			
DOR			
, r			
PE IV AND 3			
YPE I-A SF; TYPE IV:			
SF 'SF			
	Not Applicable per 508.1 Exception 1 (occupacies separated per 510)		
२ २	Min. thickness per Table 722.2.1.1		
2	Min. thickness per Table 722.2.1.1 Metal Stud Wall Construction - see Wall Types		
२ २	Matel Stud Mell Cenetrution, non Mell T		
२ २	Metal Stud Wall Construction - see Wall Types Required at all Dwelling Unit demising walls Me. 2014 concerned on early for exteriored electric 4* externation environ for uncertaining 4. 2 LB electronic environt	1525 PINE	
۲ HR	Min. 34" concrete cover for restrained slabs, 1" concrete cover for unrestrained. 2 HR also required between S-2 parking garage and rest of building above per 510.4 Min. 34" concrete cover for slabs	1525 PINE STREET	
	2 hour provided. All floors to have 2 hour rating.	SAN FRANCISCO, CA 94109	
२	This indicates whether the second development of	BLOCK 0667 / LOT 020 SFDBI BPA: 2018-0208-0768	
र २	This includes mechanical chases, stairway and elevator enclosures, etc. Separation for horizontal exits provided by horizontal assembly per 711	PRJ #: 2015-009955	
		CONSTRUCTION OF MULTI-FAMILY HOUSING OVER RESTAURANT AND	
		BASEMENT IMPLEMENTING THE INDIVIDUALLY REQUESTED STATE DENSITY	
JTES	For property line windows. See AB-009 and signed Attachment A	BONUS	
		1525 PINE STREET DEV LLC	
L.		NOTICE These drawings and specifications	
	See windows in lightwells in North and South Elevations	are the property and copyright of Kerman/Morris Architects and shall not be used on any other work except by written agreement with	
L.		Kerman/Morris Architects.	
L.		The Contractor shall verify all existing conditions. Written dimensions take preference over scaled dimensions	
		and shall be verified on the project site. Any discrepancy shall be brought to the attention of Kerman Morris	
		Architects prior to the commencement of any work.	00
per CBC 903		These drawings are an industry standards builders set for building permit and to assist the contractor in	6
PA 14 Der CBC 905 PA 14		construction. The drawings show limited and only representative/typical details.	Ň
er CBC 901.8,		All attachments, connections, fastenings,etc, are to be properly	
FPA 20 ber CBC 907	This building is all electric on one caning in availed. Thus, only a second distance or other	secured in conformance with best practice, and the Contractor shall be responsible for providing and installing	208-0768
PA 72 ber CBC 907	This building is all-electric, no gas service is provided. Thus, carbon monoxide detectors are not required as part of the Fire Alarm and Detection System. Smoke Alarms (per CBC 907.2.11) to be hard-wired to Building Primary Power. Audible alarm notification	them.	
PA 72 per 403.4.5, DFC 510	to comply with 907.5.21.1 including min. 75 DBA sound pressure in R-occupancies.	BUILDING	00
CFC 510		DEPARTMENT	0
Provided	The greater of 0.2"/Occupant x 190 Occupants / 2 Stairs = 19" per 1005.3.1 and 44" per 1011.2	NOTES & SCHEDULES	$\tilde{\mathbf{a}}$
Egress ients	The greater of 0.15*/Occupant x 190 Occupants = 28.5* per 1005.3.1 and 44* per 1011.2	CONEDULEO	
	Occupant Load exceeds 50 = 2 Exits provided with doors swinging in the direction of travel. 2 Stairways provided. Stair 1 exit has direct line of sight to exit at Entrance Lobby	DATE 03/18/2021	Q
Diogrami	Per Exception 1, (1) exit permitted within and from unit	SCALE	
p Diagonal in Sleeping	Per Exception 2, the separation distance shall not be greater than 1/3 the diagonal in buildings fully equipped with fire sprinklers Per Exception 1, emergency escape and rescue in sleeping rooms is not required in Buildings of Type I	DRAWN BY Author	00
ns	construction, fully equipped with automatic sprinklers	CHECKED BY Checker	
ig Bathroom led		JOB NO. 1914	Ò
led			Ž.
			S
		G0.04	110N
			DBI PERMIT APPLICATION NUMBER:
			DB) NUN


	RUCTIONS:	dramants for the pr	oject. For addition and alteration projects,		NEW CONS	TRUCTION		1.1.	ALTER	ATIONS + AD	DITIONS		PROJECT INFO
pli	ect one (1) column to identity requi cability of specific requirements m wide the Project Information in the	ay depend upon pr	oject scope. CHECK THE ONE COLUMN										
ea	rly as possible is recommended.		with the site permit application, but using such loots	LOW-RISE RESIDENTIAL	HIGH-RISE RESIDENTIAL	LARGE NON- RESIDENTIAL	OTHER NON-	RESIDENTIAL	OTHER	NON-RESIDENTIAL MAJOR	FIRST-TIME NON-RESIDENTIAL	OTHER NON- RESIDENTIAL	PROJECT NAME
c N	FICATION" form will be required prior	will be due with the a r to Certificate of Cor	spplicable addendum. A separate "FINAL COMPLIANCE npletion. For details, see Administrative Bulletin 93.					ALTERATIONS + ADDITIONS	+ ADDITIONS	+ ADDITIONS	INTERIORS	ALTERATIONS + ADDITIONS	
rh	funicipal projects, additional Environe	SOURCE OF REQUIREMENT	requirements may apply, see GS6. DESCRIPTION OF REQUIREMENT	R 1-3 Floors	A+ Floors	A.B.E.I.M 25,000 sq.ft or greater	F.H.L.S.U or A.B.E.I.M less	25,000 sq.ft. or greater	R adds any amount of conditioned area	B,M 25,000 sq.ft. or greater	A,B,I,M 25,000 sq.ft. or greater	A,B,E,F,H,L,1,M,S,U more than 1,000 sq.ft. or \$200,000	BLOCK/LOT
1	Required LEED or	SFGBC 4.103.1.1 4.103.2.1, 4.103.3.1,	Project is required to achieve sustainability certification listed at right.	LEED SILVER (50+)	LEED SILVER (50+	LEED GOLD (60+)	than 25,000 sq.ft.	LEED GOLD (60+)	in/r	LEED GOLD (60+)	LEED GOLD (60+)	n/r	ADDRESS
	GPR Certification Level	5.103.1,1,5.103.3,1 8.5.103.4,1 SFGBC 4.104, 4.105		or GPR (75+) CERTIFIED	or GPR (75+) CERTIFIED	CERTIFIED		or GPR (75+) CERTIFIED		CERTIFIED	CERTIFIED		
	Retention/Demolition of Historic Features/Building	5,104 & 5,105	ching any oppin-aule point adjoornants in ook at right.				n/r		ilt			n/r	PRIMARY OCCUPANCY
	LOW-EMITTING MATERIALS	CALGreen 4 504 2 1-3 8 5 504 4 1-6, SFGBC 4 103 3 2, 5 103 1.9, 5 103 3 2 8 5 103 4 2	2: Major atterations to existing residential buildings must use low-emitting coatings, adhesives and sealants, and carpet systems that meet the requirements for GPR measures XZ, X3 and L2 or LEED EOC2, as applicable.	4.504.2,1-5	4,504.2,1-5	LEED EQc2	5.504.4.1-6	LEED EOc2 or GPR K2, K3 & L2	4.504,2,1-5	LEED EQc2	LEED EQc2	5.504.4.1-6	GROSS BUILDING AREA
	INDOOR WATER USE REDUCTION	CALGreen 4 303.1 & 5 303.3, SFGBC 5 103.1.2, SF Housing Code sec. 12A10, SF Building Code ch.13	Meet flush/flow requirements for: tollets (1.28gpf); urinals (0.125gpf wall, 0.5gpf floor); showerheads (2.0gpm); lavatories (1.2gpm private, 0.5gpm jubilic/common); kitchen faucets (1.8gpm); wash fountains (1.6gpm); metering faucets (0.2gpc); food waste disposers (1.1gpm/8gpm); Residential projects must upgrade at non-compliant fixtures per SF Housing Code sec. 12A10, Large non-residential interiors, atterations & additions must upgrade at non-compliant fixtures per SF Building Code ch. 13A. New large non-residential buildings must also achieve minimum 30% indoor potable water use reduction as calculated to meet LEED credit Indoor Water Use Reduction (WEc2).	24.2		LEED WEc2 (2 pts)		140	•	•	•	1 192	DESIGN PROFESSIONAL or PERMIT APPLICANT (sign & date)
	NON-POTABLE WATER REUSE	Health Code art 12C	and use in miler and annal institute and indexing and understanding in regality.	nik.	÷.	1006	197	syk.	aite	n/r	p(7:	an/j	
	WATER-EFFICIENT IRRIGATION	Administrative Code ch	New construction projects with aggregated landscape area 2500 st 1, or existing projects with modified landscape area 21.000 st 1, shall use low water use plants or 53 climate appropriate plants, restrict furf areas and comply with Model Water Efficient Landscape Ordinance restrictions by calculated ETAF (.55 for residential , 45 for pon-esidential or less) or by prescriptive compliance for projects with 92.000 st 1, of landscape area. See www.stwater.org for details.	•	•	1.000	1.1480.1	•	1.000	0.00	0.000		
	WATER METERING	CALGreen 5,303.1	Provide submeters for spaces projected to consume >1,000gal/day (or >100gal/day in buildings >50,000 sq.ft.).	air	nir			71/1	nir		- 0 <b>9</b> 0 - 5		
	ENERGY EFFICIENCY	CA Energy Code	Comply with all provisions of the CA Title 24 Part 6 Energy Standards. New non-residential buildings >2,000 sq.ft. and ≤10 occupied floors, and new residential buildings of any size and ≤10 occupied floors, must designate 15% of roof							•			
	BETTER ROOFS	SFG8C 4 201.1 & 5.201.1.2	Solar Ready, per Title 24 rules. Install photovoltaics or solar hot water systems in this area. With Planning Department approval, projects subject to SFPUC Stormwater Requirements may substitute living roof for solar energy systems.	•	\$10 floors			20/2	nie	- 0/2-	-ty/r	n/r	
	RENEWABLE ENERGY	SFGBC 5:201.1.3 CALGreen	Non-residential buildings with 211 floors must acquire at least 1% of energy from on-site renewable sources, purchase green energy credits, or achieve 5 points under LEED credit Optimize Energy Performance (EAc2).	alt	ale	LEED EAc1		n/r	n/r	(i/e	nir	N/F	
	COMMISSIONING (Cx)	5,410.2 - 5,410.4.5.1	For projects 210.000 sq.ft, include OPR, BOD, and commissioning plan in design & construction. Commission to comply, Alterations & additions with new HVAC equipment must test and adjust all equipment.	n9-	n/r	opt. 1		if applicable	n/r.	•			
	BICYCLE PARKING	CALGreen 5,106.4, Planning Code 155.1-		SF Planning Code sec 155.1-2	SF Planning Code sec.155.1-2	•	•	SF Planning Code sec.155.1-2	SF Planning Code sec.155.1-2	•		if >10 stalls added if >10	
	DESIGNATED PARKING	CALGreen 5.106.5.2	Mark 8% of lotal parking stalls for low-emitting, fuel efficient, and carpool/van pool vehicles. Permit application January 2018 or after: Construct all new off-street parking spaces for passenger vehicles and trucks with dimensions capable of installing EVSE.	'all'	air		*	TVT	air		•	stalls added	
	WIRING FOR EV CHARGERS	SFGBC 4 106.4 & 5.106.5.3	Install service capacity and panelboards sufficient to provide 420A 208 or 240V to EV chargers 31 20% of papers. Install 340A 208 or 240V branch circuits for 210% of spaces, terminating closes to the proposed EV charger location. Installation of chargers is not required. Projects with zero off-street parking exempt. See SFGBC 4.106.4 or SFGBC 5.106.5.3 for details. Permit applications prior to January 2018 only: Install infrastructure to provide electricity for EV chargers at 6% of spaces for non-residential (CalGreen 5.106.5.3), 3% of spaces for multifamily with ≥17 units (CalGreen 4.106.4.2), and each space in 1-2 unit dwellings (CalGreen 4.106.4.1). Installation of chargers is not required.		*	1097	*	applicable for permit application January 2018 or after	nit.	applicable for permit application January 2018 or after	ait	797	
NOIS	RECYCLING BY OCCUPANTS	SF Building Code AB-088 SFGBC 4 103.2.3	Provide adequate space and equal access for storage, collection and loading of compostable, recyclable and landfill materials.	2.00		•		199		•			
DIVER	CONSTRUCTION & DEMOLITION (C&D) WASTE MANAGEMENT	8 5 103 1 3 1, Environment Code ch 1 SF Building Code ch 13		· · ·	75% diversion	75% diversion					75% diversion	1	
	HVAC INSTALLER QUALS	CALGreen 4.702.1	Installers must be trained and certified in best practices.	•	(*)	η/r	n/r		<b>-</b>	n/r	nit:	.n/r	1
	HVAC DESIGN REFRIGERANT MANAGEMENT	CALGreen 4:507.2 CALGreen 5:508.1	HVAC shall be designed to ACCA Manual J, D, and S. Use no halons or CFCs in HVAC.	+ih	•	n/r-	n/r	n/r	• n/c	oir •	air •	n/r	
	LIGHT POLLUTION REDUCTION	CA Energy Code, CALGreen 5 106.8	Comply with CA Energy Code for Lighting Zones 1-4. Comply with 5.106.8 for Backlight/Uplight/Glare.	n/r	in	17 C+C 1		nfr	alt			1.0	1
	BIRD-SAFE BUILDINGS	Planning Code sec.139	Glass facades and bird hazards facing and/or near Urban Bird Refuges may need to treat their glass for opacity	•	•	0.0	C	2.6				194	1
	TOBACCO SMOKE CONTROL	CALGreen 5.504.7, Health Code art 19F	For non-residential projects, prohibit smoking within 25 feet of building entries, air intakes, and operable windows. For residential projects, prohibit smoking within 10 feet of building entries, air intakes, and operable windows and enclosed common areas.	•		0.000		1.145	1.040	C. C.	0.0.0 M	1.140	
	STORMWATER CONTROL PLAN	Public Works Code art.4.2 sec.147	Projects disturbing 25,000 sq.ft. in combined or separate sewer areas, or replacing 22,500 impervious sq.ft. in separate sewer area, must implement a Stormwater Control Plan meeting SFPUC Stormwater Management Requirements. See www.stwater.org for details.					if project extends outside envelope	if project extends outside envelope	if project extends outside envelope	if project extends outside envelope	if project extends outside envelope	1
	CONSTRUCTION SITE RUNOFF CONTROLS	Public Works Code art.4.2 sec.148	Provide a construction site Stormwater Pollution Prevention Plan and implement SFPUC Best Management Practices. See www.stwater.org for details.	if disturbing ≥5,000 sq.ft.		if disturbing ≥5,000 sq.ft.	if disturbing ≥5,000 sq.ft.	if project extends outside envelope	if project extends outside envelope	if project extends outside envelope	if project extends outside envelope	if project extends outside envelope	
	ACOUSTICAL CONTROL		Non-residential projects must comply with sound transmission limits (STC-50 exteriors near freeways/airports; STC-45 exteriors if 65db Leo at any time; STC-40 interior walls/floor-ceilings between tenants). New residential projects interior noise due to exterior sources shall not exceed 45dB.		1.2.0		•	a#	n/r		•	1.0.1	
	AIR FILTRATION (CONSTRUCTION)	CALGreen 4.504.1-3 & 5.504.1-3	See parinaman myyoo uuclaangagamaa suuteu onse benue maaaaauun.	0.00		•	1		1.040.1	1.1	100 Ca. 1		
ő	AIR FILTRATION (OPERATIONS) CONSTRUCTION IAQ		Residential new construction and major alteration & addition projects in Air Pollutant Exposure Zones per SF Health Code art.38 must provide MERV-13 filters on HVAC	If applicable	if applicable	•		if applicable	nk		•	9	
-	MANAGEMENT PLAN	SFGBC 5.103.1.8		alt	ak	LEED EQc3	n/r n/r	70/r	n/r	air nir	tile tile	av/r	
	GRADING & PAVING RODENT PROOFING	CALGreen 4.106.3 CALGreen 4.406.1	Show how surface drainage (grading, swales, drains, retention areas) will keep surface water from entering the building. Seal around pipe, cable, conduit, and other openings in extenior walls with cement mortar or DBI-approved similar method.			n/r- n/r	n/r n/r	if applicable	if applicable	TMT D/T	TVr TVr	nic iv/c	
	FIREPLACES & WOODSTOVES	CALGreen 4,503.1	Plate an another to avoid the standard or an avoid of the standard state and the standard state and a tendence of the state of the state and a state of the state	1.000		n/r	.n/r	1.00	- (***	n/r	(iir	nir	
	CAPILLARY BREAK, SLAB ON GRADE MOISTURE CONTENT	CALGreen 4.505.2 CALGreen 4.505.3				n/r n/r	n/r n/r			n/c n/r	11/7 11/7	71/1- 12/1	
	BATHROOM EXHAUST	CALGreen 4.506.1	Must be ENERGY STAR compliant, ducted to building exterior, and its humidistat shall be capable of adjusting between <50% to >80% (humidistat may be separate component).	1.1.41	2.5	TUR	n/r	1.1.1	- Sec	n/r	107	inte	


. 94109 020 8-0768 SING AND NTING Y ENSITY EV LLC ications ght of ind shall ork except all existing ons take ensions project be brought Morris mencement Advances of the second G0.50












EXHIBITS PAGE 6 OF 6



AND PROVIDENCE THE INFORMATION INVESTIGATION FROM THE INFORMATION INVESTIGATION FROM THE INFORMATION INFORMATION FROM THE INFORMATION SAN TRANSFORM STREET, AND INFORMATION FAST REST-55-8033 Email: Watering-STF Decomposing Email: Watering-STF Decomposing Email: Watering-STF Decomposing	kerman morris architects or
REOLENST FOR WATER FLOW INFORMATION           RATE:         09./26./2019         REOLENST FOR:         FIRE FLOW WEINNALCH DESIGN           CONTACT FERSON, Tody Montin         Annueses, 150 Nos Siteat         HONEY NO. ()	Revisions
EMAIL ( <u>Lódyűlikennesi neukladi</u> ) Onners Nam <u>-Ussport strept or Uls</u> pione a ( <u>206</u> <u>1920</u> <u>7005</u> Address for a attr flów typormation: provide sketce hirra.	
<ul> <li>NUMBER OF STORTS, Amount "Distribution of HEDGL_77.105"FF.</li> <li>Storenty TODATATIA A HEDGE CREAK MARE AN AUGUST VER YEAR.</li> <li>STORENT TODATATIA A HEDGE CREAK MARE AN AUGUST VER YEAR.</li> <li>STORENT AUGUST AND AUGUST VER YEAR.</li> <li>STORENT AUGUST AND AUGUST VER YEAR.</li> <li>STORENT AUGUST AUGUST</li></ul>	
There are provided by:         LAU         Data Transmitter           There are provided by:         LAU         Data Transmitter         10/16/17           There are provided by:         LAU         Data Transmitter         10/16/17           There are provided by:         LAU         Data Transmitter         10/16/17           There are provided by:         Transmitter         Transmitter         10/16/17           BETCOMBER ANALTISE:         TRAME         Transmitter         10/16/17           Gate Page         S:         MADN on         Pine	
	1525 PINE 1525 PINE STREET SAN FRANCISCO, CA 94109
	BLOCK 0667 / LOT 020 SFDBI BPA: 2018-0208-0768 PRJ #: 2015-009955 CONSTRUCTION OF MULTI-FAMILY HOUSING OVER RESTAURANT AND
	BASEMENT IMPLEMENTING THE INDIVIDUALLY REQUESTED STATE DENSITY BONUS 1525 PINE STREET DEV LLC
	NOTICE These drawings and specifications are the property and copyright of Kerman/Norris Architects and shall not be used on any other work excep by written agreement with Kerman/Norris Architects.
	The Contractor shall verified and exactly all existin conditions. Within dimensions take preference over scaled dimensions and shall be verified on the project site. Any discensory shall be brough to the attention of Kerman Morris Architects prior to the commencement of any work.
	These drawings are an industry standards builders set for building permit and to assist the contractor in construction. The drawings show limited and only representative/typice details. All attachments, connections,
	fastenings.tc, are to be properly secured in conformance with best practice, and the Contractor shall be responsible for providing and installin them.
	FIRE FLOW & DBI PRE-APP MEETING SUMMARY
	DATE 03/18/202 SCALE
	DRAWN BY Autho CHECKED BY Checke JOB NO. 1914
	G0.60

-----

inter C

LOCH PLANE MARKED


v ore

A2.03





BUILDING ON THE SAME SIDE OF PINE STREET




EXPANDED VIEW OF BUILDINGS ON THE SAME SIDE OF PINE STREET



BUILDING ON THE OPPOSITE SIDE OF PINE STREET



BUILDING ON THE SAME SIDE OF AUSTIN STREET




EXPANDED VIEW OF BUILDINGS ON THE SAME SIDE OF AUSTIN STREET






- 1430 BUSH ST ----1424 & 1428 BUSH ST BUILDING ON THE OPPOSITE SIDE OF AUSTIN STREET














1) EXISTING GROSS AREA - LEVEL 01 (PINE)





### EXISTING GROSS AREA AREA TYPE PER CODE Area Included in Gross




NOTE: FOR ADDITIONAL INFORMATION SEE PLANNING SCHEDULES ON G0.03

ASSEMBLY






-0208-0768 00 Autho 20



# 2018-0208-0768






PINE STREET CONTEXT



FINISH MATERIALS



CEMENTITIOUS PANEL - COLOR A



CEMENTITIOUS PANEL OR STUCCO WITH REVEALS - EAST AND WEST PROPERTY LINE WALLS



CEMENT PLASTER / GRUBSTAKE



EXISTING GRUBSTAKE BLADE SIGN - TO BE REUSED



EXISTING GRUBSTAKE WINDOWS - TO BE REUSED

AUSTIN STREET CONTEXT



CEMENTITIOUS PANEL - COLOR B



ALUMINUM OR VPI DOORS / WINDOWS



GRUBSTAKE YELLOW DOOR - TO BE RECREATED



EXISTING GRUBSTAKE SIGN - TO BE REUSED



PERFORATED METAL PANEL / GUARDRAIL





PINE STREET - GRUBSTAKE ENTRY



19














AUSTIN STREET - RESIDENTIAL ENTRY



PINE STREET FACADE CLOSE-UP



AUSTIN STREET FACADE CLOSE-UP





Ĩ



### Features on Existing Grubstake Restaurant Which Will be Incorporated into the New Grubstake Restaurant Space

The work to remove existing physical features listed below, and to reinstall, will be done The work to remove existing physical teatures instea beavy, and to remain in the down by a team of historic preservation conservators and at movers. For example, as to the large mural to be preserved, historic preservation conservators will manage the at movers and coordinate with the demolition contractor prior to the removal. The team will remove, crate, and package the mural. After removal, the mural will be transported to a secure art storage facility where conservation work on the mural will occur:


Conservation work on the mural will be performed in accordance with the Guidelines for Practice and Code of Ethios of the American Institute for Conservation.

Photo Documentation – Prior to demolifion, the subject property materials, and surrounding context will be photographed in accordance with Historic American Building Survey ("HABS") standards. Photograph views shall include: (a) contextual views, (b) views of each subject of the building and interview shall include: (a) contextual views, (b) views of each subject of the building and interview views expected by the building, and (d) detail views of character-defining features.

Historic Resource Interpretation – Permanent display of interpretive materials, concerning the history and significance of 1525 Pine Street will be provided. The historic interpretation shall be supervised by a preservation architect and architectural historian and conducted in consultation with an exhabit designer. The interpretive materials shall be placed in a prominent public setting in the new building or in another appropriate public setting.

Virtual Tour -- The Grubstake owners have used a virtual reality technology Virtual Tour - The Grubstate owners have used a virtual reading technology implemented by Matterport Technology to create a lasting 3D tour of the space that will be made available on the restaurant's website. Inter *Journal of the Content comfinituation*. The owners have worked directly with Matterport to conduct this state-of-the-art exhibit.

- 61



- Salvage, restore and reinstall portions of the mural and wood framing which includes (under the direction of original artist Jason Phillips) the following:
  - Cleaning surfaces Removal of graffiti

- Re-adhering and consolidating paint Filling cracks Color integration Applying protective clear coating
- 2 Replicate red vinyl booth seating
- 3. Replicate train car façade
- 4 Replicate vaulted, curved ceiling
- 5. Reuse light box signage and neon lights
- 6. Replicate wooden bar
- 7. Reuse or replicate decorative lights and side globe lights
- 8. Retain or replicate tile floor, chrome accents, linear counter and backless stools
- 9. Attempt to retain "windows" separating original space from newer space
- 10. Retain menu style
- 11. Condiments and silverware will remain the same with some enhancements
- 12. Retain most liked traditional dishes
- 13, Commit to applying for late night hours (potentially up to 4:00 a.m.) in the conditional use application and extended hours with the entertainment commission and will attempt to operate during those hours
- 14. Pop-up aining during construction
- Will use good faith efforts to keep existing staff (who are in good standing with the restaurant ownership) employed in the new restaurant.

2

- esources Group
  - Neck Pigott Managing Partner Piné Street Develúpme Grubstake Project: ARG Project No. May 24, 2018 Emai Lisa Yergovich
    - Re: 1525 Pine Street, Grubstake Diner

### Background

sacquonol. Architestual Resources Group (ARG) was retained by Pine Stneet Development to provide historic preservation consulting for Grubatase Direr, located at IS25 Pine Street in San Francisco. There are plans to demolish the existing building and develop the sites as aveen dop mixed us building. The existing restaurant will be relocated in the new building on the ground floor and second floor mezanice. ARG was asked to provide feedback regarding the feasibility of intercoprating existing features of the relazant into tasked to provide feedback regarding the feasibility of intercoprating existing features of the relazant into the site of the site o the new construction

Assessment ARG representatives visited the site on April 3 and again on April 17 to survey existing mater original launch wagon structure at 3529 Pine Street has features commonly characteristic of type that are still intact: • Simple linear single-story making • Curved rodinion: • Throminent signate • Marali ash perimeter windows

- Decorative glazing
   Interior layout defined by lunch counter with limited seating

Afterations to the original lunch wagon structure include: • Replacement of original linear counter with angled wood counter • Removal of glazing at eastern windows • Replacement of flowed stools with freestanding stools

Ites 3. The Longer

10000001

### March 20, 2019 Summary of Grubstake Redesign

In April 2018, Architectural Resources Group (ARG) was retained by Pine Street Development to survey the Grubstake Diner at 1525 Pine Street and make recommendations regarding architectural features that one of costant of the assistant of the second of the secon

Incorporate the lunch wagon in a way that respects the original footprint, orientation, and relationship to the street.



Driginal: The original design had the a façade was at an angle to the property line and did not match the existing footprint.



ised: The lunch wagon façade was reloci he ground floor mass-existing. As lunch wagons were originally come as movable structures, locating the volume at as movable structures, locating the volume at





early defined on the interior

Replicate metal barrel vault ceiling to create a sense of enclosure:

Replicate inscu bare stall, terms to be as a sense or enclosure. Recain or replicate side globe lights: features such as the tile floor, linear counter, and backless stools. Define the interior/textrain relationship of the lunch wagon using windows.

Match the existing scale and proportion of original wagon as closely as possible. The limits of the "lunch wagon" can be defined by physical barriers, such as windows, or change in material, such as floor finish.





lights, and replica black and white floor tile define the original lunch wagon footprint. The lunch wagon has a unique material polette and color scheme that contrasts with the adjacent restaura





11 1 2 1

In the I Revised: Existing windows including green topiltes are being salvaged for reinstallation the lunch wagon façade.






7. Reuse existing windows including green colored toplites where possible.









Revised: Murals are salvaged for reinstaliati-lunch wagon. Murals are placed above band seating, similar to the existing condition.



Original: The barrel vault celling is not symmetrically, defined. The globe lights are inconsistently placed and located on walls outside the barrel vault. The lunch wagon is not defined by unique finishes or

Revised: The barrel vault ceiling, symmetrical glob



hroughout the restaurant space





Features of interest in the 1975 addition include the murals, which were painted by Jason Philips in 1976. The murals cover the length of the east wall and are painted directly on X' sheet rock over a layer of thick fuscia pink paint.

### Recommendations

tecommentations - Photo Documentation – Prior to demolition, the subject property, materials, and sumounding context is photographed in accordance with Historic American Building Survey (HABS) standards. Photograph Views shall include (g) contextual views (b) views of each side of the building and interior views, where possible; (c) oblique views of the building; and (d) detail views of character-defining features.

Historic Resource Interpretation – Provide a permanent display of interpretive materials concerning the history and significance of 1525 Pine Street. The historic interpretation shall be supervised by a preservation architect and architectural historian and conducted in consultation with an exhibit designer. The interpretive materials shall be placed in a prominent public setting in the new building or in another appropriate public setting like a community center.

One option polytome power actume and any option of the polytome power actume and the polytome power actume and the polytome power actume actume and the polytome power actume ac

good to fair condition and can be restored. Reuse or replicate side globe lights. Retain or recreate characteristic diner features such as the tile floor, linear counter, and backless stools.

backless stools. Salvage, rectore, and reinstall murals. Should all the panels not be needed, select murals, like the southermnost "San Francisco" mural, can be salvaged. Cortact artist regarding permissions for relocation and potential restoration of murals. Removal would include protecting the murals before cutting out the sheet rock.

km

morris

1 20 Hour Server Kine Processor ( 104110 1010 See Main

Revisions

1525 PINE 1525 PINE STREET AN FRANCISCO, CA 94109

BLOCK 0667 / LOT 020 SFDBI BPA: 2018-0208-076 PRJ #: 2015-009955

CONSTRUCTION OF MULTI-FAMILY HOUSING OVER RESTAURANT AND BASEMENT IMPLEMENTING THE INDIVIDUALLY REQUESTED STATE DENSIT BONUS

525 PINE STREET DEV LLC NOTICE

These drawings and specifications are the property and copyright of Kerman/Morris Architects and shall not be used on any other work exci by written agreement with Kerman/Morris Architects.

Contractor shall verify all exis ditions. Written dimensions tal conditions. Written dimensions take preference over scaled dimensions and shall be verified on the project site. Any discrepancy shall be broug to the attention of Kerman Morris Architects prior to the commenceme of any work.

00

6

0

Ĩ 00

0

 $\mathbf{N}$  $\Box$ 

00

0

 $\mathbf{n}$ 

ese drawings are an industry Indards builders set for buildi mit and to assist the con nstruction. The drawings


actice, and the Contra


GRUBSTAKE PROJECT FEATURES

DATE 03/18/202 12" = 1'-SCALE DRAWN BY Autho HECKED BY Check

JOB NO.

G6.01









POLK STREE



## 208-07




Inon Pris histocks to any here stars	
25 PINE INE STREET ICISSO. CA 94109 .0667 / LOT 020 A: 2018-0208-0768 2015-009955	
TRUCTION OF AMILY HOUSING STAURANT AND T IMPLEMENTING NDIVIDUALLY DO STATE DENSITY BONUS STREET DEV LLC	
gs and specifications in any other work except evenent with is Architects and shall in any other work except evenent with is Architects. or shall verify all existing titten dimensions take ver scaled dimensions averified on the project on the project or to the commencement	$\infty$
gs are an industry iders set for building assist the contractor in The drawings show ity representative/typical its, connections, , are to be properly informance with best the Contractor shall be or providing and installing	3-076
ISTING OR PLAN	0208
03/18/2021 As indicated Y Author BY Checker 1914	018-(
2.01	DBI PERMIT APPLICATION NUMBER:









00 N






2018-0208-0768










208-07

Ĩ





2018-0208-0768






# Ñ






# 68 0 208 0 03/18/202 00 Auth Cheo 0 Ñ





68 208-0 00  $\bigcirc$ Ñ




# 2018-0208-0768

UBI PERMIN APPLICATIC NUMBER:




		· · ·
	T.O. ELEVATOR PENTHOUSE ROOF 265'-0"	
		km
	T.O. STAIR PENTHOUSE	kerman morris
	ROOF 259' - 0"	architects up
L PALETTE AND PRELIMINARY COLORS, SEE G0.13		San Francisco, CA 94114 415.749.0302
		Revisions
	ROOF	
	ROOF 248' - 0"	
- CEMENTITIOUS RAINSCREEN PANEL - COLOR A		
- CEMENTITIOUS RAINSCREEN PANEL - COLOR B	LEVEL 08 237' - 10"	
- ALUMINUM WINDOW - ALUM. GLASS SLIDING DOOR		
PERFORATED METAL PANEL GUARDRAIL     CEMENTITIOUS BANEL TVD		
— CEMENTITIOUS PANEL, TYP		
	LEVEL 07 228' - 1 1/2"	
ALL GLAZING TO BE 24 SQ FT OR LESS     FOR BIRD SAFETY		
	LEVEL 06 218' - 5"	
	218' - 5"	
		1525 PINE 1525 PINE STREET
		SAN FRANCISCO, CA 94109
	LEVEL 05 208' - 8 1/2"	BLOCK 0667 / LOT 020 SFDBI BPA: 2018-0208-0768 PRJ #: 2015-009955
		CONSTRUCTION OF MULTI-FAMILY HOUSING
		OVER RESTAURANT AND BASEMENT IMPLEMENTING THE INDIVIDUALLY
		REQUESTED STATE DENSITY BONUS
	LEVEL 04 199' - 0"	1525 PINE STREET DEV LLC NOTICE
		These drawings and specifications are the property and copyright of Kerman/Morris Architects and shall
		not be used on any other work except by written agreement with Kerman/Morris Architects.
		The Contractor shall verify all existing conditions. Written dimensions take preference over scaled dimensions and shall be verified on the project
	LEVEL 03 189' - 0"	site. Any discrepancy shall be brought to the attention of Kerman Morris Architects prior to the commencement
		of any work. These drawings are an industry standards builders set for building
- FOR GLAZING CALCULATIONS SEE G1.50		permit and to assist the contractor in construction. The drawings show limited and only representative/typical details.
- FOR GLAZING CALCULATIONS SEE G1.50		All attachments, connections, fastenings,etc, are to be properly secured in conformance with best
		practice, and the Contractor shall be responsible for providing and installing them.
CEMENTITIOUS PANEL, PAINT     RESIDENTIAL ENTRY AWNING	LEVEL 02 179' - 0"	
- ALUMINUM STOREFRONT		EXTERIOR ELEVATION -
		SOUTH
FLUSH PANEL STEEL DOORS, PTD TO MATCH ADJACENT CEMENTITIOUS PANEL		
GAS CABINET ACCESS DOOR	LEVEL 01 (PINE) 169' - 0"	DATE 03/18/2021 SCALE 1/4" = 1'-0"
- PLANTER		DRAWN BY Author
	LEVEL 01 (AUSTIN) 165' - 0"	CHECKED BY Checker
		JOB NO. 1914
106 AUSTIN 0667/002		
		A5.03
		A5.03

2018-0208-0768 NON N




208-0768 8-0 20


APPLICAT



**6**89 0 Ĩ Ô 20



### **89** 208-07 0 Ĩ 3/16" = 1'-0 Ò Autho Check 20 APPLIC,



## APPLICAT



P.L.

ELEVATOR LOBBY\_ 41 SF

CIRCULATION A\_ 103 SF

CIRCULATION A\_ 103 SF

CIRCULATION A\_\_\_\_\_\_ 103 SF

CIRCULATION A\_\_\_\_\_\_ 128 SF

CIRCULATION A\_ 128 SF

LIGHTWELL 147 SF

CIRCULATION A\_ 128 SF

CIRCULATION 147 SF UNIT 202 BALCONY 89 SF

GRUBSTAKE BACK OF HOUSE 647 SF


RESIDENTIAL LOBBY 514 SF


246 SF

 $(\mathbf{i}\mathbf{1})$ 

2 <u>SECTION - EAST-WEST 02</u> 3/16" = 1'-0"







**89** 208-07 0 Ĩ Ô 20

This page intentionally left blank.



### AGREEMENT TO IMPLEMENT MITIGATION MONITORING AND REPORTING PROGRAM

Record No.:	2015-009955ENV	Block/Lot:	0667/020
Project Title:	1525 Pine Street	Lot Size:	3,000 square feet
BPA Nos:	201802080768	Project Sponsor:	1525 Pine Street Dev LLC – c/o Toby Morris,
Zoning:	Polk Street NCD		(415) 749-0302
	65-A Height and Bulk District	Lead Agency:	San Francisco Planning Department
		Staff Contact:	Michael Li, (628) 652-7538

The table below indicates when compliance with each mitigation measure must occur. Some mitigation measures span multiple phases. Substantive descriptions of each mitigation measure's requirements are provided on the following pages in the Mitigation Monitoring and Reporting Program.

Adopted Mitigation Measure	Prior to the start of Construction*	During Construction**	Post- Construction or Operational	Compliance with MM completed?
Mitigation Measure M-CR-2: Archeological Testing	Х	Х		
Mitigation Measure M-TC-1: Tribal Cultural Resources Archeological Resource Preservation Plan and/or Interpretive Program		x	x	
Mitigation Measure M-NO-2: Protection of Adjacent Buildings/Structures and Vibration Monitoring During Construction	x	x	x	
Mitigation Measure M-AQ-2: Construction Air Quality	Х	Х		
Mitigation Measure M-GE-6a: Worker Environmental Awareness Training	Х	Х		
Mitigation Measure M-GE-6b: Discovery of Unanticipated Paleontological Resources		Х		

Adopted Improvement Measure		During Construction**	Post- Construction or Operational	Compliance with IM completed?
Improvement Measure I-CR-1a: Documentation	Х			
Improvement Measure I-CR-1b: Interpretation	Х		Х	
Improvement Measure I-CR-1c: Salvage Architectural Materials from the Site for Public Information and Reuse	х	Х	Х	
Improvement Measure I-TR-1: Coordinated Construction Traffic Management Plan	Х	Х		

\*Prior to any ground disturbing activities at the project site.

\*\*Construction is broadly defined to include any physical activities associated with construction of a development project including, but not limited to: site preparation, clearing, demolition, excavation, shoring, foundation installation, and building construction.

MP I agree to implement the attached mitigation measure(s) as a condition of project approval.

Property Owner or Legal Agent Signature

01/25/2021 Date

Note to sponsor: Please contact <u>CPC.EnvironmentalMonitoring@sfgov.org</u> to begin the environmental monitoring process prior to the submittal of your building permits to the San Francisco Department Building Inspection.



### **MITIGATION MONITORING AND REPORTING PROGRAM**

		МС	NITORING AND REPORTING	PROGRAM <sup>1</sup>
Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
MITIGATION MEASURES AGREED TO BY PROJECT SPONSOR				
CULTURAL RESOURCES				
Mitigation Measure M-CR-2: Archeological Testing				
Based on a reasonable presumption that archeological resources may be present within the project site, the following measures shall be undertaken to avoid any potentially significant adverse effect from the proposed project on buried or submerged historical resources and on human remains and associated or unassociated funerary objects. The project sponsor shall retain the services of an archeological consultant from the rotational Qualified Archeological Consultants List (QACL) maintained by the Planning Department (Department) archeologist. After the first project approval action or as directed by the Environmental Review Officer (ERO), the project sponsor shall contact the Department archeologist to obtain the names and contact information for the next three archeological consultants on the QACL.	Project sponsor's qualified archeological consultant and construction contractor.	Prior to issuance of construction permits and throughout the construction period.	ERO	Considered complete after Final Archeological Resources Report is approved.
The archeological consultant shall undertake an archeological testing program as specified herein. In addition, the consultant shall be available o conduct an archeological interpretation, monitoring, and/or data ecovery program if required pursuant to this measure. The archeological consultant's work shall be conducted in accordance with this measure at he direction of the ERO. All plans and reports prepared by the consultant is specified herein shall be submitted first and directly to the ERO for eview and comment and shall be considered draft reports subject to evision until final approval by the ERO. Archeological monitoring and/or lata recovery programs required by this measure could suspend construction of the project for up to a maximum of four weeks. At the lirection of the ERO, the suspension of construction can be extended beyond four weeks only if such a suspension is the only feasible means to				

	Monitoring Actions/			
Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Schedule and Verification of Compliance
reduce to a less-than-significant level potential effects on a significant archeological resource as defined in CEQA Guidelines Sections 15064.5(a) and (c).				
Archeological Testing Program. The archeological consultant and the ERO shall meet and consult on the scope of the archeological testing program reasonably prior to commencement of any project-related soils-disturbing activities. The archeological consultant shall prepare and submit to the ERO for review and approval an archeological testing plan (ATP). The archeological testing program shall be conducted in accordance with the approved ATP. The ATP shall identify the property types of the expected archeological resource(s) that potentially could be adversely affected by the proposed project, the testing method to be used, and the locations recommended for testing. The purpose of the archeological testing program will be to determine to the extent possible the presence or absence of archeological resources and to identify and to evaluate whether any archeological resource encountered on the site constitutes an historical resource under CEQA.	Project sponsor's qualified archeological consultant and construction contractor.	Prior to issuance of construction permits and throughout the construction period.	Planning Department	Considered complete after approval of Archeological Testing Report.
At the completion of the archeological testing program, the archeological consultant shall submit a written report of the findings to the ERO. If, based on the archeological testing program, the archeological consultant finds that significant archeological resources may be present, the ERO, in consultation with the archeological consultant, shall determine if additional measures are warranted. Additional measures that may be required include preservation in place, archeological data recovery program. No archeological data recovery shall be undertaken without the prior approval of the ERO or the Department archeologist.	Project sponsor / archeological consultant at the direction of the ERO.	After completion of the Archeological Testing Program.	Archeological consultant shall submit report of the findings of the ATP to the ERO.	Archeological Testing Result report or memo on file with Environmental Planning, with email or other written documentation of concurrence on need to archeological data recovery.
If the ERO determines that a significant archeological resource is present and that the resource could be adversely affected by the proposed project, the ERO, in consultation with the project sponsor, shall determine whether preservation of the resource in place is feasible. If so, the proposed project shall be redesigned so as to avoid any adverse effect on the significant archeological resource. If preservation in place is not feasible, a data recovery program shall be implemented, unless the ERO determines				

	MONITORING AND REPORTING PROGRAM <sup>*</sup>			
Adopted Mitigation Measures that the archeological resource is of greater interpretive than research	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
significance and that interpretive use of the resource is feasible. <i>Consultation with Descendant Communities.</i> On discovery of an archeological site <sup>1</sup> associated with descendant Native Americans, the Overseas Chinese, or other potentially interested descendant group, an appropriate representative <sup>2</sup> of the descendant group and the ERO shall be contacted. The representative of the descendant group shall be given the opportunity to monitor archeological field investigations of the site and to offer recommendations to the ERO regarding appropriate archeological treatment of the site, of recovered data from the site, and, if applicable, any interpretative treatment of the associated archeological site. A copy of the Final Archaeological Resources Report shall be provided to the representative of the descendant group.	The archeological consultant, project sponsor, and project contractor at the direction of the ERO.	Monitoring of soils disturbing activities.	Consultation with ERO on identified descendant group.	Descendant group provides recommendations and is given a copy of the FARR.
Human Remains and Associated or Unassociated Funerary Objects. The treatment of human remains and of associated or unassociated funerary objects discovered during any soils-disturbing activity shall comply with all applicable state and federal laws. This shall include immediate notification of the Medical Examiner of the City and County of San Francisco and, in the event of the Medical Examiner's determination that the human remains are Native American remains, notification of the Native American Heritage Commission, which shall appoint a Most Likely Descendant (MLD). The MLD shall complete his or her inspection and make recommendations or preferences for treatment and disposition within 48 hours of being granted access to the site (Public Resources Code Section 5097.98). The ERO shall also be notified immediately upon discovery of human remains.	Project sponsor / archeological consultant in consultation with the San Francisco Medical Examiner, NAHC, and MLD.		Planning Department	Considered complete after approval of Final Archeological Results Report and disposition of human remains has occurred as specified in Agreement.
The project sponsor and the ERO shall make all reasonable efforts to develop a Burial Agreement ("Agreement") with the MLD, as expeditiously as possible, for the treatment and disposition, with appropriate dignity, of the human remains and associated or unassociated funerary objects (as				

<sup>1</sup> The term "archeological site" is intended here to minimally include any archeological deposit, feature, burial, or evidence of burial.

<sup>2</sup> An "appropriate representative" of the descendant group is here defined to mean, in the case of Native Americans, any individual listed in the current Native American Contact List for the City and County of San Francisco maintained by the California Native American Heritage Commission and, in the case of the Overseas Chinese, the Chinese Historical Society of America. An appropriate representative of other descendant groups should be determined in consultation with the Department archeologist.

	MONITORING AND REPORTING PROGRAM <sup>1</sup>			
Adopted Mitigation Measures detailed in CEQA Guidelines Section 15064.5(d)). The Agreement shall take into consideration the appropriate excavation, removal, recordation, scientific analysis, custodianship, curation, and final disposition of the	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
numan remains and associated or unassociated funerary objects. Nothing in existing state regulations or in this mitigation measure compels the project sponsor and the ERO to accept recommendations of an MLD. However, if the ERO, project sponsor, and MLD are unable to reach an agreement on scientific treatment of the remains and associated or unassociated funerary objects, the ERO, in cooperation with the project sponsor, shall ensure that the remains and associated or unassociated unerary objects are stored securely and respectfully until they can be reinterred on the property, with appropriate dignity, in a location not subject to further or future subsurface disturbance (Public Resources Code Section 5097.98). Treatment of historic-period human remains and of associated or unassociated funerary objects discovered during soils-disturbing activity additionally shall follow protocols laid out in the archeological testing program and any agreement established between the project sponsor, the Medical Examiner, and the ERO.				
<ul> <li>Archeological Monitoring Program. If the ERO, in consultation with the archeological consultant, determines that an archeological monitoring program shall be implemented, the archeological monitoring program shall be implemented, the archeological monitoring program shall minimally include the following provisions:</li> <li>The ERO, in consultation with the archeological consultant, shall determine what project activities shall be archeologically monitored. In most cases, any soils-disturbing activities, such as demolition, foundation removal, excavation, grading, utilities installation, foundation work, driving of piles (foundation, shoring, etc.), site remediation, etc., shall require archeological monitoring because of the risk these activities pose to potential archeological resources and to their depositional context;</li> <li>The archeological consultant shall undertake a worker training program for soils-disturbing workers that will include an overview of</li> </ul>	Project sponsor and archeological consultant at the direction of the ERO.	Prior to issuance of site permits.	Consultation with ERO on scope of AMP.	After consultation with and approval by ERO of AMP.

		MONITORING AND REPORTING PROGRAM		
Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
expected resource(s), how to identify the evidence of the expected resource(s), and the appropriate protocol in the event of apparent discovery of an archeological resource;				
The archeological monitor(s) shall be present on the project site according to a schedule agreed upon by the archeological consultant and the ERO until the ERO has, in consultation with the project archeological consultant, determined that project construction activities could have no effects on significant archeological deposits;				
The archeological monitor shall record and be authorized to collect soil samples and artifactual/ecofactual material as warranted for analysis;				
If an intact archeological deposit is encountered, all soils-disturbing activities in the vicinity of the deposit shall cease. The archeological monitor shall be empowered to temporarily redirect demolition/excavation/pile driving/construction activities and equipment until the deposit is evaluated. If, in the case of pile driving or deep foundation activities (foundation, shoring, etc.), the archeological monitor has cause to believe that the pile driving or deep foundation activities may affect an archeological resource, the pile driving or deep foundation of the resource has been made in consultation with the ERO. The archeological consultant shall immediately notify the ERO of the encountered archeological deposit. The archeological consultant shall make a reasonable effort to assess the identity, integrity, and significance of the encountered archeological deposit, and present the findings of this assessment to the ERO for a determination as to whether the resources are significant and implementation of an archeological data recovery program therefore is necessary.				
ether or not significant archeological resources are encountered, the neological consultant shall submit a written report of the findings of monitoring program to the ERO.				

7

				Monitoring Actions/ Schedule and
Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Verification of Compliance
Archeological Data Recovery Program. archeological data recovery program shall be conducted in accord with an archeological data recovery plan (ADRP). The archeological consultant, project sponsor, and ERO shall meet and consult on the scope of the ADRP prior to preparation of a draft ADRP. The archeological consultant shall submit a draft ADRP to the ERO. The ADRP shall identify how the proposed data recovery program will preserve the significant information the archeological resource is expected to contain. That is, the ADRP will identify what scientific/historical research questions are applicable to the expected resource, what data classes the resource is expected to possess, and how the expected data classes would address the applicable research questions. Data recovery, in general, should be limited to the portions of the historical property that could be adversely affected by the proposed project. Destructive data recovery methods shall not be applied to portions of the archeological resources if nondestructive methods are practical.	Project sponsor's qualified archeological consultant and construction contractor.	In the event that an archeological site is uncovered during the construction period.	Planning Department	Considered complete upon approval of Final Archeological Results Report.
The scope of the ADRP shall include the following elements:				
• <i>Field Methods and Procedures</i> . Descriptions of proposed field strategies, procedures, and operations.				
• <i>Cataloguing and Laboratory Analysis</i> . Description of selected cataloguing system and artifact analysis procedures.				
• <i>Discard and Deaccession Policy</i> . Description of and rationale for field and post-field discard and deaccession policies.				
• <i>Interpretive Program</i> . Consideration of an on-site/off-site public interpretive program for significant finds.				
• Security Measures. Recommended security measures to protect the archeological resource from vandalism, looting, and non-intentionally damaging activities.				
• <i>Final Report</i> . Description of proposed report format and distribution of results.				

	MONITORING AND REPORTING PROGRAM			
Adopted Mitigation Measures Curation. Description of the procedures and recommendations for	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
the curation of any recovered data having potential research value, identification of appropriate curation facilities, and a summary of the accession policies of the curation facilities.				
Public Interpretation. If project soils disturbance results in the discovery of a significant archeological resource, the ERO may require that information provided by archeological data recovery be made available to the public in the form of a non-technical, non-confidential archeological report, archeological signage and displays or another interpretive product. The project archeological consultant shall prepare an Archeological Public interpretation Plan that describes the interpretive product(s), locations, or listribution of interpretive materials or displays, the proposed content and materials, the producers or artists of the displays or installation, and a pong-term maintenance program. The draft interpretive plan may be a tand-alone document or may be included as an appendix to the Final archeological Resources Report, depending on timing of analyses. The lraft interpretive plan shall be subject to the ERO for review and approval and shall be implemented prior to project occupancy.	Archeological consultant at the direction of the ERO.	Following completion of cataloguing, analysis, and interpretation of recovered archeological data.	Preparation of APIP.	APIP is complete on review and approval of ERO. Interpretive program is complete on certification to ERO that program has been implemented.
<i>Final Archeological Resources Report.</i> The archeological consultant shall ubmit a Draft Final Archeological Resources Report (FARR) to the ERO hat evaluates the historical significance of any discovered archeological esource and describes the archeological and historical research methods employed in the archeological testing/monitoring/data recovery program(s) undertaken. The Draft FARR shall include a curation and leaccession plan for all recovered cultural materials.	Project sponsor's qualified archeological consultant.	At completion of archeological investigations.	Planning Department	Considered complete after Final Archeological Resources Report is approved.
Copies of the Draft FARR shall be sent to the ERO for review and approval. Once approved by the ERO, the consultant shall also prepare a public listribution version of the FARR. Copies of the FARR shall be distributed as ollows: the California Archaeological Site Survey Northwest Information Center (NWIC) shall receive one (1) copy and the ERO shall receive a copy of the transmittal of the FARR to the NWIC. The Environmental Planning Division of the Planning Department shall receive one bound and one unlocked, searchable PDF copy of the FARR on CD or other electronic nedium, along with GIS shapefiles of the site and feature locations and copies of any formal site recordation forms (CA DPR 523 series) and/or				

Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
documentation for nomination to the National Register of Historic Places/California Register of Historical Resources.				
TRIBAL CULTURAL RESOURCES				
Mitigation Measure M-TC-1: Tribal Cultural Resources Archeological Resource Preservation Plan and/or Interpretive Program				
In the event of the discovery of an archeological resource of Native American origin, the Environmental Review Officer (ERO), the project sponsor, and the tribal representative shall consult to determine whether preservation in place would be feasible and effective. If it is determined that preservation-in-place of the TCR would be both feasible and effective, then the archeological consultant shall prepare an archeological resource preservation plan, which shall be implemented by the project sponsor during construction to ensure the permanent protection of the resource. If the ERO, in consultation with the project sponsor and the tribal representative, determines that preservation in place of the TCR is not a sufficient or feasible option, then the project archeologist shall prepare an nterpretive program of the TCR in consultation with affiliated Native American tribal representatives and the project sponsor. The plan shall dentify proposed locations for displays or installations, the proposed content and materials of those displays or installations, the producers or artists of the displays or installations, and a long-term maintenance program. The interpretive program may include artist installations, preferably by local Native American artists, oral histories with local Native Americans, artifacts displays and interpretation, and educational panels or other informational displays. Upon approval by the ERO and prior to project occupancy, the interpretive program shall be implemented by the project sponsor.	Project sponsor, archeological consultant, and ERO, in consultation with the affiliated Native American tribal representatives.	If a significant archeological resource is present, during implementation of the project.	Planning Department	Considered complete upon project redesign, completion of ARPP, or interpretive program of the TCR, if required.
NOISE				
Mitigation Measure M-NO-2: Protection of Adjacent Buildings/Structures and Vibration Monitoring During Construction				
Prior to issuance of any demolition or building permit, the property owner shall submit a project-specific Pre-construction Survey and Vibration Management and Monitoring Plan to the Planning Department (Lead Agency) for approval. The plan shall identify all feasible means to avoid				

### MITIGATION MONITORING AND REPORTING PROGRAM

MONITORING AND REPORTING PROGRAM <sup>1</sup>				
Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
amage to potentially affected buildings. The property owner shall ensure nat the following requirements of the Vibration Management and onitoring Plan are included in contract specifications.				
Pre-construction Survey. Prior to the start of any ground-disturbing activity, the property owner or their designees shall engage a consultant o undertake a Pre-construction Survey of potentially affected buildings. If potentially affected buildings and/or structures are not potentially distoric, a structural engineer or other professional with similar qualifications shall document and photograph the existing conditions of he potentially affected buildings and/or structures. The project sponsor hall submit the survey to the Lead Agency for review and approval prior o the start of vibration-generating construction activity.	Project sponsor and structural engineer, historic architect, or qualified historic preservation professional.	Prior to any ground disturbing or vibration- generating construction activities.	Project sponsor and structural engineer, historic architect, or qualified historic preservation professional to submit a Pre-construction Survey to the Lead Agency.	Considered complete upon approval of the Pre-construction Survey by the Lead Agency.
nearby affected buildings are potentially historic, the project sponsor hall engage a historic architect or qualified historic preservation rofessional and a structural engineer or other professional with similar ualifications to undertake a Pre-construction Survey of potentially ffected historic buildings. The Pre-construction Survey shall include escriptions and photographs of both the exterior and interior of all dentified historic buildings including all facades, roofs, and details of the haracter-defining features that could be damaged during construction, nd shall document existing damage, such as cracks and loose or amaged features. The report shall also include pre-construction rawings that record the pre-construction condition of the buildings and dentify cracks and other features to be monitored during construction. he historic architect or qualified historic preservation professional should e the lead author of the Pre-construction Survey if historic buildings nd/or structures could be affected by the project. These reports shall be ubmitted to the Lead Agency for review and approval prior to the start of ibration-generating construction activity.				
<i>ibration Management and Monitoring Plan.</i> The property owner or their lesignee shall undertake a monitoring plan to avoid or reduce project- elated construction vibration damage to adjacent buildings and/or tructures and to ensure that any such damage is documented and epaired. The Vibration Management and Monitoring Plan shall apply to Il potentially affected buildings and/or structures. Prior to issuance of	Project sponsor / contractor(s).	Prior to issuance of any demolition or building permits.	Project sponsor to submit a Vibration Management and Monitoring Plan to the Lead Agency.	Considered complete upon approval of the Vibration Management and Monitoring Plan by the Lead Agency.
ISE NO. 2015-009955ENV TIGATION MONITORING AND REPORTING PROGRAM		11		

1525 Pine Street January 2021

Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
any demolition or building permit, the project sponsor shall submit the Vibration Management and Monitoring Plan that lays out the monitoring program to the Lead Agency for approval. If historic buildings could be affected, the Vibration Management and Monitoring Plan shall also be submitted to the Lead Agency's preservation staff for review and approval, if applicable.				·
The Vibration Management and Monitoring Plan shall include, at a minimum, the following components, as applicable:				
• <i>Maximum Vibration Level.</i> Based on the anticipated construction and condition of the affected buildings and/or structures on adjacent properties, a qualified acoustical/vibration consultant in coordination with a structural engineer (or professional with similar qualifications) and, in the case of potentially affected historic buildings/structures, a historic architect or qualified historic preservation professional, shall establish a maximum vibration level that shall not be exceeded at each building/structure on adjacent properties, based on existing conditions, character-defining features, soil conditions, and anticipated construction practices (common standards are a peak particle velocity [PPV] of 0.25 inch per second for historic and some old buildings, a PPV of 0.3 inch per second for new residential structures and modern industrial/commercial buildings).				
• <i>Vibration-generating Equipment.</i> The plan shall identify all vibration-generating equipment to be used during construction (including, but not limited to, site preparation, clearing, demolition, excavation, shoring, foundation installation, and building construction).				
• Alternative Construction Equipment and Techniques. The plan shall identify potential alternative equipment and techniques that could be implemented if construction vibration levels are observed in excess of the established standard (e.g., pre-drilled				

piles could be substituted for driven piles, if feasible, based on

		M	ONITORING AND REPORTING F	
Adopted Mitigation Measures soil conditions, or smaller, lighter equipment could be used in some cases).	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
<i>Pile Driving Requirements.</i> For projects that require pile driving, the project sponsor shall incorporate into construction specifications for the project a requirement that the construction contractor(s) use all feasible means to avoid or reduce damage to potentially affected buildings. Such methods may include one or more of the following:				
<ul> <li>Incorporate "quiet" pile-driving technologies into project construction (such as predrilling piles, using sonic pile drivers, auger cast-in-place, or drilled- displacement), as feasible; and/or</li> </ul>				
<ul> <li>Ensure appropriate excavation shoring methods to prevent the movement of adjacent structures</li> </ul>				
<i>Buffer Distances.</i> The plan shall identify buffer distances to be maintained based on vibration levels and site constraints between the operation of vibration-generating construction equipment and the potentially affected building and/or structure to avoid damage to the extent possible.				
<i>Vibration Monitoring.</i> The plan shall lay out the method and equipment for vibration monitoring. To ensure that construction vibration levels do not exceed the established standard, the acoustical consultant shall monitor vibration levels at each affected building and/or structure on adjacent properties and prohibit vibratory construction activities that generate vibration levels in excess of the standard.				
<ul> <li>Should construction vibration levels be observed in excess of those established in the plan, the contractor(s) shall halt construction and put alternative construction techniques identified in the plan into practice, to the extent feasible.</li> </ul>				
<ul> <li>The historic architect or qualified historic preservation professional (for effects on historic buildings and/or structures) and/or structural engineer (for effects on</li> </ul>				

	Implementation	Mitigation	Monitoring/ Reporting	Monitoring Actions/ Schedule and Verification of	
Adopted Mitigation Measures historic and non-historic buildings and/or structures)	Responsibility	Schedule	Responsibility	Compliance	
shall inspect each affected building and/or structure in the event the development project exceeds the established standards.					
<ul> <li>If vibration has damaged nearby buildings and/or structures that are not historic, the structural engineer shall immediately notify the Lead Agency and prepare a damage report documenting the features of the building and/or structure that has been damaged.</li> </ul>					
<ul> <li>If vibration has damaged nearby buildings and/or structures that are historic, the historic preservation consultant shall immediately notify the Lead Agency and prepare a damage report documenting the features of the building and/or structure that has been damaged.</li> </ul>					
<ul> <li>If no damage has occurred to nearby buildings and/or structures, then the historic preservation professional (if potentially affected buildings are historic) and/or structural engineer (for effects on historic and non-historic buildings) shall submit a monthly report to the Lead Agency for review. This report shall identify and summarize the vibration level exceedances and describe the actions taken to reduce vibration.</li> </ul>					
<ul> <li>Following incorporation of the alternative construction techniques and/or Lead Agency review of the damage report, vibration monitoring shall recommence to ensure that vibration levels at each affected building and/or structure on adjacent properties are not exceeded.</li> </ul>					

\_

Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
<ul> <li>Periodic Inspections. The plan shall lay out the intervals and parties responsible for periodic inspections. The historic architect or qualified historic preservation professional (for effects on historic buildings and/or structures) and/or structural engineer (for effects on historic and non-historic buildings and/or structures) shall conduct regular periodic inspections of each affected building and/or structure on adjacent properties during vibration-generating construction activity on the project site. The plan will specify how often inspections and reporting shall occur.</li> </ul>				
• Repairing Damage. The plan shall also identify provisions to be followed should damage to any building and/or structure occur due to construction-related vibration. The building(s) and/or structure(s) shall be remediated to their pre-construction condition at the conclusion of vibration-generating activity on the site. For historic resources, should damage occur to any building and/or structure, the building and/or structure shall be restored to its pre-construction condition in consultation with the historic architect or qualified historic preservation professional and Lead Agency.				
<i>Vibration Monitoring Results Report.</i> After construction is complete, the Lead Agency shall receive a final report from the historic architect or qualified historic preservation professional (for effects on historic buildings and/or structures) and/or structural engineer (for effects on historic and non-historic buildings and/or structures). The report shall include, at minimum, collected monitoring records, building and/or structure condition summaries, descriptions of all instances of vibration level exceedance, identification of damage incurred due to vibration, and corrective actions taken to restore damaged buildings and structures. The Lead Agency shall review and approve all Vibration Monitoring Results Reports.	Project sponsor and structural engineer, historic architect, or qualified historic preservation professional.	Following end of construction activities.	Project sponsor and structural engineer, historic architect, or qualified historic preservation professional to submit a Vibration Monitoring Results Report to the Lead Agency.	Considered complete after approval of the Vibration Monitoring Results Report by the Lead Agency.

				м	DNITORING AND REPORTING	PROGRAM <sup>1</sup>
		Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
AIR	QUA	ALITY				•••••
Miti	igati	on Measure M-AQ-2: Construction Air Quality				
The	proj	ject sponsor or the project sponsor's Contractor shall comply with wing:	Project sponsor / contractor(s).	Prior to construction activities requiring	Project sponsor and contractor(s) to submit certification statement to	Considered complete upon submittal of certification statement.
Α.	Eng	jine Requirements.		the use of off-road	the ERO.	certification statement.
	1.	All off-road equipment greater than 25 hp and operating for more than 20 total hours over the entire duration of construction activities shall have engines that meet or exceed either U.S. Environmental Protection Agency (USEPA) or California Air Resources Board (ARB) Tier 2 off-road emission standards, and have been retrofitted with an ARB Level 3 Verified Diesel Emissions Control Strategy. Equipment with engines meeting Tier 4 Interim or Tier 4 Final off-road emission standards automatically meet this requirement.		equipment.		
	2.	Where access to alternative sources of power are available, portable diesel engines shall be prohibited.				
	3.	Diesel engines, whether for off-road or on-road equipment, shall not be left idling for more than two minutes, at any location, except as provided in exceptions to the applicable state regulations regarding idling for off-road and on-road equipment (e.g., traffic conditions, safe operating conditions). The Contractor shall post legible and visible signs in English, Spanish, and Chinese, in designated queuing areas and at the construction site to remind operators of the two minute idling limit.				
	4.	The Contractor shall instruct construction workers and equipment operators on the maintenance and tuning of construction equipment, and require that such workers and operators properly maintain and tune equipment in accordance with manufacturer specifications.				
В.	Wa	ivers.				
	1.	The Planning Department's Environmental Review Officer or designee (ERO) may waive the alternative source of power requirement of Subsection (A)(2) if an alternative source of				

	Adopted Mitigation Mea		Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
the wai equipm	is limited or infeasible at the pr iver, the Contractor must subm nent used for onsite power gen ements of Subsection (A)(1).	nit documentation that the				
(A)(1) if Level 3 not pro operati safety f compe not ret waiver, road ec	O may waive the equipment re : a particular piece of off-road of VDECS is technically not feasib oduce desired emissions reduct ing modes; installation of the e hazard or impaired visibility for lling emergency need to use of rofitted with an ARB Level 3 VD , the Contractor must use the n quipment, according to Table b	equipment with an ARB ole; the equipment would cion due to expected quipment would create a the operator; or, there is a f-road equipment that is ECS. If the ERO grants the ext cleanest piece of off- pelow.				
Table – Off-Roa Compliance	ad Equipment Compliance Step		1			
Alternative	Engine Emission Standard	Emissions Control	_			
	Tier 2	ARB Level 2 VDECS	-			
2	Tier 2 Tier 2	ARB Level 2 VDECS ARB Level 1 VDECS	-			
1 2 3 How to use the t	Tier 2 Tier 2	ARB Level 1 VDECS Alternative Fuel*				
2 3 How to use the t requirements ca Compliance Alte supply off-road e Contractor must the Contractor c Alternative 2, the	Tier 2	ARB Level 1 VDECS Alternative Fuel* the equipment onsor would need to meet that the Contractor cannot Alternative 1, then the If the ERO determines that meeting Compliance				
2 3 How to use the t requirements ca Compliance Alte supply off-road e Contractor must the Contractor ca Alternative 2, the ** Alternative fue . <i>Construction</i> construction Emissions M approval. T	Tier 2 Tier 2 able: If the ERO determines that nnot be met, then the project spo rnative 1. If the ERO determines equipment meeting Compliance A meet Compliance Alternative 2. annot supply off-road equipment en the Contractor must meet Cor	ARB Level 1 VDECS Alternative Fuel* The equipment onsor would need to meet that the Contractor cannot Alternative 1, then the If the ERO determines that meeting Compliance npliance Alternative 3. Before starting on-site II submit a Construction ERO for review and ole detail, how the	Project sponsor / contractor(s).	Prior to issuance of a permit specified in Section 106A.3.2.6 of the San Francisco Building Code.	Project sponsor and contractor(s) to prepare and submit a Plan to the ERO.	Considered complete on findings by ERO that Plan is complete.

			N IV	IONITORING AND REPORTING	
	Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
	include, but is not limited to: equipment type, equipment manufacturer, equipment identification number, engine model year, engine certification (Tier rating), horsepower, engine serial number, and expected fuel usage and hours of operation. For VDECS installed, the description may include: technology type, serial number, make, model, manufacturer, ARB verification number level, and installation date and hour meter reading on installation date. For off-road equipment using alternative fuels, the description shall also specify the type of alternative fuel being used.				
2.	The project sponsor shall ensure that all applicable requirements of the Plan have been incorporated into the contract specifications. The Plan shall include a certification statement that the Contractor agrees to comply fully with the Plan.				
3.	The Contractor shall make the Plan available to the public for review on-site during working hours. The Contractor shall post at the construction site a legible and visible sign summarizing the Plan. The sign shall also state that the public may ask to inspect the Plan for the project at any time during working hours and shall explain how to request to inspect the Plan. The Contractor shall post at least one copy of the sign in a visible location on each side of the construction site facing a public right-of-way.				
sul the rec sul inc	<i>onitoring.</i> After start of Construction Activities, the Contractor shall bmit quarterly reports to the ERO documenting compliance with e Plan. After completion of construction activities and prior to ceiving a final certificate of occupancy, the project sponsor shall bmit to the ERO a final report summarizing construction activities, cluding the start and end dates and duration of each construction ase, and the specific information required in the Plan.	Project sponsor / contractor(s).	Quarterly	Project sponsor and contractor(s) to submit quarterly reports to the ERO.	Considered complete upon findings by the ERO that the Plan is being/has been implemented.

		мс	NITORING AND REPORTING I	PROGRAM <sup>1</sup>
Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
GEOLOGY AND SOILS				
Mitigation Measure M-GE-6a: Worker Environmental Awareness Training				
Prior to commencing construction, the project sponsor shall ensure that all workers are trained on the contents of the Paleontological Resources Alert Sheet, as provided by the Planning Department. The Paleontological Resources Alert Sheet shall be prominently displayed at the construction site during ground disturbing activities to provide pre-construction worker environmental awareness training regarding potential paleontological resources. In addition, the project sponsor (through a designated representative) shall inform construction personnel of the immediate stop work procedures and contact information to be followed if bones or other potential fossils are unearthed at the project site, and the laws and regulations protecting paleontological resources. As new workers arrive at the project site for ground disturbing activities, they would be trained by	Project sponsor / contractor(s).	Prior to and during ground disturbing activities	Project sponsor and contractor(s) to submit a confirmation letter to the Planning Department each time a training session is held. The letter shall be submitted within five (5) business days of conducting a training session.	Considered complete upon end of ground disturbing activities.
the construction supervisor. The project sponsor shall submit a letter confirming the timing of the worker training to the Planning Department. The letter shall confirm the project's location, the date of training, the location of the informational handout display, and the number of participants. The letter shall be transmitted to the Planning Department within five (5) business days of conducting the training.				
Mitigation Measure M-GE-6b: Discovery of Unanticipated				
<b>Paleontological Resources</b> In the event of the discovery of an unanticipated paleontological resource during construction, excavations within 25 feet of the find shall temporarily be halted until the discovery is examined by a qualified paleontologist (pursuant to Society of Vertebrate Paleontology standards (SVP 1995, 1996)). Work within the sensitive area shall resume only when deemed appropriate by the qualified paleontologist in consultation with the Planning Department.	Project sponsor, qualified paleontologist, and construction contractor.	During ground disturbing activities.	If necessary, the project sponsor and a qualified paleontologist shall submit a Paleontological Mitigation Program to the Planning Department.	Considered complete upon end of ground disturbing activities or, if necessary, approval of a Paleontological Resources Report by the Planning Department.

		M	ONITORING AND REPORTING	PROGRAM <sup>1</sup>	
Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance	
The qualified paleontologist shall determine if: (1) the discovery is scientifically significant; (2) the necessity for involving other agencies and stakeholders; (3) the significance of the resource; and (4) methods for resource recovery. If a paleontological resource assessment results in a determination that the resource is not scientifically important, this conclusion shall be documented in a Paleontological Evaluation Letter to demonstrate compliance with applicable statutory requirements. The Paleontological Evaluation Letter shall be submitted to the Planning Department for review within 30 business days of the discovery.					
If a paleontological resource is determined to be of scientific importance and there are no feasible avoidance measures, a Paleontological Mitigation Program (mitigation program) must be prepared by the qualified paleontologist engaged by the project sponsor. The mitigation program shall include measures to fully document and recover the resource. The mitigation program shall be approved by the Planning Department. Ground disturbing activities in the project area shall be monitored as determined by the qualified paleontologist for the duration of such activities in collaboration with the Planning Department, once work is resumed.					
The mitigation program shall include: (1) procedures for construction monitoring at the project site; (2) fossil preparation and identification procedures; (3) curation into an appropriate repository; and (4) preparation of a Paleontological Resources Report (report or paleontology report) at the conclusion of ground disturbing activities. The paleontology report shall include dates of field work, results of monitoring, fossil identifications to the lowest possible taxonomic level, analysis of the fossil collection, a discussion of the scientific significance of the fossil collection, conclusions, locality forms, an itemized list of specimens, and a repository receipt from the curation facility. The project sponsor shall be responsible for the preparation and implementation of the mitigation program, in addition to any costs necessary to prepare and identify collected fossils and for any curation fees charged by the paleontological repository. The mitigation program shall be submitted to the Planning Department for review within 10 business days of the discovery. The paleontology report shall be submitted to the Planning Department for review within 30					

	Monitoring And Rei Orting Trook			
				Monitoring Actions/
				Schedule and
	Implementation	Mitigation	Monitoring/ Reporting	Verification of
Adopted Mitigation Measures	Responsibility	Schedule	Responsibility	Compliance
business days from conclusion of ground disturbing activities or as				

negotiated following consultation with the Planning Department.

### IMPROVEMENT MEASURES AGREED TO BY PROJECT SPONSOR

### CULTURAL RESOURCES

### Improvement Measure I-CR-1a: Documentation

### Historic American Building/Historic American Landscape Survey A.

Prior to the issuance of demolition or site permits, the project sponsor should undertake Historic American Building/Historic American Landscape Survey-like (HABS/HALS-like) level documentation of the subject property, structures, objects, materials, and landscaping. The documentation should be funded by the project sponsor and undertaken by a gualified professional who meets the standards for history, architectural history, or architecture (as appropriate), as set forth by the Secretary of the Interior's Professional Qualification Standards (36 Code of Federal Regulation, Part 61) and will assist with the reuse and/or replication of character-defining features to be incorporated into the new construction and provide content to the interpretation program, both of which are part of the proposed project. The professional overseeing the documentation should meet with Planning Department staff for review and approval of a coordinated documentation plan before work on any one aspect may commence. The specific scope of the documentation should be reviewed and approved by the Planning Department. The documentation package created should consist of the items listed below.

*Measured Drawings:* A set of measured drawings that depict the existing size, scale, and dimension of the subject property. Planning Department preservation staff will accept the original architectural drawings or an asbuilt set of architectural drawings (plan, section, elevation, etc.) with modification to meet HABS guidelines as determined by Planning Department preservation staff. Planning Department preservation staff will assist the consultant in determining the appropriate level of measured drawings.

Project sponsor and gualified professional who meets the standards for history, architectural history, or architecture.

Prior to the

issuance of

Project sponsor and qualified professional to demolition, site, or submit HABS/HALS building permits. documentation to the Planning Department.

MONITORING AND REPORTING PROGRAM<sup>1</sup>

Considered complete upon approval of HABS/HALS documentation by the Planning Department.

	MONITORING AND REPORTING PROGRAM <sup>-</sup>				
Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance	
Historic American Buildings/Historic American Landscape Survey Level Photographs: Either Historic American Buildings/Historic American Landscape Survey (HABS/HALS) standard large-format or digital photography should be used. The scope of the digital photographs should be reviewed by Planning Department preservation staff for concurrence, and all digital photography should be conducted according to the latest National Park Service standards. The photography should be undertaken by a qualified professional with demonstrated experience in HABS/HALS photography. Photograph views for the data set should include contextual views; views of each side of the building and interior views, including any original interior features, where possible; oblique views of the building; and detail views should be referenced on a photographic key. This photograph number with an arrow to indicate the direction of the view. Historic photographs should also be collected, reproduced, and included in the data set.					
The professional(s) should prepare the documentation and the Planning Department should monitor its preparation. The HABS/HALS documentation scope will determine the requested documentation type for each facility, and the project sponsor will conduct outreach to identify other interested repositories.					
The professional(s) should submit the completed documentation for review and approval by Planning Department preservation staff before issuance of building permits. All documentation will be reviewed and approved by Planning Department preservation staff before any demolition or site permit is granted for the affected historical resource. The final approved documentation should be provided in both printed and electronic form to the Planning Department and offered to repositories including, but not limited to, the San Francisco Public Library, the Northwest Information Center, San Francisco Architectural Heritage, the California Historical Society, and the GLBT Historical Society. The Planning Department will make electronic versions of the documentation available to the public at no charge.					

	MONITORING AND REPORTING PROGRAM <sup>1</sup>			
Adopted Mitigation Measures B. Video Recordation	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
ponsor should retain a qualified professional to undertake video	Project sponsor, qualified professional videographer, and qualified narrator who meets the standards for	Prior to issuance of demolition, site, or building permits.	Project sponsor, qualified videographer, and qualified narrator to submit video documentation to the Planning Department.	Considered complete upon approval of video documentation by the Planning Department.
vith experience recording architectural resources. The professional rideographer should provide a storyboard of the proposed video	history, architectural history, or architecture.			
The final video should be reviewed and approved by Planning Department preservation staff prior to issuance of a demolition permit or site permit or ssuance of any building permits for the project.				
Archival copies of the video documentation should be submitted to the Planning Department, and to repositories including: History Room at the Gan Francisco Public Library, Prelinger Archives, the California Historical Society, San Francisco Architectural Heritage, and the Northwest Information Center of the California Historical Information Resource System. This improvement measure would supplement the traditional HABS documentation, and would enhance the collection of reference Inaterials that would be available to the public and inform future research.				

Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance
Improvement Measure I-CR-1b: Interpretation The project sponsor should facilitate the development of an interpretive program focused on the history of the project site as outlined in the project description. The interpretive program should be developed and mplemented by a qualified professional with demonstrated experience in displaying information and graphics to the public in a visually interesting manner, such as a museum or exhibit curator. The project sponsor should utilize the oral histories and subsequent transcripts prepared as part of the Historic Resource Evaluation review process. As feasible, coordination with local artists or community members should occur. The primary goal of the program is to educate visitors and future residents about the property's historical themes, associations, and lost contributing features within broader historical, social, and physical landscape contexts. These themes would include but not be limited to the subject property's historic significance as a contributor to the identified-eligible Polk Gulch LGBTQ Historic District and should include the oral histories previous undertaken for this project.	Project sponsor and qualified professional with demonstrated experience in displaying information and graphics to the public (e.g., museum or exhibit curator).	Prior to issuance of the architectural addendum to the site permit.	Project sponsor and qualified professional to submit a HRPIP to the Planning Department.	Ongoing during project operation following approval of the HRPIP by the Planning Department.
This program should be initially outlined in a Historic Resources Public Interpretive Plan (HRPIP) subject to review and approval by Planning Department preservation staff. The HRPIP will lay out the various components of the interpretive program that should be developed in consultation with a qualified preservation professional. The HRPIP should describe the interpretive product(s), locations or distribution of interpretive materials or displays, the proposed content and materials, the producers or artists of the displays or installation, and a long-term maintenance program. The HRPIP should be approved by Planning Department staff prior to issuance of a site permit or demolition permit. The interpretive displays but may also include the installation of permanent on- site interpretive displays but may also include development of digital/virtual interpretive products. For physical interpretation, the plan should include the proposed format and accessible location of the nterpretive content, as well as high-quality graphics and written narratives. The permanent display should include the history of 1525 Pine Street and the historical context of the Polk Gulch LGBTQ Historic District.				

	MONITORING AND REPORTING PROGRAM <sup>4</sup>				
Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance	
installed within the project site boundaries and made of durable all- weather materials. The interpretive material(s) should be of high quality and installed to allow for high public visibility. The interpretive plan should also explore contributing to digital platforms that are publicly accessible, such as the History Pin website or phone applications. Interpretive material could include elements such as virtual museums and content, such as oral history, brochures, and websites. All interpretive					
naterial should be publicly available. The HRPIP should be approved by Planning Department preservation staff prior to issuance of the architectural addendum to the site permit. The					
detailed content, media and other characteristics of such interpretive program should be approved by Planning Department preservation staff prior to issuance of a Temporary Certificate of Occupancy.					
Prior to finalizing the HRPIP, the sponsor and consultant should attempt to convene a community group consisting of local preservation organizations and other interested parties such as SF Heritage and the GLBT Historical Society to receive feedback on the interpretive plan.					
The interpretive program should be developed in coordination with the archaeological program if archaeological interpretation is required.					
The interpretive program should also coordinate with other interpretive programs currently proposed or installed in the vicinity or for similar resources in the city.					
Improvement Measure I-CR-1c: Salvage Architectural Materials from the Site for Public Information and Reuse					
As included in the project description, the project sponsor proposes to reuse many of the significant features associated with Grubstake in the proposed project. Prior to the removal of the character-defining features of the historic district contributor that are proposed to be incorporated into the proposed project, the project sponsor should provide Planning Department preservation staff with a salvage plan that outlines the details of how the features to be reused and incorporated into the proposed project would be removed, stored, reinstalled, and maintained. The salvage plan should be reviewed and approved by Planning Department	Project sponsor / contractor(s).	Prior to issuance of the architectural addendum to the site permit.	Project sponsor and contractor(s) to submit a salvage plan to the Planning Department.	Considered complete upon approval of the salvage plan by the Planning Department and implementation of the salvage plan by the project sponsor and contractor(s).	

		МС	NITORING AND REPORTING	PORTING PROGRAM <sup>1</sup>	
Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance	
preservation staff prior to issuance of the architectural addendum to the site permit.					
TRANSPORTATION AND CIRCULATION					
Improvement Measure I-TR-1: Coordinated Construction Traffic Management Plan					
The project sponsor should participate in the preparation and implementation of a coordinated construction traffic management plan that includes measures to reduce hazards between construction-related traffic and pedestrians, bicyclists, and transit vehicles. The coordinated construction traffic management plan should be prepared in coordination with other public and private projects within a one-block radius that may have overlapping construction schedules and should be subject to review and approval by the City's interdepartmental Transportation Advisory Staff Committee (TASC). The plan should include, but not necessarily be limited to, the following measures:	Project sponsor / contractor(s).	Prior to and during construction activities.	Project sponsor and contractor(s) to prepare and submit a coordinated construction traffic management plan to the City's interdepartmental Transportation Advisory Staff Committee.	Considered complete upon end of construction activities.	
<i>Restricted Construction Access Hours:</i> Limit truck movements and deliveries requiring lane closures to occur between 9:00 a.m. and 4:00 p.m., outside of peak morning and evening weekday commute hours.					
Alternative Transportation for Construction Workers: Provide incentives to construction workers to carpool, use transit, bike, and walk to the project site as alternatives to driving alone to and from the project site. Such incentives may include, but not be limited to, providing secure bicycle parking spaces, participating in the free-to- employee-and-employer ride matching program from <u>www.511.org</u> , participating in the emergency ride home program through the City of San Francisco ( <u>www.sferh.org</u> ), and providing transit information to construction workers.					
<i>Construction Worker Parking Plan:</i> The location of construction worker parking will be identified as well as the person(s) responsible for monitoring the implementation of the proposed parking plan. The use of on-street parking to accommodate construction worker parking will be discouraged.					

	MONITORING AND REPORTING PROGRAM <sup>1</sup>					
Adopted Mitigation Measures	Implementation Responsibility	Mitigation Schedule	Monitoring/ Reporting Responsibility	Monitoring Actions/ Schedule and Verification of Compliance		
Coordination of Temporary Sidewalk Closures: The project sponsor should coordinate sidewalk closures with other projects requesting concurrent lane or sidewalk closures through the TASC and interdepartmental meetings to minimize the extent and duration of requested closures.						
Maintenance of Transit, Vehicle, Bicycle, and Pedestrian Access: The project sponsor/construction contractor(s) should meet with Public Works, SFMTA, the Fire Department, Muni Operations, and other City agencies to coordinate feasible measures to include in the Coordinated Construction Management Plan to maintain access for transit, vehicles, bicycles, and pedestrians. This should include an assessment of the need for temporary transit stop relocations or other measures to reduce potential traffic, bicycle, and transit disruption and pedestrian circulation effects during construction of the project.						
Proposed Project Construction Updates for Adjacent Businesses and Residents: Provide regularly updated information regarding project construction, including a construction contact person, construction activities, duration, peak construction activities (e.g., concrete pours), travel lane closures, and lane closures (bicycle and parking) to nearby residences and adjacent businesses through a website, social media, or other effective methods acceptable to the Environmental Review Officer.						

<sup>1</sup> Definitions of MMRP Column Headings:

Adopted Mitigation Measures: Full text of the mitigation measure(s) copied verbatim from the final CEQA document.

Implementation Responsibility: Entity who is responsible for implementing the mitigation measure. In most cases this is the project sponsor and/or project's sponsor's contractor/consultant and at times under the direction of the planning department.

Mitigation Schedule: Identifies milestones for when the actions in the mitigation measure need to be implemented.

Monitoring/Reporting Responsibility: Identifies who is responsible for monitoring compliance with the mitigation measure and any reporting responsibilities. In most cases it is the Planning Department who is responsible for monitoring compliance with the mitigation measure. If a department or agency other than the planning department is identified as responsible for monitoring, there should be an expressed agreement between the planning department and that other department/agency. In most cases the project sponsor, their contractor, or consultant are responsible for any reporting requirements. *Monitoring Actions/Completion Criteria*: Identifies the milestone at which the mitigation measure is considered complete. This may also identify requirements for verifying compliance.