

770 Woolsey Street Project

San Francisco Planning Case No. **2017-012086ENV**

State Clearinghouse No. 2020080459

	Draft EIR Publication Date:	June 23, 2021	Written comments should be sent to:
Public Draft:	Draft EIR Public Hearing Date:	July 29, 2021	Jenny Delumo Environmental Coordinator
	Draft EIR Public Comment Period:	June 24, 2021–August 9, 2021	San Francisco, CA 94102 or jenny.delumo@sfgov.org









MEMORANDUM

Date: Case No.: Project Title: To: From: Re:

June 23, 2021 **2017-012086ENV 770 Woolsey Street Project** Distribution List for the 770 Woolsey Street Project Draft EIR Lisa Gibson, Environmental Review Officer Request for the Final Environmental Impact Report for the 770 Woolsey Street Project (Planning Department File No. 2017-012086ENV)

This is the draft of the environmental impact report (EIR) for the 770 Woolsey Street Project. A public hearing will be held on the adequacy and accuracy of this document. After the public hearing, our office will prepare and publish a document titled "Responses to Comments," which will contain a summary of all relevant comments on this Draft EIR and our responses to those comments. It may also specify if there are any changes to this Draft EIR. Those who testify at the hearing on the Draft EIR will automatically receive a copy of the Responses to Comments and notice of the date reserved for certification; others may receive a copy of the Responses to Comments document will be considered by the San Francisco Planning Commission in an advertised public meeting and will be certified as a Final EIR if deemed adequate. Therefore, if you receive a copy of the Responses to Comments document in addition to this copy of the Draft EIR, you will technically have a copy of the Final EIR.

Thank you for your interest in this project.

NOTE: This notice is being issued during the suspension of certain CEQA filing and posting requirements pursuant to executive orders N-54-20 and N-80-20, and its issuance complies with the alternative posting requirements stated in the order. This notice also complies with local requirements under the March 23rd Fifth Supplement to the Mayoral Proclamation Declaring the Existence of a Local Emergency dated February 25, 2020. Because of the COVID-19 shelter-in-place order, planning department offices are closed and staff are working from home, and the planning commission may have to hold the public hearing remotely. Members of the public are encouraged to participate. Additional information may be found on the department's website at www.sfplanning.org. To reduce risks to outside service providers, the department is aiming to limit the distribution of hard copy documents. Please contact Jenny Delumo if you still require a hard copy of the Draft EIR.



770 Woolsey Street Project

San Francisco Planning Case No. **2017-012086ENV**

State Clearinghouse No. 2020080459

	Draft FIR Publication Date:	lune 23 2021	Written comments should be sent to:	
Public Draft	Druit Ein rabileation bate.	50110 25, 2021	Jenny Delumo	
	Draft EIR Public Hearing Date:	July 29, 2021	Environmental Coordinato 49 South Van Ness Ave, Suite 1400 San Francisco, CA 94102 or jenny.delumo@sfgov.org	
	Draft EIR Public Comment Period:	June 24, 2021–August 9, 2021		





CONTENTS

		<u>Page</u>			
Summa	ıry	S-1			
S.1	Introduction	S-1			
S.2	Project Summary	S-1			
S.3	Summary of Impacts and Mitigation Measures				
S.4	Summary of Project Alternatives	S-39			
	S.4.1 Alternative A: No Project Alternative	S-39			
	S.4.2 Alternative B: Full Preservation Alternative	S-39			
	S.4.3 Alternative C: Partial Preservation Alternative	S-40			
S.5	Environmentally Superior Alternative	S-41			
S.6	Areas of Known Controversy and Issues to Be Resolved	S-41			
Chapter	r 1 Introduction	1-1			
1.A	Project Summary				
1.B	Purpose of This EIR				
1.C	Type of EIR				
1.D	CEQA Environmental Review Process	1-3			
	1.D.1 Notice of Preparation of an Environmental Impact Report	1-3			
	1.D.2 Scoping Comments				
	1.D.3 Project Changes after the Notice of Preparation				
	1.D.4 Draft EIR and Initial Study Public Review Process				
	1.D.5 Final EIR and EIR Certification				
	1.D.6 Mitigation Monitoring and Reporting Program				
1.E	Organization of This EIR				
Chapter	r 2 Project Description	2-1			
2.A	Project Overview				
2.B	Project Sponsor Objectives				
2.C	Project Location and Site Characteristics				
	2.C.1 Project Site				
	2.C.2 Existing Site Characteristics				
	2.C.3 Site Access				
	2.C.4 Surrounding Land Uses				
2.D	Site History				
2.E	Project Characteristics				
	2.E.1 Residential Units				
	2.E.2 Open Space				
	2.E.3 Utilities and Stormwater Retention				
	2.E.4 Streetscape and Sidewalk Improvements				
	2.E.5 Vehicle Parking and Loading				
	2.E.6 Bicycle Parking	2-15			
	2.E.7 Transportation Demand Management	2-15			
2.F	Project Construction	2-15			
	2.F.1 Demolition and Salvage Material Plan				

2.G	Required Project Approvals	
	2.G.1 Local Agencies	
Chapter	[•] 3 Environmental Setting, Impacts, and Mitigation Measures	3-1
Intro	oduction to the Analysis	
3.A	Historic Architectural Resources	3.A-1
	3.A.1 Introduction	
	3.A.2 Regulatory Framework	
	3.A.3 Environmental Setting	
	3.A.4 Impacts and Mitigation Measures	3.A-20
Chapter	4 Other CEQA Issues	4-1
4.A	Growth-Inducing Impacts	
4.B	Significant and Unavoidable Effects of the Proposed Project	
4.C	Significant Irreversible Environmental Changes	
	4.C.1 Irreversible Changes to an Environmental Resource	
	4.C.2 Irreversible Consumption of Nonrenewable Resources	
4.D	Areas of Known Controversy and Issues to Be Resolved	4-5
Chapter	⁷ 5 Alternatives	5-1
5.A	Introduction	5-1
	5.A.1 CEQA Requirements for Alternatives Analysis	
	5.A.2 Alternatives Selection	5-2
5.B	Summary of Alternatives	5-4
5.C	Alternatives Analysis	5-11
	5.C.1 Alternative A: No Project Alternative	
	5.C.2 Alternative B: Full Preservation Alternative	5-12
	5.C.3 Alternative C: Partial Preservation Alternative	5-15
5.D	Environmentally Superior Alternative	5-19
5.E	Alternatives Considered but Rejected	5-19
	5.E.1 Full Preservation Alternative with Seven-Story Residential Tower	5-20
	5.E.2 Partial Preservation Alternative 1	5-20
	5.E.3 Partial Preservation Alternative 2	5-20
Chapter	6 Report Preparers	6-1
6.A	San Francisco Planning Department	
6.B	Environmental Consultants	
6.C	Project Sponsor	
6.D	Project Architect	
6.E	Project Sponsor's Legal Counsel	

Appendices

Appendix A	Noti	Notice of Preparation and Comments Received			
Appendix B	Initi	Initial Study			
Appendix C Histo		oric Resource Evaluations			
	C1	Historic Resource Evaluation Response Part I			
	C2	Historic Resource Evaluation Response Part II			
	C3	Preservation Alternatives Memorandum			

Figures

Figure 2-1	Project Location Map	2-3
Figure 2-2	Existing Site	
Figure 2-3	Site Plan	
Figure 2-4	Illustrative Rendering	
Figure 2-5	West Elevation – Bowdoin Street	
Figure 2-6	South and North Elevations – Woolsey and Wayland Streets	2-10
Figure 2-7	East Elevation – Hamilton Street	2-11
Figure 2-8	Proposed Open Space Plan	2-13
Figure 3-1	Cumulative Projects within a 0.25-Mile Radius of the Project Site	
Figure 3.A-1	Project Site with Extant and Demolished Features	3.A-9
Figure 3.A-2	University Mound Nursery, ca. 1925	3.A-14
Figure 3.A-3	Greenhouse Character-Defining Features (Interior View)	3.A-17
Figure 3.A-4	Boiler House: Character-Defining Features	3.A-18
Figure 5-1	Project Alternatives Overview	5-10
Figure 5-2	Full Preservation Alternative	5-13
Figure 5-3	Partial Preservation Alternative	5-17

Tables

Table S-1	770 Woolsey Project Characteristics	S-2
Table S-2	Summary of Impacts of the Proposed Project Identified in the EIR	S-4
Table S-3	Summary of Impacts of the Proposed Project Identified in the Initial Study	S-8
Table S-4	Comparison of the Proposed Project and Alternatives	S-42
Table 1-1	Summary of Scoping Comments	1-3
Table 2-1	770 Woolsey Project Characteristics	2-14
Table 2-2	Preliminary Construction Schedule	2-16
Table 2-3	Project Construction Equipment	2-17
Table 3-1	Cumulative Projects within a 0.25-Mile Radius of the Proposed Project	3-7
Table 5-1	Comparison of Proposed Project and Alternatives	5-5
Table 5-2	Character Defining Features Retained by the Proposed Project and Alternatives	5-7

Contents

PAGE INTENTIONALLY BLANK

ACRONYMS AND ABBREVIATIONS

Acronym/Abbreviation	Definition
ABAG	Association of Bay Area Governments
California Register	California Register of Historical Resources
CEQA	California Environmental Quality Act
CFR	Code of Federal Regulations
EIR	environmental impact report
ERO	Environmental Review Officer
HABS	National Park Service's Historic American Buildings Survey
HALS	Historic American Landscape Survey
HPC	San Francisco Historic Preservation Commission
HRE	Historic Resource Evaluation
HRER Part I	Historic Resource Evaluation Response Part I
HRER Part II	Historic Resource Evaluation Response Part II
National Register	National Register of Historic Places
NHPA	National Historic Preservation Act

Acronyms and Abbreviations

PAGE INTENTIONALLY BLANK

SUMMARY

S.1 Introduction

This document is a draft environmental impact report (EIR) for the proposed 770 Woolsey Street project (proposed project). This chapter of the EIR provides a summary of the proposed project, a summary of anticipated environmental impacts of the proposed project and identified mitigation measures, a summary of alternatives including identification of the environmentally superior alternative, and areas of controversy to be resolved.

S.2 Project Summary

The project site at 770 Woolsey Street (Assessor's Block 6055/Lot 001) is a 2.2-acre rectangular site bounded by Wayland Street to the north, Hamilton Street to the east, Woolsey Street to the south, and Bowdoin Street to the west in the Portola neighborhood. The site is located approximately 0.3 mile west of San Bruno Avenue, the primary retail corridor in the Portola neighborhood. The project site is within the RH-1 (Residential House, One Family) Zoning District, and a 40-X Height and Bulk District.

The project sponsor, 140 Partners LP, proposes to demolish a majority¹ of the existing structures on the project site (primarily greenhouses that have been unused since 1990) and construct 62 residential units comprised of 31 duplexes, and 62 vehicle parking spaces accessed via 31 new curb cuts (i.e., one curb cut per duplex). The proposed residential units would be approximately 35 feet in height. Of the 62 total units, 12 would be affordable housing units. The project proposes to regrade the project site and improve the right-ofway along the block's street frontages, which would include four bulb-outs, adding a sidewalk along Wayland Street, filling an existing trench and adding a sidewalk and curb along Bowdoin Street, and adding 33 street trees along the perimeter of the block. The proposed project would also include an approximately 0.39-acre (17,170-square-foot) publicly accessible open space (which would include two rebuilt greenhouses), approximately 11,210 square feet of common open space in the form of connected courtyards and passageways referred to as "the spine" and "mews" for residents only, and approximately 14,890 square feet of private open space (e.g., courtyards and rear yards). Potential programming for the publicly accessible open space could include event space,² open lawn with flex space, seating areas, and areas for community members to grow and cultivate plants. The proposed project would also include new utility infrastructure to supply the site with potable water, wastewater collection, stormwater collection and treatment, electricity, natural gas, and communications. **Table S-1** summarizes the characteristics of the proposed project, including the types and amounts of land uses, proposed dwelling units, building heights, vehicle and bicycle parking, and other features.

The project sponsor estimates that construction of the proposed project would last approximately 24 months, beginning in early 2022.

¹ As detailed in Chapter 2 of this EIR, all existing structures would be demolished and removed from the site; however, certain existing structures would be reclaimed and repurposed for use on the project site.

² The greenhouses and boiler room event space would be programmed exclusively for community events. There would be no revenue-generating component to these event spaces.

Table S-1 770 Woolsey Project Characteristics

Project Characteristics	Metric	
PROPOSED LAND USE	A	AREA (SQUARE FEET)
Residential	118,600	
PROPOSED DWELLING UNITS	NUMBER	PERCENTAGE (APPROXIMATE)
2-bedroom	28	45%
3-bedroom	34	55%
Total dwelling units	62	100%
PROPOSED PARKING		NUMBER
Vehicle parking spaces	62	
Bicycle parking: ^a		
Bicycle parking class 1	93	
Bicycle parking class 2	12	
Total bicycle parking	66	
OPEN SPACE	A	AREA (SQUARE FEET)
Publicly accessible open space	17,170	
Common residential open space (the "spine" and "mews")	11,210 ^b	
Private residential open space	14,890	
Total open space	43,270	
BUILDING CHARACTERIST	ICS	
Stories	3 stories	
Height	35 feet	
Ground floor	Each duplex res vehicle parking garage.	idential unit would include one space in a shared two-car

SOURCE: 140 Partners LLC, 2020.

NOTE:

^a Planning code section 155.1(a) defines class 1 bicycle spaces as "spaces in secure, weather-protected facilities intended for use as long-term, overnight, and workday bicycle storage by dwelling unit residents, nonresidential occupants, and employees" and defines class 2 bicycle spaces as "spaces located in a publicly accessible, highly visible location intended for transient or short-term use by visitors, guests, and patrons to the building or use."

^b Represents portion of the spine and mews that meets planning code section 135 technical standards for common residential open space. Exact square footage of spine and mews is slightly larger.

The existing greenhouses and associated agricultural accessory structures would be demolished and removed from the project site. Materials from the original boiler house and greenhouses would be salvaged, as feasible, and used in the two rebuilt greenhouse structures, the rebuilt boiler house structure, and fencing around the publicly accessible open space. Due to the previous agricultural operations and use of pesticide at the site, the proposed project would require the removal and disposal of contaminated soil in accordance with San Francisco Health Code article 22A.

S.3 Summary of Impacts and Mitigation Measures

This EIR analyzes the potential environmental effects of the proposed project. The initial study (Appendix B) determined that the following topics would have either no significant impacts or impacts that can be reduced to less than significant with mitigation: land use and land use planning; population and housing; cultural resources; tribal cultural resources; transportation and circulation; noise; air quality; greenhouse gas emissions; wind; shadow; recreation; utilities and services systems; public services; biological resources; geology and soils; hydrology and water quality; hazards and hazardous materials; mineral resources; energy; agricultural and forestry resources; and wildfire. Discussion and analysis of impacts in these resource areas are presented in the initial study.

The initial study found that the proposed project could result in significant impacts associated with historic architectural resources. Chapter 3 of this EIR presents detailed discussion and analysis of historic architectural resources.

Table S-2, p. S-4, and **Table S-3**, p. S-8, summarize all of the impacts of the proposed project, identifies the significance of each impact, and presents the full text of the recommended mitigation measures and improvement measures. Mitigation measures are feasible measures that would avoid, lessen, or reduce significant impacts, and would be required to be implemented if the project is approved. The summary tables include all impacts and mitigation measures applicable to the proposed project, with the EIR section presented first in Table S-2, followed by the initial study sections in Table S-3.

As indicated in Table S-2 and discussed in detail in Chapter 3, the analysis conducted for this EIR determined that the proposed project would result in one significant and unavoidable impact in the following area, even with implementation of feasible mitigation measures:

• **Historic Architectural Resources:** the proposed project would cause a substantial adverse change in the significance of a historical resource as defined in CEQA Guidelines section 15064.5, related to the demolition of character-defining features on the project site (Impact CR-1).

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
	EIR SEC	TION 3.A, HISTORIC ARCHITECTURAL RESOURCES	
Impact CR-1: The proposed project would cause a substantial adverse change in the significance of a historical resource as defined in CEQA Guidelines section 15064.5.	S	Mitigation Measure M-CR-1a: Documentation of Historical Resources. Prior to the issuance of any demolition permit, the project sponsor shall retain a professional who meets the Secretary of the Interior's Professional Qualification Standards for Architectural History to prepare written and photographic documentation of greenhouses 1–18, the boiler house, the garage/storage building, the mixing shed, water tank, pesticide tank, hand-dug wells, and site in general including circulation paths and spatial arrangements. The documentation shall be prepared based on the National Park Service's Historic American Buildings Survey (HABS) or the Historic American Landscape Survey (HALS). This type of documentation is based on the Secretary of the Interior's Standards and Guidelines for Architectural and Engineering Documentation and the National Park Service's policy for photographic documentation, as outlined in the National Register and National Historic Landmarks Survey Photo Policy Expansion. Documentation shall include:	SUM
		 Accurate scaled mapping and architectural descriptions. If available, any existing scaled architectural plans will also be included. Photographs in large-format (4"x5") black-and-white negatives and 8"x10" enlargements. Digital photography may be substituted for large-format negative photography if archived locally. A report containing site-specific history and appropriate contextual information. This information shall be gathered through site-specific and comparative archival research and oral history collection as appropriate. Print-on-Demand Book. The Print-on-Demand book shall be made available to the public for distribution. The project sponsor shall make the content from the historical report, historical photographs, HABS photography, measured drawings, and field notes available to the public through a preexisting print-on-demand book service. This service will print and mail softcover books containing the aforementioned materials to members of the public who have paid a nominal fee. The sponsor shall not be required to pay ongoing printing fees once the book has been made available through the service. 	

Table S-2Summary of Impacts of the Proposed Project Identified in the EIR

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		The project sponsor shall transmit such documentation to the planning department and to repositories including the History Room of the San Francisco Public Library, San Francisco Heritage, the California Historical Society, the Northwest Information Center of the California Historical Information Resource System, and local or neighborhood historical societies. The qualified consultant will determine the requested documentation type for each facility, and the project sponsor will conduct outreach to identify other interested repositories. All documentation shall first be scoped and then be reviewed and approved by the planning department's preservation staff prior to issuance of the demolition or site permit.	
		Prior to the issuance of any demolition permit, the project sponsor shall retain a qualified professional to undertake video documentation of the affected historical resource and its setting. This mitigation measure would supplement the traditional HABS/HALS documentation, and would enhance the collection of reference materials that would be available to the public and inform future research.	
		The documentation shall be conducted by a professional videographer with experience recording architectural resources. The professional videographer shall provide a storyboard of the proposed video recordation for review and approval by Planning Department preservation staff.	
		The final video shall be reviewed and approved by the planning department preservation staff prior to issuance of a demolition permit or site permit or issuance of any Building Permits for the project. Archival copies of the video documentation shall be submitted to the planning department, and to repositories including: History Room at the San Francisco Public Library, San Francisco Heritage, Prelinger Archives, and the California Historical Society. This mitigation measure would supplement the traditional HABS documentation, and would enhance the collection of reference materials that would be available to the public and inform future research.	
		Mitigation Measure M-CR-1b: Salvage Plan. Prior to the issuance of any demolition permit that would remove character-defining features of, or demolish, contributing historic architectural resources on the project site, the project sponsor shall determine in consultation with planning staff whether any	

Summary S.3. Summary of Impacts and Mitigation Measures

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		such features may be feasibly salvaged, in whole or in part, during demolition/reconstruction. The project sponsor shall make a good faith effort to salvage materials of historical interest to be utilized as part of the interpretative program and for reconstruction of the boiler house, greenhouses 1 and 2, and fencing. A Salvage Plan shall be prepared by a qualified architectural historian or historic architect who meets the Secretary of the Interior's Professional Qualification Standards and submitted to planning department staff. The salvage plan shall be approved by planning department staff prior to issuance of the demolition permit.	
		Mitigation Measure M-CR-1c: Interpretive Program. The project sponsor shall facilitate the development of an interpretive program focused on the history of the project site highlighting the retained rose plants and reconstructed greenhouses. The planning department shall review the proposed reconstruction plan for greenhouses 1 and 2 and boiler house to ensure the retention of character defining features as feasible, and the reuse of salvaged materials and replacement materials. The interpretive program should be developed and implemented by a qualified preservation professional with demonstrated experience in displaying information and graphics to the public in a visually interesting manner. As feasible, coordination with local artists should occur. The primary goal of the program is to educate visitors and future residents about the property's historical themes, associations, and lost contributing features within broader historical, social, and physical landscape contexts.	
		This program shall be initially outlined in a proposal for an Historic Resources Public Interpretive Plan subject to review and approval by planning department preservation staff prior to approval of the demolition permit. The plan will include the general parameters of the interpretive program including the substance, media, and other elements of the interpretative program, which shall include within publicly accessible areas of the project site a permanent display(s) of interpretive materials concerning the history and architectural features of the historic resource, including both the site as a whole and the individual contributing buildings and features. The interpretative plan should also explore contributing to digital platforms that are publicly accessible.	

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		The detailed content, media, and other characteristics of such an interpretive program, including a maintenance plan, shall be coordinated with the retention of the surviving rose plants (Mitigation Measure M-CR-1d) and approved by planning department staff prior to issuance of a Temporary Certificate of Occupancy.	
		any demolition permit, the project sponsor shall prepare a relocation and care plan for the surviving rose plants located within and around the greenhouses. This plan shall include specific locations for temporary relocation during construction, and permanent relocation to portions of the project site. In addition, the plan shall detail the care and maintenance protocols to ensure plant health both during the interim relocation and once in their final location. Final relocation sites of the rose plants shall include as many onsite locations as possible, including at least one location within the publicly accessible areas of the project site. This plan shall be prepared by a qualified horticultural expert or other landscape professional knowledgeable in the transplant and care of roses. The relocation plan shall be coordinated with the interpretive program (Mitigation Measure M-CR-1c) and approved by planning department staff prior to commencement of any demolition activities.	
Impact CR-2: The proposed project would not cause a substantial adverse change in the significance of an adjacent historical resource.	LTS	No mitigation required.	NA
Impact C-CR-1: The proposed project, in combination with past, present, and reasonably foreseeable future projects, could result in demolition and/or alteration of historical resources, as defined in CEQA Guidelines section 15064.5.	LTS	No mitigation required.	NA

IMPACT CODES:

NA = Not Applicable NI = No impact LTS = Less-than-significant or negligible impact; no mitigation required S = Significant

SU = Significant and unavoidable adverse impact, no feasible mitigation SUM = Significant and unavoidable adverse impact, after mitigation

Table S-3 Summary of Impacts of the Proposed Project Identified

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
	۱.	INITIAL STUDY SECTION E.1, LAND USE AND PLANNING	
Impact LU-1: The proposed project would not physically divide an established community.	NI	No mitigation required.	NA
Impact LU-2: The proposed project would not cause a significant physical environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect.	LTS	No mitigation required.	NA
Impact C-LU-1: The proposed project, in combination with cumulative projects, would not result in a significant cumulative impact related to land use and planning.	LTS	No mitigation required.	NA
INITIAL STUDY SECTION E.2, POPULATION AND HOUSING			
Impact PH-1: The proposed project would not induce substantial unplanned population growth in an area, either directly or indirectly.	LTS	No mitigation required.	NA

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
Impact PH-2: The proposed project would not displace substantial numbers of existing people or housing units, necessitating the construction of replacement housing.	NI	No mitigation required.	NA
Impact C-PH-1: The proposed project, in combination with cumulative projects in the vicinity, would not result in a significant cumulative impact related to population and housing.	LTS	No mitigation required.	NA
		INITIAL STUDY SECTION E.3, CULTURAL RESOURCES	
Impact CR-3: The proposed project could cause a substantial adverse change in the significance of an archeological resource.	S	Mitigation Measure M-CR-2, Archeological Testing. Based on a reasonable presumption that archeological resources may be present within the project site, the following measures shall be undertaken to avoid any potentially significant adverse effect from the proposed project on buried or submerged historical resources. The project sponsor shall retain the services of an archeological consultant having expertise in California prehistoric and urban historical archeology. The archeological consultant shall undertake an archeological testing program as specified herein. In addition, the consultant shall be available to conduct an archeological monitoring and/or data recovery program if required pursuant to this measure. The archeological consultant's work shall be conducted in accordance with this measure at the direction of the Environmental Review Officer (ERO). All plans and reports prepared by the consultant as specified herein shall be submitted first and directly to the ERO for review and comment and shall be considered draft reports subject to revision until final approval by the ERO. Archeological monitoring and/or data recovery programs required by this measure could suspend construction of the project for up to a maximum of four weeks. At the direction of the ERO, the suspension of construction can be extended beyond four weeks only if such a suspension is the only feasible means to reduce to a less than significant level potential effects on a significant archeological resource as defined in CEQA Guidelines section 15064.5(a)(c).	LTS

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		Archeological Testing Program. The archeological testing program shall be conducted in accordance with the approved Archeological Testing Plan (ATP). The purpose of the archeological testing program will be to determine to the extent possible the presence or absence of archeological resources and to identify and to evaluate whether any archeological resource encountered on the site constitutes an historical resource under CEQA. The archeological consultant and the ERO shall consult on the scope of the ATP reasonably prior to any project-related soils disturbing activities commencing. The archeological consultant shall prepare and submit to the ERO for review and approval an ATP. The ATP shall identify the property types of the expected archeological resource(s) that potentially could be adversely affected by the proposed project, lay out what scientific/historical research questions are applicable to the expected resource, what data classes the resource is expected to possess, and how the expected data classes would address the applicable research questions. The ATP shall also identify the testing method to be used, and the locations recommended for testing and shall identify archeological monitoring requirements for construction soil disturbance as warranted. The archeologist shall implement the approved testing as specified in the approved ATP prior to and/or during construction. The archeologist shall consult with the ERO at the conclusion of testing to report testing results, determine whether data recovery is needed, and provide construction monitoring	
		ERO. Archeological Data Recovery Plan. If testing results are positive and the ERO determines that an archeological data recovery program is warranted, the archeological data recovery program shall be conducted in accord with an archeological data recovery plan (ADRP). The archeological consultant, project sponsor, and ERO shall meet and consult on the scope of the ADRP prior to preparation of a draft ADRP. The archeological consultant shall submit a draft ADRP to the ERO. The ADRP shall identify how the proposed data recovery program will preserve the significant information the archeological resource is expected to contain. That is, the ADRP will identify what scientific/historical research questions are applicable to the expected resource, what data classes the resource is expected to possess, and how the expected data classes would address the applicable research questions. Data recovery, in general, should be limited to the portions of the historical property that could be adversely affected by the proposed project. Destructive data recovery methods shall not be applied to portions of the archeological resources if nondestructive methods are practical.	

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		The scope of the ADRP shall include the following elements:	
		• <i>Field Methods and Procedures.</i> Descriptions of proposed field strategies, procedures, and operations.	
		• <i>Cataloguing and Laboratory Analysis.</i> Description of selected cataloguing system and artifact analysis procedures.	
		• <i>Discard and Deaccession Policy.</i> Description of and rationale for field and post-field discard and deaccession policies.	
		• <i>Interpretive Program.</i> Consideration of an on-site/off-site public interpretive program during the course of the archeological data recovery program.	
		 Security Measures. Recommended security measures to protect the archeological resource from vandalism, looting, and non-intentionally damaging activities. 	
		• <i>Final Report.</i> Description of proposed report format and distribution of results.	
		• <i>Curation.</i> Description of the procedures and recommendations for the curation of any recovered data having potential research value, identification of appropriate curation facilities, and a summary of the accession policies of the curation facilities.	
		Consultation with Descendant Communities. On discovery of an archeological site associated with descendant Native Americans, the Overseas Chinese, or other potentially interested descendant group an appropriate representative of the descendant group and the ERO shall be contacted. The representative of the descendant group shall be given the opportunity to monitor archeological field investigations of the site and to offer recommendations to the ERO regarding appropriate archeological treatment of the site, of recovered data from the site, and, if applicable, any interpretative treatment of the associated archeological site. A copy of the Final Archeological Resources Report (FARR) shall be provided to the representative of the descendant group.	
		Human Remains Associated or Unassociated Funerary Objects. The treatment of human remains and funerary objects discovered during any soils disturbing activity shall comply with applicable State and federal laws. This shall include immediate notification of the Medical Examiner of the City and County of San Francisco and, in the event of the Medical Examiner's determination that the human remains are Native American remains, notification of the California State Native American Heritage Commission, which will appoint a Most Likely Descendant (MLD). The MLD will complete his or her inspection of the remains and make recommendations or preferences for treatment within 48 hours of being granted	

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		access to the site (Public Resources Code section 5097.98). The ERO also shall be notified immediately upon the discovery of human remains.	
		The project sponsor and ERO shall make all reasonable efforts to develop a Burial Agreement ("Agreement") with the MLD, as expeditiously as possible, for the treatment and disposition, with appropriate dignity, of human remains and associated or unassociated funerary objects (as detailed in CEQA Guidelines section 15064.5(d)). The Agreement shall take into consideration the appropriate excavation, removal, recordation, scientific analysis, custodianship, curation, and final disposition of the human remains and associated or unassociated or unassociated funerary objects. If the MLD agrees to scientific analyses of the remains and/or associated or unassociated funerary objects, the archeological consultant shall retain possession of the remains and associated or unassociated funerary objects and associated or unassociated funerary objects or unassociated funerary objects or unassociated funerary objects and associated or unassociated funerary objects or unassociated funerary objects, the archeological consultant shall retain possession of the remains and associated or unassociated funerary objects until completion of any such analyses, after which the remains and associated or unassociated funerary objects shall be reinterred or curated as specified in the Agreement.	
		Nothing in existing State regulations or in this mitigation measure compels the project sponsor and the ERO to accept treatment recommendations of the MLD. However, if the ERO, project sponsor, and MLD are unable to reach an Agreement on scientific treatment of the remains and associated or unassociated funerary objects, the ERO, with cooperation of the project sponsor, shall ensure that the remains and associated or unassociated funerary objects are stored securely and respectfully until they can be reinterred on the property, with appropriate dignity, in a location not subject to further or future subsurface disturbance.	
		Treatment of historic-period human remains and of associated or unassociated funerary objects discovered during any soil-disturbing activity, additionally, shall follow protocols laid out in the project's archeological treatment documents, and in any related agreement established between the project sponsor, Medical Examiner, and the ERO.	
		Archeological Public Interpretation Plan. The project archeological consultant shall submit an Archeological Public Interpretation Plan (APIP) if a significant archeological resource is discovered during a project. If the resource to be interpreted is a tribal cultural resource, the APIP shall be prepared in consultation with and developed with the participation of Ohlone tribal representatives. The APIP shall describe the interpretive product(s), locations or distribution of interpretive materials or displays, the proposed content and materials, the producers or artists of the displays or installation, and a long-term maintenance program. The APIP shall be sent to the ERO for review and approval. The APIP shall be implemented prior to occupancy of the project.	

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		<i>Final Archeological Resources Report.</i> Whether or not significant archeological resources are encountered, the archeological consultant shall submit a written report of the findings of the monitoring program to the ERO. The archeological consultant shall submit a draft Final Archeological Resources Report (FARR) to the ERO that evaluates the historical significance of any discovered archeological resource and describes the archeological, historical research methods employed in the archeological testing/monitoring/data recovery program(s) undertaken, and if applicable, discusses curation arrangements. Information that may put at risk any archeological resource shall be provided in a separate removable insert within the final report. Once approved by the ERO, copies of the FARR shall be distributed as follows: California Archeological Site Survey Northwest Information Center (NWIC) shall receive one (1) copy and the ERO shall receive a copy of the transmittal of the FARR to the NWIC. The Environmental Planning division of the Planning Department shall receive one bound and one unlocked, searchable PDF copy on digital medium of the approved FARR along with GIS shapefiles of the site and feature locations and copies of any formal site recordation forms (CA DPR 523 series) and/or documentation for nomination to the National Register of Historic	
		Places/California Register of Historical Resources. In instances of high public interest in or the high interpretive value of the resource, the ERO may require a different final report content, format, and distribution than that presented above.	
		<i>Curation.</i> Significant archeological collections shall be permanently curated at an established curatorial facility selected in consultation with the ERO.	
Impact CR-4: The project could disturb human remains, including those interred outside of formal cemeteries.	S	Mitigation Measure M-CR-2, Archeological Testing. (See Impact CR-2)	LTS
Impact C-CR-2: The proposed project, in combination with cumulative projects, would not result in significant cumulative impacts on archeological resources and human remains.	LTS	No mitigation required.	NA

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		INITIAL STUDY SECTION E.4, TRIBAL CULTURAL RESOURCES	
Impact TCR-1: The proposed project could cause a	S	Mitigation Measure M-TCR-1: Tribal Cultural Resources Archeological Resource Preservation Plan and/or Interpretive Program.	LTS
substantial adverse change in the significance of a tribal cultural resource as defined in Public Resources Code section 21074.		Preservation in place. In the event of the discovery of an archeological resource of Native American origin, the Environmental Review Officer (ERO), the project sponsor, and the tribal representative, shall consult to determine whether preservation in place would be feasible and effective. If it is determined that preservation-in-place of the tribal cultural resource (TCR) would be both feasible and effective, then the archeological consultant shall prepare an archeological resource preservation plan (ARPP), which shall be implemented by the project sponsor during construction. The consultant shall submit a draft ARPP to Planning for review and approval.	
		Interpretive Program. If the Environmental Review Officer (ERO), in consultation with the affiliated Native American tribal representatives and the project sponsor, determines that preservation-in-place of the tribal cultural resources is not a sufficient or feasible option, the project sponsor shall implement an interpretive program of the tribal cultural resource in consultation with affiliated tribal representatives. A Tribal Cultural Resources Interpretation Plan (TCRIP) produced in consultation with the ERO and affiliated tribal representatives, at a minimum, and approved by the ERO would be required to guide the interpretive program. The plan shall identify, as appropriate, proposed locations for installations or displays, the proposed content and materials of those displays or installation, the producers or artists of the displays or installations, preferably by local Native American artists, oral histories with local Native Americans, artifacts displays and interpretation, and educational panels or other informational displays.	
Impact C-TCR-1: The proposed project, in combination with cumulative projects, would not result in significant cumulative impacts to tribal cultural resources.	LTS	No mitigation required	NA

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		INITIAL STUDY SECTION E.5, TRANSPORTATION AND CIRCULATION	
Impact TR-1: Construction of the proposed project would not require a substantially extended duration or an intense activity, the effects of which would create potentially hazardous conditions for people walking, bicycling, or driving, or for public transit operations; would not interfere with emergency access or accessibility for people walking or bicycling; and would not substantially delay public transit.	LTS	No mitigation required	NA
Impact TR-2: The proposed project would not create potentially hazardous conditions for people walking, bicycling, or driving or public transit operations.	LTS	No mitigation required	NA
Impact TR-3: The proposed project would not interfere with accessibility for people walking or bicycling to and from the project site and adjoining areas, and would not result in inadequate emergency access.	LTS	No mitigation required	NA
Impact TR-4: The proposed project would not substantially delay public transit.	LTS	No mitigation required	NA

Summary

S.3. Summary of Impacts and Mitigation Measures

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
Impact TR-5: The proposed project would not cause substantial additional vehicle miles traveled or substantially induce additional automobile travel by increasing physical roadway capacity in congested areas (i.e., by adding new mixed-flow travel lanes) or by adding new roadways to the network.	LTS	No mitigation required	NA
Impact TR-6: The proposed project would not result in a loading deficit, the secondary effects of which would create potentially hazardous conditions for people walking, bicycling, or driving, and would not substantially delay public transit.	LTS	No mitigation required	NA
Impact C-TR-1: The proposed project, in combination with cumulative projects in the vicinity of the project site, would not result in cumulatively significant impacts related to transportation and circulation.	LTS	No mitigation required	NA

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		INITIAL STUDY SECTION E.6, NOISE	
Impact NO-1: Construction activities associated with the proposed project would not result in a significant temporary increase in ambient noise levels in the project vicinity in excess of established standards.	LTS	No mitigation required	NA
Impact NO-2: Construction of the proposed project would not generate excessive groundborne noise or vibration levels.	LTS	No mitigation required	NA

Summary S.3. Summary of Impacts and Mitigation Measures

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation		
Impact NO-3: Operation of the proposed project would not result in a substantial permanent increase in ambient noise levels in the project vicinity in excess of applicable standards.	S	 Mitigation Measure M-NO-3: Fixed Mechanical Equipment Noise Control for Building Operations. Prior to approval of a building permit, the project sponsor shall submit documentation to the Environmental Review Officer (ERO) or the officer's designee, demonstrating with reasonable certainty that the building's fixed mechanical equipment (such as heating, ventilation and air conditioning [HVAC] equipment) meets the noise limits specified in section 2909 of the noise ordinance (i.e., a 5 dB increase above the ambient noise level at the property plane for residential properties; and interior noise limits of 55 dBA and 45 dBA for daytime and nighttime hours inside any sleeping or living room in a nearby dwelling unit on a residential property assuming windows open, respectively). Acoustical treatments required to meet the noise ordinance may include, but are not limited to: Enclosing noise-generating mechanical equipment; Installing relatively quiet models of air handlers, condenser units, exhaust fans, and other mechanical equipment; Using mufflers or silencers on equipment exhaust fans; Orienting or shielding equipment to protect noise sensitive receptors (residences, hospitals, convalescent homes, schools, churches, hotels and motels, and sensitive wildlife habitat) to the greatest extent feasible; Increasing the distance between noise-generating equipment and noise-sensitive receptors; and/or Placing barriers around the equipment to facilitate the attenuation of noise. 	LTS		
Impact C-NO-1: The proposed project, in combination with cumulative projects, would result in less-than-significant cumulative impacts related to noise and vibration.	LTS	No mitigation required	NA		
INITIAL STUDY SECTION E.7, AIR QUALITY					
Impact AQ-1: The proposed project would not conflict with or obstruct implementation of the 2017 Clean Air Plan.	LTS	No mitigation required	NA		

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
Impact AQ-2: The proposed project's construction activities would generate fugitive dust and criteria air pollutants, but would not result in a cumulatively considerable net increase of non-attainment criteria air pollutants within the air basin.	LTS	No mitigation required	NA
Impact AQ-3: The proposed project's construction and operational activities would generate toxic air contaminants, including diesel particulate matter, which would expose sensitive receptors to substantial pollutant concentrations.	S	 Mitigation Measure M-AQ-3: Construction Air Quality. The project sponsor or the project sponsor's contractor shall comply with the following: A. Engine Requirements. 1. All off-road equipment greater than 25 hp and operating for more than 20 total hours over the entire duration of construction activities shall have engines that meet or exceed either U.S. Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim or Tier 4 Final off-road emission standards. 2. Where access to alternative sources of power are available, portable diesel engines shall be prohibited. 3. Diesel engines, whether for off-road or on-road equipment, shall not be left idling for more than two minutes, at any location, except as provided in exceptions to the applicable state regulations regarding idling for off-road and on-road equipment (e.g., traffic conditions, safe operating conditions). The contractor shall post legible and visible signs in English, Spanish, and Chinese, in designated queuing areas and at the construction site to remind operators of the two-minute idling limit. 4. The contractor shall instruct construction equipment, and require that such workers and operators properly maintain and tune equipment in accordance with manufacturer specifications. B. Waivers. 1. The Environmental Review Officer (ERO) or designee may waive the alternative source of power is limited or infrasible at the project site. If the ERO grants the waiver, the contractor must 	LTS

Environmental Impact	Level of Significance prior to Mitigation	Mitigat	ion Measures			Level of Significance after Mitigation
		 submit documentation that the equipment used for onsite power generation meets the requirements of Subsection (A)(1). 2. The ERO may waive the equipment requirements of Subsection (A)(1) if: a particular piece of Tier 4 interim or Tier 4 final off-road equipment is technically not feasible; the equipment would not produce desired emissions reduction due to expected operatin modes; installation of the equipment would create a safety hazard or impaired visibility for the operator; or, there is a compelling emergency need to use off-road equipment that is not Tier 4 compliant. If the ERO grants the waiver, the contractor must use the next cleanest piece of off-road equipment, according to table below. Emerging technologies with verifiable emissions reductions supported by substantial evidence may also be employed in lieu of the step-down schedule below. 				meets ticular ible; the perating d road actor low. istantial
			Table M-AQ-	3-1 Off-Road Equip	pment Compliance Step-down Schedule	
			Compliance Alternative	Engine Emission Standard	Emissions Control	
			1	Tier 2	ARB Level 3 VDECS*	
			2	Tier 2	ARB Level 2 VDECS	
			3	Tier 2	ARB Level 1 VDECS	
			How to use the then the project that the Contra then the Contra Contractor can Contractor mus * ARB = air res VDECS = veri	table: If the ERO determines t sponsor would need to ctor cannot supply off-ro- actor must meet Complian not supply off-road equip the the compliance Alter ources board fied diesel emissions cor	ines that the equipment requirements cannot be met, meet Compliance Alternative 1. If the ERO determines bad equipment meeting Compliance Alternative 1, ance Alternative 2. If the ERO determines that the pment meeting Compliance Alternative 2, then the mative 3.	
		C. Co	nstruction Emi	ssions Minimization	Plan.	
		Be En sta	fore starting o nissions Minim ate, in reasona	n-site construction ization Plan (Plan) t ble detail, how the c	activities, the contractor shall submit a Const to the ERO for review and approval. The Plan s contractor will meet the requirements of sect	truction shall ion A.
		1.	The Plan shal description o	l include estimates f each piece of off-ro	of the construction timeline by phase, with a oad equipment required for every constructic	on phase.

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		The description may include, but is not limited to: equipment type, equipment manufacturer, equipment identification number, engine model year, engine certification (Tier rating), horsepower, engine serial number, and expected fuel use and hours of operation. For VDECS installed, the description may include: technology type, serial number, make, model, manufacturer, ARB verification number level, and installation date and hour meter reading on installation date. For off-road equipment using alternative fuels, the description shall also specify the type of alternative fuel being used.	
		2. The project sponsor shall ensure that all applicable requirements of the Plan have been incorporated into the contractor's contract specifications. The Plan shall include a certification statement that the contractor agrees to comply fully with the Plan.	
		3. The contractor shall make the Plan available to the public for review on-site during working hours. The contractor shall post at the construction site a legible and visible sign summarizing the Plan. The sign shall also state that the public may ask to inspect the Plan for the project at any time during working hours and shall explain how to request to inspect the Plan. The contractor shall post at least one copy of the sign in a visible location on each side of the construction site facing a public right-of-way.	
		 D. Monitoring. After start of construction activities, the contractor shall submit quarterly reports to the ERO documenting compliance with the Plan. After completion of construction activities and prior to receiving a final certificate of occupancy, the project sponsor shall submit to the ERO a final report summarizing construction activities, including the start and end dates and duration of each construction phase, and the specific information required in the Plan. 	
Impact AQ-4: The proposed project would generate toxic air contaminants, including diesel particulate matter, but not at levels that would expose sensitive receptors to substantial air pollutant concentrations.	LTS	No mitigation required	NA

Summary

S.3. Summary of Impacts and Mitigation Measures

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation			
Impact AQ-5: The proposed project would not create objectionable odors that would affect a substantial number of people.	LTS	No mitigation required	NA			
Impact C-AQ-1: The proposed project, in combination with cumulative projects, would result in less than significant cumulative air quality impacts.	S	Mitigation Measure M-AQ-3: Construction Air Quality. (See Impact AQ-3)	LTS			
INITIAL STUDY SECTION E.8, GREENHOUSE GAS EMISSIONS						
Impact C-GG-1: The proposed project would generate greenhouse gas emissions, but not at levels that would result in a significant impact on the environment or conflict with any policy, plan, or regulation adopted for the purpose of reducing greenhouse gas emissions.	LTS	No mitigation required	NA			
INITIAL STUDY SECTION E.9, WIND						
Impact WI-1: The proposed project would not create wind hazards in publicly accessible areas of substantial pedestrian use.	LTS	No mitigation required	NA			

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation			
Impact C-WI-1: The proposed project, in combination with cumulative projects, would not result in a cumulative wind impact.	LTS	No mitigation required	NA			
		INITIAL STUDY SECTION E.10, SHADOW				
Impact SH-1: The proposed project would not create new shadow that substantially and adversely affects the use and enjoyment of publicly accessible open space.	LTS	No mitigation required	NA			
Impact C-SH-1: The proposed project, in combination with cumulative projects, would not result in a significant cumulative shadow impact.	LTS	No mitigation required	NA			
INITIAL STUDY SECTION E.11, RECREATION						
Impact RE-1: The proposed project would not increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facilities would occur or be accelerated.	LTS	No mitigation required	NA			

Summary

S.3. Summary of Impacts and Mitigation Measures

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
Impact RE-2: The proposed project would not include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment.	LTS	No mitigation required	NA
Impact C-RE-1: The proposed project, in combination with cumulative projects, would not result in significant impacts on recreational resources.	LTS	No mitigation required	NA
		INITIAL STUDY SECTION E.12, UTILITIES AND SERVICE SYSTEMS	
Impact UT-1: Implementation of the proposed project would not exceed the wastewater treatment capacity of the provider that would serve the project and would not require or result in the relocation or construction of new or expanded water, wastewater treatment, or stormwater drainage, electric power, natural gas, or telecommunications facilities.	LTS	No mitigation required	NA
Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
----------------------------------	---	------------------------	--
Impact UT-2: Sufficient water	LTS	No mitigation required	NA
supplies are available to serve			
the proposed project and			
reasonably foreseeable future			
development in normal, dry,			
and multiple dry years unless			
the Bay Delta Plan Amendment			
is implemented; in that event			
the public utilities commission			
may develop new or expanded			
water supply facilities to			
address shortfalls in single and			
multiple dry years but this			
would occur with or without			
the proposed project. Impacts			
related to new or expanded			
water supply facilities cannot			
be identified at this time or			
implemented in the near term;			
instead, the public utilities			
commission would address			
supply shortfalls through			
increased rationing, which			
could result in significant			
cumulative effects, but the			
project would not make a			
considerable contribution to			
impacts from increased			
rationing.			

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
Impact UT-3: The proposed project would be served by a landfill with adequate permitted capacity to accommodate the project's solid waste disposal needs, and comply with all applicable statutes and regulations related to solid waste.	LTS	No mitigation required	NA
Impact UT-4: Construction and operation of the proposed project would follow all applicable statutes and regulations related to solid waste.	NI	No mitigation required	NA
Impact C-UT-1: The proposed project, in combination with cumulative projects, would not result in a cumulative impact on utilities and service systems.	LTS	No mitigation required	NA
		INITIAL STUDY SECTION E.13, PUBLIC SERVICES	
Impact PS-1: The proposed project would increase demand for police protection, fire protection, and other government services, but not to an extent that would require new or physically altered governmental facilities, the construction of which could cause significant environmental impacts.	LTS	No mitigation required	NA

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
Impact PS-2: The proposed project would increase the population of school-aged children and the demand for school services, but not to the extent that would require new or physically altered school facilities, the construction of which could result in significant environmental impacts.	LTS	No mitigation required	NA
Impact C-PS-1: The proposed project, in combination with cumulative projects, would not result in a cumulative impact on public services.	LTS	No mitigation required	NA
		INITIAL STUDY SECTION E.14, BIOLOGICAL RESOURCES	
Impact BI-1: The proposed project would not have a	S	Mitigation Measure M-BI-1a: Conduct Pre-construction Surveys for Nesting Migratory Birds and Buffer Areas.	LTS
substantial adverse effect, either directly or indirectly		Nesting birds and their nests shall be protected during construction by implementation of the following measures for each construction phase:	
through habitat modifications, on any special-status species and would not interfere with the movement of native resident or wildlife species or with established native resident or migratory wildlife corridor, or impede the use of native wildlife nursery site.		a. To the extent feasible, the project sponsor shall conduct initial activities including, but not limited to, vegetation removal, tree trimming or removal, ground disturbance, building demolition, site grading, and other construction activities that may compromise breeding birds or the success of their nests outside of the nesting season (January 15 through August 15).	
		 b. If construction during the bird nesting season cannot be fully avoided, a qualified wildlife biologist shall conduct pre-construction nesting surveys within 14 days prior to the start of construction or demolition at areas that have not been previously disturbed by project activities or after any construction breaks of 14 days or more. Typical experience requirements for a "qualified biologist" include a minimum of four years of academic training and professional experience in biological sciences and related resource management activities and a minimum of two years of experience in biological 	

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		monitoring or surveying for nesting birds. Surveys shall be performed in publicly accessible areas within 100 feet of common bird species and within 250 feet of the project site in order to locate any active raptor (birds of prey) nests.	
		c. If active nests are located during the preconstruction nesting bird surveys, a qualified biologist shall evaluate if the schedule of construction activities could affect the active nests; if so, the following measures shall apply, as determined by the biologist:	
		 If construction is not likely to affect the active nest, construction may proceed without restriction; however, a qualified biologist shall regularly monitor the nest at a frequency determined appropriate for the surrounding construction activity to confirm there is no adverse effect. Spot-check monitoring frequency would be determined on a nest-by-nest basis considering the particular construction activity, duration, proximity to the nest, and physical barriers which may screen activity from the nest. The qualified biologist may revise their determination at any time during the nesting season in coordination with the planning department. 	
		 ii. If it is determined that construction may affect the active nest, the qualified biologist shall establish a no-disturbance buffer around the nest(s) and all project work shall halt within the buffer until a qualified biologist determines the nest is no longer in use. These buffer distances shall be equivalent to survey distances (100 feet for passerines and 250 feet for raptors); however, the buffers may be adjusted if an obstruction, such as a building, is within line-of-sight between the nest and construction. 	
		iii. Modifying nest buffer distances, allowing certain construction activities within the buffer, and/or modifying construction methods in proximity to active nests shall be done at the discretion of the qualified biologist and in coordination with the planning department, who would notify California Department of Fish and Wildlife (CDFW). Necessary actions to remove or relocate an active nest(s) shall be coordinated with the planning department and approved by CDFW.	
		iv. Any work that must occur within established no-disturbance buffers around active nests shall be monitored by a qualified biologist. If adverse effects in response to project work within the buffer are observed and could compromise the nest, work within the no-disturbance buffer(s) shall halt until the nest occupants have fledged.	
		 Any birds that begin nesting within the project area and survey buffers amid construction activities are assumed to be habituated to construction-related or similar noise and disturbance levels, so exclusion zones around nests may be reduced or 	

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		eliminated in these cases as determined by the qualified biologist in coordination with the planning department, who would notify CDFW. Work may proceed around these active nests as long as the nests and their occupants are not directly affected.	
		d. In the event inactive nests are observed within or adjacent to the project site at any time throughout the year, any removal or relocation of the inactive nests shall be at the discretion of the qualified biologist in coordination with the planning department, who would notify and seek approval from the CDFW, as appropriate. Work may proceed around these inactive nests.	
		Mitigation Measure M-BI-1b: Avoidance and Minimization Measures for Bats.	
		A qualified biologist who is experienced with bat surveying techniques shall conduct a pre- construction habitat assessment of the project site to characterize potential bat habitat and identify potentially active roost sites. Typical experience requirements for a "qualified biologist" include a minimum of four years of academic training and professional experience in biological sciences and related resource management activities, and a minimum of two years of experience monitoring or surveying for bats. No further action is required should the pre-construction habitat assessment not identify bat habitat or signs of potentially active bat roosts within the project site (e.g., guano, urine staining, dead bats, etc.). The following measures shall be implemented should potential roosting habitat or potentially active bat roosts be identified during the habitat assessment in trees to be removed or buildings to be demolished under the proposed project:	
		 Building demolition shall occur when bats are active, approximately between the periods of March 1 to April 15 and August 15 to October 15, to the extent feasible. These dates avoid the bat maternity roosting season and period of winter <i>torpor</i>.³ 	
		2. Depending on temporal guidance as defined below, the qualified biologist shall conduct pre-construction surveys of potential bat roost sites identified during the initial habitat assessment no more than 14 days prior to tree trimming/removal or building demolition.	
		3. If active bat roosts or evidence of roosting is identified during pre-construction surveys, the qualified biologist shall determine, if possible, the type of roost and species. A no- disturbance buffer shall be established around roost sites until the qualified biologist determines they are no longer active. The size of the no-disturbance buffer would be	

³ *Torpor* refers to a state of decreased physiological activity with reduced body temperature and metabolic rate.

Environmental Impact	Level of Significance	Mitigation Massures	Level of Significance
		 determined by the qualified biologist and would depend on the species present, roost type, existing screening around the roost site (such as dense vegetation or a building), as well as the type of construction activity that would occur around the roost site. 4. If special-status bat species or maternity or hibernation roosts are detected during these surveys, appropriate species- and roost-specific avoidance and protection measures shall be developed by the qualified biologist in coordination with the California Department of Fish and Wildlife. Such measures may include postponing the removal of buildings, establishing exclusionary work buffers while the roost is active (e.g., 100-foot no-disturbance buffer), or other avoidance measures. 5. The qualified biologist shall be present during building demolition if potential bat roosting habitat or active bat roosts are present. Buildings with active roosts shall be disturbed only under clear weather conditions when precipitation is not forecast for three days and when daytime temperatures are at least 50 degrees Fahrenheit. 6. The demolition of buildings containing or suspected to contain bat roosting habitat or active bat roosts shall be done under the supervision of the qualified biologist. When appropriate, buildings shall be partially dismantled to significantly change the roost conditions, causing bats to abandon and not return to the roost, likely in the evening and after bats have emerged from the roost to forage. Under no circumstances shall active maternity roosts be disturbed until the roost to gisbands at the completion of the maternity roosting season or otherwise becomes inactive, as determined by the qualified biologist. 	
Impact BI-2: The proposed project would not conflict with any local policies protecting biological resources, such as a local tree preservation policy or ordinance.	LTS	No mitigation required	NA
Impact C-BI-1: The proposed project, in combination with cumulative projects, would not result in a significant cumulative impact related to biological resources.	LTS	No mitigation required	NA

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		INITIAL STUDY SECTION E.15, GEOLOGY AND SOILS	
Impact GE-1: The proposed project would not exacerbate the potential to expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving rupture of a known earthquake fault, seismic ground shaking, liquefaction, seismically induced ground failure, or landslides.	LTS	No mitigation required	NA
Impact GE-2: The proposed project would not result in substantial loss of topsoil or erosion.	LTS	No mitigation required	NA
Impact GE-3: The project site would not be located on a geologic unit or soil that is unstable, or that could become unstable as a result of the project.	LTS	No mitigation required	NA
Impact GE-4: The proposed project would not create substantial risks to life or property as a result of being located on expansive soil.	LTS	No mitigation required	NA
Impact GE-5: The proposed project would not directly or indirectly destroy a unique	S	Mitigation Measure GE-5a: Worker Environmental Awareness Training During Ground Disturbing Construction Activities. Prior to commencing construction, and ongoing throughout ground disturbing activities (e.g., excavation, utility installation, the project	LTS

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
paleontological resource or site or geologic feature.		sponsor or their designee (herein referred as project sponsor) shall ensure that all project construction workers are trained on the contents of the Paleontological Resources Alert Sheet (Draft for Review provided), as provided by the Environmental Review Officer (ERO). The Paleontological Resources Alert Sheet shall be prominently displayed at the construction site, during ground disturbing activities, to provide pre-construction worker environmental awareness training regarding potential paleontological resources.	
		In addition, the project sponsor shall inform construction personnel of the immediate stop work procedures and other procedures to be followed if bones or other potential fossils are unearthed at the project site. As new workers that will be involved in ground disturbing activities arrive at the project site, the construction supervisor shall train them.	
		The project sponsor shall submit in writing (email, letter, memo) confirming the timing of the worker training) to the ERO. The letter shall confirm the project's location, the date of training, the location of the informational handout display, and the number of participants. The letter shall be transmitted to the ERO within five (5) business days of conducting the training.	
		Mitigation Measure M-GE-5b: Discovery of Unanticipated Paleontological Resources during Ground Disturbing Construction Activities. In the event of the discovery of an unanticipated paleontological resource during construction, the project sponsor or their designee (herein referred as project sponsor) shall ensure ground disturbing activities shall temporarily be halted within 20 feet of the find until the discovery is examined by a qualified paleontologist as recommended by the Society of Vertebrate Paleontology standards (SVP 2010) and Best Practices in Mitigation Paleontology (Murphey et al. 2019). Work within the sensitive area shall resume only when deemed appropriate by the qualified paleontologist in consultation with the Environmental Review Officer (ERO).	
		The qualified paleontologist shall determine: (1) if the discovery is scientifically significant; (2) the necessity for involving other responsible or resource agencies and stakeholders, if required or determined applicable; and (3) methods for resource recovery. If a paleontological resource assessment results in a determination that the resource is not scientifically important, this conclusion shall be documented in a Paleontological Evaluation Letter to demonstrate compliance with applicable statutory requirements (e.g., Federal Antiquities Act of 1906, CEQA Guidelines section 15064.5, California Public Resources Code chapter 17, section 5097.5, Paleontological Resources Preservation Act 2009). The	

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		Paleontological Evaluation Letter shall be submitted to the ERO for review within 30 days of the discovery. If the qualified paleontologist determines that a paleontological resource is of scientific importance, and there are no feasible measures to avoid disturbing this paleontological resource, the qualified paleontologist shall prepare a Paleontological Impact Reduction Program (impact reduction program). The impact reduction program shall include measures to fully document and recover the resource of scientific importance. The qualified paleontologist shall submit the impact reduction program to the ERO for review and approval. The impact reduction program shall be submitted to the ERO for review within 10 business days of the discovery. Upon approval by the ERO, ground disturbing activities in the project area shall resume and be monitored as determined by the qualified paleontologist for the duration of such activities. The impact reduction program shall include: (1) procedures for construction monitoring at the project site; (2) fossil preparation and identification procedures; (3) curation of paleontological resources of scientific importance into an appropriate repository; and (4) preparation of a Paleontological Resources Report (report or paleontology report) at the conclusion of ground disturbing activities. The report shall include dates of field work, results of monitoring, fossil identifications to the lowest possible taxonomic level, analysis of the fossil collection, a discussion of the scientific significance of the fossil collection, conclusions, locality forms, an itemized list of specimes, and a repository receipt from the curation facility. The project sponsor shall be responsible for the preparation and implementation of the impact reduction program, in addition to any costs necessary to prepare and identify collected fossils, and for any curation fees charged by the paleontological repository. The paleontology report shall be submitted to the ERO for review within 30 business days from c	
Impact C-GE-1: The proposed project, in combination with cumulative projects, would not result in significant cumulative impacts on geology and soils or paleontological resources.	LTS	No mitigation required	NA

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		INITIAL STUDY SECTION E.16, HYDROLOGY AND WATER QUALITY	
Impact HY-1: The proposed project would not violate any water quality standards or waste discharge requirements or otherwise substantially degrade water quality.	LTS	No mitigation required	NA
Impact HY-2: The proposed project would not substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level.	LTS	No mitigation required	NA

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
Impact HY-3: The proposed project would not substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner that would result in substantial erosion, siltation, or flooding onsite or offsite; substantially increase the rate or amount of surface runoff in a manner that would result in flooding onsite or offsite; or create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff.	LTS	No mitigation required	NA
Impact HY 4: The proposed project would not conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan.	LTS	No mitigation required	NA

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
Impact C-HY-1: The proposed project, in combination with cumulative projects, would not result in cumulative impacts on hydrology and water quality.	LTS	No mitigation required	NA
		INITIAL STUDY SECTION E.17, HAZARDS AND HAZARDOUS MATERIALS	
Impact HZ-1: The proposed project would not create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials.	LTS	No mitigation required	NA
Impact HZ-2: The proposed project is not included on a list of hazardous materials sites compiled pursuant to Government Code section 65962.5, and the proposed project would not create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment.	LTS	No mitigation required	NA

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
Impact HZ-3: The proposed project would not emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within 0.25 mile of an existing or proposed school.	LTS	No mitigation required	NA
Impact HZ-4: The proposed project would not impair implementation of an adopted emergency response plan or emergency evacuation plan.	LTS	No mitigation required	NA
Impact C-HZ-1: The proposed project, in combination with cumulative projects, would not result in significant cumulative impacts related to hazards and hazardous materials.	LTS	No mitigation required	NA
INITIAL STUDY SECTION E.18, MINERAL RESOURCES			
Impact MI-1: The proposed project would have no impact on mineral resources.	NI	No mitigation required	NA
Impact C-MI-1: The proposed project, in combination with cumulative projects, would not result in a significant cumulative impact related to mineral resources.	NI	No mitigation required	NA

S.3. Summary of Impacts and Mitigation Measures

Environmental Impact	Level of Significance prior to Mitigation	Mitigation Measures	Level of Significance after Mitigation
		INITIAL STUDY SECTION E.19, ENERGY	
Impact EN-1: The proposed project would not result in wasteful, inefficient, or unnecessary consumption of energy resources during construction or operation or conflict with or obstruct a state or local plan for renewable energy or energy efficiency.	LTS	No mitigation required	NA
Impact C-EN-1: The proposed project, in combination with cumulative projects, would increase the use of energy, fuel and water resources, but not in a wasteful manner.	LTS	No mitigation required	NA

IMPACT CODES:

NA = Not Applicable NI = No impact LTS = Less than significant or negligible impact; no mitigation required S = Significant

SU = Significant and unavoidable adverse impact, no feasible mitigation SUM = Significant and unavoidable adverse impact, after mitigation

S.4 Summary of Project Alternatives

Chapter 5 of this EIR analyzes the No Project Alternative, Full Preservation Alternative, and Partial Preservation Alternative. These alternatives represent a reasonable range of potentially feasible alternatives to the proposed project that could attain project objectives and would avoid or substantially lessen the significant adverse environmental impacts to historic architectural resources. Each alternative is summarized below.

S.4.1 Alternative A: No Project Alternative

DESCRIPTION OF ALTERNATIVE

Under Alternative A, the project site would remain as is and there would be no demolition or modifications to any of the character-defining features.

SUMMARY OF IMPACTS

Under Alternative A, none of the impacts associated with the proposed project would occur. Alternative A would avoid the significant and unavoidable impact to historic architectural resources with the project that would result from the demolition of the character-defining features of the former University Mound Nursery.

S.4.2 Alternative B: Full Preservation Alternative

DESCRIPTION OF ALTERNATIVE

Alternative B would construct 24 dwelling units on the northwest portion of the site while the majority of the character-defining features on the remainder of the project site, including 11 greenhouses, would be retained. The character-defining features specific to the greenhouses and individual buildings and structures and more than half of the greenhouses would be retained. Under Alternative B, the 24 dwelling units would feature the same architecture and massing as the proposed project, and approximately 1.45 acres of publicly accessible open space would be provided. The homes would be approximately 35 feet in height, same as the proposed project. Of the 24 total units, five would be affordable units. Under this alternative, greenhouses 12–18 would be demolished and the dwelling units would be constructed in their place. Most of the existing greenhouses (1–11), the boiler house, garage/storage building, pesticide mixing tank, water pressure tank, water storage tank, two hand-dug wells, and other small-scale features would be rehabilitated following the Secretary of the Interior's Standards. Similar to the proposed project, the surviving rose plants on the site would be preserved and replanted on the project site. The portion of the property that would be retained and rehabilitated, including the 11 retained greenhouses and other ancillary structures, would be part of the publicly accessible open space. Similar to the proposed project, potential programming for the publicly accessible open space could include event space,⁴ open lawn with flex space, seating areas, and areas for community members to grow and cultivate plants.

⁴ The greenhouses and boiler room event space would be programmed exclusively for community events. There would be no revenue generating component to these event spaces.

SUMMARY OF IMPACTS

Under Alternative B, the majority of the character-defining features would be retained. Although Alternative B would physically alter the historical resource's overall layout and replace some of the character-defining features with new construction, the character of the historical resource would remain evident. Rehabilitation of the greenhouses, buildings, structures, and site features conforming to the Secretary of the Interior's Standards would preserve the character-defining features and not create a false sense of historical development. As such, Alternative B would not cause material impairment and, unlike the proposed project, would not result in a significant and unavoidable impact related to demolition of a historical resource. In order to ensure that the surviving rose plants are protected and replanted on the site, Mitigation Measure M-CR-1d, Retention of Rose Plants would be required for Alternative B. Otherwise, historic architectural resource impacts would be less than significant, and Mitigation Measures M-CR-1a through M-CR-1c would not be applicable under this alternative.

S.4.3 Alternative C: Partial Preservation Alternative

DESCRIPTION OF ALTERNATIVE

Alternative C would construct 40 dwelling units on the northern portion of the site while the character-defining features at the south end of the site, including six greenhouses would be retained. The character-defining features specific to the greenhouses and individual buildings and structures would be retained; however, under this alternative, the majority of the greenhouses would be demolished. Under Alternative C, the 40 dwelling units would feature the same architecture and massing as the proposed project, and approximately 0.9 acre of open space would be provided. Of the 40 total units, eight would be affordable units. The homes would be approximately 35 feet in height, same as the proposed project. Under this alternative, greenhouses 4–10, 14, 18, and remnants of greenhouses 15–17 would be demolished and the dwelling units would be constructed in their place. The existing greenhouses (1–3 and 11–13), the boiler house, garage/storage building, pesticide mixing tank, water pressure tank, water storage tank, two hand-dug wells, and other small scale features would be rehabilitated following the Secretary of the Interior's Standards. Similar to the proposed project, potential programming for the publicly accessible open space could include event space, ⁵ open lawn with flex space, seating areas, and areas for community members to grow and cultivate plants.

SUMMARY OF IMPACTS

Alternative C would demolish the majority of the greenhouses (greenhouses 4–10 and 14–18, several of which have partially collapsed), and the characteristic spatial organization of the contributing buildings, structures, and site features would be only partially retained. The demolition of the greenhouses would result in a substantial change to the distinctive materials, features, and special relationships that characterize the site. Thus, Alternative C would cause material impairment to the historical resource, resulting in an impact that would be significant and unavoidable with mitigation, as under the proposed project. Mitigation Measures M-CR-1a through M-CR-1d would be applicable under this alternative.

⁵ The greenhouses and boiler room event space would be programmed exclusively for community events. There would be no revenue generating component to these event spaces.

S.5 Environmentally Superior Alternative

Table S-4, p. S-42, presents a summary comparison of the impacts of the proposed project and all the alternatives. Alternative B, the Full Preservation Alternative would be the environmentally superior alternative because it would preserve more components of the historic property than the proposed project or Alternative C, Partial Preservation.

S.6 Areas of Known Controversy and Issues to Be Resolved

Based on the comments received on the notice of preparation of an EIR, potential areas of controversy for the proposed project include:

- Historic architectural resources
- Parking
- Open space
- State special-status species, including bat species and nesting birds
- Hazardous materials
- Alternative uses of the site.

Table S-4 Comparison of the Proposed Project and Alternatives

Project Characteristics	Proposed Project	Alternative A: No Project	Alternative B: Full Preservation	Alternative C: Partial Preservation
DESCRIPTION		NUMBER		
Building/structure heights	35 feet	15 feet	35 feet	35 feet
Total dwelling units	62	0	24	40
Affordable units	12	0	3ª	8
Building square feet	118,100	0	46,700	77,800
Vehicle parking spaces	62	0	24	40
Bicycle parking class 1	62	0	24	40
Bicycle parking class 2	4	0	2	3
Publicly accessible open space	0.38 acre	0	1.45 acres	0.9 acre
Number of Greenhouses Retained	2	18	11	6
Compliance with Secretary of the Interior's Standards	No	N/A	Yes	Partially

Project Characteristics	Proposed Project	Alternative A: No Project	Alternative B: Full Preservation	Alternative C: Partial Preservation
	ABILITY TO MEET PROJECT SPONSOR'S OF	JECTIVES		
Develop a mixed-income residential development consistent with and maximize housing density pursuant to the Planning Code within project site constraints and incorporating on-site affordable units.	Yes	No – no construction would occur	Partially – would meet the project objective but would result in 24 units, roughly 61 percent fewer than the proposed project and would result in relatively fewer on- site affordable units because project's proposing under 25 units are subject to lower on-site affordable requirements.	Partially – would meet the project objective but would result in 40 units, roughly 35 percent fewer than the proposed project
Replace an abandoned commercial cut-flower lot with residential uses and design consistent with the surrounding Portola neighborhood without displacement.	Yes	No – no construction would occur	Yes	Yes
Contribute to the city's goal as designated in the General Plan of maximizing housing potential in keeping with the character of the Portola District neighborhood.	Yes	No – no new housing would be constructed	Partially – would meet the project objective but to a lesser degree than the proposed project	Partially – would meet the project objective but to a lesser degree than the proposed project
Provide public open space and replicate some site conditions to preserve elements of the historical uses.	Yes	No – no public open space would be provided	Yes	Yes
Provide adequate light and air to all housing units in the new development.	Yes	No – no construction would occur	Yes	Yes

Project Characteristics	Proposed Project	Alternative A: No Project	Alternative B: Full Preservation	Alternative C: Partial Preservation
Develop a project that is financially feasible and able to support the equity and debt returns as required by investors and lenders without public subsidy.	Yes	No – would not meet project objective	Partially – fewer dwelling units and higher rehabilitation costs would lessen financial feasibility to unknown extent	Partially – fewer dwelling units and higher rehabilitation costs would lessen financial feasibility to unknown extent
	HISTORIC ARCHITECTURAL RESOUR	CES		
Historic Architectural Resources	Impact CR-1: The proposed project would cause a substantial adverse change in the significance of a historical resource as defined in CEQA Guidelines section 15064.5. (SUM)	NI <	LTS <	SUM <
Adjacent Historic Resources	Impact CR-2: The proposed project would not cause a substantial adverse change in the significance of an adjacent historical resource. (LTS)	NI <	LTS =	LTS =
Cumulative	Impact C-CR-1: The proposed project, in combination with cumulative projects, could result in demolition and/or alteration of historical resources, as defined in CEQA Guidelines section 15064.5. (LTS)	NI <	LTS =	LTS =

SOURCE: Architectural Resources Group, 2020

NOTE: ^a Under planning code section 415.6(a)(1), projects that propose 10 or more and less than 25 units are required to only provide 12 percent affordable housing.

IMPACT CODES:

NI = No impact

LTS = Less than significant or negligible impact; no mitigation required = (equal to proposed project impact)

SUM = Significant and unavoidable adverse impact, after mitigation < (less than proposed project impact)

CHAPTER 1 INTRODUCTION

1.A Project Summary

This environmental impact report (EIR) analyzes the potential environmental effects associated with the 770 Woolsey Street Project (proposed project). The project sponsor, 140 Partners LP, proposes to redevelop a 2.2-acre rectangular site (770 Woolsey Street) bounded by Wayland, Hamilton, Woolsey, and Bowdoin streets in San Francisco's Portola neighborhood. The project proposes to demolish a majority of the existing structures on the project site (primarily greenhouses that have been unused since 1990) and construct 62 residential units composed of 31 duplexes, and 62 vehicle parking spaces accessed via 31 new curb cuts (i.e., one curb cut per duplex). The proposed residential units would be approximately 35 feet in height. Of the 62 total units, 12 would be affordable housing units. The project proposes to regrade the project site and improve the right-of-way along the block's street frontages, which would include four bulb-outs, adding a sidewalk along Wayland Street, filling an existing trench and adding a sidewalk and curb along Bowdoin Street, and adding 33 street trees along the perimeter of the block. The proposed project would also include an approximately 0.39-acre (17,170-square-foot) publicly accessible open space (which would include two rebuilt greenhouse structures), approximately 11,210 square feet of common open space in the form of connected shared courtyards and passageways referred to as "the spine" and "mews" for residents only, and approximately 14,890 square feet of private open space (e.g., private rear yards and courtyards) for residents.

1.B Purpose of This EIR

This EIR was prepared in accordance with all criteria, standards, and procedures of the California Environmental Quality Act (CEQA), as amended (California Public Resources Code section 21000 et seq.); the CEQA Guidelines (California Code of Regulations title 14, section 15000 et seq.); and San Francisco Administrative Code chapter 31. In accordance with CEQA section 21067 and CEQA Guidelines sections 15367 and 15050–15053, the City and County of San Francisco (city) is the lead agency, under whose authority this document has been prepared.

As described by CEQA and the CEQA Guidelines, public agencies are charged with a duty to avoid or substantially lessen significant environmental effects, where feasible. In undertaking this duty, a public agency has an obligation to balance a project's significant effects on the environment with its benefits, including economic, social, technological, legal, and other non-environmental characteristics.

As defined in CEQA Guidelines section 15382, a "significant effect on the environment" is:

"... a substantial, or potentially substantial, adverse change in any of the physical conditions within the area affected by the project, including land, air, water, minerals, flora, fauna, ambient noise, and objects of historic or aesthetic significance. An economic or social change by itself shall not be considered a significant effect on the environment. A social or economic change related to a physical change may be considered in determining whether the physical change is significant." CEQA requires an EIR to be prepared before a discretionary decision is made to approve a project that may cause a significant effect on the environment that cannot be mitigated. The EIR is a public information document for use by governmental agencies and the public to identify and evaluate potential environmental impacts of a project, identify mitigation measures to lessen or eliminate significant adverse impacts, and examine feasible alternatives to the project.

The city must consider the information in this EIR and make certain findings with respect to each significant effect identified. The decision makers will review and consider the information in this EIR, along with other information available through the public review processes, before they decide to approve, disapprove, or modify the proposed project or adopt an alternative to the proposed project.

1.C Type of EIR

This document is a project-level EIR, pursuant to CEQA Guidelines section 15161. A project-level EIR focuses on changes in the environment that would result from construction and operation of a specific project. Furthermore, this EIR is also a focused EIR, pursuant to CEQA Guidelines section 15063(c)(3). An initial study was prepared for the proposed project in accordance with sections 15062 and 15082 (refer to Appendix B of this EIR). The initial study is being published concurrently with the EIR, and comments will be accepted on the initial study during the public review period for the EIR.⁶ The initial study identifies the topics for which the proposed project would result in less-than-significant impacts or impacts that could be reduced to less than significant with implementation of the mitigation measures identified in the initial study, and therefore do not require further analysis in this EIR. Thus, this EIR focuses the environmental analysis on the topic identified in the initial study (i.e., historic architectural resources only) with the potential to have significant environmental impacts.

An EIR is an informational document used by a lead agency (in this case, the city) when considering approval of a project. The purpose of an EIR is to provide public agencies and members of the public with detailed information regarding the environmental effects of implementing a proposed project. An EIR should analyze a project's environmental consequences, identify ways to reduce or avoid a project's potential environmental effects, and identify alternatives to a project that can avoid or reduce impacts.

This EIR provides information to be used in the planning and decision-making process. It is not the purpose of an EIR to recommend approval or denial of a project.

Before it can approve the project, the City, as the lead agency and decision-making entity, must certify that this EIR has been completed in compliance with CEQA, that the information in the EIR has been considered, and that the EIR reflects the city's independent judgment. CEQA requires decision makers to balance the benefits of a project against its unavoidable environmental consequences. If environmental impacts are identified as significant and unavoidable, the city may still approve the project if it finds that social, economic, or other benefits outweigh the unavoidable impacts. The city would then be required to state in writing the specific reasons for approving the project, based on information in the EIR and other information sources in the administrative record. This reasoning is called a "statement of overriding considerations" (Public Resources Code section 21081; CEQA Guidelines section 15093). In addition, the city must adopt a mitigation monitoring and reporting program, describing the measures that were made a condition of project approval

⁶ Under CEQA Guidelines section 15128, the EIR must contain a brief statement indicating the reasons why certain effects were determined not to be significant and, thus, are not studied in detail in this EIR.

to avoid or mitigate significant effects on the environment (Public Resources Code section 21081.6; CEQA Guidelines section 15097). The mitigation monitoring and reporting program, which is adopted at the time of project approval, is designed to ensure compliance with the project description and EIR mitigation measures during and after project implementation. If the city decides to approve the project, it will be responsible for verifying that the mitigation monitoring and reporting program for this project is implemented. The EIR will be used primarily by the city during approval of future discretionary actions and permits.

1.D CEQA Environmental Review Process

CEQA Guidelines sections 15080 and 15097 set forth the EIR process, which includes multiple phases involving notification and input from responsible agencies and the public, as described below.

1.D.1 Notice of Preparation of an Environmental Impact Report

In accordance with CEQA Guidelines sections 15063 and 15082, the planning department published and distributed a notice of preparation (NOP) of an EIR for the proposed project on August 26, 2020. The NOP was sent to governmental agencies, organizations, and persons interested in the proposed project, and publication of the NOP initiated the 30-day public scoping period for this EIR, which started on August 26, 2020, and ended on September 25, 2020. The NOP included a description of the proposed project and a request for agencies and the public to submit comments on the scope of the environmental issues that should be addressed in this EIR. The NOP is included as Appendix A of this document.

In total, the planning department received comments from two agencies (California Department of Fish and Wildlife and the Native American Heritage Commission) and seven individuals. The comments received in response to the NOP during the public scoping period are included in Appendix A of this document.

1.D.2 Scoping Comments

The planning department has considered the comments made by the public and agencies in preparation of this EIR, as summarized in **Table 1-1**, p. 1-4. Comments on the NOP that relate to environmental issues are addressed and analyzed throughout this EIR and initial study (see Appendix B for the initial study). The scoping comments, as summarized in the table below, also indicate areas of controversy known to the lead agency and issues to be resolved, per CEQA Guidelines section 15123.

EIR or Initial Study Section	Comment	
EIR		
Chapter 2 Project Description	 The EIR should include an explanation and/or descriptions of: Residential and commercial building heights and widths Stormwater or effluent drainage outlet systems Location, type, and height of all fencing 	

Table 1-1 Summary of Scoping Comments

1. Introduction

1.D. CEQA Environmental Review Process

EIR or Initial Study Section	Comment
Section 3.A Historical Architectural Resources	 Address potential impacts of the loss of the site as it relates to former plant nursery operations Address importance of location, setting, and spatial/material expression of historic elements to be preserved Address potential of severely diminishing the site's ability to convey its historic location, setting, and feeling related to the reorientation of the footprint of historic buildings and/or resizing any of the historic buildings
Chapter 5 Alternatives	 Evaluate a "modified project" that includes 0.38 acre of publicly accessible open space /community garden, expanded public access, restoration of the boiler room and two southeast most greenhouses Evaluate alternatives that include single-family homes, and a public greenhouse or plant nursery Evaluate alternatives that include additional parking Evaluate alternatives that include community gardens and greenhouses for low income and student use with no housing
	INITIAL STUDY
Section E.1 Land Use Planning	 Address the planning code in relation to the parcel's zoning designation and use of the parcel
Section E.3 Cultural Resources	• Address AB 52 and SB 18 tribal consultation procedures. Comment provided mitigation measures to avoid or minimize significant adverse impacts to tribal cultural resources, if feasible
Section E.5 Transportation and Circulation	• Transportation analysis should take into account parking considerations
Section E.11 Recreation	• Address the loss of potential open space and community garden/greenhouses associated with development of the project
Section E.14 Biological Resources	 Address the potential for the proposed project to impact state special-status species that have the potential to occur in or near the project site, including, but not limited to bat species and nesting birds Address potential impacts of introduction of sources of light and glare into habitat areas Describe the potential for proposed project work (e.g., crossing improvements, repairs, etc.) at and within stream crossings to impact fish and wildlife resources Comment provided recommended mitigation measures to address potentially significant, direct and indirect impacts on biological resources pertaining to nesting bird surveys, nesting bird buffers, bat habitat assessment, bat habitat monitoring, and bat avoidance Address compliance with the California Endangered Species Act and Lake and Streambed Alteration Program
Section E.17 Hazards and Hazardous Materials	• Evaluate the potential impact of past pesticide and other chemical use at the project site. Excavated soil should be characterized and contaminated soil should be disposed of in compliance with standard regulations



1.D.3 Project Changes after the Notice of Preparation

Since publication of the NOP, the project sponsor worked with members of the community to refine the publicly accessible open space component of the proposed project. The NOP identified a project proposing 63 dwelling units and an approximately 0.36-acre (15,500-square-foot) publicly accessible open space that incorporated a rebuilt 16-foot-diameter water tank and boiler house and two greenhouses at the west and north ends. The project analyzed in this EIR proposes a 0.38-acre (16,390-square-foot) publicly accessible open space and 62 dwelling units. The increase in publicly accessible open space at the corner of Woolsey and Hamilton streets is due to the project sponsor proposing to rebuild greenhouse numbers 1 and 2 to their original size and location as part of the publicly accessible open space. Potential programming for the publicly accessible open space could include event space,⁷ open lawn with flex space, seating areas, and areas for community members to grow and cultivate plants. The boiler house would be rebuilt, as proposed under the NOP. The increase in publicly accessible open space resulted in a decrease of one dwelling unit and redistribution of the duplexes throughout the remainder of the project site; as a result, the single-family home in the NOP is no longer proposed as part of the project. The duplexes identified in the NOP were three to four stories and approximately 30 to 40 feet in height. The project analyzed in this EIR proposes duplexes that are three stories and approximately 35 feet in height.

The changes to the project description since publication of the NOP are reflected in the analyses in this EIR.

1.D.4 Draft EIR and Initial Study Public Review Process

The CEQA Guidelines and San Francisco Administrative Code chapter 31 encourage public participation in the planning and environmental review processes. The planning department provides opportunities for the public to present comments and concerns regarding this EIR and its appendices, including the initial study (Appendix B), throughout the environmental review process. These opportunities include a public review and comment period and a public hearing before the San Francisco Planning Commission (planning commission).

The public review period for the draft EIR is from June 24, 2021, to August 10, 2021. The historic preservation commission will hold a public hearing on this draft EIR to consider providing its comments on the draft EIR. The public hearing will be held July 21, 2021, beginning at 12:30 p.m. or later. The planning commission will hold a public hearing on this EIR during the 45-day public review and comment period for this EIR to solicit public comment on the information presented in this draft EIR. The public hearing will be held on July 29, 2021, beginning at **1 p.m. or later**. Please be advised that due to the COVID-19 public health emergency, the historic preservation commission and planning commission may conduct these hearings remotely. Additional information may be found on the planning department's website at https://sfplanning.org/.

⁷ The greenhouses and boiler room event space would be programmed exclusively for community events. There would be no revenue-generating component to these event spaces.

The draft EIR, initial study, and all attachments are available for public review and comment on the planning department's Negative Declarations and EIRs web page (<u>http://www.sf-planning.org/sfceqadocs</u>). A USB or paper copy of the draft EIR will be mailed upon request. Referenced materials will also be made available for review upon request. Contact the EIR coordinator, Jenny Delumo, at <u>jenny.delumo@sfgov.org</u> or 628.652.7568 to make a request.

Governmental agencies, interested organizations, and other members of the public are invited to submit written comments on the draft EIR and initial study during the public review period. The comments should address the sufficiency of the document with respect to identifying and analyzing possible significant environmental impacts and determining how they may be avoided or mitigated.

All written comments or questions about the draft EIR should be addressed to:

San Francisco Planning Department Attention: Jenny Delumo, Environmental Coordinator 49 South Van Ness Avenue, Suite 1400 San Francisco, CA 94103 jenny.delumo@sfgov.org

Members of the public are not required to provide personal identifying information when they communicate with the planning commission. All written or oral communications, including submitted personal contact information, may be made available to the public for inspection and copying upon request and may appear on the department's website or in other public documents.

1.D.5 Final EIR and EIR Certification

Following the close of the public review and comment period for this draft EIR, the city will prepare and publish a document titled "Responses to Comments." This document will contain all written, email, and recorded oral comment comments received on this draft EIR and written responses to those comments, along with copies of the letters or emails received, a transcript of the public hearing on the draft EIR, and any necessary revisions to the draft EIR. The draft EIR and the responses to comment document will constitute the final EIR. Not less than 10 days prior to the planning commission hearing to consider certification of the final EIR, the final EIR will be made available to the public and any boards, commissions or departments that will carry out or approve the proposed project.

The planning commission, in an advertised public meeting, will consider the documents and, if found adequate, accurate, and objective, certify the final EIR, provided it (1) was completed in compliance with CEQA; (2) was presented to the San Francisco Planning Commission and the planning commission reviewed and considered the information contained in the final EIR prior to taking an approval action on the proposed project; and (3) reflects the lead agency's independent judgment and analysis, per Chapter 31 of the San Francisco Administrative Code. CEQA requires that agencies shall neither approve a project nor implement a project unless the project's significant environmental impacts have been reduced to a less-than-significant level, thereby essentially eliminating, avoiding, or substantially lessening the potentially significant impacts of the proposed project, except when certain findings are made. If an agency approves a project that would result in the occurrence of significant adverse impacts that cannot feasibly be mitigated to less-than-significant significant levels (that is, significant and unavoidable impacts), the agency must state the reasons for its

action in writing; demonstrate that mitigation is infeasible, based on the EIR or other information in the record; and adopt a statement of overriding considerations.

1.D.6 Mitigation Monitoring and Reporting Program

At the time of project approval, CEQA and the CEQA Guidelines require agencies to adopt a mitigation monitoring and reporting program that it has made a condition of project approval in order to mitigate or avoid significant impacts on the environment (CEQA section 21081.6; CEQA Guidelines section 15097). This EIR identifies and presents mitigation measures and improvement measures that would form the basis of such a mitigation and monitoring and reporting program. Any mitigation and improvement measures adopted by the city as conditions for approval of the proposed project would be included in the mitigation monitoring and reporting program.

1.E Organization of This EIR

Consistent with CEQA Guidelines sections 15120 to 15132, this EIR describes the proposed project, required approvals, and existing land use plans and policies applicable to the proposed project; identifies potential environmental impacts of the proposed project, mitigation measures where those impacts are significant, and cumulative adverse impacts to which the proposed project could make a substantial contribution; discusses growth-inducing and significant unavoidable effects of the project; and evaluates alternatives to the proposed project that could avoid or reduce significant impacts while still meeting most of the project's objectives.

This EIR has been organized as follows:

- **Summary.** This chapter summarizes the EIR by providing an overview of the proposed project, the environmental impacts that would result from the proposed project, mitigation measures identified to reduce or eliminate the impacts, project alternatives and their comparative environmental effects, and areas of controversy and issues to be resolved.
- **Chapter 1, Introduction.** This chapter includes a discussion of the purpose of the EIR, a discussion of the environmental review process, a summary of the comments received on the scope of the EIR, a summary of changes to the project since publication of the NOP, and a brief outline of the document's organization.
- **Chapter 2, Project Description.** This chapter provides a detailed description of the proposed project, including the project's objectives, the project location, the existing project site's land use characteristics, project components and characteristics, the construction schedule and anticipated activities, and identifies required project approvals.
- **Chapter 3, Environmental Setting, Impacts, and Mitigation Measures.** This chapter provides the analysis for the historic architectural resources topic identified for further analysis. This topic contains a description of the environmental setting (or existing conditions), regulatory framework, approach to the analysis, project-level and cumulative impacts, and mitigation measures as applicable.
- **Chapter 4, Other CEQA Issues.** Pursuant to CEQA Guidelines section 15126.2, this chapter summarizes any growth-inducing impacts that could result from the proposed project, irreversible changes to the environment, and significant and unavoidable environmental impacts. This chapter also presents any areas of controversy left to be resolved.

1. Introduction 1.E. Organization of This EIR

- **Chapter 5, Alternatives.** This chapter presents and evaluates alternatives to the proposed project, including the required No Project Alternative, that could feasibly attain most of the project objectives as well as reduce identified significant adverse impacts of the proposed project. This chapter also compares their environmental effects to those of the proposed project. It also identifies the environmentally superior alternative. Alternatives evaluated in this chapter include the following:
 - Alternative A, No Project Alternative
 - Alternative B, Full Preservation Alternative
 - Alternative C, Partial Preservation Alternative
- **Chapter 6, Report Preparers.** This chapter lists the EIR authors and consultants; project sponsor and consultants; and agencies and persons consulted.
- **Appendices.** The following appendices are included in this EIR:
 - Appendix A, Notice of Preparation and Comments Received
 - Appendix B, Initial Study
 - Appendix C, Historic Resource Evaluations
 - C1, Historic Resource Evaluation Response Part 1
 - C2, Historic Resource Evaluation Response Part 2
 - C3, Preservation Alternatives Memorandum

CHAPTER 2 PROJECT DESCRIPTION

2.A Project Overview

The project sponsor, 140 Partners LP, proposes to redevelop a 2.2-acre rectangular site (770 Woolsey Street) bounded by Wayland, Hamilton, Woolsey, and Bowdoin streets in San Francisco's Portola neighborhood. The project proposes to demolish a majority of the existing structures on the project site (primarily greenhouses that have been unused since 1990) and construct 62 residential units comprised of 31 duplexes, and 62 vehicle parking spaces accessed via 31 new curb cuts (i.e., one curb cut per duplex). The proposed residential units would be approximately 35 feet in height. Of the 62 total units, 12 would be affordable housing units. The project proposes to regrade the project site and improve the right-of-way along the block's street frontages, which would include four bulb-outs, adding a sidewalk along Wayland Street, filling an existing trench and adding a sidewalk and curb along Bowdoin Street, and adding 33 street trees along the perimeter of the block. The proposed project would also include an approximately 0.39-acre (17,170-square-foot) publicly accessible open space (which would include two rebuilt greenhouses), approximately 11,210 square feet of common open space in the form of connected courtyards and passageways referred to as "the spine" and "mews" for residents only, and approximately 14,890 square feet of private open space (e.g., courtyards and rear yards). The proposed project would also include new utility infrastructure to supply the site with potable water, wastewater collection, stormwater collection and treatment, electricity, natural gas, and communications (internet).

2.B Project Sponsor Objectives

The project sponsor seeks to achieve the following objectives through implementation of the proposed project:

- Develop a mixed-income residential development consistent with and maximize housing density pursuant to the planning code within project site constraints and incorporating on-site affordable units.
- Replace an abandoned commercial cut-flower lot with residential uses and design consistent with the surrounding Portola neighborhood.
- Contribute to the city's housing goal as designated in the General Plan of maximizing housing potential on the project site.
- Provide public open space and replicate some site conditions to preserve elements of the historical uses.
- Provide adequate light and air to all housing units in the new development.
- Develop a project that is financially feasible and able to support the equity and debt returns as required by investors and lenders without public subsidy.

2.C Project Location and Site Characteristics

2.C.1 Project Site

The project site at 770 Woolsey Street (Assessor's Block 6055/Lot 001) is a 2.2-acre site bounded by Wayland Street to the north, Hamilton Street to the east, Woolsey Street to the south, and Bowdoin Street to the west in the Portola neighborhood (see **Figure 2-1**, p. 2-3). The site is located approximately 0.3 mile west of San Bruno Avenue, the primary retail corridor in the Portola neighborhood. The project site is within the RH-1 (Residential House, One Family) Zoning District, and a 40-X Height and Bulk District.

2.C.2 Existing Site Characteristics

The site contains existing structures related to the site's previous agricultural use, including two long rows of 18 greenhouses (several of which have collapsed or partially collapsed, and remaining greenhouses are in disrepair) arranged along a central, north–south pathway, and associated agricultural accessory structures (see **Figure 2-2**, p. 2-4). The short ends of the greenhouses parallel Bowdoin and Hamilton streets, while the long ends parallel Woolsey and Wayland streets. The east row contains 10 greenhouses (including two that have partially collapsed) lining the west side of Hamilton Street and the west row contains eight greenhouses (including three that have partially collapsed) lining the east side of Bowdoin Street.

Agricultural operations on the project site were discontinued in the 1990s and the site is currently not in use. The south end of the project site contains accessory buildings and structures, including a garage/storage building, mixing shed, water storage and pressure tanks, boiler house, pesticide mixing tank, and hand-dug wells. The site contains a series of pipes that were used to convey water, steam, and pesticides to the greenhouses. There are several rose plants located within the greenhouses, which are presumed to have survived from the nursery business.⁸ The site is enclosed by a combination of the building façades along Woolsey and Hamilton streets and a wooden fence along the perimeter.

The project site slopes from an elevation of approximately 145 feet above sea level at the northwest corner at Bowdoin and Wayland streets to an elevation of approximately 100 feet above sea level at the southeast corner of Woolsey and Hamilton streets. The site is unpaved, with the perimeter of the site along Bowdoin and Wayland streets lacking a sidewalk. An approximately 9-foot-wide central pathway extends north–south just west of the block's center for nearly the entire length of the property. The central pathway used to provide access to the greenhouses as well as the former water tanks at the northwest corner (now a ruderal area) of the property. Narrow concrete pathways extend along the exterior of select greenhouses.

⁸ Architectural Resource Group, *Historic Resource Evaluation: 770 Woolsey Street, San Francisco*, March 2019, p. 6.



SOURCE: ESRI, 2020; ESA, 2020

770 Woolsey Street Project

FIGURE 2-1 PROJECT LOCATION MAP



SOURCE: Architectural Resources Group, 2020

770 Woolsey Street Project

2.C.3 Site Access

Interstate 280 (I-280) and U.S. Route 101 (US 101) provide the primary regional access to the project area. I-280, a north–south freeway, runs adjacent to and parallel to Alemany Boulevard in the project vicinity, and US 101, a north–south freeway, runs adjacent to and parallel to San Bruno Avenue. Alemany Boulevard is a major east–west arterial approximately 0.5 mile to the north of the project site, and San Bruno Avenue, a major north–south arterial approximately 0.3 mile to the east.

Wayland, Hamilton, Woolsey, and Bowdoin streets are all two-way, two-lane (one travel lane in each direction) neighborhood residential streets with parallel parking on both sides.

The project site is within an area served by the San Francisco Municipal Railway (Muni) and is located adjacent to the 54-Felton line on Woolsey Street. Other Muni bus lines that operate within 0.5 mile of the project include the 8-Bayshore, 9-San Bruno, 9R-San Bruno Rapid, 29-Sunset, and 44-O'Shaughnessy.

2.C.4 Surrounding Land Uses

The project site is bounded by two-story, single-family residential development to the north, east, and south. The University Mound Reservoir consists of two 10-acre water basins and is located adjacent to the west side of the project site (Bowdoin Street). The University Mound Reservoir is owned and operated by the San Francisco Public Utilities Commission (SFPUC) and bounded by University Street to the west, Felton Street to the north, Bowdoin Street to the east, and Woolsey Street to the south. The project site is located approximately 0.25 mile east of John McLaren Park, a 310-acre park owned and operated by the San Francisco Recreation and Park Department consisting of playgrounds, trails, picnic areas and game courts, a golf course, and natural areas.

2.D Site History

The project site and the adjacent block to the east were purchased by the Garibaldi brothers in 1921.⁹ The University Mount Nursery was established across both blocks in 1922. The east block bounded by Wayland Street to the north, Holyoke Street to the east, Woolsey Street to the south, and Bowdoin Street to the west, was subsequently developed with single-family residences between 1921 and 1962. The Garibaldis continued operation of the nursery on the project site until it closed in the early 1990s.

The 18 greenhouses were constructed at various times between 1921 and 1951. The Garibaldis added the following structures, which remain at the site, to support the nursery operations (see Figure 2-2, p. 2-4):

- A one-story boiler house abutting the east property line (built 1925). This one-story wood frame building measures approximately 35 feet long by 19 feet wide, and has a tall, circular metal chimney that extends through the roof ridge at the west end of the building;
- A one-story wood frame garage/storage building abutting the property line on Woolsey Street (built 1958). The building measures approximately 58 feet long by 33 feet wide;
- A pesticide mixing tank abutting the boiler house (built between 1938 and 1941);

⁹ Ibid. Unless otherwise noted, the site history description is based on this report.

- A 16-foot-diameter cylindrical water storage tank south of the pesticide mixing tank, set on a steel cradle on a 20-foot-square concrete pad (built 1953);
- A 51-inch-diameter water pressure tank north of the water storage tank and east of the mixing shed, resting on an approximately 42-inch-tall concrete cradle (built 1960s or later);
- A one-story mixing shed measuring approximately 17 feet wide by 21 feet long abutting the east façade of the garage/storage building (built between 1963 and 1965);
- Two hand dug wells (built 1925 and 1938); and
- A wood fence around the perimeter of the site (built 1958).

2.E Project Characteristics

2.E.1 Residential Units

The project proposes to demolish the existing structures on the project site and construct 62 dwelling units, comprised of 31 duplexes, totaling approximately 118,100 square feet (see **Figure 2-3**). The block would be subdivided into about 33 lots, of which 31 would be residential lots ranging in area from approximately 1,800 to 3,675 square feet, and two of which would be open space lots, as described below. Twelve of the units would be affordable housing units. The homes would be three stories and approximately 35 feet in height. The ground level of each duplex would contain garage and/or storage space. Levels 2 through 3 would contain the residential spaces consisting of two- and three-bedroom units. **Figure 2-4**, p. 2-8, shows an illustrative rendering of the proposed project. Site elevations of the proposed project are shown in **Figure 2-5** to **Figure 2-7**, pp. 2-9 to 2-11.

2.E.2 Open Space

The proposed project would provide an approximately 0.39-acre (17,170-square-foot) publicly accessible open space at the corner of Woolsey and Hamilton streets (see Figure 2-3). The project sponsor proposes to rebuild the boiler house and greenhouse numbers 1 and 2 in the original size and location as part of the publicly accessible open space.¹⁰ The boiler house would be approximately 35 feet long by 19 feet wide. Greenhouse number 1 would be approximately 80 feet long by 33 feet wide, and greenhouse number 2 would be 120 feet long by 30 feet wide. The sponsor would reclaim and repurpose the wood from the greenhouses as fencing around the publicly accessible open space. Potential programming for the publicly accessible open space could include event space,¹¹ open lawn with flex space, seating areas, and areas for community members to grow and cultivate plants.

¹⁰ The structures would first be demolished and materials from the original boiler house and greenhouses salvaged as feasible. The salvaged materials would be stored off site, treated as appropriate, and used in the rebuilt structures. If the salvaged materials are insufficient, the project sponsor would rebuild the structures with in-kind materials. Reconstruction of greenhouses 1 and 2 and the boiler house may not meet the Secretary of the Interior's Standards for the Treatment of Historic Properties.

¹¹ The greenhouses and boiler room event space would be programmed exclusively for community events. There would be no revenue generating component to these event spaces.



SOURCE: Iwamotoscott Architecture, 2021

770 Woolsey Street Project



770 Woolsey Street Project

SOURCE: Iwamotoscott Architecture, 2021


SOURCE: Iwamotoscott Architecture, 2021

770 Woolsey Street Project

FIGURE 2-5 WEST ELEVATION – BOWDOIN STREET



770 Woolsey Street Project

FIGURE 2-6

SOUTH AND NORTH ELEVATIONS – WOOLSEY AND WAYLAND STREETS

SOURCE: Iwamotoscott Architecture, 2020



SOURCE: Iwamotoscott Architecture, 2020

770 Woolsey Street Project

The proposed project would also include approximately 26,100 square feet of private open space in the form of rear yards, courtyards, and shared gathering and interior circulation spaces accessible only to residential occupants. Approximately 11,210 square feet of common space for the residents would be provided along the center of the site on a north–south alignment, as well as in east-west open space walkways and connected courtyard spaces. The north–south residential common open space is also referred to as "the spine" and would range between 20 to 35 feet wide, while the east-west open space walkways and connected courtyard spaces are also referred to as "mews" and would range between 15 to 20 feet in width (see Figure 2-3, p. 2-7, and Figure 2-4, p. 2-8). Approximately 14,890 square feet of open space would be private rear yard and courtyard open spaces. The parallel rows of duplexes fronting Bowdoin and Hamilton streets on north–south alignment would be separated by 20-foot-wide private courtyards. The north–south alignment duplexes adjacent to the spine would have private rear yards approximately 15 feet in depth. As with the publicly accessible open space, fencing for the residential common space would use reclaimed wood from the greenhouses as feasible. Individual dwelling units may include additional open space in the form of balconies and roof decks.

The publicly accessible open space and private open space are shown in **Figure 2-8**.

2.E.3 Utilities and Stormwater Retention

The proposed project would connect to existing sewer, water, electricity, and gas lines along Woolsey, Wayland, and Hamilton streets. The proposed project would implement stormwater management within the private parcel in compliance with the city's 2016 Stormwater Management Requirements and Design Guidelines to ensure the proposed project meets performance measures set by the San Francisco Public Utilities Commission related to stormwater runoff rate and volume prior to connection to the existing combined sewer system.

2.E.4 Streetscape and Sidewalk Improvements

The proposed project would provide streetscape and sidewalk improvements along the block's street frontages in accordance with the San Francisco Better Streets Plan. The improvements would include four bulb-outs at each corner of the site, adding a new 11-foot-wide sidewalk along Wayland Street, and filling the trench and adding a new 10-foot-wide sidewalk along Bowdoin Street. The proposed project would replace the existing sidewalks on Woolsey and Hamilton streets with 10-foot-wide sidewalks. Landscaping, vegetated sidewalk plantings, eight streetlights¹² (two streetlights per lot frontage), and about 33 street trees would be provided along the perimeter of the block. Additionally, implementation of the proposed project would remove the trunk of a toppled pine tree and several small trees on the project site. The proposed project would not result in any new bus stops or changes to existing bus stops in the vicinity of the project site.

Table 2-1, p. 2-14, summarizes the project characteristics of the proposed project, including the types and amounts of land uses, proposed dwelling units, building heights, vehicle and bicycle parking, and other features.

¹² The final number will be determined by the public works department at the time of filing street improvement permits.



SOURCE: Iwamotoscott Architecture, 2021

770 Woolsey Street Project

Table 2-1 770 Woolsey Project Characteristics

Project Characteristics	Metric		
PROPOSED LAND USE	AREA (SQUARE FEET)		
Residential	118,600		
PROPOSED DWELLING UNITS	NUMBER PERCENTAGE (APPROXIMATE)		
2-bedroom	28	45%	
3-bedroom	34 55%		
Total Dwelling Units	62 100%		
PROPOSED PARKING	NUMBER		
Vehicle parking spaces	62		
Bicycle parking: ^a			
Bicycle parking class 1	93		
Bicycle parking class 2	12		
Total Bicycle Parking	66		
OPEN SPACE	AREA (SQUARE FEET)		
Publicly accessible open space	17,170		
Common residential open space (the "spine" and "mews")	11,210 ^b		
Private residential open space	14,890		
Total Open Space	43,270		
BUILDING CHARACTERISTICS			
Stories	3 stories		
Height	35 feet		
Ground floor	Each duplex residential unit would include one vehicle parking space in a shared two-car garage.		

SOURCE: 140 Partners LLC, 2020.

NOTE:

^a Planning code section 155.1(a) defines class 1 bicycle spaces as "spaces in secure, weather-protected facilities intended for use as long-term, overnight, and workday bicycle storage by dwelling unit residents, nonresidential occupants, and employees" and defines class 2 bicycle spaces as "spaces located in a publicly accessible, highly visible location intended for transient or short-term use by visitors, guests, and patrons to the building or use."

b Represents portion of the spine and mews that meets planning code section 135 technical standards for common residential open space. Exact square footage of spine and mews is slightly larger.

2.E.5 Vehicle Parking and Loading

The proposed project would include a total of 62 vehicle parking spaces at a proposed parking ratio of 1 space per unit. Each duplex residential unit would include one vehicle parking space located in a shared two-car garage accessed through new curb cuts on the project site. The proposed 16-foot-wide garage entrances would allow two vehicles to park side-by-side within the garage, allowing both vehicles to back out independently. The project proposes to remove the existing three curb cuts on Woolsey Street and establish

31 new curb cuts (12 on Bowdoin Street, eight on both Wayland and Hamilton streets, and three on Woolsey Street). The proposed project would provide approximately 28 on-street vehicle parking spaces surrounding the project site, as well as two on-street car share spaces proposed on Hamilton Street near the proposed publicly accessible open space. On-street commercial loading zones or passenger loading zones are not proposed.

2.E.6 Bicycle Parking

The proposed project would provide 93 class 1 and 12 class 2 bicycle parking spaces (62 class 1 and 4 class 2 spaces are required, respectively; however the sponsor has proposed additional spaces as part of the proposed transportation demand management program described in Section 2.E.7. Class 1 bicycle parking would be provided within the residential unit garages, while class 2 bicycle parking spaces would be provided within the sidewalk area on Hamilton, Woolsey and Bowdoin street (four spaces on each street).

2.E.7 Transportation Demand Management

The proposed project would include a transportation demand management (TDM) program that would implement measures to reduce vehicle trips and encourage sustainable modes of transportation. Key strategies in the TDM plan include: unbundled parking; improved walking conditions; bicycle parking; bicycle repair station; on-site secure storage locations for storage of personal car seats, strollers, athletic or extracurricular gear, and cargo bicycles or other large bicycles; multimodal wayfinding signage; real time transportation displays; tailored transportation marketing services; and on-site affordable housing.

2.F Project Construction

Construction of the proposed project would last approximately 24 months, beginning in early 2022 (see **Table 2-2**). Construction would begin with mobilization and staging, followed by demolition and site preparation, structural and large utility work, and architectural and site work. Some construction stages would overlap. Construction would occur in a single phase, and occupancy of the residential units would not occur until construction is complete.

Construction Stage	Start	Finish	Duration	
Mobilization/staging/demolition	3/2022	5/2022	3 months	
Site preparation	4/2022	5/2022	2 months	
Grading/excavation	5/2022	7/2022	3 months	
Drainage/utilities/sub-grade	7/2022	10/2022	3 months	
Foundations and concrete pour	11/2022	2/2023	4 months	
Building construction	2/2023	11/2023	10 months	
Architectural coatings	11/2023	1/2024	3 months	
Paving	1/2024	3/2024	3 months	
Total			24 months	

Table 2-2Preliminary Construction Schedule

SOURCE: 140 Partners LLC, 2020

The site preparation and grading would require approximately 10,800 cubic yards of excavation to a maximum depth of 5 feet. Due to the previous agricultural operations and use of pesticide at the site, the proposed project would require the removal and disposal of contaminated soil in accordance with San Francisco Health Code article 22A. Approximately 6,000 cubic yards of soil would be hauled offsite and 6,000 cubic yards of clean soil would be imported during the grading/excavation stage. The proposed new buildings would be supported by concreted mat slab.¹³ No pile driving would be required to construct the project.

Construction would generally occur between the hours of 8 a.m. and 4 p.m., in compliance with San Francisco Police Code section 2908. Certain construction activities such as large concrete pours, may require earlier start or later finish times to accommodate such time-specific activities. Concrete pours would generally occur over one to two nights of the overall construction period. Construction activities that extend beyond normal hours would be subject to review, permitting, and approval by the San Francisco Department of Building Inspection. **Table 2-3** presents a list of typical equipment expected to be used to construct the proposed project.

¹³ Langan Engineering, Updated Preliminary Geotechnical Evaluation 770 Woolsey Street, January 21, 2019.

Air compressor
Backhoe
Concrete truck
Compactor
Dump truck
Excavator
Flatbed truck
Forklift (gas-powered)
Generator
Grader
Loader
Rollers
Scraper

Table 2-3Project Construction Equipment

SOURCE: 140 Partners LLC, 2020

2.F.1 Demolition and Salvage Material Plan

The existing greenhouses and associated agricultural accessory structures, which total approximately 65,000 square feet, would be demolished and removed from the project site. The materials from the original boiler house and greenhouses would be salvaged as feasible. The salvaged materials would be stored off site, cleaned, dried, shaped, and treated for insects as appropriate, and used in the two rebuilt greenhouse structures, the rebuilt boiler house structure, and fencing around the publicly accessible open space. If there are not sufficient salvaged materials, the project sponsor would rebuild the structures with in-kind materials. The reconstructed greenhouses and boiler house may not meet the Secretary of Interior's Standards for Rehabilitation.

2.G Required Project Approvals

The proposed project is subject to review and approvals by several local agencies. Certification of the final EIR by the San Francisco Planning Commission, which would be appealable to the San Francisco Board of Supervisors, is required before issuance of any other discretionary approval or permits. The proposed project may require project approvals, recommendations, consents, and/or plan amendments from the following agencies.

2.G.1 Local Agencies

San Francisco Planning Commission

• Certification of the EIR and adoption of findings under the California Environmental Quality Act

2. Project Description 2.G. Required Project Approvals

• Conditional Use Authorization (planning code sections 303 and 304) for a planned unit development, permitting development of more than one dwelling unit on lots not meeting the technical requirements of section 121, modification of the strict technical requirements for location and dimensions of required rear yards (section 134), exceptions to driveway width and street frontage controls (section 144), modification of technical requirements for car-share spaces to be included on street (section 166) and increase in dwelling unit density in the RH-1 zoning district (section 209.1)

San Francisco Department of Building Inspection

- Approval of demolition, grading, and site construction permits
- Approval of nighttime construction noise permit

San Francisco Public Works

- Subdivision approval to create 31 residential lots, one lot for publicly accessible open space lot, and one lot for common open space (the "spine")
- If sidewalk(s) are used for construction staging and pedestrian walkways are constructed in the curb lane(s), approval of a street space permit from the Bureau of Street Use and Mapping
- Street and sidewalk permits for modifications to public streets, sidewalks, or curb cuts; including the installation of street trees

San Francisco Municipal Transportation Agency

• Construction-related approvals, as applicable

San Francisco Public Utilities Commission

- Review and approval of any changes to sewer laterals, existing publicly owned fire hydrants, water service laterals, water meters, and/or water mains
- Review and approval of the size and location of new fire, standard, and/or irrigation water service laterals
- Review and approval of stormwater management approach and required stormwater control plan(s) in accordance with city's 2016 Stormwater Management Requirements and Design Guidelines
- Review and approval of the project's landscape and irrigation plans per the Water Efficient Irrigation Ordinance and the SFPUC Rules and Regulations Regarding Water Service to Customers

San Francisco Department of Public Health

- Review and approval of a site mitigation plan, in accordance with San Francisco Health Code article 22A (Maher Ordinance)
- Review and approval of a construction dust control plan, in accordance with San Francisco Health Code article 22B (Construction Dust Control Ordinance)

CHAPTER 3 ENVIRONMENTAL SETTING, IMPACTS, AND MITIGATION MEASURES

Introduction to the Analysis

This chapter provides a project-level impact analysis of the potentially significant, physical environmental impacts of implementing the proposed project as described in Chapter 2, Project Description. Section 3.A, Historic Architectural Resources, includes a description of the environmental setting and regulatory framework; assessments of project impacts (i.e., offsite, onsite, construction-related, operational, direct, and indirect impacts) and cumulative impacts; and identifies mitigation measures that would reduce or avoid identified significant environmental impacts.

Scope of Analysis

INITIAL STUDY

As described in Chapter 1, Introduction, the planning department determined that an environmental impact report (EIR) is required for the proposed project in compliance with the California Environmental Quality Act (CEQA) and published a Notice of Preparation (NOP) (see Appendix A). As part of the preparation for the EIR, the planning department identified resource topics that could be adequately addressed in an initial study. The initial study prepared for this EIR (Appendix B) concludes that many of the physical environmental impacts of the proposed project would result in no impact or less-than-significant impacts, and that mitigation measures agreed to by the project sponsor and required as conditions of approval would reduce significant impacts to a less-than-significant level. CEQA does not require further assessment of a project's less-than-significant impacts or those that can be reduced to less than significant with mitigation; thus, those issues are not included in this chapter. The issues addressed in the initial study are listed below. Also shown are the corresponding initial study sections and abbreviations for each resource topic that are used in the naming of impact statements and mitigation measures:

- Section E.1, Land Use and Planning (LU)
- Section E.2, Population and Housing (PH)
- Section E.3, Cultural Resources (CR) (archeological resources)
- Section E.4, Tribal Cultural Resources (TCR)
- Section E.5, Transportation and Circulation (TR)
- Section E.6, Noise (NO)
- Section E.7, Air Quality (AQ)
- Section E.8, Greenhouse Gas Emissions (GG)
- Section E.9, Recreation (RE)
- Section E.10, Wind (WI)

3. Environmental Setting, Impacts, and Mitigation Measures Introduction to the Analysis

- Section E.11, Shadow (SH)
- Section E.12, Utilities and Service Systems (UT)
- Section E.13, Public Services (PS)
- Section E.14, Biological Resources (BR)
- Section E.15, Geology and Soils (GE)
- Section E.16, Hydrology and Water Quality (HY)
- Section E.17, Hazards and Hazardous Materials (HZ)
- Section E.18, Mineral Resources (MR)
- Section E.19, Energy Resources (EN)
- Section E.20, Agriculture and Forestry Resources (AG)
- Section E.21, Wildfire (WF)

Refer to the initial study in Appendix B for a discussion and the impact analysis of the proposed project with respect to these resource topics.

EIR TOPIC

The resource topic area addressed in this chapter of the EIR is listed below, and the abbreviation for the resource topic used in the naming of impact statements and mitigation measures are shown in parenthesis:

• Section 3.A, Historic Architectural Resources (CR)

The initial study determined that the proposed project could result in potentially significant impacts related to historical architectural resources, which is addressed in this EIR as Section 3.A.

Overall Approach to Impact Analysis

CEQA Guidelines section 15151 describes standards for the preparation of an adequate EIR. The specific standards under section 15151 are listed below:

- An EIR should be prepared with a sufficient degree of analysis to provide decision makers with information that enables them to make a decision that intelligently takes into account environmental consequences of the project.
- An evaluation of the environmental impacts of a project need not be exhaustive; rather, the sufficiency of an EIR is to be reviewed in light of what is reasonably feasible.
- Disagreement among experts does not make an EIR inadequate, but the EIR should summarize the main points of disagreement among the experts.

In practice, the above points indicate that EIR preparers should adopt a reasonable methodology upon which to estimate impacts. This approach means making reasonable assumptions, using the best information available.

Specific Approaches to the CEQA Analysis

AESTHETICS AND PARKING ANALYSIS (SENATE BILL 743 AND CEQA SECTION 21099)

CEQA section 21099(d) provides that "aesthetics and parking impacts of a residential, mixed-use residential, or employment center project on an infill site located within a transit priority area shall not be considered significant impacts on the environment."¹⁴ Accordingly, aesthetics and parking are not considered when determining whether a project that meets all of the following three criteria has the potential to result in significant environmental impacts:

- The project is in a transit priority area.¹⁵
- The project is on an infill site.¹⁶
- The project is a residential, mixed-use residential, or employment center development.¹⁷

The proposed project meets the first, second, and third criteria; therefore, this EIR does not consider aesthetics or the adequacy of parking in determining the significance of project impacts under CEQA.

CEQA section 21099(e) states that a lead agency maintains the authority to consider impacts on aesthetics pursuant to local design review ordinances or other discretionary powers and that impacts on aesthetics do not include impacts on historical or cultural resources. As such, the planning department does consider aesthetics for design review and evaluating effects on historical or cultural resources.

The department recognizes that the public and decision makers may be interested in information pertaining to the aesthetic effects of a proposed project and may desire that such information be provided as part of the environmental review process. Therefore, some of the information that otherwise would have been provided in an aesthetics section of this EIR is included in Chapter 2, Project Description.

However, this information is provided solely for informational purposes and, pursuant to CEQA, is not used to determine the significance of the environmental impacts of the project.

Scope and Organization of this Chapter

The environmental topic analyzed in this chapter includes the following subsections:

• **Introduction.** This subsection includes a brief description of the types of impacts that are analyzed as well as a summary of the impacts that were scoped out in the initial study (e.g., impacts that were determined to result in a less-than-significant impact or no impact).

¹⁴ See section 21099(d)(1) of the CEQA statute.

¹⁵ CEQA section 21099(a)(7) defines a transit priority area as an area within 0.5 mile of an existing or planned major transit stop. A major transit stop is defined in CEQA section 21064.3 as a rail transit station, a ferry terminal served by either a bus or rail transit service, or the intersection of two or more major bus routes with a frequency-of-service interval of 15 minutes or less during the morning and afternoon peak commute periods.
¹⁶ CEQA section 21099(a)(4) defines an infill site as a lot in an urban area that has been previously developed or a vacant site where at least 75 percent of the perimeter of the site adjoins, or is separated only by an improved public right-of-way from, parcels that are developed with qualified urban uses.

¹⁷ CEQA section 21099(a)(1) defines an employment center as a project on property zoned for commercial uses with a floor area ratio of no less than 0.75 in a transit priority area.

- **Environmental Setting.** This subsection presents a description of existing baseline physical conditions on the project site and in the surroundings at time of issuance of the NOP, with enough detail and breadth to allow a general understanding of the environmental impacts of the proposed project.
- **Regulatory Framework.** This subsection describes the relevant federal, state, and local regulatory requirements that are directly applicable to the environmental topic being analyzed.
- Impacts and Mitigation Measures. This subsection describes the physical environmental impacts (e.g., the changes to baseline physical environmental conditions) that could result from the proposed project, as well as any mitigation measures that could avoid, eliminate, or reduce identified significant impacts. This subsection begins with a listing of the significance criteria that have been developed by the planning department for use in determining whether an impact is significant. Environmental topic sections also include an "Approach to Analysis" subsection. This discussion explains the parameters, assumptions, and data used in the analysis.

Under the "Impact Evaluation" discussion, the impact analysis begins with an impact statement that reflects one or more of the applicable significance criteria. Some significance criteria may be combined in a single impact statement, if appropriate. Each impact statement is keyed to a subject area abbreviation (e.g., CR for Cultural Resources) and an impact number (e.g., 1, 2, 3) for a combined alphanumeric code (e.g., Impact CR-1, Impact CR-2, etc.).

When potentially significant impacts are identified, mitigation measures are presented that would avoid, eliminate, or reduce significant adverse impacts of the project. All mitigation measures will be required as conditions of project approval. Each mitigation measure corresponds to the impact statement and has an "M" in front to signify it is a mitigation measure (e.g., Mitigation Measure M-CR-1 for a mitigation measure that corresponds to Impact CR-1). If there is more than one mitigation measure for the same impact statement, the mitigation measures are numbered with a lowercase letter suffix (e.g., Mitigation Measures M-CR-1a and M-CR-1b).

Significance Determinations

A "significant effect" is defined by CEQA Guidelines section 15382 as "a substantial, or potentially substantial, adverse change in any of the physical conditions within the area affected by the project including land, air, water, minerals, flora, fauna, ambient noise, and objects of historic or aesthetic significance. An economic or social change by itself shall not be considered a significant effect on the environment [but] may be considered in determining whether the physical change is significant."

The significance criteria used in this EIR are based on the planning department's guidance regarding the thresholds of significance for assessing the severity of the environmental impacts of the proposed project. The planning department's guidance is based on CEQA Guidelines Appendix G, with some modifications. The level of significance of the impact is indicated in parentheses at the end of the impact statement based on the following terms:

- **No Impact** No adverse physical changes (or impacts) to the environment are expected.
- Less than Significant Impact that does not exceed the defined significance criteria or is eliminated or reduced to a less-than-significant level through compliance with existing local, state, and federal laws and regulations.

- Less than Significant with Mitigation Impact that is reduced to a less-than-significant level through implementation of the identified mitigation measures.
- **Significant and Unavoidable with Mitigation** Impact that exceeds the defined significance criteria and cannot be reduced to less-than-significant levels through compliance with existing local, state, and federal laws and regulations and/or implementation of all feasible mitigation measures.
- **Significant and Unavoidable** Impact that exceeds the defined significance criteria and cannot be eliminated or reduced to a less-than-significant level through compliance with existing local, state, and federal laws and regulations and for which there are no feasible mitigation measures.

CEQA Guidelines section 15125 states that the "environmental setting will normally constitute the baseline physical conditions by which a lead agency determines whether an impact is significant." The environmental setting typically includes the existing physical conditions on the project site and vicinity, including projects that are under construction. The environmental analysis then presents existing and existing-plus-project scenarios to identify environmental impacts that would occur from implementation of the proposed project. The analysis in this EIR uses the existing environmental setting as the baseline physical conditions to determine whether an impact is significant.

CEQA Requirements and Approach to Cumulative Impact Analysis

CEQA REQUIREMENTS FOR CUMULATIVE IMPACT ANALYSIS

Cumulative impacts, as defined in CEQA Guidelines section 15355, refer to two or more individual effects that, when taken together, are "considerable" or that compound or increase other environmental impacts. A cumulative impact from several projects is the change in the environment that would result from the incremental impact of the project added to the impacts of other reasonably foreseeable future projects. Pertinent guidance for cumulative impact analysis is provided in CEQA Guidelines section 15130:

- An EIR shall discuss cumulative impacts of a project when the project's incremental effect is "cumulatively considerable" (e.g., the incremental effects of an individual project are considerable when viewed in connection with the effects of past, current, and probable future projects, including those outside the control of the lead agency, if necessary).
- An EIR should not discuss impacts that do not result in part from the project evaluated in the EIR.
- A project's contribution is less than cumulatively considerable, and thus not significant, if the project is required to implement or fund its fair share of a mitigation measure or measures designed to alleviate the cumulative impact.
- The discussion of impact severity and likelihood of occurrence need not be as detailed as for effects attributable to the project alone.
- The focus of analysis should be on the cumulative impact to which the identified other projects contribute, rather than on attributes of the other projects that do not contribute to the cumulative impact.

The cumulative impact analysis for each individual resource topic is described in each resource section immediately following the description of the direct project impacts and identified mitigation measures.

APPROACH TO CUMULATIVE IMPACT ANALYSIS

Two approaches to a cumulative impact analysis are provided in CEQA Guidelines section 15130(b)(1):

- The analysis can be based on a list of past, present, and probable future projects producing related or cumulative impacts; or
- A summary of projections contained in a general plan or related planning document can be used to determine cumulative impacts. The following factors were used to determine an appropriate list of projects to be considered in the near-term cumulative impact analysis:
 - Similar Environmental Impacts. A relevant project contributes to effects on resources that are also affected by the proposed project. A relevant future project or plan is defined as one that is "reasonably foreseeable," such as a proposed project for which an application has been filed with the approving agency or has approved funding, or an approved plan that amended the land use controls applicable to an adjacent neighborhood.
 - Geographic Scope and Location. A relevant project is located within the defined geographic scope for the cumulative effect.
 - Timing and Duration of Implementation. Effects associated with activities for a relevant project (e.g., short-term construction or demolition, or long-term operations) would likely coincide in timing with the effects of the proposed project.

The analyses in this EIR and initial study employ a list-based approach and projections-based approach, depending on the environmental topic analyzed. For instance, the cumulative analysis of cultural resources impacts (for historical architectural resources only) considers individual projects that are anticipated in the project site vicinity that may affect historical architectural resources also affected by the proposed project. By comparison, the cumulative population and housing analysis relies on a projection of overall citywide growth and other reasonably foreseeable projects, which is the typical methodology the planning department applies to analysis of population and housing impacts.

CUMULATIVE SETTING

Cumulative projects within a 0.25-mile radius of the project site are listed below in **Table 3-1** and mapped on **Figure 3-1**, p. 3-8. These cumulative projects are projects that are currently under review by the planning department or a building permit is on file or has been approved by the San Francisco Department of Building Inspection (building department).

Map No.	Address (Planning Department Case No.)	Description and Status	Dwelling Units (net change)
1	666 Hamilton Street (Case No. 2020- 007383ENV)	Demolition of an existing abandoned single-family residence and construction of a new single-family home with two new ADUs. The project also includes subdividing the existing lot into three equal width lots. Under CEQA review.	2
2	686 Colby Street (Case No. 2020- 008016PRJ)	Construction of an accessory dwelling unit. Building permit under review.	1
Total			3

 Table 3-1
 Cumulative Projects within a 0.25-Mile Radius of the Proposed Project

SOURCE: San Francisco Planning Department, 2020



SOURCE: ESRI, 2020; ESA, 2020

FIGURE 3-1 CUMULATIVE PROJECTS WITHIN A 0.25-MILE RADIUS OF THE PROJECT SITE

⁷⁷⁰ Woolsey Street Project

3.A Historic Architectural Resources

3.A.1 Introduction

This section assesses project impacts on historic architectural resources. It outlines the historic architectural resources regulatory framework, describes the existing environmental setting as it relates to historic architectural resources, identifies potential historic architectural resources near the project site, evaluates potential direct and indirect impacts on historic architectural resources that could result from the proposed project, and identifies mitigation measures to reduce potential adverse impacts. Project-related impacts on archeological resources, human remains, and tribal cultural resources are addressed in Appendix B, initial study, of this environmental impact report (EIR).

DEFINITIONS AND DATA SOURCES

A historical resource is defined in CEQA Guidelines section 15064.5(a) as one that is listed in, or determined to be eligible for listing in, the California Register of Historical Resources (California Register). In addition, a resource that (i) is identified as significant in a local register of historical resources, such as article 10 and/or article 11 of the San Francisco Planning Code, or (ii) is deemed significant due to its identification in a historical resources survey meeting the requirements of California Public Resources Code section 5024.1(g) is presumed to be a historical resource "unless the preponderance of the evidence demonstrates that the resource is not historically or culturally significant." CEQA section 21084.1 also permits a lead agency to determine that a resource constitutes a historical resource even if the resource does not meet the foregoing criteria.

For the purposes of this EIR, the term *historic architectural resource* is used to distinguish such resources from archeological resources, which may also be considered historical resources under CEQA. Archeological resources, including archeological resources that are potentially historical resources under CEQA Guidelines section 15064.5, are addressed in the initial study (Appendix B).

The information and analysis included in this section are based on the 770 Woolsey Street San Francisco, California Historic Resource Evaluation (HRE), Historic Resource Evaluation Response Part I (HRER Part I) and Historic Resource Evaluation Response Part II (HRER Part II).^{18,19,20} The HRE, HRER Part I, and HRER Part II are included in Appendix C of this EIR.

¹⁸ Architectural Resources Group, 770 Woolsey Street San Francisco, California Historic Resource Evaluation, prepared for San Francisco Planning Department, March 2019. This document (and all documents cited in this environmental impact report unless otherwise noted) is available for review on the following website: <u>https://sfplanning.org/resource/permits-my-neighborhood</u>. Individual files related to environmental review can be accessed by entering the project address into the search box, clicking on the blue dot on the project site, and then clicking on the "Documents" button under the ENV application number on the right side of the screen. Project application materials can be viewed by clicking on the "Documents" button under the PRJ case number. The "Filters" function can be used to search by case number.

¹⁹ San Francisco Planning Department, *Historic Resource Evaluation Response for 770 Woolsey Street, Part I*, May 2020.

²⁰ San Francisco Planning Department, Part II Historic Resource Evaluation Response 770 Woolsey Street, November 2020.

3.A.2 Regulatory Framework

The following section summarizes federal, state, and local plans and policies that have regulatory control over historical resources.

FEDERAL

Although the proposed project is not anticipated to require compliance with section 106 of the National Historic Preservation Act, the federal guidelines related to the treatment of cultural resources are relevant for the purposes of determining whether cultural resources, as defined under CEQA, are present and guiding the treatment of such resources. The sections below summarize the relevant federal regulations and guidelines.

NATIONAL HISTORIC PRESERVATION ACT

The National Historic Preservation Act (NHPA) of 1966 was passed primarily to acknowledge the importance of protecting our nation's heritage from rampant federal development. It was the triumph of more than a century of struggle by a grassroots movement of committed preservationists. The NHPA:

- Sets the federal policy for preserving our nation's heritage;
- Establishes a federal-state and federal-tribal partnership;
- Establishes the National Register of Historic Places and National Historic Landmarks Programs;
- Mandates the selection of qualified State Historic Preservation Officers;
- Establishes the Advisory Council on Historic Preservation;
- Charges federal agencies with responsible stewardship; and
- Establishes the role of Certified Local Governments within the States.

While the NHPA sets federal policy for historic preservation, the actual regulations can be found in 36 Code of Federal Regulations (CFR) Part 800 "Protection of Historic Properties." This provides guidelines on how to follow the policy set forth in the NHPA.

NATIONAL REGISTER OF HISTORIC PLACES

The National Register of Historic Places (National Register) is the nation's master inventory of cultural resources worthy of preservation. It is administered by the National Park Service, which is represented at the state level by the state historic preservation officer. The National Register includes listings of buildings, structures, sites, objects, and districts that possess historic, architectural, engineering, archeological, or cultural significance at the federal, state, or local level. Resources that are listed in or have been found by the state historic preservation officer to be eligible for listing in the National Register are called historic properties.

Under the NHPA, a property is considered significant if it meets the NHPA listing criteria in 36 CFR 60.4, as follows:

The quality of a significance in American history, architecture, archeology, and culture that is present in districts, sites, buildings, structures, and objects of state and local importance that possess integrity of location, design, setting, materials, workmanship, feeling, and association and that:

A. Properties that are associated with events that have made a significant contribution to the broad patterns of U.S. history.

- B. Properties that are associated with persons of historic significance.
- C. Properties located in a geographic district that embody the characteristics of a type, period, or method of construction, or that represent works of "a master, "or that possess high artistic value, or that represents a significant and distinguishable entity whose components may lack individual distinction.
- D. Properties that have yielded or may yield, information important to history or prehistory.

Although there are exceptions, certain kinds of resources are not usually considered for listing in the National Register: religious properties, moved properties, birthplaces and graves, cemeteries, reconstructed properties, commemorative properties, and properties that have achieved significance within the past 50 years.

In addition to meeting at least one of the four criteria, a property or district must retain integrity, meaning that it must have the ability to convey its significance through the retention of seven aspects, or qualities, that in various combinations define integrity:

- Location: Place where the historic property was constructed;
- *Design:* Combination of elements that create the form, plans, space, structure, and style of the property;
- *Setting:* The physical environment of the historic property, inclusive of the landscape and spatial relationships of the buildings;
- *Materials:* The physical elements that were combined or deposited during a particular period of time and in a particular pattern of configuration to form the historic property;
- *Workmanship:* Physical evidence of the crafts of a particular culture or people during any given period in history;
- *Feeling:* The property's expression of the aesthetic or historic sense of a particular period of time; and
- Association: Direct link between an important historic event or person and an historic property.

Properties that are listed in the National Register, as well as properties that are formally determined to be eligible for listing in the National Register, are automatically listed in the California Register of Historical Resources and, therefore, considered historical resources under CEQA.²¹

THE SECRETARY OF THE INTERIOR'S STANDARDS FOR THE TREATMENT OF HISTORIC PROPERTIES

The Secretary of the Interior's Standards for the Treatment of Historic Properties with Guidelines for Preserving, Rehabilitating, Restoring, and Reconstructing Historic Buildings (Secretary's Standards) were published and codified as 36 Code of Federal Regulations 68 in 1995 and updated in 2017.²² The Secretary's Standards for rehabilitation have been adopted by local government bodies across the country, including the City and County of San Francisco, for reviewing proposed work on historic properties under local preservation

²¹ California Code of Regulations, Title 14, Chapter 11.5, § 4851, Historical Resources Eligible for Listing in the California Register of Historical Resources, https://govt.westlaw.com/calregs/Document/IFF8DB730D48511DEBC02831C6D6C108E?viewType=FullText&originationContext=documenttoc&transition Type=CategoryPageItem&contextData=(sc.Default), accessed October 15, 2020.

²² U.S. Department of the Interior, National Park Service (Kay D. Weeks and Anne E. Grimmer), *The Secretary of the Interior's Standards for the Treatment of Historic Properties with Guidelines for Preserving, Rehabilitating, Restoring, and Reconstruction Historic Buildings*, revised 2017, http://www.nps.gov/tps/standards/treatment-guidelines-2017.pdf, accessed October 15, 2020.

ordinances. The Secretary's Standards provide a useful analytical tool for understanding and describing the potential impacts of changes to historic resources and are used to inform CEQA review. Developed by the National Park Service for reviewing certified rehabilitation tax credit projects, the rehabilitation standards provide guidance for reviewing work on historic properties. The rehabilitation standards are as follows:

- 1. A property will be used as it was historically or be given a new use that requires minimal change to its distinctive materials, features, spaces, and spatial relationships.
- 2. The historic character of a property will be retained and preserved. The removal of distinctive materials or alteration of features, spaces, and spatial relationships that characterize a property will be avoided.
- 3. Each property will be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjectural features or elements from other historic properties, will not be undertaken.
- 4. Changes to a property that have acquired historic significance in their own right will be retained and preserved.
- 5. Distinctive materials, features, finishes, and construction techniques or examples of craftsmanship that characterize a property will be preserved.
- 6. Deteriorated historic features will be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature will match the old in design, color, texture, and, where possible, materials. Replacement of missing features will be substantiated by documentary and physical evidence.
- 7. Chemical or physical treatments, if appropriate, will be undertaken using the gentlest means possible. Treatments that cause damage to historic materials will not be used.
- 8. Archeological resources will be protected and preserved in place. If such resources must be disturbed, mitigation measures will be undertaken.
- 9. New additions, exterior alterations, or related new construction will not destroy historic materials, features, and spatial relationships that characterize the property. The new work will be differentiated from the old and will be compatible with the historic materials, features, size, scale, and proportion, and massing to protect the integrity of the property and its environment.
- 10. New additions and adjacent or related new construction will be undertaken in such a manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

Conformance with all rehabilitation standards does not determine whether a project would cause a substantial adverse change in the significance of a historical resource under CEQA. Rather, projects that comply with the standards benefit from a regulatory presumption that they would have a less-than-significant adverse impact on a historic resource. Projects that do not comply with the rehabilitation standards may or may not cause a substantial adverse change in the significance of a historic resource and would require further analysis to determine whether the historic resource would be "materially impaired" by the project under CEQA Guidelines section 15064.5(b).

STATE

California implements the National Historic Preservation Act through its statewide comprehensive cultural resource preservation programs. The California Office of Historic Preservation, an office of the California Department of Parks and Recreation, implements the policies of the National Historic Preservation Act on a statewide level. The California Office of Historic Preservation also maintains the California Historical Resources Inventory. The State Historic Preservation Officer is an appointed official who implements historic preservation programs within the state's jurisdiction.

CALIFORNIA ENVIRONMENTAL QUALITY ACT

CEQA is the principal statute governing environmental review of projects in California. In order to be considered a historical resource, a property must generally be at least 50 years old; when acting as the CEQA lead agency, the planning department uses a threshold of 45 years. A "historical resource" is defined in CEQA Guidelines section 15064.5 as a cultural resource (i.e., a built-environment resource, archaeological resource, or human remains) that meets at least one of the following criteria:

- (1) A resource listed in, or determined to be eligible by the State Historical Resources Commission, for listing in the California Register of Historical Resources.
- (2) A resource included in a local register of historical resources, as defined in Public Resources Code section 5020.1(k) or identified as significant in a historical resource survey meeting the requirements of Public Resources Code section 5024.1(g), shall be presumed to be historically or culturally significant. Public agencies must treat any such resource as significant unless the preponderance of evidence demonstrates that it is not historically or culturally significant.
- (3) Any object, building, structure, site, area, place, record, or manuscript which a lead agency determines to be historically significant or significant in the architectural, engineering, scientific, economic, agricultural, educational, social, political, military, or cultural annals of California may be considered to be a historical resource, provided the lead agency's determination is supported by substantial evidence in light of the whole record. Generally, a resource shall be considered by the lead agency to be "historically significant" if the resource meets the criteria for listing on the California Register of Historical Resources.
- (4) The fact that a resource is not listed in, or determined to be eligible for listing in the California Register of Historical Resources, not included in a local register of historical resources (pursuant to section 5020.1(k) of the Public Resources Code), or identified in a historical resources survey (meeting the criteria in Public Resources Code section 5024.1(g)) does not preclude a lead agency from determining that the resource may be a historical resource as defined in Public Resources Code section 5020.1(j) or 5024.1.

Therefore, under the CEQA Guidelines, even if a resource is not included in any local, state, or federal register, or identified in a qualifying historical resources survey, a lead agency may still determine that any resource is a historical resource for the purposes of CEQA if there is substantial evidence supporting such a determination. A lead agency must consider a resource to be historically significant if it finds that the resource meets the criteria for listing in the California Register of Historical Resources.

CEQA requires a lead agency to determine if a proposed project would have a significant effect on important historical resources or unique archaeological resources. If a resource is neither a unique archaeological resource nor a historical resource, the CEQA Guidelines note that the effects of the project on that resource

shall not be considered a significant effect on the environment (CEQA Guidelines section 15064.5(c)(4)). As noted above, projects that comply with the Secretary's Standards benefit from a regulatory presumption under CEQA that they would have a less-than-significant impact on a historical resource. Projects that do not comply with the Secretary's Standards may or may not cause a substantial adverse change in the significance of a historical resource and must be subject to further analysis to assess whether they would result in material impairment of a historical resource's significance.

CALIFORNIA REGISTER OF HISTORICAL RESOURCES

The California Register, administered by the California Office of Historic Preservation, is the authoritative guide to historical and archeological resources that are significant within the context of California's history. Criteria for eligibility for inclusion in the California Register are based on and correspond to the National Register criteria. Certain resources are determined under CEQA to be automatically included in the California Register, including California properties formally eligible for or listed in the National Register. These resources are considered historical resources by the planning department for the purposes of CEQA. The evaluative criteria used for determining eligibility for listing in the California Register closely parallel those developed by the National Park Service for the National Register but include relevance to California history. To be eligible for listing in the California Register as a historical resource, a resource must meet at least one of the following criteria (Public Resources Code section 5024.1(c)):

- **Criterion 1 (Event):** Resources that are associated with events that have made a significant contribution to the broad patterns of local or regional history, or the cultural heritage of California.
- **Criterion 2 (Person):** Resources that are associated with the lives of persons important to history.
- **Criterion 3 (Design/Construction):** Resources that embody the distinctive characteristics of a type, period, region, or method of construction, or represent the work of an important creative individual, or possess high artistic values.
- **Criterion 4 (Information Potential):** Resources or sites that have yielded or have the potential to yield information important in prehistory or history.

A historical resource must also possess integrity in addition to meeting the significance criteria to be considered eligible for listing in the California Register. Consideration of integrity for evaluation of California Register eligibility closely follows the seven aspects of integrity that apply to the National Register (listed above).

LOCAL

SAN FRANCISCO GENERAL PLAN

The San Francisco General Plan (general plan) Urban Design and Housing Elements address issues related to historic preservation by providing policies that emphasize preservation of notable landmarks and historic features, remodeling older buildings, and respecting the character of older buildings adjacent to new development. Policies in the general plan relevant to cultural resources include are identified below.

URBAN DESIGN ELEMENT

The Urban Design Element of the general plan includes the following policies related to historic preservation:

Policy 2.4: Preserve notable landmarks and areas of historic, architectural or aesthetic value, and promote the preservation of other buildings and features that provide continuity with past development.

Policy 2.6: Respect the character of older development nearby in the design of new buildings.

HOUSING ELEMENT

The Housing Element of the San Francisco General Plan includes the following policies related to historic preservation:

Policy 11.7: Respect San Francisco's historic fabric, by preserving landmark buildings and ensuring consistency with historic districts.

SAN FRANCISCO PLANNING CODE

The city's commitment to historic preservation is codified in San Francisco Planning Code section 101.1(b), which establishes eight general plan priority policies. Priority Policy 7 of section 101.1(b) of the planning code addresses the City's desire to preserve landmarks and historic buildings and states "that landmarks and historic buildings be preserved."

SAN FRANCISCO HISTORIC PRESERVATION COMMISSION AND PLANNING CODE, ARTICLE 10

The San Francisco Historic Preservation Commission (HPC) is a seven-member body that makes recommendations directly to the San Francisco Board of Supervisors regarding the designation of landmark buildings, historic districts, and significant buildings. The commission approves certificates of appropriateness for individual landmarks and landmark districts designated under article 10 and permits to alter for individual properties and conservation districts listed under article 11.²³ The HPC reviews and comments on CEQA documents for projects that affect historic resources as well as projects that are subject to review under National Historic Preservation Act section 106.

The San Francisco Charter gives the HPC the ability to identify, designate, and protect historic landmarks, including buildings, sites, objects, and districts, from inappropriate alterations. Article 10 of the planning code contains regulations regarding the way the HPC exercises its authority. Since the adoption of article 10 in 1967, the City has designated 286 landmark sites and 14 historic districts under article 10.²⁴ Any property that has been locally designated as an article 10 landmark or a contributor to an article 10 district is considered a CEQA historical resource.

 ²³ Article 11 applies only within the C-3 (Downtown) Use Districts, which does not include the project site. As such, article 11 is not discussed further.
 ²⁴ City and County of San Francisco, Article 10: Preservation of Historical Architectural and Aesthetic Landmarks, 2019, <u>https://codelibrary.amlegal.com/codes/san_francisco/latest/sf_planning/0-0-0-27871</u>, accessed October 15, 2020.

SAN FRANCISCO PLANNING DEPARTMENT CEQA REVIEW PROCEDURES FOR HISTORICAL RESOURCES

The planning department prepared the *CEQA Review Procedures for Historic Resources* to provide guidance in determining whether a resource is considered a historical resource as defined by CEQA.²⁵ Three categories of properties are defined, as follows:

- Category A. Category A has two subcategories:
 - *Category A.1.* Resources listed in or formally determined to be eligible for the California Register.
 - *Category A.2.* Resources listed in adopted local registers, or properties that appear eligible, or may become eligible, for the California Register.
- **Category B.** Properties requiring further consultation and review.
- **Category C.** Properties determined not to be historical resources, or properties for which the City has no information indicating that the property is a historical resource.

To determine if a property is eligible as a historical resource for the purposes of CEQA, the planning department requires an evaluation of a property's individual significance for listing in the California Register, as well as an examination of a property's relationship to any eligible historic district.

To assess impacts within historic districts, the planning department examines several factors including, but not limited to, size and significance of a historic district, number and location of contributing features/noncontributing features, district integrity, district boundaries, and details of the proposed project. Assessments within historic districts are examined on a case-by-case basis, due to the wide variety and unique nature of historical resources and historic districts.

3.A.3 Environmental Setting

PROPERTY DESCRIPTION

Until 1990, the property at 770 Woolsey Street was used as a cut flower nursery since the establishment of the University Mound Nursery in 1922 by the Garibaldi brothers (one year after they acquired the property). The property encompasses the entirety of a 240-foot-by-400-foot (2.2-acre) city block bounded by Wayland Street to the north, Hamilton Street to the east, Woolsey Street to the south, and Bowdoin Street to the west. The majority of the project site is occupied by 18 rectangular greenhouses that are oriented parallel to Wayland and Woolsey streets. The greenhouses are arranged in two north-south rows that are separated by a central 9-foot central walkway (see **Figure 3.A-1**). The narrow gable ends of greenhouses 1–10 have frontage on Hamilton Street, and greenhouses 11–18 have frontage on Bowdoin Street.²⁶ A garage/storage building, boiler house, mixing shed, water storage and pressure tanks, a pesticide mixing tank, and two hand-dug wells are located at the south end of the property along Woolsey Street. The northwest corner of the property is open and does not contain any buildings or structures. The greenhouses have not been maintained since 1990 when the nursery shut down, and several have partially collapsed.

²⁵ San Francisco Planning Department, Preservation Bulletin No. 16, CEQA Review Procedures for Historic Resources, Draft, March 31, 2008.

²⁶ A gable end is an exterior wall that extends vertically to the underside of a sloped roof.



770 Woolsey Street Project

SOURCE: Architectural Resources Group, 2020

The project site slopes downward in the southeast direction by approximately 45 feet in elevation. Views of the property from the public right-of-way are limited by the presence of 6-foot-tall, wood-board fencing in areas around the perimeter where the greenhouses are not located.

The project site is generally unpaved and covered with low vegetation consisting of blackberry, California poppy (*Eschscholzia californica*), coyote brush (*Baccharis pilularis*), and non-native grasses. Vegetation inside the greenhouses includes roses (*Rosa* spp.), English ivy (*Hedera helix*), and other ornamental species that appear to remain from the prior nursery business. Several 6- to 8-inch-diameter trees are located east of the water pressure tank and west of greenhouses 9 and 10. Narrow concrete pedestrian paths extend along the exterior of several greenhouses, and the central walkway between the two rows of greenhouses is unpaved and covered with grass.

BUILDINGS AND STRUCTURES

GREENHOUSES

As noted above, 18 greenhouses occupy the majority of the project site and are arranged in two north–south rows, with the long axis of each greenhouse oriented parallel to Wayland and Woolsey streets and the short, gable ends parallel to Hamilton and Bowdoin streets. The greenhouses are wood-frame structures capped by slightly asymmetrical gable roofs. The roof structures are connected, forming valleys with wood box gutters spanning the length of each valley, which is referred to as a ridge-and-furrow configuration. The roofs are supported by rows of 4-inch-by-4-inch timber posts on concrete footings. There are no floors. Concrete wall footings around the perimeters of the greenhouses rise approximately 6 inches above grade, and the bottom 2 feet of the exterior walls are clad in wood siding. The one exception is greenhouse 18, which features wall footings that rise 30 inches above grade and exterior walls that are clad in horizontal, V-groove wood siding at the base. Glazing consists of lites that measure 18 inches wide by 20 inches long, overlap slightly, and are sealed with glazing putty.²⁷ Many of the lites are damaged or missing. Remnants of louvered windows located below the roof ridges provide ventilation; the exception is greenhouse 11, where the louvered window is located on the south wall of the structure.²⁸

The east row of greenhouses fronting Hamilton Street consists of greenhouses 1–10. Greenhouses 1 and 2, located at the south end of the row, are partially collapsed with only a portion of the east end of the framing intact. Greenhouse 1, which is the smallest in the row, measures approximately 33 feet wide by 80 feet long and is set back from the east property line to align with the boiler house to the east. Greenhouse 2 measures approximately 30 feet wide by 120 feet long, and greenhouses 3–10 measure 30 to 34 feet wide by 120 feet in length.

The west row of greenhouses fronting Bowdoin Street consists of greenhouses 11–18. Greenhouses 11–14, located at the south end of the row, measure approximately 34 feet wide by 110 feet long. Greenhouses 15–17 have partially collapsed. As such, greenhouse 18 is located approximately 100 feet north of greenhouse 14.

²⁷ A lite is a single piece of glass within its own frame.

²⁸ Louvers are strips of material affixed at regular intervals to a door or window frame to allow air and/or light to pass through.

BOILER HOUSE

The boiler house is a one-story building with a rectangular footprint that measures 35 feet long by 19 feet wide. The building is of wood-frame construction with a board-formed concrete foundation and a below-grade concrete floor. The boiler house is capped by an asymmetrical gable roof covered with rolled asphalt, and the southern portion of the roof has collapsed. The walls are clad in horizontal, V-groove wood siding.

The primary (east) façade faces Hamilton Street and features a hinged plywood door. The west façade features a louvered window centered below the gable. A circular metal chimney extends through the west end of the roof. A natural gas boiler and several steel fuel tanks are located inside the boiler house.

PESTICIDE MIXING TANK

A small, board-formed concrete pesticide mixing tank is located north of the boiler house. It measures approximately 48 cubic feet, is open at the top, and contains an electric motor and steel piping that extends through the east and west sides of the tank.

GARAGE/STORAGE BUILDING

The one-story garage/storage building has a rectangular footprint that measures 58 feet long by 33 feet wide, and abuts the south property line and has frontage on Woolsey Street. The building consists of wood-frame construction with a concrete slab foundation and is capped by a low-pitched gable roof with deep eaves, and is clad in horizontal, V-groove wood siding. The south façade features a one-car wood garage door and a multi-lite, steel-sash window with wood trim.

MIXING SHED

A small lean-to addition on the east façade of the garage/storage building was used as a pesticide mixing shed. The shed measures approximately 17 feet wide by 21 feet long, is clad in vertical, V-groove wood siding, and is capped by a shed roof with a shallow eave. The north façade features a hinged door constructed of vertical wood boards, and the east and south façades are devoid of window and door openings. The interior contains two aboveground storage tanks with associated pumps and pipes for mixing and storing pesticides.

ANCILLARY WATER FEATURES

An important component of the nursery operation was water circulation, and several irrigation-related features are located on the project site. Two hand-dug wells collected water from Yosemite Creek, which currently runs underground along Woolsey Street, and these are located south of the boiler house and west of the garage/storage building. The wells are constructed of concrete shafts that extend above grade and are clad in wood boards. Throughout the property, a system of pipes carried water, steam, and pesticides to the greenhouses. Hose bibs placed at regular intervals along the central pedestrian walkway delivered water, and large hoses connected to the boiler house provided steam heating. Irrigation and storm water runoff was collected in a narrow drainage channel that extends along the central walkway that empties into a ditch located north of the garage/storage building and connects to a storm drain.

Water used for irrigation and pesticides was stored in several storage and pressure tanks that connect to the mixing shed via metal pipes. A cylindrical metal water storage tank located south of the mixing shed measures 16 feet in diameter. The tank is supported by a steel cradle that is attached to a 20-square-foot

concrete pad. To the northeast is a riveted steel water pressure tank that measures 51 inches in diameter and is supported by a 42-inch-tall concrete cradle.

REGIONAL AND NEIGHBORHOOD DEVELOPMENT

In the early 19th century, the Portola neighborhood was part of the approximately 4,400-acre Rancho Ríncon de las Salinas y Potrero Viejo. This area was located several miles from the waterfront and mercantile center of San Francisco, and it remained sparsely settled following the Gold Rush and California's statehood in 1850.

By 1864, the San Francisco and San Jose Railroad Company completed a new railroad connecting San Francisco and Palo Alto. The route ran through the area, terminating near the present-day intersection of 25th and Valencia streets. Concurrently, real estate speculators and homestead associations purchased land along the rail line, subdividing lots and creating a patchwork of irregular street grids. In 1863 developer Harvey S. Brown purchased the land that would become the Portola neighborhood. His development, bounded by Silver Avenue to the north, San Bruno Avenue to the east, Olmstead Street to the south, and Oxford Street to the west, was named the University Mound Survey. By 1867, the University Homestead Association acquired the development and extended it west to Harvard Street.

Beginning in the 1860s, large numbers of Italian, German, Swiss, and Irish immigrants established small farms in the Portola neighborhood and grew a wide variety of produce for sale at local markets and restaurants. A large number of dairy farms and dairies were established in the Excelsior neighborhood immediately to the west, and by the turn of the twentieth century, Bernard and Félicie Cassou operated a dairy on the project site. While residential development in the Portola neighborhood accelerated in the 1920s, the project site retained its agricultural function and transitioned from a dairy to the University Mound Nursery in 1922.

ITALIAN AMERICAN SETTLEMENT IN SAN FRANCISCO AND THE PORTOLA AND EXCELSIOR NEIGHBORHOODS

In the early 1850s, Italian immigrants arrived in California to take part in the Gold Rush, and by 1860, they had largely dispersed throughout northern California. Approximately 2,000 Italians had settled in San Francisco by 1870, and this number more than doubled to 5,200 by 1890. The city's largest and most well-known Italian American neighborhood was North Beach, which became known as "Little Italy." By the 1920s, Italians comprised the largest European ethnic group in San Francisco, and the number of Italian immigrants soon decreased as a result of restrictive immigration laws such as the Immigration Act of 1924.

Italian settlement in the Portola and Excelsior neighborhoods was initially composed of an insular community of truck farmers (i.e., producers of fruits and vegetables for sale to the public) and dairymen whose farms ranged in size from 10 to 250 acres. Family-operated flower nurseries also proliferated in the Portola neighborhood. These successful agricultural and horticultural operations attracted Italian American residents, religious and cultural institutions, and commercial businesses to the area, and many of these remained through the mid-twentieth century. By the early 1970s, Latinx, Filipinx, and Chinese residents moved into the area, and the Italian American population in San Francisco decreased as residents migrated to the suburbs. By the turn of the twenty-first century, the Excelsior, Portola, and Visitation Valley neighborhoods were home to large concentrations of Filipinx residents.

SAN FRANCISCO'S FLOWER INDUSTRY

The flower industry in the San Francisco Bay Area began in the early 1880s when Hiroshi Yoshiike, a Japanese immigrant, sold chrysanthemums that he cultivated in Oakland from imported cuttings. Early Japanese flower growers were joined by Italian and Chinese immigrants who established family-run nurseries in the late nineteenth and early twentieth centuries. The growers formed a coalition to control their interests in the wholesale cut flower market. By specializing in particular plants, the growers reduced competition among themselves and retained a larger share of the profit by removing the middleman. Three corporations were formed: the California Flower Market (Japanese growers), the San Francisco Flower Growers Association (Italian growers), and the Peninsula Flower Growers Association (Chinese growers).

Beginning in 1909, following a citywide ban on street sales, flower sales were exclusively conducted indoors. In 1924, the wholesale flower market relocated to 5th and Howard streets in the South of Market neighborhood, then relocated again in 1956 to a new building at 640 Brannan Street.²⁹

Flower sales in California decreased beginning in the 1970s, due in large part to the rise in imported flowers. As this trend continued, many San Francisco nurseries closed their operations or relocated to San Mateo, Santa Clara, and Monterey counties, and were replaced by suburban development. The University Mound Nursery was the last commercially operated nursery in San Francisco when it closed shortly after the death of Steve Garibaldi in 1990, and cut flower nurseries are an exceedingly rare property type in the San Francisco Bay Area.

CONSTRUCTION AND OCCUPANCY HISTORY OF 770 WOOLSEY STREET

The project site is shown on the 1867 University Homestead Association's plat map (portions of Blocks 32 and 43), and it remained undeveloped until the turn of the twentieth century. In ca. 1895, Bernard and Félicie Cassou established a dairy operation located on the adjacent block to the east (bounded by Wayland, Holyoke, Woolsey, and Hamilton streets; referred to below as "the east block") and later constructed a twostory residence, bunkhouse, and several small ancillary buildings. In 1907, they purchased the block bounded by Wayland, Hamilton, Woolsey, and Bowdoin streets (i.e., the west block or project site) from the Spring Estate Co. to expand the operation. Until the early twentieth century, there was little residential development in the surrounding neighborhood, which was predominantly characterized as agricultural land.

In 1921, the Cassou family sold their dairy (including the project site and the east block) to brothers Vittorio, Antonio, Giovanni, Ernesto, and Gio Batta Garibaldi, and they established the University Mound Nursery the following year. The Garibaldi brothers retained the Cassou residence located on the east block, constructed a water tower and several outbuildings near the residence, and planted three flower fields on the south portion of the block.

Between 1921 and 1930, Vittorio, Gio Batta, and Giovanni Garibaldi constructed single-family homes for themselves on the east block. The remaining portion of the block was later sold to the Portola Building Company in 1958 and developed with single-family houses by 1962.

By 1925, the west block (i.e., the project site) was developed with 14 greenhouses flanking a central north–south walkway, a boiler house, a small windmill (no longer extant), several water tanks, and a hand-dug well

²⁹ At this writing, the wholesale flower market is being relocated to 901 16th Street in the Potrero Hill neighborhood and will soon be in operation at the new site.

3. Environmental Setting, Impacts, and Mitigation Measures 3.A. Historic Architectural Resources

(Figure 3.A-2).³⁰ A small orchard was planted in the northwest corner of the property. A fifteenth greenhouse was constructed by 1938. Three more greenhouses were built in 1956, each measuring 33 feet wide by 110 feet long, and water tanks located at the northwest corner of the property were removed. In 1958, the cousins Steve and Andrew Garibaldi took over operation of the University Mound Nursery and added a garage/storage building facing Woolsey Street, a water storage tank, the pesticide mixing shed, and the water pressure tank.³¹



The project site is outlined in red. SOURCE: OpenSFHistory, WNP14.0098.jpg

FIGURE 3.A-2 UNIVERSITY MOUND NURSERY, CA. 1925

Steve Garibaldi died unexpectedly in 1990, and the nursery closed shortly thereafter. The Garibaldi family sold the property to 140 Partners LP in 2017. Today, the property contains 14 extant greenhouses: 13 built in the 1920s (greenhouses 3–14) and one built in 1951 (greenhouse 18). Several greenhouses have partially collapsed (greenhouses 1, 2, 15, 16, and 17). The property also retains the boiler house, a variety of support buildings, wells, irrigation pipes, circulation paths, and the original spatial layout.

The project site is the lone remnant of the area's agricultural history. The blocks to the north, east, and south of the project site are developed primarily with two-story, single-family residences, and the south basin of the University Mound Reservoir was constructed on the block to the west in 1937.

³⁰ Unless otherwise noted, all buildings and structures mentioned are extant.

³¹ The foundations of two buildings are located near the southwest corner of the property. Their ages and purposes are unknown.

EVALUATION OF HISTORICAL SIGNIFICANCE

• In May 2020, the planning department prepared an HRER Part I, which outlined the significance of the project site with respect to the four criteria of the California Register.

The following provides a summary of the California Register eligibility evaluation presented in the HRER Part I.

CRITERION 1 (EVENTS)

Commercial flower nurseries were once found throughout San Francisco and the Bay Area. Particular types of flowers and crops were often associated with specific immigrant communities, and Italian farmers in San Francisco were known for their violets, ferns, roses, carnations, and other cut flowers. For nearly 50 years, the University Mound Nursery operated at 770 Woolsey Street and was owned by the Garibaldi family. Founded in 1922 by five Garibaldi brothers, the business later transferred to subsequent generations. Under the ownership of Steve Garibaldi, the nursery became known for the quality of its roses, ³² and Steve was known locally as the "Rose King."³³ The nursery was once part of a grouping of over 20 Italian-owned nurseries in the area and "represents the significant contributions of the Italian farmers in the Portola neighborhood." The property is eligible for listing in the California Register under Criterion 1 for its association with "the agricultural settlement of the Portola neighborhood by the Italian American community in the early twentieth century," and it serves as the last vestige of the Portola neighborhood's "agricultural history that has all but disappeared in the urban environment."

CRITERION 2 (PEOPLE)

No individuals of historical significance are associated with 770 Woolsey Street. While each of the Garibaldi brothers played a role in the success of the University Mound Nursery, their individual contributions are not important to local, California, or national history, and the nursery is not eligible for listing under Criterion 2.

CRITERION 3 (DESIGN/CONSTRUCTION)

The site of the University Mound Nursery at 770 Woolsey Street is composed of greenhouses, support structures, water and pesticide conveyance systems, pathways, and surviving rose plants within a compact spatial layout that, when considered together, represent a commercial industry that once flourished in the Portola and surrounding neighborhoods. The nursery originally occupied two adjacent blocks, but by 1958 the east block was sold for residential development. By the time the University Mound Nursery closed shortly after the death of Steve Garibaldi in 1990, the neighborhood had transformed from agricultural and horticultural uses to dense, low-rise residential development. The nearly complete collection of buildings, structures, and site features at 770 Woolsey Street "represents a significant property type that was once ubiquitous in neighborhoods like Portola and the Excelsior in San Francisco that have all but vanished." As "a rare vernacular cultural landscape in San Francisco," the property is eligible for listing in the California Register under Criterion 3.

³² Architectural Resources Group, 770 Woolsey Street San Francisco, California Historic Resource Evaluation, prepared for San Francisco Planning Department, March 2019, p. 35.

³³ Architectural Resources Group, 770 Woolsey Street San Francisco, California Historic Resource Evaluation, prepared for San Francisco Planning Department, March 2019, p. 37.

CRITERION 4 (INFORMATION POTENTIAL)

To be eligible for listing in the California Register under Criterion 4, a property must have the potential to yield information important in prehistory or history. Criterion 4 is generally understood to apply primarily to archaeological resources. Criterion 4 may apply to architectural resources under limited circumstances where study of the physical fabric of a building, structure, or landscape may yield important scientific and historic information that is not otherwise available in the documentary record. The buildings, structures, and site features at 770 Woolsey Street do not represent a local construction type that would yield information important regarding the prehistory or history San Francisco. Therefore, it does not qualify for listing in the California Register under Criterion 4. Additionally, the potential for the site to contain historic archeological resources is addressed in Appendix B, initial study, of this EIR.

PERIOD OF SIGNIFICANCE

The period of significance ranges from 1921, when the Garibaldi brothers purchased the property, to 1990, when Steve Garibaldi passed away and the business closed.

OVERVIEW OF INTEGRITY EVALUATION

The HRER Part I concludes that the property retains all seven aspects of integrity, as it remains largely unaltered since the Garibaldi family ceased operation of the University Mound Nursery in 1990. Despite the sale and subsequent residential development of the east block of the nursery property between 1958 and 1962 and the vacancy of the project site since the early 1990s, the University Mound Nursery retains a high level of integrity, and "the majority of the greenhouses; the boiler house and other support buildings; surviving rose plants; unpaved surface; and layout and circulation pattern of the site remain intact."³⁴ While several greenhouses have partially collapsed and the condition of individual elements has deteriorated, the site continues to convey its historical significance as part of the agricultural settlement of the Portola neighborhood by the Italian American community in the early twentieth century and as an example of a rare property type (i.e., commercial nursery) that was once ubiquitous in the Portola neighborhood of San Francisco.

CHARACTER-DEFINING FEATURES

With regard to the significance of 770 Woolsey Street under criteria 1 (events) and 3 (design/construction), the HRER Part I identifies the following character-defining features (see **Figure 3.A-3** and **Figure 3.A-4**):

SITE

- Boundary encompassing the entire 240-foot-wide by 400-foot-long block and enclosed mostly by wood fencing
- Topography that slopes downward in the southeast direction
- Overall spatial organization of the site including the greenhouses that flank a north–south central walkway and occupy the majority of the site, ancillary buildings that are clustered at the south end of the property, and small open areas at the northwest corner and the south end of the property

³⁴ Architectural Resources Group, 770 Woolsey Street San Francisco, California Historic Resource Evaluation, prepared for San Francisco Planning Department, March 2019, p. 3.



770 Woolsey Street Project

SOURCE: ESA, 2021



SOURCE: ESA, 2021
- Circulation through the site via a 9-foot-wide pathway extending north–south through the center of the site
- Surviving rose plants inside the greenhouses

GREENHOUSES

- Rectangular plans with short, gable ends facing Bowdoin and Hamilton streets
- Location in two parallel rows with the majority abutting each other
- One-story height
- Asymmetrical gable roofs
- Wood structural system with wood studs, rafters, and mullions
- Concrete wall footings around the perimeters
- Horizontal, V-groove wood siding at the base of exterior walls
- Sliding wood doors, some with concrete steps
- Louvered panels with associated chains and sprockets
- Wood box gutters and metal downspouts
- Narrow concrete walkways adjacent to the exterior façades

BOILER HOUSE

- Rectangular plan, one-story height, wood-frame construction
- Asymmetrical gable roof with no overhang and covered with rolled asphalt roofing
- Horizontal, V-groove wood siding
- Openings including hinged door on east façade; five-lite, wood-sash clerestory window on south façade; and louvered wood panels at gable ends
- Tall metal smoke stack

GARAGE/STORAGE BUILDING

- Rectangular plan, one-story height, wood-frame construction
- Low-pitch gable roof with deep eaves
- Horizontal, V-groove wood siding
- Garage doors on north and south façades
- Multi-lite, steel-sash windows on north and south façades

MIXING SHED

- Rectangular plan, one-story height, wood-frame construction
- Shed roof

- Vertical, V-groove wood siding
- Hinged door on north façade
- Associated pipes connecting to water storage and pressure tanks

INFRASTRUCTURE

• All extant water and small-scale features (secondary), including two hand-dug wells; water storage tank; water pressure tank; pesticide mixing tank; the system of piping, both above and below ground, to convey water, steam, and pesticides to the greenhouses; and the water drainage channel extending along the central pathway and terminating at the garage/storage building

HISTORIC ARCHITECTURAL RESOURCES LOCATED ADJACENT TO THE PROJECT

The project site is bordered to the north, east, and south by blocks developed with two-story, single-family residences and on the west by the south basin of the University Mound Reservoir. The south basin of the University Mound Reservoir is bounded by Bacon and Woolsey streets to the north and south, and University and Bowdoin streets to the west and east. The south basin of the University Mound Reservoir contains the McLaren Pump Station at the northwest corner of Bowdoin and Woolsey streets, and a gatehouse at the southeast corner of Bacon and University streets (also referred to as the watershed keeper's cottage). The south basin and its associated buildings have not been formerly surveyed and are Category B properties (requiring further consultation and review). The closest identified historical resource is the University Mound Old Ladies' Home located at 350 University Street, which is a designated article 10 landmark. However, the historic resource is located approximately 1,000 feet from the project site to the west of the north basin of the University Mound Reservoir; therefore, no identified historical resources are located adjacent to the project site.

3.A.4 Impacts and Mitigation Measures

This section analyzes impacts related to historical resources for the proposed project. It describes the methods used to determine the impacts of the proposed project and lists the criteria used to conclude whether an impact would be significant. Measures to mitigate (i.e., avoid, minimize, rectify, reduce, eliminate, or compensate for) significant impacts accompany the discussion of each identified significant impact.

SIGNIFICANCE CRITERIA

The proposed project would have a significant impact on historical resources if it would:

• Cause a substantial adverse change in the significance of a historical resource as defined in CEQA Guidelines section 15064.5, including those resources listed in article 10 or article 11 of the San Francisco Planning Code.

A "substantial adverse change" is defined by CEQA Guidelines section 15064.5 as "physical demolition, destruction, relocation, or alteration of the resource or its immediate surroundings such that the significance of a historical resource would be materially impaired." The significance of a historical resource is "materially

impaired," according to CEQA Guidelines Section 15064.5(b)(2), when a project "demolishes or materially alters in an adverse manner those physical characteristics" of the resource that:

- (A) Convey its historical significance and that justify its inclusion in, or eligibility for, inclusion in the California Register of Historical Resources; or
- (B) Account for its inclusion in a local register of historical resources pursuant to section 5020.1(k) of the Public Resources Code or its identification in a historical resources survey meeting the requirements of Public Resources Code section 5024.1(g), unless the public agency reviewing the effects of the project establishes by a preponderance of evidence that the resource is not historically or culturally significant; or
- (C) Convey its historical significance and that justify its eligibility for inclusion in the California Register of Historical Resources as determined by a lead agency for purposes of CEQA.

As noted above, a project that would comply with the Secretary's Standards is considered to have mitigated its impact to a less-than-significant level (CEQA Guidelines section 15064.5[b][3]). However, CEQA Guidelines section 15126.4(b)(2) states that, "[i]n some circumstances, documentation of a historical resource, by way of historic narrative, photographs or architectural drawings, as mitigation for the effects of demolition of the resource will not mitigate the effects to a point where clearly no significant effect on the environment would occur." In such cases, the demolition or substantial alteration of a historical resource would remain a significant and unavoidable impact on the environment even after the historical documentation has been completed.

APPROACH TO ANALYSIS

Potential impacts on historical resources are assessed by identifying any activities (either during construction or operation) that could affect resources that have been identified as historical resources for the purposes of CEQA. Once a resource has been identified, it then must be determined whether the proposed project would "cause a substantial adverse change in the significance" of the resource, as described above. As such, per CEQA Guidelines section 15064.5(b)(2), the following analysis considers the potential for the proposed project to materially impair the significance of a historical resource by causing direct or indirect changes to the physical characteristics of the resource that convey its historical significance. Mitigation for impacts on historical resources may involve avoidance of the resource; revision of a project to minimize the effect; or, where avoidance or minimization is not feasible, documentation of the resource. However, as noted above, documentation may not reduce impacts on a historical resource to a less-than-significant level.

IMPACT EVALUATION

Impact CR-1: The proposed project would cause a substantial adverse change in the significance of a historical resource as defined in CEQA Guidelines section 15064.5. *(Significant and Unavoidable with Mitigation)*

The proposed project would demolish all 18 greenhouses, the garage/storage building and attached mixing shed, the boiler house, two hand-dug wells, the water pressure tank, the mixing tank, the irrigation system (above and below ground), the water storage tank, and the water drainage channel along the central pathway. No buildings, properties, structures, sites, districts, or objects located on the project site are listed in article 10 of the planning code. Following demolition, 62 residential units comprised of 31 duplexes and a publicly accessible open space would be constructed on the project site. Greenhouses 1 and 2, as well as the boiler house, would be reconstructed in their original size and location within the publicly accessible open

3. Environmental Setting, Impacts, and Mitigation Measures 3.A. Historic Architectural Resources

space, using materials from the existing buildings on the project site as feasible.³⁵ The project sponsor is voluntarily proposing to reconstruct greenhouses 1 and 2 and the boiler house. It is unknown if reconstruction would meet the Secretary's Standards because the exact design and programmatic elements for the greenhouses and boiler house have yet to be determined.

As a result of the proposed project, most of the historic resources' character-defining features would be demolished; however, a few of the character-defining features would remain. The slope of the site from northwest to southeast would remain. An approximation of the historic central north–south axial circulation pattern through the project site would be maintained with the construction of a landscaped center between the rows of duplexes. This feature, referred to as "the spine," would be between 20 and 35 feet wide, and would extend nearly the full length of the project site terminating approximately 80 feet south of Wayland Street. Although this feature would be wider than the existing 9-foot-wide central walkway, the north–south axis would be maintained. The proposed project's spatial arrangement of duplexes oriented along a central north–south axis and filling the majority of the site would also partially preserve the spatial organization of the greenhouses. In addition, the surviving onsite rose plants would be preserved and replanted on the project site.

The wood fencing surrounding the site would be removed, and all of the historic buildings and structures on the project site would be demolished. Although an approximation of the greenhouses historical appearance and spatial relationship would be preserved through reconstruction of greenhouses 1 and 2 and the boiler house, the overall scale and appearance of the historical resource would be demolished.

Overall, the proposed project would only partially retain four (i.e., the slope of the site, axial circulation pattern, spatial organization, and surviving rose plants) of the 32 character-defining features that convey the property's historical significance with regard to the Italian farming community in the Portola neighborhood and its significance as a rare surviving property type that was once common in the Portola and Excelsior neighborhoods of San Francisco. Although the proposed project would rebuild greenhouses 1 and 2, as well as the boiler house (using materials from the existing buildings on the project site as feasible), demolition of the original structures would materially impair the significance of the historical resource by causing destruction of the physical characteristics of the resource that convey its historical significance. As such, the proposed project would result in a *significant and unavoidable* impact on historical resources.

Mitigation Measure M-CR-1a: Documentation of Historical Resources. Prior to the issuance of any demolition permit, the project sponsor shall retain a professional who meets the Secretary of the Interior's Professional Qualification Standards for Architectural History to prepare written and photographic documentation of greenhouses 1–18, the boiler house, the garage/storage building, the mixing shed, water tank, pesticide tank, hand-dug wells, and site in general including circulation paths and spatial arrangements. The documentation shall be prepared based on the National Park Service's Historic American Buildings Survey (HABS) or the Historic American Landscape Survey (HALS). This type of documentation is based on the Secretary of the Interior's Standards and Guidelines for Architectural and Engineering Documentation and the National Park Service's policy

³⁵ The demolished and materials from the original boiler house and greenhouses would be salvaged as much as feasible. The salvaged materials would be stored offsite, treated as appropriate, and used in the rebuilt structures. If the salvaged materials are insufficient, the project sponsor would rebuild the structures with in-kind materials. Although the boiler house also would be reconstructed, all mechanical equipment, pipes, and storage tanks would be removed.

for photographic documentation, as outlined in the National Register and National Historic Landmarks Survey Photo Policy Expansion. Documentation shall include:

- Accurate scaled mapping and architectural descriptions. If available, any existing scaled architectural plans will also be included.
- *Photographs in large-format (4"x5") black-and-white negatives and 8"x10" enlargements.* Digital photography may be substituted for large-format negative photography if archived locally.
- A report containing site-specific history and appropriate contextual information. This information shall be gathered through site-specific and comparative archival research and oral history collection as appropriate.
- *Print-on-Demand Book.* The Print-on-Demand book shall be made available to the public for distribution. The project sponsor shall make the content from the historical report, historical photographs, HABS photography, measured drawings, and field notes available to the public through a preexisting print-on-demand book service. This service will print and mail softcover books containing the aforementioned materials to members of the public who have paid a nominal fee. The sponsor shall not be required to pay ongoing printing fees once the book has been made available through the service.

The project sponsor shall transmit such documentation to the planning department and to repositories including the History Room of the San Francisco Public Library, San Francisco Heritage, the California Historical Society, the Northwest Information Center of the California Historical Information Resource System, and local or neighborhood historical societies. The qualified consultant will determine the requested documentation type for each facility, and the project sponsor will conduct outreach to identify other interested repositories. All documentation shall first be scoped and then be reviewed and approved by the planning department's preservation staff prior to issuance of the demolition or site permit.

Prior to the issuance of any demolition permit, the project sponsor shall retain a qualified professional to undertake video documentation of the affected historical resource and its setting. This mitigation measure would supplement the traditional HABS/HALS documentation, and would enhance the collection of reference materials that would be available to the public and inform future research.

The documentation shall be conducted by a professional videographer with experience recording architectural resources. The professional videographer shall provide a storyboard of the proposed video recordation for review and approval by Planning Department preservation staff.

The final video shall be reviewed and approved by the planning department preservation staff prior to issuance of a demolition permit or site permit or issuance of any Building Permits for the project. Archival copies of the video documentation shall be submitted to the planning department, and to repositories including: History Room at the San Francisco Public Library, San Francisco Heritage, Prelinger Archives, and the California Historical Society. This mitigation measure would supplement the traditional HABS documentation, and would enhance the collection of reference materials that would be available to the public and inform future research.

Mitigation Measure M-CR-1b: Salvage Plan. Prior to the issuance of any demolition permit that would remove character-defining features of, or demolish, contributing historic architectural

resources on the project site, the project sponsor shall determine in consultation with planning staff whether any such features may be feasibly salvaged, in whole or in part, during demolition/reconstruction. The project sponsor shall make a good faith effort to salvage materials of historical interest to be utilized as part of the interpretative program and for reconstruction of the boiler house, greenhouses 1 and 2, and fencing. A Salvage Plan shall be prepared by a qualified architectural historian or historic architect who meets the Secretary of the Interior's Professional Qualification Standards and submitted to planning department staff. The salvage plan shall be approved by planning department staff prior to issuance of the demolition permit.

Mitigation Measure M-CR-1c: Interpretive Program. The project sponsor shall facilitate the development of an interpretive program focused on the history of the project site highlighting the retained rose plants and reconstructed greenhouses. The planning department shall review the proposed reconstruction plan for greenhouses 1 and 2 and boiler house to ensure the retention of character defining features as feasible, and the reuse of salvaged materials and replacement materials. The interpretive program should be developed and implemented by a qualified preservation professional with demonstrated experience in displaying information and graphics to the public in a visually interesting manner. As feasible, coordination with local artists should occur. The primary goal of the program is to educate visitors and future residents about the property's historical themes, associations, and lost contributing features within broader historical, social, and physical landscape contexts.

This program shall be initially outlined in a proposal for an Historic Resources Public Interpretive Plan subject to review and approval by planning department preservation staff prior to approval of the demolition permit. The plan will include the general parameters of the interpretive program including the substance, media, and other elements of the interpretative program, which shall include within publicly accessible areas of the project site a permanent display(s) of interpretive materials concerning the history and architectural features of the historic resource, including both the site as a whole and the individual contributing buildings and features. The interpretative plan should also explore contributing to digital platforms that are publicly accessible.

The detailed content, media, and other characteristics of such an interpretive program, including a maintenance plan, shall be coordinated with the retention of the surviving rose plants (Mitigation Measure M-CR-1d) and approved by planning department staff prior to issuance of a Temporary Certificate of Occupancy.

Mitigation Measure M-CR-1d: Retention of Rose Plants. Prior to the issuance of any demolition permit, the project sponsor shall prepare a relocation and care plan for the surviving rose plants located within and around the greenhouses. This plan shall include specific locations for temporary relocation during construction, and permanent relocation to portions of the project site. In addition, the plan shall detail the care and maintenance protocols to ensure plant health both during the interim relocation and once in their final location. Final relocation sites of the rose plants shall include as many onsite locations as possible, including at least one location within the publicly accessible areas of the project site. This plan shall be prepared by a qualified horticultural expert or other landscape professional knowledgeable in the transplant and care of roses. The relocation plan shall be coordinated with the interpretive program (Mitigation Measure M-CR-1c) and approved by planning department staff prior to commencement of any demolition activities.

Significance after Mitigation: Mitigation Measures M-CR-1a through M-CR-1d would document the historic architectural resources within the project site, require the preparation of a salvage plan, review of the reconstruction plan, creation of an interpretive program, and retention and relocation of rose plants. These mitigation measures are required in order to document and interpret the significance of 770 Woolsey. These mitigation measures would create a collection of preservation materials that would be available to the public and inform future research. The mitigation would partially compensate for impacts associated with the proposed project through comprehensive documentation and memorialization of the resource. However, these mitigation measures would not be enough to avoid, rectify, reduce, or compensate for the loss of the historic architectural resources at 770 Woolsey Street so as to reduce impacts to a less-than-significant level. As such, the impact on historical resources would be *significant and unavoidable with mitigation*.

Impact CR-2: The proposed project would not cause a substantial adverse change in the significance of an adjacent historical resource. (Less than Significant)

The proposed project would not affect nearby historic resources, including the University Mound Old Ladies' Home located at 350 University Street, which is a designated article 10 landmark and located approximately 1,000 feet northwest from the project site. The physical distance between the proposed project and the historic resource at 350 University Street eliminates the potential for the proposed project to result in either direct or indirect substantial adverse impacts. In addition, the historical significance of the project site is not based on it possessing an intact and cohesive visual or functional relationship with nearby historic resources. Similarly, the significance of the closest offsite historical resource located at 350 University Street is not based on having an intact and cohesive visual or functional relationship with the project site at 770 Woolsey Street. Other properties immediately adjacent to 770 Woolsey consist of single-family homes constructed during the mid-twentieth century and the south basin of the University Mound Reservoir and its associated buildings. Based on the findings of the HRE Part 1 and HRER Part 1, none of the surrounding properties have an identified historic association with 770 Woolsey. If in the future any of these properties are identified as historic resources, it is highly unlikely that their historic association would be dependent on having a cohesive visual or functional relationship with the project site at 770 Woolsey. Additionally, the size and scale of the new construction has been determined to be compatible with the character of the surrounding neighborhood. Therefore, the proposed project would not result in a substantial adverse change in the significance of adjacent historical resources, and the impact would be *less than significant*.

Impacts CR-3, CR-4, and TCR-1, related to archeological resources, human remains, and tribal cultural resources, are discussed in the initial study (see Appendix B).

CUMULATIVE IMPACTS

Impact C-CR-1: The proposed project, in combination with cumulative projects, could result in demolition and/or alteration of historical resources, as defined in CEQA Guidelines section 15064.5. (Less than Significant)

Table 3-1, p. 3-7, and Figure 3-1, p. 3-8, in Chapter 3, Environmental Setting, Impacts, and Mitigation Measures, identifies cumulative development projects located within a 0.25-mile radius of the project site. Project-related impacts on historic architectural resources are site-specific and generally limited to the project's construction area. The 770 Woolsey Street site does not share a historical context or use with the cumulative projects located at 686 Colby Street and 666 Hamilton Street (see Table 3-1). Therefore, the impacts of the proposed project would not combine with the impacts of other projects in the vicinity of the project site (686 Colby Street and 666 Hamilton Street) to result in a cumulative impact, and no further analysis is required. As such, this impact would be **less than significant**, and no mitigation is required.

CHAPTER 4 OTHER CEQA ISSUES

This chapter discusses the following topics in relation to the proposed project: growth inducement potential, significant environmental effects that cannot be avoided if the project is implemented, significant irreversible environmental changes that would result if the proposed project is implemented, and areas of known controversy and issues to be resolved.

4.A Growth-Inducing Impacts

This section analyzes the growth-inducement potential of the proposed project, as required by California Environmental Quality Act (CEQA) Guidelines section 15126.2(d). A project is considered growth inducing if it would directly or indirectly foster substantial employment or population growth, or the construction of a substantial number of additional housing units. Examples of projects that would be likely to result in significant adverse growth inducement include extensions or expansions of infrastructure systems beyond what is needed to serve planned growth, and development of new residential subdivisions in areas that are sparsely developed or undeveloped. The project would be located on an infill site, surrounded on all sides by development, and would not result in the extension of infrastructure into undeveloped areas. Population growth that would result from the proposed project would be limited to the project site itself and the proposed project would not directly or indirectly induce growth beyond the project site.

Based on the U.S. Census Bureau's most recent American Community Survey, the City and County of San Francisco had an estimated population of about 881,549 residents, and 401,452 housing units in 2019.³⁶ Census Tract 259, which includes the project site and immediate vicinity, has a population of 4,809 and a total of 1,475 housing units.³⁷

The Association of Bay Area Governments (ABAG) prepares projections of employment and housing growth for the Bay Area. The latest projections were prepared as part of Plan Bay Area 2040, which is the current long-range Regional Transportation Plan and Sustainable Communities Strategy adopted by the Metropolitan Transportation Commission and ABAG in March 2018. The growth projections prepared by ABAG for Plan Bay Area 2040 for San Francisco County anticipate 483,700 households in 2040 (an increase of 137,800 households between 2010 and 2040) and 872,500 jobs in 2040 (an increase of 295,700 jobs between 2010 and 2040).³⁸ Additionally, the housing element projects a population of 1,085,700 by 2040.³⁹

As discussed in Section E.2, Population and Housing, in the initial study (see Appendix B), the proposed project would result in a net increase in housing on the project site by 62 dwelling units and approximately

³⁹ San Francisco Planning Department, 2014 Housing Element, San Francisco General Plan, adopted April 27, 2015,

³⁶ U.S. Census Bureau, *San Francisco County, California*, 2019, <u>https://www.census.gov/quickfacts/sanfranciscocountycalifornia</u>, accessed May 5, 2020.

 ³⁷ U.S. Census Bureau, 2018: ACS 5-Year Estimates Data Profiles, Census Tract 259, San Francisco County, California, accessed May 12, 2020.
 ³⁸ Metropolitan Transportation Commission and Association of Bay Area Government, Plan Bay Area 2010 Final Supplemental Report: Land Use and Modeling Report, July 2017, <u>http://2040.planbayarea.org/sites/default/files/2017-07/Land Use Modeling PBA2040 Supplemental%20Report 7-2017.pdf</u>, accessed May 11, 2020.

https://default.sfplanning.org/plans-and-programs/planning-for-the-city/housing-element/2014HousingElement-AllParts_ADOPTED_web.pdf, accessed May 11, 2020.

146 residents,⁴⁰ based on the average household size in San Francisco of 2.36 people per household.⁴¹ This would represent a residential population increase of approximately 3 percent over the existing census tract population, and approximately 0.02 percent citywide. The proposed project's 62 residential units would represent a fraction of the expected increase in citywide households and population, as projected in Plan Bay Area 2040 and the housing element. Therefore, the proposed project would not induce population growth but rather accommodate the need for housing within the city.

The proposed project also would not extend any roads or other infrastructure into areas where roads or other infrastructure currently do not exist, which could indirectly induce population growth.

The proposed project would provide housing that accommodates expected growth and would not induce substantial population growth beyond that projected by ABAG. Furthermore, the proposed project would contribute to ABAG's regional housing objectives, help meet regional goals that call for growth and development within walking distance of transit and increase the local and regional housing supply. Therefore, implementation of the proposed project would increase population growth only to the extent already anticipated in existing regional, local, and area plans and would not have a direct or indirect growth-inducing impact.

4.B Significant and Unavoidable Effects of the Proposed Project

In accordance with CEQA section 21067 and CEQA Guidelines sections 15126(b) and 15126.2(c), an environmental impact report (EIR) must identify significant and unavoidable environmental impacts that cannot be reduced to less than significant levels through regulatory compliance, design strategies, and/or mitigation incorporation. For the proposed project, only cultural resources (historic architectural resources) were identified as potentially subject to significant environmental effects as a result of project implementation. The findings of significant impacts are subject to final determination by the San Francisco Planning Commission as part of the certification process for this EIR.

As identified in Section 3.A, Historic Architectural Resources, under Impact CR-1, p. 3.A-21, the proposed project would demolish the structures at the project site, a historic resource as defined by CEQA. This demolition of the character-defining site features, buildings, and infrastructure would materially impair the significance of the site and thus cause a substantial adverse impact on an individual historic resource; therefore, demolition of the materials, features, and spaces that characterize the property would be considered a significant impact under CEQA. Implementation of mitigation measures M-CR-1a, Documentation of Historic Architectural Resource(s); M-CR-1b, Interpretive Program; M-CR-1c, Retention of Roses; and M-CR-1d, Salvage Plan, would lessen the impact of the proposed demolition of the structures on the site. However, these mitigation measures would not reduce this impact to a less-than-significant level. Moreover, there is no feasible mitigation measure that could avoid this project-related historic architectural resource on the project site would remain significant and unavoidable.

⁴⁰ 62 residential units x 2.36 people per household = 146 new residents.

⁴¹ U.S. Census Bureau, San Francisco County, California, 2019, https://www.census.gov/quickfacts/sanfranciscocountycalifornia, accessed May 5, 2020.

4.C Significant Irreversible Environmental Changes

In accordance with CEQA section 21100(b)(2)(B) and CEQA Guidelines section 15126.2(d), an EIR must identify any significant irreversible environmental changes that could result from implementation of the proposed project. This may include current or future uses of nonrenewable resources, and secondary or growth-inducing impacts that commit future uses of nonrenewable resources, and secondary or growth-inducing impacts that commit future generations to similar uses. According to the CEQA Guidelines, irretrievable commitments of resources should be evaluated to assure that such current consumption is justified. In general, such irreversible commitments include resources such as energy consumed and construction materials used in construction of a proposed project, as well as the energy and natural resources (notably water) that would be required to sustain a project and its inhabitants or occupants over the usable life of the project.

The initial study (Appendix B) found that the proposed project would have less-than-significant or no impacts on land use and planning. Significant irreversible changes pertaining to long-term land use changes are not anticipated with project implementation and therefore are not discussed further in this analysis. Other irreversible changes that would occur as a result of project implementation are discussed below.

4.C.1 Irreversible Changes to an Environmental Resource

No significant environmental damage (e.g., accidental spills or the explosion of a hazardous material) is anticipated with implementation of the proposed project. Compliance with federal, state, and local regulations would ensure that construction and operation activities at the project site would not result in the release of hazardous materials into the environment and that associated impacts would be less than significant (refer to Section E.17, Hazards and Hazardous Materials, of the initial study in Appendix B).

No irreversible changes, such as those that may occur from construction of a large-scale mining project, a hydroelectric dam project, or other industrial project, would result from development of the proposed project.

4.C.2 Irreversible Consumption of Nonrenewable Resources

Consumption of nonrenewable resources includes increased energy consumption, conversion of agricultural lands, and lost access to mining reserves. No agricultural lands would be converted and no access to mining reserves would be lost with construction of the proposed project (refer to Section E.18, Mineral Resources, and Section E.20, Agriculture and Forestry Resources, of the initial study in Appendix B).

Construction of the proposed project would require the use of energy, including energy produced from nonrenewable resources, and energy would be consumed during the operational period of the proposed project. Construction would also require the commitment of construction materials, such as steel, aluminum, and other metals, concrete, masonry, lumber, sand and gravel, and other such materials, as well as water. The proposed project would commit future generations to an irreversible commitment of energy, primarily in the form of fossil fuels for heating and cooling of buildings, for automobile and truck fuel, and for energy production. The project would require an ongoing commitment of potable water for building occupants and landscaping. New buildings in California are required to conform to energy conservation standards specified in California Code of Regulations title 24, which are among the most stringent in the United States. The standards establish energy budgets for different types of residential and nonresidential buildings with which all new buildings must comply. In addition, to ensure that all buildings are healthy, sustainable places to live, work, and learn, the San Francisco Green Building Code requirements are designed to reduce energy and water use, divert waste from landfills, encourage alternate modes of transportation, and support the health and comfort of building occupants in San Francisco. New construction in San Francisco must meet all applicable California and local building codes, provide onsite facilities for recycling and composting, and meet the City's green building requirements tied to the Leadership in Energy and Environmental Design and GreenPoint Rated green building rating systems, all of which would ensure that natural resources are conserved or recycled to the maximum extent feasible and that greenhouse gas emissions resulting from the proposed project would be minimized.

Even with implementation of conservation measures, the consumption of natural resources, including electricity and natural gas, would generally increase with implementation of the proposed project. However, the proposed project would not involve the wasteful, inefficient, or unnecessary consumption of energy resources, as discussed in the initial study (refer to Section E.20, Energy, of the initial study in Appendix B). Overall, the proposed project would be expected to use less energy and water over the lifetime of the proposed buildings than comparable structures not built to these same standards.

As further described in Section E.12, Utilities and Services Systems, of the initial study (see Appendix B), while the proposed project would incrementally increase the demand for water in San Francisco, the proposed project would not make a considerable contribution to a cumulative impact on water supply, and the impact would be less than significant. While potable water use would increase, the proposed project would be designed to incorporate water-conserving measures, such as low-flush toilets and urinals, as required by the San Francisco Green Building Ordinance and the City's Non-potable Water Ordinance. During construction activities, water may be used for soil compaction and dust control activities. Therefore, although water consumption would increase as a result of project construction and operation, the proposed project would not involve the wasteful, inefficient, or unnecessary use of water resources, as discussed in the initial study.

The proposed project would also incorporate transportation demand management measures into its design, such as bicycle parking and would be located in proximity to several public transportation options. These features would minimize the amount of transportation fuel consumed. As discussed in Section E.5, Transportation and Circulation, in the initial study (Appendix B), the project site is in an area with a comparably low level of VMT per capita, relative to the regional average, and new residents would most likely engage in vehicle use patterns similar to those of the existing population in the neighborhood and general vicinity. Given the project's features and location, it would not result in wasteful use of fuel from vehicle trips.

As discussed in Section E.8, Greenhouse Gas Emissions, of the initial study (Appendix B), the proposed project would not result in any significant impacts associated with an increase in greenhouse gas emissions or conflict with measures adopted for the purpose of reducing such emissions because the proposed project would comply with the regulations listed in the city's Greenhouse Gas Reduction Strategy. In addition, the proposed project would not require the construction of major new utility lines to deliver energy or natural gas because these services are already provided in the area. Therefore, the proposed project would not result in a significant impact associated with the consumption of nonrenewable resources.

4.D Areas of Known Controversy and Issues to Be Resolved

Publication of the notice of preparation of an EIR initiated a 30-day public review and comment period that began on August 26, 2020 and ended on September 25, 2020. During the review and comment period, a total of two agencies (California Department of Fish and Wildlife and Native American Heritage Commission) and seven individuals submitted comments to the planning department. Comments on the notice of preparation regarded the project description, historic resources, tribal cultural resources, land use, recreation, biological resources, hazardous material use at the site, and project alternatives. The planning department has considered the comments made by the public in preparation of the initial study and draft EIR for the proposed project. There are no known areas of controversy or issues to be resolved. 4. Other CEQA Issues 4.D. Areas of Known Controversy and Issues to Be Resolved

PAGE INTENTIONALLY BLANK

CHAPTER 5 ALTERNATIVES

5.A Introduction

This chapter presents the alternatives analysis, as required by CEQA, for the proposed project. The chapter includes a discussion of the CEQA requirements for an alternatives analysis and the methodology used for the selection of alternatives, with the intent of developing potentially feasible alternatives that avoid or substantially lessen the significant impacts identified for the proposed project while still meeting most of the basic project objectives. Because the proposed project would adversely affect a historic architectural resource, preservation alternatives have been developed to consider strategies that would lessen such impacts. This section identifies a reasonable range of historic preservation alternatives that fulfill CEQA criteria and evaluates the alternatives for their comparative merits with respect to minimizing adverse environmental effects, including those on historic architectural resources that would occur with the proposed project as designed.

After identifying the alternatives, the chapter evaluates the alternatives' impacts compared to existing environmental conditions and compared to the impacts of the proposed project. Based on this analysis, this chapter then identifies the environmentally superior alternative. Finally, it describes other alternative concepts that were considered but eliminated from detailed consideration and the reasons for their elimination.

5.A.1 CEQA Requirements for Alternatives Analysis

CEQA Guidelines section 15126.6(a) states that an environmental impact report (EIR) must describe and evaluate a reasonable range of alternatives to the proposed project that would feasibly attain most of the project's basic objectives, but that would avoid or substantially lessen any identified significant adverse environmental effects of the project. An EIR is not required to consider every conceivable alternative to a proposed project. Rather, it must consider a reasonable range of potentially feasible alternatives that will foster informed decision-making and public participation.

CEQA, the CEQA Guidelines, and the case law on the subject have found that feasibility can be based on a range of factors and influences. CEQA Guidelines section 15364 defines "feasibility" as "capable of being accomplished in a successful manner within a reasonable period of time, taking into account economic, environmental, legal, social, and technological factors." CEQA Guidelines section 15126.6(f)(1) states that the factors that may be taken into account when addressing the feasibility of alternatives include site suitability, economic viability, availability of infrastructure, general plan consistency, other plans or regulatory limitations, jurisdictional boundaries (projects with a regionally significant impact should consider the regional context), and whether the proponent can reasonably acquire, control, or otherwise have access to the alternative site (if the site is not already owned by the proponent).

The EIR must evaluate the comparative merits of the alternatives and include sufficient information about each alternative to allow meaningful evaluation, analysis, and comparison with the proposed project. Specifically, the CEQA Guidelines set forth the following criteria for selecting and evaluating alternatives:

- "An EIR shall describe a range of reasonable alternatives to the project, or to the location of the project, which would feasibly attain most of the basic objectives of the project but would avoid or substantially lessen any of the significant effects of the project, and evaluate the comparative merits of the alternatives. An EIR need not consider every conceivable alternative to a project. Rather it must consider a reasonable range of potentially feasible alternatives that will foster informed decision making and public participation. An EIR is not required to consider alternatives which are infeasible." (CEQA Guidelines section 15126.6(a))
- "[T]he discussion of alternatives shall focus on alternatives to the project or its location which are capable of avoiding or substantially lessening any significant effects of the project, even if these alternatives would impede to some degree the attainment of the project objectives, or would be more costly." (CEQA Guidelines section 15126.6(b))
- "The range of potential alternatives shall include those that could feasibly accomplish most of the basic objectives of the project and could avoid or substantially lessen one or more of the significant effects." (CEQA Guidelines section 15126.6(c))
- "The specific alternative of 'no project' shall also be evaluated along with its impact." (CEQA Guidelines section 15126.6(e)(1))
- "The alternatives shall be limited to ones that would avoid or substantially lessen any of the significant effects of the project. Of those alternatives, the EIR need examine in detail only the ones that the lead agency determines could feasibly attain most of the basic objectives of the project. The range of feasible alternatives shall be selected and discussed in a manner to foster meaningful public participation and informed decision-making." (CEQA Guidelines section 15126.6(f))

5.A.2 Alternatives Selection

This section describes the basis for determining the range of CEQA alternatives and identifies the specific alternatives that are analyzed in this EIR.

PROJECT OBJECTIVES

As presented in Chapter 2, Project Description, the project sponsor identified six objectives associated with the 770 Woolsey Street project, which are reiterated below for use in the identification, selection, and evaluation of alternatives. As noted above, an EIR need only consider alternatives that would feasibly accomplish most of the project's basic objectives.

The project sponsor's objectives for the proposed project are:

- Develop a mixed-income residential development consistent with and maximize housing density pursuant to the planning code within project site constraints and incorporating on-site affordable units.
- Replace an abandoned commercial cut-flower lot with residential uses and design consistent with the surrounding Portola neighborhood.
- Contribute to the city's housing goal as designated in the General Plan of maximizing housing potential on the project site.

- Provide public open space and replicate some site conditions to preserve elements of the historical uses.
- Provide adequate light and air to all housing units in the new development.
- Develop a project that is financially feasible and able to support the equity and debt returns as required by investors and lenders without public subsidy.

SUMMARY OF SIGNIFICANT IMPACTS

As stated in the CEQA Guidelines section 15126.6(a), alternatives to a project selected for analysis in an EIR must substantially lessen or avoid any of the significant environmental impacts associated with the project. The following summarizes the conclusions for significant impacts identified in Chapter 3 of this EIR.

SIGNIFICANT AND UNAVOIDABLE IMPACTS

The following impact would be significant and unavoidable after implementation of mitigation measures.

HISTORIC ARCHITECTURAL RESOURCES

• Impact CR-1: The proposed project would cause a substantial adverse change in the significance of a historical resource as defined in CEQA Guidelines section 15064.5.

ALTERNATIVES SCREENING AND SELECTION

In accordance with CEQA Guidelines section 15126.6(a), this EIR examines a reasonable range of alternatives to the proposed project or to the location of the project. An alternative selected for analysis must meet three criteria: (1) the alternative would attain most of the project's basic objectives, (2) the alternative would avoid or substantially lessen the significant environmental impacts of the proposed project, and (3) the alternative would be potentially feasible. An EIR need not consider an alternative whose impact cannot be reasonably ascertained and whose implementation is remote and speculative. Furthermore, an EIR need not consider a reasonable range of alternatives to foster informed decision-making and public participation.

STRATEGIES TO AVOID OR LESSEN SIGNIFICANT IMPACTS

The alternatives selection process for the proposed project was focused on identifying strategies that address the significant and unavoidable impact of the proposed project. The only significant and unavoidable impact identified for the proposed project is related to demolition of the character-defining features of the historic architectural resources on the project site. Impacts on historic architectural resources would be avoided or substantially lessened by retaining all or some of the character-defining features pertaining to the overall site proposed for demolition and rehabilitating them consistent with the Secretary of the Interior's Standards for Rehabilitation. A preservation alternatives memorandum was prepared, which developed and analyzed a range of project site.⁴² The preservation alternatives memorandum is included in Appendix C3 of this EIR. Based on information in that report, this chapter analyzes one partial preservation alternative and one full preservation alternative, which are described and analyzed in detail below.

⁴² Architectural Resources Group, Preservation Alternatives Analysis 770 Woolsey Street San Francisco, California, December 2020.

HISTORIC PRESERVATION COMMISSION

Consistent with Historic Preservation Commission resolution 0746 regarding evaluation of preservation alternatives during the EIR process, the preservation commission had the opportunity to provide early feedback on the draft preservation alternatives. On December 16, 2020, the preservation commission reviewed the two preservation alternatives.⁴³ The commission found that the two alternatives represented a reasonable range of alternatives for the EIR analysis, and would avoid or reduce the significant adverse effects of the proposed project on historic architectural resources. The preservation commission's comments requested clarification regarding the number of affordable units that would be provided under the alternatives, and programming or uses proposed for the retained greenhouses and structures on the site. In response to the preservation commission's comments, the full and partial preservation alternative descriptions were updated to clarify the number of affordable housing units and programming for the site.

5.B Summary of Alternatives

Based on the alternatives screening process described above, the following three alternatives were selected for detailed analysis in this EIR:

- Alternative A: No Project Alternative Under Alternative A, there would be no modifications to the existing historical resource. The project site would remain as is; the character-defining features of the historic architectural resources would be retained.
- Alternative B: Full Preservation Alternative Alternative B would construct 24 dwelling units on the northwest portion of the project site and would retain the majority of the character-defining features of the historic architectural resources on the remainder of the project site.
- Alternative C: Partial Preservation Alternative Alternative C would construct 40 dwelling units on the northern portion of the project site and would retain the character-defining features of the historic architectural resources located at the south end of the project site.

These three alternatives were determined to adequately represent the range of potentially feasible alternatives required under CEQA for this project. These alternatives would lessen and, in some cases, avoid the significant and unavoidable adverse impacts related to historic architectural resources that were identified for the proposed project. A "No Project Alternative" is included as Alternative A, as required by CEQA, even though it would not meet the basic project objectives. Alternatives B and C are potentially feasible options that would meet most of the basic project objectives to varying degrees; these two alternatives are the Full Preservation Alternative and Partial Preservation Alternative. The descriptions and assumptions are based on the alternatives presented in the preservation alternatives memorandum provided during the Historic Preservation Commission hearing on the preservation alternatives as well as comments provided by the Historic Preservation Commission during that hearing.⁴⁴

Table 5-1 provides a comparison of the alternative features, an impact summary related to historic architectural resources, and identifies whether the alternatives would fulfill the project objectives. For comparison purposes, **Figure 5-1** illustrates the main features and of the proposed project and alternatives. **Table 5-2** provides a comparison of the character-defining features retained under the proposed project and

⁴³ Historic Preservation Commission, memo to Eric Tao, L37 Partners Re: Meeting Notes from Review and Comment at the December 16, 2020 HPC Hearing for Preservation Alternatives for 770 Woolsey Street, December 23, 2020.

⁴⁴ Architectural Resources Group, Preservation Alternatives Analysis 770 Woolsey Street San Francisco, California, December 2020.

Project Characteristics	Proposed Project	Alternative A: No Project	Alternative B: Full Preservation	Alternative C: Partial Preservation	
DESCRIPTION	NUMBER				
Building/structure heights	35 feet	15 feet	35 feet	35 feet	
Total dwelling units	62	0	24	40	
Affordable Units	12	0	3ª	8	
Building square feet	118,100	0	46,700	77,800	
Vehicle parking spaces	62	0	24	40	
Bicycle parking class 1	62	0	24	40	
Bicycle parking class 2	4	0	2	3	
Publicly accessible open space	0.38 acre	0	1.45 acres	0.9 acre	
Number of Greenhouses Retained	2	18	11	6	
Compliance with Secretary of the Interior's Standards	No	N/A	Yes	Partially	
	ABILITY TO MEET PROJECT SPONSOR'S (BJECTIVES	·		
Develop a mixed-income residential development consistent with and maximize housing density pursuant to the Planning Code within project site constraints and incorporating on-site affordable units.	Yes	No – no construction would occur	Partially – would meet the project objective but would result in 24 units, roughly 61 percent fewer than the proposed project, as well as relatively less on-site affordable housing given lower on-site affordable requirement for projects proposing fewer than 25 units.	Partially – would meet the project objective but would result in 40 units, roughly 35 percent fewer than the proposed project	

Table 5-1 Comparison of Proposed Project and Alternatives

5. Alternatives 5.B. Summary of Alternatives

Project Characteristics	Proposed Project	Alternative A: No Project	Alternative B: Full Preservation	Alternative C: Partial Preservation		
Replace an abandoned commercial cut-flower lot with residential uses and design consistent with the surrounding Portola neighborhood without displacement.	Yes	No – no construction would occur	Yes	Yes		
Contribute to the city's goal as designated in the General Plan of maximizing housing potential in keeping with the character of the Portola District neighborhood.	Yes	No – no new housing would be constructed	Partially – would meet the project objective but to a lesser degree than the proposed project	Partially – would meet the project objective but to a lesser degree than the proposed project		
Provide public open space and replicate some site conditions to preserve elements of the historical uses.	Yes	No – no public open space would be provided	Yes	Yes		
Provide adequate light and air to all housing units in the new development.	Yes	No – no construction would occur	Yes	Yes		
Develop a project that is financially feasible and able to support the equity and debt returns as required by investors and lenders without public subsidy.	Yes	No – would not meet project objective	Partially – fewer dwelling units and higher rehabilitation costs would lessen financial feasibility to unknown extent	Partially – fewer dwelling units and higher rehabilitation costs would lessen financial feasibility to unknown extent		
HISTORIC ARCHITECTURAL RESOURCES						
Historic Architectural Resources	Impact CR-1: The proposed project would cause a substantial adverse change in the significance of a historical resource as defined in CEQA Guidelines section 15064.5. (SUM)	NI <	LTS <	SUM <		
Adjacent Historic Resources	Impact CR-2: The proposed project would not cause a substantial adverse change in the significance of an adjacent historical resource. (LTS)	NI <	LTS =	LTS =		

Project Characteristics	Proposed Project	Alternative A: No Project	Alternative B: Full Preservation	Alternative C: Partial Preservation
Cumulative	Impact C-CR-1: The proposed project, in combination with cumulative projects, could result in demolition and/or alteration of historical resources, as defined in CEQA Guidelines section 15064.5. (LTS)	NI <	LTS =	LTS =

SOURCE: Architectural Resources Group, 2020

NOTE: ^a Under planning code section 415.6(a)(1), projects that propose 10 or more and less than 25 units are required to only provide 12 percent affordable housing.

IMPACT CODES: LTS = Less than significant or negligible impact; no mitigation required NI = No impact

SUM = Significant and unavoidable adverse impact, after mitigation

= (equal to proposed project impact); < (less than proposed project impact);

Table 5-2 Character Defining Features Retained by the Proposed Project and Alternatives

Character Defining Features	Proposed Project	Alternative A: No Project	Alternative B: Full Preservation	Alternative C: Partial Preservation	
OVERALL SITE CHARACTER-DEFINING F	EATURES				
Boundary encompassing the entire block	Retained	Retained	Retained	Retained	
Topography that slopes from the northwest to southeast corner	Retained	Retained	Retained	Retained	
Spatial organization of greenhouses, ancillary buildings, and open space	Not retained	Retained	Retained	Partially retained	
Axial circulation through the site via a 9-foot-wide pathway	Partially retained	Retained	Retained	Retained	
Surviving rose plants	Retained	Retained	Retained	Retained	
GREENHOUSES					
Rectangular plans with short, gable ends facing Bowdoin and Hamilton streets	Not retained	Retained	Partially retained	Partially retained	
Location in two parallel rows with the majority abutting each other	Not retained	Retained	Partially retained	Partially retained	
One-story height	Not retained	Retained	Retained	Retained	

5. Alternatives 5.B. Summary of Alternatives

Character Defining Features	Proposed Project	Alternative A: No Project	Alternative B: Full Preservation	Alternative C: Partial Preservation	
Asymmetrical gable roofs	Not retained	Retained	Retained	Retained	
Wood structural system with wood studs, rafters, and mullions	Not retained	Retained	Retained	Retained	
Concrete wall footings around the perimeters	Not retained	Retained	Retained	Retained	
Horizontal, V-groove wood siding at the base of exterior walls	Not retained	Retained	Retained	Retained	
Sliding wood doors, some with concrete steps	Not retained	Retained	Retained	Retained	
Louvered panels with associated chains and sprockets	Not retained	Retained	Retained	Retained	
Wood box gutters and metal downspouts	Not retained	Retained	Retained	Retained	
Narrow concrete walkways adjacent to the exterior façades	Not retained	Retained	Partially retained	Partially retained	
BOILER HOUSE					
Rectangular plan, one-story height, wood-frame construction	Partially retained	Retained	Retained	Retained	
Asymmetrical gable roof with no overhang and covered with rolled asphalt roofing	Partially retained	Retained	Retained	Retained	
Horizontal, V-groove wood siding	Partially retained	Retained	Retained	Retained	
Openings including hinged door on east façade; five-lite, wood-sash clerestory window on south façade; and louvered wood panels at gable ends	Partially retained	Retained	Retained	Retained	
Tall metal smoke stack	Partially retained	Retained	Retained	Retained	
GARAGE/STORAGE BUILDING					
Rectangular plan, one-story height, wood-frame construction	Not retained	Retained	Retained	Retained	
Low-pitch gable roof with deep eaves	Not retained	Retained	Retained	Retained	
Horizontal, V-groove wood siding	Not retained	Retained	Retained	Retained	
Garage doors on north and south façades	Not retained	Retained	Retained	Retained	
Multi-lite, steel-sash windows on north and south façades	Not retained	Retained	Retained	Retained	

Character Defining Features	Proposed Project	Alternative A: No Project	Alternative B: Full Preservation	Alternative C: Partial Preservation	
MIXING SHED					
Rectangular plan, one-story height, wood-frame construction	Not retained	Retained	Retained	Retained	
Shed roof	Not retained	Retained	Retained	Retained	
Vertical, V-groove wood siding	Not retained	Retained	Retained	Retained	
Hinged door on north façade	Not retained	Retained	Retained	Retained	
Associated pipes connecting to water storage and pressure tanks	Not retained	Retained	Retained	Retained	
INFRASTRUCTURE					
All extant water and small-scale features (secondary), including two hand-dug wells; water storage tank; water pressure tank; pesticide mixing tank; the system of piping, both above and below ground, to convey water, steam, and pesticides to the greenhouses; and the water drainage channel extending along the central pathway and terminating at the garage/storage building	Not retained	Retained	Partially retained	Partially retained	

SOURCE: Architectural Resources Group, 2020



SOURCE: Iwamotoscott Architecture, 2020

770 Woolsey Street Project

alternatives. Detailed descriptions of each alternative are presented below, including the assumptions used in analyzing their environmental impacts. For each alternative, the descriptions include the land use plan and historic resource features.

5.C Alternatives Analysis

5.C.1 Alternative A: No Project Alternative

Under Alternative A (No Project Alternative), there would be no modifications to the existing historical resource. The project site would remain as is; the character-defining features of the project site would be retained. The site's existing structures related to the site's previous agricultural use, including two long rows of 18 greenhouses (in various states of disrepair) and associated agricultural accessory structures would remain; no modifications, repairs, or restoration activities would be conducted.

NO PROJECT ALTERNATIVE IMPACT ANALYSIS

HISTORIC ARCHITECTURAL RESOURCES

Under Alternative A (No Project Alternative) the project site would remain as is and there would be no demolition or modifications to any of the character-defining features of the former University Mound Nursery. Therefore, this alternative would not cause material impairment to a historical resource. Alternative A would avoid the significant and unavoidable impact that would result from the demolition of the character-defining features of the former University Mound Nursery. Mitigation Measures M-CR-1a through M-CR-1d would not apply to Alternative A. Alternative A would not result in any project-level impacts and would not contribute to any cumulative impacts related to historic architectural resources.

OTHER TOPICS

Under Alternative A, the project site would remain in its existing condition, with no new construction. Because no construction would occur under Alternative A, it would not have any impacts on any of the topics analyzed in the initial study (see Appendix B). Therefore, impacts under Alternative A related to land use and land use planning, population and housing, archeological resources, human remains, tribal cultural resources, transportation and circulation, noise, air quality, greenhouse gases, shadow, recreation, utilities and service systems, public services, biological resources, geology and soils, hydrology and water quality, hazards and hazardous materials, and energy would be less than those anticipated with implementation of the proposed project because no construction, ground-disturbing activities, or changes to operations would occur. Because all of these impacts would be avoided, none of the mitigation measures identified for the proposed project would be required under Alternative A.

ABILITY TO MEET PROJECT OBJECTIVES

Because the project would not be implemented, Alternative A would not achieve any of the project sponsor's objectives for the proposed project. Objectives to develop a mixed-income residential development consistent with and maximizing housing density within project site constraints and incorporating on-site affordable units; replace an abandoned commercial cut-flower lot with residential uses and design consistent with the surrounding neighborhood; contribute to the city's goal of maximizing housing potential; provide a public open

space that replicates some site conditions to preserve elements of the historical uses; provide adequate light and air to all housing units; and develop a financially feasible project would not be achieved.

5.C.2 Alternative B: Full Preservation Alternative

Alternative B (Full Preservation Alternative), shown in **Figure 5-2**, would construct 24 dwelling units on the northwest portion of the site while the majority of the character-defining features on the remainder of the project site, including 11 greenhouses, would be retained. The character-defining features specific to the greenhouses and individual buildings and structures and more than half of the greenhouses would be retained.

Under this alternative, greenhouses 12–18 would be demolished and 24 dwelling units would be constructed in their place. The dwelling units would be developed on the west side of the project site fronting Bowdoin and Wayland streets and would feature the same architecture and massing as the proposed project. The homes would be approximately 35 feet in height, same as the proposed project. The duplexes facing Bowdoin Street would be arranged in tandem (with front and rear unit) in parallel rows. The duplexes fronting Wayland Street would be slightly taller with denser massing than those fronting Bowdoin Street. Of the 24 total units, five would be affordable units. The 24 residential units and 24 vehicle parking spaces would be accessed via 12 new curb cuts (nine on Bowdoin Street and three on Wayland Street). Alternative B would provide 24 class 1 and two class 2 bicycle parking spaces. Similar to the proposed project, class 1 bicycle parking would be provided within the residential unit garages, while class 2 bicycle parking spaces would be provided within the sidewalk area adjacent to the project site.

Alternative B would provide approximately 1.45 acres of publicly accessible open space, as shown in Figure 5-2. Most of the existing greenhouses (1–11), the boiler house, garage/storage building, pesticide mixing tank, water pressure tank, water storage tank, two hand-dug wells, and other small-scale features would be rehabilitated following the Secretary of the Interior's Standards. Similar to the proposed project, the surviving rose plants on the site would be preserved and replanted on the project site. The portion of the property that would be retained and rehabilitated, including the 11 retained greenhouses and other ancillary structures, would be part of the publicly accessible open space. Similar to the proposed project, potential programming for the publicly accessible open space could include event space,⁴⁵ open lawn with flex space, seating areas, and areas for community members to grow and cultivate plants.

Alternative B would require excavation associated with site preparation but to a lesser degree than the proposed project due to the smaller development program. Similar to the proposed project, due to the previous agricultural operations and use of pesticide at the site, Alternative B would require the removal and disposal of approximately 6,000 cubic yards of contaminated soil in accordance with article 22A of the San Francisco Health Code and import of 6,000 cubic yards of clean soil prior during the grading/excavation stage. As with the proposed project, the existing structures would be removed from the project site to allow for the removal and disposal of contaminated soil. Materials from these original structures would be salvaged and retained as feasible. The salvaged materials would be stored off site, cleaned, dried, shaped, and treated for insects as appropriate, and used in the rebuilt structures.

⁴⁵ The greenhouses and boiler room event space would be programmed exclusively for community events. There would be no revenue generating component to these event spaces.



SOURCE: Iwamotoscott Architecture, 2020

770 Woolsey Street Project

FIGURE 5-2 FULL PRESERVATION ALTERNATIVE

FULL PRESERVATION ALTERNATIVE IMPACT ANALYSIS

HISTORIC ARCHITECTURAL RESOURCES

Under Alternative B, the majority of the character-defining features would be retained. As shown in Table 5-1, p. 5-5, and Figure 5-2, p. 5-13, Alternative B would construct 24 housing units—61 percent (38 units) fewer than the proposed project—with frontage on Bowdoin and Wayland streets. This alternative would demolish greenhouses 12–18 (several of which have partially collapsed). The remaining greenhouses 1–11 (several of which have partially collapsed) and other contributing buildings, structures, and site features (including the central pathway) would be retained and rehabilitated. Approximately 1.45 acres of open space would be provided on the southeast portion of the site (compared to 0.38 acre in the proposed project) and would be given a compatible new use, such as a publicly accessible open space. Although Alternative B would physically alter the historical resource's overall layout and replace some of the character-defining features with new construction, the character of the historical resource would remain evident.

Alternative B would not introduce conjectural features or architectural elements from other buildings to the historical resource in a way that would create a false sense of historical development. The new housing would be constructed in the northwest quadrant of the site that conforms to the existing footprint of the greenhouses. The construction would be clearly differentiated from the historic nursery by location and a contemporary design. The greenhouses proposed for demolition include three that have partially collapsed (15–17). Therefore, the proposed location of the housing in Alternative B would maximize the retention of the remaining character-defining features of the greenhouses, buildings, structures, and site features. Alternative B would preserve character-defining features and not create a false sense of historical development and therefore would meet the Secretary of the Interior's Standards for Rehabilitation. As Alternative B would comply with the rehabilitation standards, it would not adversely affect the historic resource, and would not have a significant impact under CEQA, as compared to the significant and unavoidable impacts of the proposed project. As such, the historical resource would retain its ability to convey its historic and architectural significance.

Alternative B would not cause material impairment and, unlike the proposed project, would not result in a significant and unavoidable impact related to the demolition of a historical resource. In order to ensure that the surviving roses plants are protect and replanted on the site, Mitigation Measure M-CR-1d, Retention of Rose Plants would be required for Alternative B. Otherwise, historic architectural resource impacts would be less than significant, and Mitigation Measures M-CR-1a through M-CR-1c would not be applicable under this alternative.

OTHER TOPICS

Alternative B would develop the site with 24 dwelling units and would have a less intensive land use development program (118,100 square feet of development under the proposed project and 46,700 square feet under this alternative). As a result, the construction and operational impacts of Alternative B under each of the initial study environmental topics would be similar to those of the proposed project but reduced. Specifically, impacts related to land use and planning, utilities and service systems, public services, population and housing, greenhouse gas emissions, and recreation (discussed in the initial study [see Appendix B]) would be less substantial than those of the proposed project, given the reduced development intensity. These impacts would be less than significant, as with the proposed project.

The impacts of Alternative B related to site-specific conditions, such as those related to transportation and circulation, noise, air quality, biological resources, geology and soils, hydrology and water quality, and hazards and hazardous materials, would be similar to those of the proposed project but reduced because development under Alternative B would reduce the number of dwelling units. This would result in less overall construction, shorter construction time periods, less excavation, fewer vehicle trips, and less development intensity. These impacts would be less than significant, as with the proposed project. To address operational noise, Mitigation Measure M-NO-3 would still apply to Alternative B; this impact would be less than significant with mitigation. To address air quality impacts during construction, Mitigation Measure M-AQ-2 would still apply to Alternative B; this impact would also be less than significant with mitigation. To address to nesting birds and bats during construction, Mitigation Measure M-BI-1a and M-BI-1b would still apply to Alternative B; this impact would also be less than significant with mitigation.

Alternative B would involve less excavation and ground-disturbing impacts. However, the potential to encounter undiscovered archaeological resources, human remains, tribal cultural resources and paleontological resources would be the same as they would be under the proposed project. The following mitigation measures, included in the initial study, would be applicable to Alternative B, as with the proposed project: Mitigation Measures M-CR-2, M-TCR-1, M-GE-5a, and M-GE-5b. This would result in less-thansignificant impacts with mitigation.

As with the proposed project, Alternative B would have less-than-significant impacts related to energy and no impacts on mineral resources or agricultural or forestry resources because none are present within the project site.

ABILITY TO MEET PROJECT OBJECTIVES

Alternative B would meet most of the project objectives, as shown in Table 5-1. In particular, objectives to replace an abandoned commercial cut-flower lot with residential uses and design consistent with the surrounding neighborhood; provide public open space that replicates some site conditions to preserve elements of the historical uses; and provide adequate light and air to all housing units in the new development would be met. Alternative B would provide 24 dwelling units (about 61 percent fewer units) compared to the proposed project. Therefore, this alternative would partially meet the objectives to develop a mixed-income residential development consistent with and maximizing housing density within project site constraints and incorporating on-site affordable units; and contribute to the city's goal of maximizing housing potential. However, by proposing fewer than 25 units, Alternative B would be subject to a lower affordable housing requirement under the planning code, meaning it is foreseeable that Alternative B would provide a smaller proportion of on-site affordable housing compared to total units proposed than the proposed project. In addition, the cost to construct Alternative B (including preservation of the existing structures not reasonably anticipated to generate revenue and a smaller number of revenue-generating new dwelling units) would make Alternative B less financially feasible than the proposed project and therefore would not fully meet the objective related to economic feasibility.

5.C.3 Alternative C: Partial Preservation Alternative

Alternative C (Partial Preservation Alternative), shown in **Figure 5-3**, would construct 40 dwelling units on the northern portion of the site while the character-defining features at the south end of the of the site, including six greenhouses, would be retained. The character-defining features specific to the greenhouses

and individual buildings and structures would be retained; however, under this alternative, the majority of the greenhouses would be demolished.

Under this alternative the greenhouses on the northern portion of the site, including greenhouses 4–10, 14, 18, and remnants of greenhouses 15–17, would be demolished and 40 dwelling units would be constructed in their place. The dwelling units would front onto Bowdoin, Wayland, and Hamilton streets and would feature the same architecture and massing as the proposed project. The homes would be approximately 35 feet in height, same as the proposed project. The duplexes facing Bowdoin and Hamilton streets would be arranged in tandem (with front and rear unit) in parallel rows. The duplexes fronting Wayland Street would be slightly taller with denser massing than those fronting Bowdoin Street. Of the 40 total units, eight would be affordable units. The 40 residential units and 40 vehicle parking spaces would be accessed via 19 new curb cuts (six on both Bowdoin and Wayland streets, seven on Hamilton Street). Alternative C would provide 40 class 1 and three class 2 bicycle parking spaces. Similar to the proposed project, class 1 bicycle parking would be provided within the residential unit garages, while class 2 bicycle parking spaces would be provided within the sidewalk area adjacent to the project site.

Alternative C would provide approximately 0.9 acre of publicly accessible open space, as shown in Figure 5-3. Some of the existing greenhouses (1–3 and 11–13), the boiler house, garage/storage building, mixing tank, water pressure tank, water storage tank, two hand-dug wells, and other small-scale features would be rehabilitated following the Secretary of the Interior's Standards. Similar to the proposed project, the surviving rose plants on the site would be preserved and replanted on the project site. The portion of the property that would be retained and rehabilitated, including the three retained greenhouses and other ancillary structures, would be part of the publicly accessible open space. Similar to the proposed project, potential programming for the publicly accessible open space could include event space, ⁴⁶ open lawn with flex space, seating areas, and areas for community members to grow and cultivate plants.

Alternative C would require excavation associated with site preparation but to a lesser degree than the proposed project due to the smaller development program. Similar to the proposed project, due to the previous agricultural operations and use of pesticide at the site, Alternative B would require the removal and disposal of approximately 6,000 cubic yards of contaminated soil in accordance with article 22A of the San Francisco Health Code and import of 6,000 cubic yards of clean soil prior during the grading/excavation stage. As with the proposed project, the existing structures would be removed from the project site to allow for the removal and disposal of contaminated soil. Materials from these original structures would be salvaged and retained as feasible. The salvaged materials would be stored off site, cleaned, dried, shaped, and treated for insects as appropriate, and used in the rebuilt structures.

⁴⁶ The greenhouses and boiler room event space would be programmed exclusively for community events. There will be no revenue-generating component to these event spaces.



SOURCE: Iwamotoscott Architecture, 2020

770 Woolsey Street Project

FIGURE 5-3 PARTIAL PRESERVATION ALTERNATIVE

PARTIAL PRESERVATION ALTERNATIVE IMPACT ANALYSIS

HISTORIC ARCHITECTURAL RESOURCES

Under Alternative C, the former nursery would undergo significant alterations. This alternative would demolish the majority of the greenhouses, and the characteristic spatial organization of the contributing buildings, structures, and site features would be only partially retained. The demolition of the greenhouses would result in a substantial change to the distinctive materials, features, and special relationships that characterize the site. In particular, the overall scale of the former nursery and the distinctive, repetitive massing of the gable-roofed greenhouses would be significantly diminished through the demolition of the majority of the greenhouses along Hamilton Street. Approximately 0.9 acre of publicly accessible open space would be provided on the southeast portion of the site (compared to 0.38 acre in the proposed project) and would be given a compatible new use, such as a publicly accessible open space. Character-defining features to be retained and rehabilitated (greenhouses 1–3 and 11–13 and other contributing buildings, structures, and small-scale features) would largely be concentrated in the southern portion of the project site, and the majority of the block would be redeveloped. For these reasons, the historic character of the former nursery would be materially impaired. Although Alternative C would retain more character-defining features than the proposed project, Alternative C would still cause material impairment to the historical resource, resulting in an impact that would be significant and unavoidable with mitigation, same as under the proposed project. Mitigation Measures M-CR-1a through M-CR-1d would be applicable under this alternative.

OTHER TOPICS

Alternative C would develop the site with 40 dwelling units and would have a less intensive land use development program (118,100 square feet of development under the proposed project and 77,800 square feet under this alternative). As a result, the construction and operational impacts of Alternative C under each of the initial study environmental topics would be similar to those of the proposed project but reduced. Specifically, impacts related to land use and planning, utilities and service systems, public services, population and housing, greenhouse gas emissions, and recreation (discussed in the initial study [see Appendix B]) would be less substantial than those of the proposed project, given the reduced development intensity. These impacts would be less than significant, as with the proposed project.

The impacts of Alternative C related to site-specific conditions, such as those related to transportation and circulation, noise, air quality, biological resources, geology and soils, hydrology and water quality, and hazards and hazardous materials, would be similar to those of the proposed project but reduced because development under Alternative C would reduce the number of dwelling units. This would result in less overall construction, shorter construction time periods, less excavation, fewer vehicle trips, and less development intensity. These impacts would be less than significant, as with the proposed project. To address operational noise, Mitigation Measure M-NO-3 would still apply to Alternative C; this impact would be less than significant with mitigation. To address air quality impacts during construction, Mitigation Measure M-AQ-2 would still apply to Alternative C; this impact would also be less than significant with mitigation impacts to nesting birds and bats during construction, Mitigation Measure M-BI-1a and M-BI-1b would still apply to Alternative C; this impact would also be less than significant with mitigation.

Alternative C would involve less excavation and ground-disturbing impacts. However, the potential to encounter undiscovered archaeological resources, human remains, tribal cultural resources and

paleontological resources would be the same as they would be under the proposed project. The following mitigation measures, included in the initial study, would be applicable to Alternative C, as with the proposed project: Mitigation Measures M-CR-2, M-TCR-1, M-GE-5a, and M-GE-5b. This would result in less-than-significant impacts with mitigation.

As with the proposed project, Alternative C would have less-than-significant impacts related to energy and no impacts on mineral resources or agricultural or forestry resources because none are present within the project site.

ABILITY TO MEET PROJECT OBJECTIVES

Alternative C would meet most of the project objectives. In particular, objectives to replace an abandoned commercial cut-flower lot with residential uses and design consistent with the surrounding neighborhood; provide public open space that replicates some site conditions to preserve elements of the historical uses; and provide adequate light and air to all housing units in the new development would be met. Alternative C would provide 40 dwelling units (about 35 percent fewer units) compared to the proposed project. Therefore, this alternative would partially meet the objectives to develop a mixed-income residential development consistent with and maximizing housing density within project site constraints and incorporating on-site affordable units; and contribute to the city's goal of maximizing housing potential. In addition, the cost to construct Alternative C (including preservation of some of the existing structures not reasonably anticipated to generate revenue and fewer revenue-generating new dwelling units) would make Alternative C less financially feasible than the proposed project and therefore would not fully meet the objective related to economic feasibility.

5.D Environmentally Superior Alternative

CEQA Guidelines section 15126(c) requires an EIR to identify the alternative to the proposed project that would have the least adverse environmental impacts (i.e., the "environmentally superior alternative"). Alternative A (No Project Alternative) is considered the environmentally superior alternative because none of the significant or less-than-significant impacts that would occur with proposed project implementation would occur with implementation of Alternative A. However, Alternative A does not meet any of the project sponsors objectives.

If it is found that the environmentally superior alternative is the No Project Alternative, CEQA requires another alternative to be identified as the environmentally superior alternative. Because Alternative B would preserve more components of the character-defining features of the historic architectural resources on the property than the proposed project or Alternative C, Alternative B is considered the environmentally superior alternative.

Table 5-1, p. 5-5, provides a comparison of impact for the proposed project and each alternative.

5.E Alternatives Considered but Rejected

CEQA Guidelines section 15126(c) requires an EIR to identify alternatives that were considered by the lead agency throughout the planning process but rejected due to infeasibility.

In preparing the preservation alternatives, one full preservation alternative and one partial preservation alternative were considered, but rejected, as described below.

5.E.1 Full Preservation Alternative with Seven-Story Residential Tower

A full preservation alternative concentrating 63 dwelling units at the northwest corner of the parcel in a seven-story building over a partially subterranean garage was considered. This alternative would require the demolition of greenhouses 12–18 and the tower would be constructed in their place. The remaining greenhouses and other contributing buildings, structures, small-scale features, rose plants, and the central pathway would be retained. Although this alternative would result in a similar unit count as the proposed project, it was ultimately rejected because the residential tower's height (seven stories or approximately 70 feet tall) and massing would be out-of-scale with the historic greenhouses, not visually compatible with the historic property and out of compliance with the height limit applicable to the project site.

5.E.2 Partial Preservation Alternative 1

A partial preservation alternative of 40 dwelling units facing Bowdoin and Wayland streets north of greenhouse 11 and facing Hamilton Street between greenhouses 3 and 9 was considered. This alternative would require demolition of greenhouses 4–8 and 12–18, and the dwelling units would be constructed in their place. Greenhouses 1–3 and 9–11, and other contributing buildings, structures, small-scale features, rose plants, and the central pathway would be retained. This alternative was considered but rejected because it would physically and visually separate greenhouses 9 and 10 at the northeast corner from the cluster of greenhouses and ancillary buildings at the south end of the site—thereby interrupting the larger spatial organization of the greenhouses and ancillary buildings. This could also result in greenhouses 9 and 10 more prone to demolition in the future.

5.E.3 Partial Preservation Alternative 2

A partial preservation alternative of 40 dwelling units facing Bowdoin and Wayland streets was considered. This alternative would require demolition of greenhouses 7–10 and 12–18, and the dwelling units would be constructed in their place. Greenhouses 1–6, 11, and other contributing buildings, structures, small-scale features, rose plants, and the central pathway would be retained. The retention of greenhouses 1–6 would convey the scale, density, and rhythm of these structures. However, this alternative was considered but rejected because it would not create a cohesive group of greenhouses.

CHAPTER 6 REPORT PREPARERS

6.A San Francisco Planning Department

Environmental Planning Division

49 South Van Ness Avenue, Suite 1400 San Francisco, CA 94103

- Environmental Review Officer: Lisa Gibson
- Principal Environmental Planner: Chelsea Fordham
- Senior Environmental Planner: Jenny Delumo
- Principal Preservation Planner: Allison Vanderslice
- Senior Preservation Planner: Justin Greving
- Current Planner: Kimberly Durandet

6.B Environmental Consultants

Environmental Science Associates

550 Kearny Street, Suite 800 San Francisco, CA 94108

- Project Director: Eryn Brennan
- Project Manager: Susan Yogi
- Becky Urbano
- Johanna Kahn
- Jill Feyk-Miney
- Joel Miller
- James Songco

Architectural Resources Group

Pier 9, The Embarcadero, Suite 107 San Francisco, CA 94111

• Architectural Historian/Preservation Planner: Erica Schultz

6.C Project Sponsor

140 Partners LP

988 Market Street, Suite 400 San Francisco, CA 94102

- Managing Partner: Eric Tao
- Development Manager: Maya Theuer

6.D Project Architect

IwamotoScott Architecture

128 Texas Street San Francisco, CA 94107

• Mark Shkolnikov

6.E Project Sponsor's Legal Counsel

J. Abrams Law, P.C.

One Maritime Plaza, Suite 1900 San Francisco, CA 94110

- Jim Abrams
- Nick Roosevelt
APPENDIX A

Notice of Preparation and Comments Received





49 South Van Ness Avenue, Suite 1400 San Francisco, CA 94103 628.652.7600 www.sfplanning.org

PUBLIC NOTICE

NOTICE OF PREPARATION OF Environmental impact report

Date:	August 26, 2020
Case No.:	2017-012086ENV
Project Title:	770 Woolsey Street Project
Zoning:	RH-1 (Residential House, One Family) Use District
	40-X Height and Bulk District
Block/Lot:	Assessor's Block 6055/001
Lot Size:	2.2 acres (approximately 96,000 square feet)
Project Sponsor:	Maya Theuer, 140 Partners LP – 415.394.9012
	maya@L37partners.com
Lead Agency:	San Francisco Planning Department
Staff Contact:	Alana Callagy – 628.652.7540
	alana.callagy@sfgov.org

Introduction

The San Francisco Planning Department has prepared this Notice of Preparation (NOP) of an Environmental Impact Report (EIR) in connection with the project listed above. The purpose of the EIR is to provide information about the potential significant physical environmental effects of the proposed project, to identify possible ways to minimize the project's significant adverse effects, and to describe and analyze possible alternatives to the proposed project. The San Francisco Planning Department is issuing this NOP to inform the public and responsible and interested agencies about the proposed project and the intent to prepare an EIR. This NOP is also available online at: <u>http://www.sf-planning.org/sfceqadocs</u>.

Project Summary

The project sponsor (140 Partners LP) proposes to demolish the existing structures at 770 Woolsey Street and construct 63 residential units, comprised of 31 duplexes and one single- family home, and 64 vehicle parking spaces accessed via 32 new curb cuts. The proposed residential buildings would range in height from approximately 30 to 40 feet in height. Of the 63 total units, 13 would be affordable housing units. The project proposes to regrade the project site and improve the right-of-way along the block's street frontages, which would include four bulb-outs, adding a sidewalk along Wayland Street, filling an existing trench as well as adding a sidewalk and curb along Bowdoin Street, and adding street trees along the perimeter of the block.

The proposed project would also include an approximately 0.36-acre (15,500-square-foot) public park/community garden and approximately 19,700 square feet of private common open space for residents.

Project Location and Site Characteristics

The project site is a 2.2-acre site in the Portola neighborhood bounded by Wayland Street to the north, Hamilton Street to the east, Woolsey Street to the south, and Bowdoin Street to the west (see **Figure 1, Project Location**). The site contains existing structures related to the site's previous agricultural use, including two long rows of 18 greenhouses (three of which have collapsed) arranged along a central, north–south pathway, and associated agricultural accessory structures. The short ends of the greenhouses parallel Bowdoin and Hamilton streets, while the long ends parallel Woolsey and Wayland streets. The eastern row contains 10 greenhouses lining the west side of Hamilton Street and the western row contains eight greenhouses (three of which have collapsed) lining the east side of Bowdoin Street.

Agricultural operations on the project site were discontinued in the early 1990s and the site is currently not in use. The southern end of the project site contains accessory buildings and structures, including a garage/storage building, mixing shed, water storage and pressure tanks, boiler house, pesticide mixing tank, and hand-dug wells. The site contains a series of pipes that were used to convey water, steam, and pesticides to the greenhouses. There are several rose plants located within the greenhouses, which are presumed to have survived from the nursery business.¹ The site is enclosed by a combination of the greenhouse or accessory structure façades along Woolsey and Hamilton streets and a wooden fence along the perimeter.

The project site is served by the city's transit network and is located adjacent to the 54-Felton line. Other Muni bus lines that operate within 0.5 miles of the project include the 8-Bayshore, 9-San Bruno, 9R-San Bruno Rapid, 29-Sunset, and 44-O'Shaughnessy.

The project site slopes from an elevation of approximately 145 feet above sea level at the northwest corner at Bowdoin and Wayland streets to an elevation of approximately 100 feet above sea level at the southeast corner of Woolsey and Hamilton streets.

Site History

The project site and the adjacent block to the east were purchased by the Garibaldi brothers in 1921.² The University Mount Nursery was established across both blocks in 1922. The eastern block bounded by Wayland Street to the north, Holyoke Street to the east, Woolsey Street to the south, and Bowdoin Street to the west, was subsequently subdivided and developed with single-family residences between 1925 and 1962. The Garibaldis continued operation of the nursery on the project site until it closed in the early 1990s. In 2017, the family sold the property to the project sponsor.

² Ibid. Unless otherwise noted, the site history description is based on this report.



¹ Architectural Resource Group, *Historic Resource Evaluation: 770 Woolsey Street, San Francisco*, March 2019, p. 6.



SOURCE: ESRI, 2020; ESA, 2020

770 Woolsey Street Project

Figure 1 Project Location Map The greenhouses on-site were constructed at various times between 1921 and 1951. The Garibaldis added the following structures to support the nursery operations, which remain at the site (see **Figure 2, Existing Site**):

- A one-story boiler house abutting the eastern property line (built 1925). This one-story wood frame building measures approximately 35 feet long by 19 feet wide, and has a tall, circular metal chimney that extends through the roof ridge at the west end of the building;
- A one-story wood frame garage/storage building abutting the property line on Woolsey Street (built 1958). The building measures approximately 58 feet long by 33 feet wide;
- A pesticide mixing tank (built between 1938 and 1941);
- A 16-foot-diameter cylindrical water storage tank south of the pesticide mixing tank, set on a steel cradle on a 20-foot-square concrete pad (built 1953);
- A 51-inch-diameter water pressure tank north of the water storage tank and east of the mixing shed, resting on an approximately 42-inch-tall concrete cradle (built. 1960s or later);
- A one-story pesticide mixing shed measuring approximately 17 feet wide by 21 feet long abutting the eastern façade of the garage/storage building (built between 1963 and 1965);
- A one-story garage/storage building facing Woolsey Street (built 1958);
- Two hand dug wells (built in 1925 and 1938); and
- A wood fence around the perimeter of the site (built 1958).

Current Historic Status

The property at 770 Woolsey Street is eligible for the California Register of Historical Resources under Criterion 1 (association with significant events), and Criterion 3 (architectural significance) as a significant cultural landscape.³ The University Mount Nursery at 770 Woolsey Street is determined to be eligible under Criterion 1 as a significant cultural landscape associated with the agricultural settlement of the Portola neighborhood by the Italian American community in the early twentieth century. The property is recommended eligible under Criterion 3 as a rare vernacular cultural landscape in San Francisco. The small-scale, family-operated commercial nursery is a rare property type, both in the city and the larger San Francisco Bay Area, with the majority of other nurseries demolished and redeveloped for other uses.⁴

The character-defining features of the property include those pertaining to the overall site, including but not limited to the spatial organization of the site as well as the site circulation. Other character-defining features include the plan, orientation, and vernacular architectural details of the greenhouses, the boiler house, the garage/storage building, and the mixing shed.

⁴ Ibid.



³ San Francisco Planning Department, *Historic Resources Evaluation Response*, May 5, 2020.



SOURCE: Architectural Resources Group, 2020

770 Woolsey Street Project

Zoning and General Plan Land Use Designations

The project site is located within the RH-1 (Residential House, One Family) zoning district, and is within the 40-X height and bulk district.

Project Description

Residential Units

The project proposes to demolish the existing structures on the project site and construct 63 dwelling units, comprised of 31 duplexes and one single-family home, totaling approximately 124,900 square feet (see Figure 3, Site Plan). The block would be subdivided into 32 lots ranging in area from approximately 2,200 to 2,750 square feet. Thirteen of the units would be affordable housing units. The homes would be three to four stories and approximately 30 to 40 feet in height. The ground level of each duplex would contain garage and/or storage space. Levels 2 through 3 would contain the dwelling units consisting of two- and three-bedroom units. The single family home at the corner of Bowdoin and Wayland streets would be a four-bedroom unit.

Each duplex residential unit would include one vehicle parking space, and the single-family dwelling unit would include two vehicle parking spaces (64 total) that would access the site through 32 new curb cuts on the project site (nine on both Bowdoin and Hamilton streets and seven on both Wayland and Woolsey streets).

Open Space

The proposed project would provide an approximately 0.36-acre (15,500-square-foot) public park/community garden at the corner of Woolsey and Hamilton streets. Within this space, the project sponsor proposes to repurpose the 16-foot-diameter water tank and boiler house and incorporate them as part of the public park/community garden as well as build two greenhouses at the west and north end. To the extent feasible, efforts would be made to reclaim the wood from the existing greenhouses for use in the construction of new greenhouses and fencing around the public park/community garden space. The south end of the public park/community garden would also include an area to allow the development of a community event space.

In addition, the proposed project would include approximately 19,700 square feet of private common open space for the residents. Common space for the residents would be provided along the center of the site on a north-south alignment. As with the public park, reclaimed wood from the greenhouses would be used as fencing for the residential common space.

Streetscape and Sidewalk Improvements

The proposed project would provide streetscape and sidewalk improvements along the block's street frontages in accordance with the San Francisco Better Streets Plan. The improvements would include four bulb-outs, adding a sidewalk along Wayland Street, filling the trench and adding a sidewalk and curb along Bowdoin Street, landscaping, and planting approximately 26 street trees along the perimeter of the block.





SOURCE: Iwamotoscott Architecture, 2020

770 Woolsey Street Project

Project Construction

Construction of the proposed project is anticipated to occur over an 18-month period and begin in early 2022. Construction would begin with mobilization and staging, followed by demolition and site preparation, structural and large utility work, and architectural and site work. Construction would occur in a single phase, with no occupancy of the residential units until construction is complete. The site preparation and grading would require approximately 10,800 cubic yards of excavation to a maximum depth of 5 feet. Approximately 6,000 cubic yards of soil would be hauled offsite and 6,000 cubic yards of clean soil would be imported.

Required Project Approvals

San Francisco Planning Commission

- Certification of the EIR and adoption of findings under the California Environmental Quality Act (CEQA)
- Conditional Use Authorization for the Planned Unit Development

San Francisco Department of Building Inspection

- Issue demolition, grading, and site construction permits
- Issue night noise permit for nighttime construction

San Francisco Public Works

- Subdivision approval
- If sidewalk(s) are used for construction staging and pedestrian walkways are constructed in the curb lane(s), approval of a street space permit from the Bureau of Street Use and Mapping
- Street and sidewalk permits for modifications to public streets, sidewalks, or curbcuts

San Francisco Public Utilities Commission

- Review and approval of any changes to sewer laterals, existing publicly owned fire hydrants, water service laterals, water meters, and/or water mains
- Review and approval of the size and location of new fire, standard, and/or irrigation water service laterals
- Review and approval of stormwater design features, including a stormwater control plan, in accordance with city's 2016 Stormwater Management Requirements and Design Guidelines
- Review and approval of the project's landscape and irrigation plans per the Water Efficient Irrigation Ordinance and the SFPUC Rules and Regulations Regarding Water Service to Customers

San Francisco Department of Public Health

- Review and approval of a site mitigation plan, in accordance with San Francisco Health Code article 22A (Maher Ordinance)
- Review and approval of a construction dust control plan, in accordance with San Francisco Health Code article 22B (Construction Dust Control Ordinance)



Summary of Potential Environmental Issues

The proposed project could result in potentially significant environmental effects. As such, the San Francisco Planning Department will prepare an initial study and an EIR to evaluate the physical environmental effects of the proposed project. As required by CEQA, the EIR will further examine those issues identified in the initial study to have potentially significant effects, identify mitigation measures, and analyze whether the proposed mitigation measures would reduce the environmental effects to less-than-significant levels. The initial study will be published as an appendix to the draft EIR and will be considered part of the EIR.

The initial study and EIR will be prepared in compliance with CEQA (California Public Resources Code sections 21000 et seq.), the CEQA Guidelines, and Chapter 31 of the San Francisco Administrative Code, and will address project-specific construction and operational impacts. The initial study and EIR are informational documents for use by governmental agencies and the public to aid in the planning and decision-making process. The initial study and EIR will disclose any physical environmental effects of the proposed project and identify possible ways of reducing or avoiding their potentially significant impacts.

The initial study and EIR will evaluate the environmental impacts of the proposed project resulting from construction and operation activities, and will propose mitigation measures for impacts determined to be significant. The initial study and EIR will also identify potential cumulative impacts that consider impacts of the proposed project in combination with impacts of other past, present, and reasonably foreseeable future projects. The initial study and EIR will address all environmental topics in the San Francisco Planning Department's CEQA environmental checklist, including the following environmental topics:

- Land Use and Planning
- Population and Housing
- Cultural Resources
- Tribal Cultural Resources
- Transportation and Circulation
- Noise
- Air Quality
- Greenhouse Gas Emissions
- Wind
- Shadow

- Recreation
- Utilities and Service Systems
- Public Services
- Biological Resources
- Geology and Soils
- Hydrology and Water Quality
- Hazards and Hazardous Materials
- Mineral Resources
- Energy
- Agriculture and Forestry Resources
- Wildfire

In addition, the EIR will include an analysis of the comparative environmental impacts of feasible alternatives to the proposed project that would reduce or avoid one or more of the significant impacts of the project while still meeting most of the project objectives. Alternatives to be considered include a no project alternative, which considers reasonably foreseeable conditions at the project site if the proposed project is not implemented, as well as partial and full historic preservation alternatives, which consider alternative project scenarios that would partially and/or fully preserve the historic resource that would be demolished under the proposed project. Other alternatives will be evaluated as necessary, depending on the results of the impact analyses of the various environmental topics listed above. The EIR will also include a discussion of topics required by CEQA, including the project's growth-inducing impacts, significant unavoidable impacts, significant irreversible impacts, any known controversy associated with the project and its environmental effects, and issues to be resolved by decision-makers.



Finding

This project may have a significant effect on the environment and an EIR is required. This finding is based upon the criteria of CEQA Guidelines sections 15064 (Determining Significant Effect) and 15065 (Mandatory Findings of Significance). The purpose of the EIR is to provide information about potential significant physical environmental effects of the proposed project, to identify possible ways to minimize the significant effects, and to describe and analyze possible alternatives to the proposed project. Preparation of an NOP or EIR does not indicate a decision by the City to approve or disapprove the project. However, prior to making any such decision, the decision makers must review and consider the information contained in the EIR.

Public Scoping Process

Written comments will be accepted until 5 p.m. on September 25, 2020. Written comments should be sent or emailed to Alana Callagy, San Francisco Planning Department, 49 South Van Ness Avenue, Suite 1400, San Francisco, CA 94103, or alana.callagy@sfgov.org and should reference the project title and case number on the front of this notice.

State Agencies: If you work for an agency that is a Responsible or a Trustee Agency, we need to know the views of your agency regarding the scope and content of the environmental information that is germane to your agency's statutory responsibilities in connection with the proposed project. Your agency may need to use the EIR when considering a permit or other approval for this project. Please include the name of a contact person in your agency. If you have questions concerning environmental review of the proposed project, please contact **Alana Callagy** at **628.652.7540**.

Members of the public are not required to provide personal identifying information when they communicate with the Commission or the Department. All written or oral communications, including submitted personal contact information, may be made available to the public for inspection and copying upon request and may appear on the Department's website or in other public documents.

August 26, 2020

Date

Lisa Gibson Environmental Review Officer





CHAIRPERSON Laura Miranda Luiseño

VICE CHAIRPERSON Reginald Pagaling Chumash

SECRETARY Merri Lopez-Keifer Luiseño

PARLIAMENTARIAN Russell Attebery Karuk

COMMISSIONER Marshall McKay Wintun

COMMISSIONER William Mungary Paiute/White Mountain Apache

COMMISSIONER Julie Tumamait-Stenslie Chumash

COMMISSIONER [Vacant]

COMMISSIONER [Vacant]

EXECUTIVE SECRETARY Christina Snider Pomo

NAHC HEADQUARTERS

1550 Harbor Boulevard Suite 100 West Sacramento, California 95691 (916) 373-3710 nahc@nahc.ca.gov NAHC.ca.gov

STATE OF CALIFORNIA

Gavin Newsom, Governor

NATIVE AMERICAN HERITAGE COMMISSION

August 27, 2020

Alana Callagy San Francisco Planning Department 49 South Van Ness Avenue, Suite 1400 San Francisco, CA 94103

Re: 2020080459, 770 Woolsey Street Project, San Francisco County

Dear Ms. Callagy:

The Native American Heritage Commission (NAHC) has received the Notice of Preparation (NOP), Draft Environmental Impact Report (DEIR) or Early Consultation for the project referenced above. The California Environmental Quality Act (CEQA) (Pub. Resources Code §21000 et seq.), specifically Public Resources Code §21084.1, states that a project that may cause a substantial adverse change in the significance of a historical resource, is a project that may have a significant effect on the environment. (Pub. Resources Code § 21084.1; Cal. Code Regs., tit.14, §15064.5 (b) (CEQA Guidelines §15064.5 (b)). If there is substantial evidence, in light of the whole record before a lead agency, that a project may have a significant effect on the environment (EIR) shall be prepared. (Pub. Resources Code §21080 (d); Cal. Code Regs., tit. 14, § 5064 subd.(a)(1) (CEQA Guidelines §15064 (a)(1)). In order to determine whether a project will cause a substantial adverse change in the significance of a historical resource state there are historical resources within the area of potential effect (APE).

CEQA was amended significantly in 2014. Assembly Bill 52 (Gatto, Chapter 532, Statutes of 2014) (AB 52) amended CEQA to create a separate category of cultural resources, "tribal cultural resources" (Pub. Resources Code §21074) and provides that a project with an effect that may cause a substantial adverse change in the significance of a tribal cultural resource is a project that may have a significant effect on the environment. (Pub. Resources Code §21084.2). Public agencies shall, when feasible, avoid damaging effects to any tribal cultural resource. (Pub. Resources Code §21084.3 (a)). AB 52 applies to any project for which a notice of preparation, a notice of negative declaration, or a mitigated negative declaration is filed on or after July 1, 2015. If your project involves the adoption of or amendment to a general plan or a specific plan, or the designation or proposed designation of open space, on or after March 1, 2005, it may also be subject to Senate Bill 18 (Burton, Chapter 905, Statutes of 2004) (SB 18). Both SB 18 and AB 52 have tribal consultation requirements. If your project is also subject to the federal National Environmental Policy Act (42 U.S.C. § 4321 et seq.) (NEPA), the tribal consultation requirements of Section 106 of the National Historic Preservation Act of 1966 (154 U.S.C. 300101, 36 C.F.R. §800 et seq.) may also apply.

The NAHC recommends consultation with California Native American tribes that are traditionally and culturally affiliated with the geographic area of your proposed project as early as possible in order to avoid inadvertent discoveries of Native American human remains and best protect tribal cultural resources. Below is a brief summary of <u>portions</u> of AB 52 and SB 18 as well as the NAHC's recommendations for conducting cultural resources assessments.

Consult your legal counsel about compliance with AB 52 and SB 18 as well as compliance with any other applicable laws.

AB 52 has added to CEQA the additional requirements listed below, along with many other requirements:

1. <u>Fourteen Day Period to Provide Notice of Completion of an Application/Decision to Undertake a Project</u>: Within fourteen (14) days of determining that an application for a project is complete or of a decision by a public agency to undertake a project, a lead agency shall provide formal notification to a designated contact of, or tribal representative of, traditionally and culturally affiliated California Native American tribes that have requested notice, to be accomplished by at least one written notice that includes:

a. A brief description of the project.

b. The lead agency contact information.

c. Notification that the California Native American tribe has 30 days to request consultation. (Pub. Resources Code §21080.3.1 (d)).

d. A "California Native American tribe" is defined as a Native American tribe located in California that is on the contact list maintained by the NAHC for the purposes of Chapter 905 of Statutes of 2004 (SB 18). (Pub. Resources Code §21073).

2. <u>Begin Consultation Within 30 Days of Receiving a Tribe's Request for Consultation and Before Releasing a</u> <u>Negative Declaration, Mitigated Negative Declaration, or Environmental Impact Report</u>: A lead agency shall begin the consultation process within 30 days of receiving a request for consultation from a California Native American tribe that is traditionally and culturally affiliated with the geographic area of the proposed project. (Pub. Resources Code §21080.3.1, subds. (d) and (e)) and prior to the release of a negative declaration, mitigated negative declaration or Environmental Impact Report. (Pub. Resources Code §21080.3.1(b)).

a. For purposes of AB 52, "consultation shall have the same meaning as provided in Gov. Code §65352.4

(SB 18). (Pub. Resources Code §21080.3.1 (b)).

3. <u>Mandatory Topics of Consultation If Requested by a Tribe</u>: The following topics of consultation, if a tribe requests to discuss them, are mandatory topics of consultation:

- a. Alternatives to the project.
- b. Recommended mitigation measures.
- c. Significant effects. (Pub. Resources Code §21080.3.2 (a)).
- 4. Discretionary Topics of Consultation: The following topics are discretionary topics of consultation:
 - a. Type of environmental review necessary.
 - b. Significance of the tribal cultural resources.
 - c. Significance of the project's impacts on tribal cultural resources.

d. If necessary, project alternatives or appropriate measures for preservation or mitigation that the tribe may recommend to the lead agency. (Pub. Resources Code §21080.3.2 (a)).

5. <u>Confidentiality of Information Submitted by a Tribe During the Environmental Review Process</u>: With some exceptions, any information, including but not limited to, the location, description, and use of tribal cultural resources submitted by a California Native American tribe during the environmental review process shall not be included in the environmental document or otherwise disclosed by the lead agency or any other public agency to the public, consistent with Government Code §6254 (r) and §6254.10. Any information submitted by a California Native American tribe during the consultation or environmental review process shall be published in a confidential appendix to the environmental document unless the tribe that provided the information consents, in writing, to the disclosure of some or all of the information to the public. (Pub. Resources Code §21082.3 (c)(1)).

6. <u>Discussion of Impacts to Tribal Cultural Resources in the Environmental Document</u>: If a project may have a significant impact on a tribal cultural resource, the lead agency's environmental document shall discuss both of the following:

a. Whether the proposed project has a significant impact on an identified tribal cultural resource.

b. Whether feasible alternatives or mitigation measures, including those measures that may be agreed to pursuant to Public Resources Code §21082.3, subdivision (a), avoid or substantially lessen the impact on the identified tribal cultural resource. (Pub. Resources Code §21082.3 (b)).

7. <u>Conclusion of Consultation</u>: Consultation with a tribe shall be considered concluded when either of the following occurs:

.

a. The parties agree to measures to mitigate or avoid a significant effect, if a significant effect exists, on a tribal cultural resource; or

b. A party, acting in good faith and after reasonable effort, concludes that mutual agreement cannot be reached. (Pub. Resources Code §21080.3.2 (b)).

8. <u>Recommending Mitigation Measures Agreed Upon in Consultation in the Environmental Document:</u> Any mitigation measures agreed upon in the consultation conducted pursuant to Public Resources Code §21080.3.2 shall be recommended for inclusion in the environmental document and in an adopted mitigation monitoring and reporting program, if determined to avoid or lessen the impact pursuant to Public Resources Code §21082.3, subdivision (b), paragraph 2, and shall be fully enforceable. (Pub. Resources Code §21082.3 (a)).

9. <u>Required Consideration of Feasible Mitigation</u>: If mitigation measures recommended by the staff of the lead agency as a result of the consultation process are not included in the environmental document or if there are no agreed upon mitigation measures at the conclusion of consultation, or if consultation does not occur, and if substantial evidence demonstrates that a project will cause a significant effect to a tribal cultural resource, the lead agency shall consider feasible mitigation pursuant to Public Resources Code §21084.3 (b). (Pub. Resources Code §21082.3 (e)).

10. Examples of Mitigation Measures That, If Feasible, May Be Considered to Avoid or Minimize Significant Adverse Impacts to Tribal Cultural Resources:

- a. Avoidance and preservation of the resources in place, including, but not limited to:
 - i. Planning and construction to avoid the resources and protect the cultural and natural context.

ii. Planning greenspace, parks, or other open space, to incorporate the resources with culturally appropriate protection and management criteria.

b. Treating the resource with culturally appropriate dignity, taking into account the tribal cultural values and meaning of the resource, including, but not limited to, the following:

- i. Protecting the cultural character and integrity of the resource.
 - ii. Protecting the traditional use of the resource.
 - iii. Protecting the confidentiality of the resource.

c. Permanent conservation easements or other interests in real property, with culturally appropriate management criteria for the purposes of preserving or utilizing the resources or places.

d. Protecting the resource. (Pub. Resource Code §21084.3 (b)).

e. Please note that a federally recognized California Native American tribe or a non-federally recognized California Native American tribe that is on the contact list maintained by the NAHC to protect a California prehistoric, archaeological, cultural, spiritual, or ceremonial place may acquire and hold conservation easements if the conservation easement is voluntarily conveyed. (Civ. Code §815.3 (c)).

f. Please note that it is the policy of the state that Native American remains and associated grave artifacts shall be repatriated. (Pub. Resources Code §5097.991).

11. <u>Prerequisites for Certifying an Environmental Impact Report or Adopting a Mitigated Negative Declaration or Negative Declaration with a Significant Impact on an Identified Tribal Cultural Resource</u>: An Environmental Impact Report may not be certified, nor may a mitigated negative declaration or a negative declaration be adopted unless one of the following occurs:

a. The consultation process between the tribes and the lead agency has occurred as provided in Public Resources Code §21080.3.1 and §21080.3.2 and concluded pursuant to Public Resources Code §21080.3.2.

b. The tribe that requested consultation failed to provide comments to the lead agency or otherwise failed to engage in the consultation process.

c. The lead agency provided notice of the project to the tribe in compliance with Public Resources Code §21080.3.1 (d) and the tribe failed to request consultation within 30 days. (Pub. Resources Code §21082.3 (d)).

The NAHC's PowerPoint presentation titled, "Tribal Consultation Under AB 52: Requirements and Best Practices" may be found online at: <u>http://nahc.ca.gov/wp-content/uploads/2015/10/AB52TribalConsultation_CalEPAPDF.pdf</u>

<u>SB 18</u>

SB 18 applies to local governments and requires local governments to contact, provide notice to, refer plans to, and consult with tribes prior to the adoption or amendment of a general plan or a specific plan, or the designation of open space. (Gov. Code §65352.3). Local governments should consult the Governor's Office of Planning and Research's "Tribal Consultation Guidelines," which can be found online at: https://www.opr.ca.gov/docs/09 14 05 Updated Guidelines 922.pdf.

Some of SB 18's provisions include:

1. <u>Tribal Consultation</u>: If a local government considers a proposal to adopt or amend a general plan or a specific plan, or to designate open space it is required to contact the appropriate tribes identified by the NAHC by requesting a "Tribal Consultation List." If a tribe, once contacted, requests consultation the local government must consult with the tribe on the plan proposal. A tribe has 90 days from the date of receipt of notification to request consultation unless a shorter timeframe has been agreed to by the tribe. (Gov. Code §65352.3 (a)(2)).

 No Statutory Time Limit on SB 18 Tribal Consultation. There is no statutory time limit on SB 18 tribal consultation.
 Confidentiality: Consistent with the guidelines developed and adopted by the Office of Planning and Research pursuant to Gov. Code §65040.2, the city or county shall protect the confidentiality of the information concerning the specific identity, location, character, and use of places, features and objects described in Public Resources Code §5097.9 and §5097.993 that are within the city's or county's jurisdiction. (Gov. Code §65352.3 (b)).

4. <u>Conclusion of SB 18 Tribal Consultation</u>: Consultation should be concluded at the point in which:

a. The parties to the consultation come to a mutual agreement concerning the appropriate measures for preservation or mitigation; or

b. Either the local government or the tribe, acting in good faith and after reasonable effort, concludes that mutual agreement cannot be reached concerning the appropriate measures of preservation or mitigation. (Tribal Consultation Guidelines, Governor's Office of Planning and Research (2005) at p. 18).

Agencies should be aware that neither AB 52 nor SB 18 precludes agencies from initiating tribal consultation with tribes that are traditionally and culturally affiliated with their jurisdictions before the timeframes provided in AB 52 and SB 18. For that reason, we urge you to continue to request Native American Tribal Contact Lists and "Sacred Lands File" searches from the NAHC. The request forms can be found online at: <u>http://nahc.ca.gov/resources/forms/</u>.

NAHC Recommendations for Cultural Resources Assessments

To adequately assess the existence and significance of tribal cultural resources and plan for avoidance, preservation in place, or barring both, mitigation of project-related impacts to tribal cultural resources, the NAHC recommends the following actions:

1. Contact the appropriate regional California Historical Research Information System (CHRIS) Center (<u>http://ohp.parks.ca.gov/?page_id=1068</u>) for an archaeological records search. The records search will determine:

- a. If part or all of the APE has been previously surveyed for cultural resources.
- b. If any known cultural resources have already been recorded on or adjacent to the APE.
- c. If the probability is low, moderate, or high that cultural resources are located in the APE.
- d. If a survey is required to determine whether previously unrecorded cultural resources are present.

2. If an archaeological inventory survey is required, the final stage is the preparation of a professional report detailing the findings and recommendations of the records search and field survey.

a. The final report containing site forms, site significance, and mitigation measures should be submitted immediately to the planning department. All information regarding site locations, Native American human remains, and associated funerary objects should be in a separate confidential addendum and not be made available for public disclosure.

b. The final written report should be submitted within 3 months after work has been completed to the appropriate regional CHRIS center.

3. Contact the NAHC for:

a. A Sacred Lands File search. Remember that tribes do not always record their sacred sites in the Sacred Lands File, nor are they required to do so. A Sacred Lands File search is not a substitute for consultation with tribes that are traditionally and culturally affiliated with the geographic area of the project's APE.

b. A Native American Tribal Consultation List of appropriate tribes for consultation concerning the project site and to assist in planning for avoidance, preservation in place, or, failing both, mitigation measures.

4. Remember that the lack of surface evidence of archaeological resources (including tribal cultural resources) does not preclude their subsurface existence.

a. Lead agencies should include in their mitigation and monitoring reporting program plan provisions for the identification and evaluation of inadvertently discovered archaeological resources per Cal. Code Regs., tit. 14, §15064.5(f) (CEQA Guidelines §15064.5(f)). In areas of identified archaeological sensitivity, a certified archaeologist and a culturally affiliated Native American with knowledge of cultural resources should monitor all ground-disturbing activities.

b. Lead agencies should include in their mitigation and monitoring reporting program plans provisions for the disposition of recovered cultural items that are not burial associated in consultation with culturally affiliated Native Americans.

c. Lead agencies should include in their mitigation and monitoring reporting program plans provisions for the treatment and disposition of inadvertently discovered Native American human remains. Health and Safety Code §7050.5, Public Resources Code §5097.98, and Cal. Code Regs., tit. 14, §15064.5, subdivisions (d) and (e) (CEQA Guidelines §15064.5, subds. (d) and (e)) address the processes to be followed in the event of an inadvertent discovery of any Native American human remains and associated grave goods in a location other than a dedicated cemetery.

If you have any questions or need additional information, please contact me at my email address: <u>Nancy.Gonzalez-</u> Lopez@nahc.ca.gov.

Sincerely,

(uney Sarra

Nancy Gonzalez-Lopez Cultural Resources Analyst

cc: State Clearinghouse

Voicemail from Mayra de Leon [phonetic] to Alana Callagy

August 31, 2020

Summary of comments:

- Opposed to housing on the project site
- The project is located in an area known as the garden neighborhood/district of San Francisco
- Concerned with demolishing the last remaining greenhouses in San Francisco
- Greenhouses should become a garden/community space for low-income schools/students
- Neighborhood only has two parks, and a small garden near a freeway, so additional park/community space is needed
- Even though the greenhouses are currently rundown, they should be restored for beneficial community use

Susan Yogi

From: Sent: To: Subject: Bonnie Bridges <bonnie.bridges8@gmail.com> Tuesday, September 1, 2020 8:16 AM alana.callagy@sfgov.org Eir 770 Woolsey

This message is from outside the City email system. Do not open links or attachments from untrusted sources.

Hi I would like a printed copy of the EIR case 2017-012086ENV. For 770 Woolsey. Please mail to Bonnie Bridges 738 Wayland Street SF CA 94134

Thanks Bonnie

--Bonnie Bridges SF CA <u>bonnie.bridges8@gmail.com</u> 415-819-2181

Susan Yogi

From:	Ed Wong <ewong@herrero.com></ewong@herrero.com>
Sent:	Tuesday, September 1, 2020 11:20 AM
То:	Callagy, Alana (CPC)
Subject:	RE: 770 Woolsey Street Project (2017-012086ENV) **Request for Document**

Good Morning

Thank you very much,

From: Callagy, Alana (CPC) <alana.callagy@sfgov.org>
Sent: Tuesday, September 01, 2020 11:18 AM
To: Ed Wong <EWong@herrero.com>
Subject: Re: 770 Woolsey Street Project (2017-012086ENV) **Request for Document**

Hi Edward,

A staff member will burn a CD, make a hard copy of the NOP and NOA, and put those in the mail tomorrow.

I also want to direct you to the department's website where you can download an electronic version of the NOA and NOP. If you access: <u>https://sfplanning.org/environmental-review-documents</u> and scroll down to the 770 Woolsey entry you'll be able to access electronic versions.

Kind regards, Alana

alana.callagy@sfgov.org (Callagy, Alana (CPC))

PLEASE NOTE MY NEW ADDRESS AND PHONE NUMBER AS OF AUGUST 17, 2020: 49 South Van Ness Avenue, Suite 1400, San Francisco, CA 94103 Direct: 628.652.7540 | www.sfplanning.org San Francisco Property Information Map

Due to COVID-19, San Francisco Planning is not providing any in-person services, but we are operating remotely. Our staff are available by <u>e-mail</u>, and the Planning and Historic Preservation Commissions are convening remotely. The public is <u>encouraged to</u> <u>participate</u>. Find more information on our services <u>here</u>.

From: Ed Wong <<u>EWong@herrero.com</u>>
Date: Tuesday, September 1, 2020 at 10:15 AM
To: "Callagy, Alana (CPC)" <<u>alana.callagy@sfgov.org</u>>
Subject: 770 Woolsey Street Project (2017-012086ENV) **Request for Document**

This message is from outside the City email system. Do not open links or attachments from untrusted sources.

I (Edward) like to request for a CD. Christine likes to request for a hard paper copy. Case No: 2017-012086ENV Project Title: 770 Woolsey Street Project Please mail them to the same address below. We are extremely not happy about this and we are hoping your documentation will help us understand the reasons for this dramatic change in the longtime quiet neighborhood.

Thank you very much for all of your help,

Edward Wong Christine Wu 732 Wayland Street San Francisco, CA. 94134

Susan Yogi

From:	
Sent:	
To:	
Subject:	

Simon Wang <swang639@gmail.com> Tuesday, September 8, 2020 1:03 PM alana.callagy@sfgov.org Notice of Preparation of an EIR

This message is from outside the City email system. Do not open links or attachments from untrusted sources.

Hi Alana,

I received a letter of Notice of EIR regarding the project of 770 Woolsey Street. The developer will build 31 duplexes and one single-family home with 64 vehicle parking spaces. The 64 parking spaces are lower because this neighborhood already has the parking problem now. Each unit should have two vehicle parking spaces, then they should build 126 parking spaces with 63 units.

If the project does not provide enough parking space, it will give a big environmental impact on the community.

Thanks,

Simon Z Wang,

PLEASE NOTE: This message, including any attachments, may include privileged, confidential, and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this.



State of California – Natural Resources Agency DEPARTMENT OF FISH AND WILDLIFE Bay Delta Region 2825 Cordelia Road, Suite 100 Fairfield, CA 94534 (707) 428-2002 www.wildlife.ca.gov GAVIN NEWSOM, Governor CHARLTON H. BONHAM. Director



September 11, 2020

Ms. Alana Callagy San Francisco Planning Department 49 South Van Ness Avenue, Suite 1400 San Francisco, CA 94103 Alana.Callagy@sfgov.org

Subject: 770 Woolsey Street Project, Notice of Preparation, SCH No. 2020080459, City and County of San Francisco

Dear Ms. Callagy:

The California Department of Fish and Wildlife (CDFW) has reviewed the Notice of Preparation (NOP) prepared by the City and County of San Francisco for the 770 Woolsey Street Project (Project) located in the City and County of San Francisco. CDFW is submitting comments on the NOP regarding potentially significant impacts to biological resources associated with the Project.

CDFW ROLE

CDFW is a Trustee Agency with responsibility under the California Environmental Quality Act (CEQA; Pub. Resources Code, § 21000 et seq.) pursuant to CEQA Guidelines section 15386 for commenting on projects that could impact fish, plant, and wildlife resources (e.g., biological resources). CDFW is also considered a Responsible Agency if a project would require discretionary approval, such as permits issued under the California Endangered Species Act (CESA), the Native Plant Protection Act, the Lake and Streambed Alteration (LSA) Program, and other provisions of the Fish and Game Code that afford protection to the state's fish and wildlife trust resources.

PROJECT LOCATION

The Project is located at 770 Woolsey Street in the City and County of San Francisco. The Project site is a 2.2-acre site in the Portola neighborhood, bounded by Wayland Street to the north, Hamilton Street to the east, Woolsey Street to the south, and Bowdoin Street to the west.

PROJECT DESCRIPTION SUMMARY

The Project includes demolition of existing structures, regrading of the site, and construction of 63 residential units, including duplexes and single-family homes, and 64 vehicle parking spots. Sidewalks and 26 street trees will also be added to the site, as well as an approximately 0.36-acre (15,500-square-foot) public park/community garden

Conserving California's Wildlife Since 1870

Ms. Alana Callagy San Francisco Planning Department September 11, 2020 Page 2 of 5

and approximately 19,700 square feet of private common open space for residents. The site currently contains existing buildings relating to the site's previous agricultural use, including two long rows of 18 greenhouses and accessory structures. Construction is expected to occur for 18 months beginning in early 2022.

ENVIRONMENTAL SETTING

The state special-status species that have the potential to occur in or near the Project site, include, but are not limited to:

- Bat species
- Nesting birds

COMMENTS AND RECOMMENDATIONS

CDFW offers the following comments and recommendations to assist the San Francisco Planning Department in adequately identifying and/or mitigating the Project's significant, or potentially significant, direct and indirect impacts on biological resources.

COMMENT 1: Full Project description of Project features

The CEQA Guidelines (§§15124 and 15378) require that the draft Environmental Impact Report (EIR) incorporate a full project description, including reasonably foreseeable future phases of the Project, and require that it contain sufficient information to evaluate and review the project's environmental impact.

To fully address the Project's impacts to fish and wildlife resources. Please include complete descriptions of the following features within the draft EIR, if applicable:

- Residential and commercial building heights and widths;
- Introduction of sources of light and glare into habitat areas;
- Stormwater or effluent drainage outlet systems
- Detailed description of proposed work (e.g., crossing improvements, repairs, etc.) at and within stream crossings; and
- Location, type, and height of all fencing.

COMMENT 2: Nesting Birds

CDFW encourages that Project implementation occur during the bird non-nesting season; however, if ground-disturbing or vegetation-disturbing activities must occur during the breeding season (February through early-September), the Project applicant is responsible for ensuring that implementation of the Project does not result in violation of the Migratory Bird Treaty Act or Fish and Game Codes.

Ms. Alana Callagy San Francisco Planning Department September 11, 2020 Page 3 of 5

To evaluate and avoid for potential impacts to nesting bird species, CDFW recommends incorporating the following mitigation measures into the Project's draft EIR, and that these measures be made conditions of approval for the Project.

Recommended Mitigation Measure 1: Nesting Bird Surveys

CDFW recommends that a qualified avian biologist conduct pre-activity surveys for active nests no more than seven (7) days prior to the start of ground or vegetation disturbance and every fourteen (14) days during Project activities to maximize the probability that nests that could potentially be impacted are detected. CDFW also recommends that surveys cover a sufficient area around the Project site to identify nests and determine their status. A sufficient area means any area potentially affected by the Project. Prior to initiation of ground or vegetation disturbance, CDFW recommends that a qualified biologist conduct a survey to establish a behavioral baseline of all identified nests. Once Project activities begins, CDFW recommends having the qualified biologist continuously monitor nests to detect behavioral changes resulting from the Project. If behavioral changes occur, CDFW recommends halting the work causing that change and consulting with CDFW for additional avoidance and minimization measures.

Recommended Mitigation Measure 2: Nesting Bird Buffers

If continuous monitoring of identified nests by a qualified avian biologist is not feasible, CDFW recommends a minimum no-disturbance buffer of 250 feet around active nests of non-listed bird species and a 500-foot no-disturbance buffer around active nests of non-listed raptors. These buffers are advised to remain in place until the breeding season has ended or until a qualified biologist has determined that the birds have fledged and are no longer reliant upon the nest or on-site parental care for survival. Variance from these no-disturbance buffers is possible when there is compelling biological or ecological reason to do so, such as when the Project site would be concealed from a nest site by topography. CDFW recommends that a qualified avian biologist advise and support any variance from these buffers.

COMMENT 3: Bats

Bat species may occur within and surrounding the Project site, including in abandoned buildings. To evaluate and avoid potential impacts to bat species, CDFW recommends incorporating the following mitigation measures into the Project's draft EIR, and that these measures be made conditions of approval for the Project.

Recommended Mitigation Measure 3: Bat Habitat Assessment

To evaluate Project impacts to bats, a qualified bat biologist should conduct a habitat assessment for bats at work sites seven (7) days prior to the start of Project

Ms. Alana Callagy San Francisco Planning Department September 11, 2020 Page 4 of 5

activities and every 14 days during Project activities. The habitat assessment shall include a visual inspection of features within 50 feet of the work area for potential roosting features (bats need not be present). Habitat features found during the survey shall be flagged or marked.

Recommended Mitigation Measure 4: Bat Habitat Monitoring

If any habitat features identified in the habitat assessment will be altered or disturbed by Project construction, the qualified bat biologist should monitor the feature daily to ensure bats are not disturbed, impacted, or fatalities are caused by the Project.

Recommended Mitigation Measure 5: Bat Project Avoidance

If bat colonies are observed at the Project site, at any time, all Project activities should stop until the qualified bat biologist develops a bat avoidance plan to be implement at the Project site. Once the plan is implemented, Project activities may recommence.

REGULATORY REQUIREMENTS

California Endangered Species Act

Please be advised that a CESA Permit must be obtained if the Project has the potential to result in "take" of plants or animals listed under CESA, either during construction or over the life of the Project. Issuance of a CESA Permit is subject to CEQA documentation; the CEQA document must specify impacts, mitigation measures, and a mitigation monitoring and reporting program. If the Project will impact CESA listed species, early consultation is encouraged, as significant modification to the Project and mitigation measures may be required in order to obtain a CESA Permit.

CEQA requires a Mandatory Finding of Significance if a project is likely to substantially impact threatened or endangered species [CEQA section 21001(c), 21083, and CEQA Guidelines section 15380, 15064, 15065]. Impacts must be avoided or mitigated to less-than-significant levels unless the CEQA Lead Agency makes and supports Findings of Overriding Consideration (FOC). The CEQA Lead Agency's FOC does not eliminate the Project proponent's obligation to comply with Fish and Game Code, section 2080.

Lake and Streambed Alteration Program

Notification is required, pursuant to CDFW's Lake and Streambed Alteration Program (Fish and Game Code, section 1600 et. seq.) for any Project-related activities that will substantially divert or obstruct the natural flow; change or use material from the bed, channel, or bank including associated riparian or wetland resources; or deposit or dispose of material where it may pass into a river, lake or stream. Work within

Ms. Alana Callagy San Francisco Planning Department September 11, 2020 Page 5 of 5

ephemeral streams, washes, watercourses with a subsurface flow, and floodplains are subject to notification requirements. CDFW, as a Responsible Agency under CEQA, will consider the CEQA document for the Project. CDFW may not execute the final LSA Agreement until it has complied with CEQA (Public Resources Code section 21000 et seq.) as the responsible agency.

FILING FEES

CDFW anticipates that the Project will have an impact on fish and/or wildlife, and assessment of filing fees is necessary (Fish and Game Code, section 711.4; Pub. Resources Code, section 21089). Fees are payable upon filing of the Notice of Determination by the Lead Agency and serve to help defray the cost of environmental review by CDFW.

Thank you for the opportunity to comment on the Project's NOP. If you have any questions regarding this letter or for further coordination with CDFW, please contact Ms. Stephanie Holstege, Environmental Scientist at (707) 210-5104 or <u>Stephanie.Holstege@wildlife.ca.gov</u>; or Ms. Randi Adair, Senior Environmental Scientist (Supervisory), at <u>Randi.Adair@wildlife.ca.gov</u>.

Sincerely,

-DocuSigned by: Grigg Erickson Gregg Erickson **Regional Manager**

Regional Manager Bay Delta Region

cc: State Clearinghouse No. 2020080459

Susan Yogi

From:	
Sent:	
To:	
Subject:	

Jean <bigmomajean@aol.com> Friday, September 11, 2020 6:20 PM alana.callagy@sfgov.org 770 Woolsey Street Project

This message is from outside the City email system. Do not open links or attachments from untrusted sources.

September 11, 2020

Project 770 Woolsey Street San Francisco, California San Francisco Planning Dept.

Dear Alana Callagy,

I am reaching out to you in regards to the EIR report concerning the property of 770 Woolsey Street, San Francisco, California. This location is marked as an RH-1 (Residential House, One Family) District 40-X Height and Bulk District.

I am begging you to refuse to build multi-family units where our greenhouses and the urban farm is located. This is a residential neighborhood. Instead of building multi-family structures in place of a community asset, I suggest space be used for single-family homes, a greenhouse environment for our city youth, or a nursery for plants.

I was born and raised in San Francisco, and our family has been located on Woolsey Street since 1947. There are very few open spaces, such as 770 Woolsey Street, left that can be used for a better purpose. Crowding more people into a small area is not environmentally friendly, especially when the planned building space is used for greenhouses.

Please keep this Historic Site to compliment the neighborhood. Please do not give in to more money-hungry developers that take our land, leaving it with no beauty, nature, and harmony to our community neighborhood.

Our Zoning was put in place for a purpose, and that is now being discarded. Please stay with the original plan intended for this property and be a true San Francisco Neighbor.

Best Regards Jean Tiscornia Trustee Victor Zappettini 845 Woolsey St San Francisco, CA.

Susan Yogi

From:	Elisa Laird <elisa.laird.metke@gmail.com></elisa.laird.metke@gmail.com>
Sent:	Friday, September 25, 2020 4:30 PM
То:	alana.callagy@sfgov.org
Subject:	Comments on Case No.: 2017-012086ENV (770 Woolsey St.)
Subject:	Comments on Case No.: 2017-012086ENV (770 Woolsey St.)

This message is from outside the City email system. Do not open links or attachments from untrusted sources.

To: Alana Callagy Date: September 25, 2020 Case No.: 2017-012086ENV Project Title: 770 Woolsey Street Project

The Friends of 770 Woolsey Street ("the Friends") is an unincorporated nonprofit association of Portola residents and allies who have come together to preserve and promote the neighborhood's agricultural history at 770 Woolsey Street, the site of its last remaining, historic nursery. On behalf of the Friends, I respectfully submit the following comments concerning the potential environmental effects of this project.

During 2019, our group worked with the District 9 Supervisor to introduce a resolution to consider designation of the site as a San Francisco City landmark. Since introduction of that resolution, we have engaged directly with the current owners of the site ("the Owners") including to work together towards a Modified Project that more fully protects and honors the important history at this site. Earlier this week, we reached a non-binding agreement regarding such a Modified Project, which the Owners have now indicated they intend to finalize and ultimately submit to Planning as a substitute to the project as currently proposed. We write today to briefly describe the nature of this Modified Project specifically as it relates to the community's interest in, and future uses on, the site to preserve its historic character.

As currently proposed, the project includes an approximately 0.36-acre (15,500-square-foot) public park/community garden. The aforementioned, more recently agreed upon Modified Project includes a slightly enlarged community parcel that extends approximately 120.5 feet west and approximately 136 feet north from the corner of Hamilton and Woolsey, forming a slightly rectangular parcel totaling approximately 0.38-acres or 16,400 square feet.

The Owners have further agreed as part of the Modified Project to clear and prepare the site for public access, to include historic restoration of the boiler room and the two adjacent, southeast most greenhouses, as well as the addition of a unisex bathroom within the boiler room to serve the community site. The intent of the community is to use these greenhouses as growing spaces and to use the greenhouses and full community parcel to share and promote Portola's agricultural history. The restoration of these three historic buildings will preserve the greenhouses and boiler room in their current locations and dimensions.

For the community, it is crucial that the physical characteristics and locations of these buildings as they existed during the property's historic period be retained. Although there are seven aspects of historic integrity, in our opinion, the most relevant aspects here include <u>location</u>, meaning retain the buildings in their original footprint; <u>setting</u>, meaning preserve to the greatest extent possible the current organization of the physical environment of historic elements to be preserved; and <u>feeling</u>, meaning retain elements that convey the property's material/spatial expression of its historically significant period. As an example, and to make this more concrete, every greenhouse on the property (and from what we understand, every or virtually every greenhouse in the neighborhood) was very intentionally oriented on an east-west axis to optimize sunlight, so it's important this aspect be retained for any rebuilt greenhouse structures.

Reorienting the footprint of historic buildings and/or resizing any of the historic buildings, as currently proposed in the NOP, would severely diminish the site's ability to convey its historic location, setting, and feeling. Given the extent of the housing development and its impacts on the ability of the entire site to convey its history, the Friends have communicated to the Owners that stricter preservation in the community parcel takes on increased importance for the community. We are pleased the Owners have agreed to retain the original size and siting of the three historic structures to be restored and delivered to the community in the Modified Project, which they have indicated they plan to submit to Planning within roughly the next month.

We are optimistic and excited about our ongoing discussions with the Owners, and submit this update to Planning in hopes that it may support the Department's ongoing environmental analysis.

Sincerely, Elisa Laird

Susan Yogi

From:	rhondas540@gmail.com
Sent:	Friday, September 25, 2020 12:43 PM
To:	alana.callagy@sfgov.org
Subject:	770 Woolsey Project - EIR (Citizen Response)
.	
Importance:	High

This message is from outside the City email system. Do not open links or attachments from untrusted sources.

Mary P. Rochon

731 Woolsey Street

San Francisco, CA 94134

September 25, 2020

Alana Callagy

San Francisco Planning Department

49 South Van Ness Avenue, Suite 1400

San Francisco, CA 94103

Case No. - 2017-012086 ENV

Project Title – 770 Woolsey Street Project

Dear Ms. Callagy,

I am writing to request meticulous, careful examination of the 770 Woolsey Street Project. I have been a resident at 731 Woolsey Street since 1971 (49 years). I am 94-year-old resident who has had a center stage view of 770 Woolsey Street. I have witnessed it in it's many stages: robust rose and floral greenhouse business, transitioning to a business on a slow decline, the death of the owner, and the unwatchful care and down turn of the property into what it is today, an eye sore, filled with weeds, graffiti and broken windows.

In preparation of the Environmental Impact Report, I would like the following to be considered with deep intention:

1) **Excavation Concern** – What will the impact be for the people and environment once soil begins to be moved at that property? The use of pesticides and other chemicals were used when this business was in its full season. What now lays dormant in the soil needs to be appropriately examined and processed according to current industry standards.

2) **Pests** – I want to ensure that pest control and management are covered. I have been a victim of pest infestation from previous activities at that property. This property has been vacant for years allowing, I am sure, pests to nest and find domain. I insist on pest protection and control.

3) **Parking -** The prescribed parking slots described do not appear to take into account guests or multi automobiles in a home. I want to avoid illegal parking and access to my personal property.

Although, I am sure there are other concerns I may be overlooking, I ask that you and the Department of Planning take into serious consideration that this proposed project is not one that should be looked upon as an economic benefit to the City. It should be seen as a project that will impact long-time, tax paying residents that desire the highest level of consideration.

Thank you for your time and prompt attention to my concerns above. I can be reached via email at rhondas540@gmail.com or US mail at 731 Woolsey Street, San Francisco, CA 94134. If you would like to reach me by phone please contact my daughter Rhonda Rochon Smith at 707-753-0772 and she will set an appointment time to speak with me.

Sincerely,

Mary P. Rochon

Concerned Resident

Sent from Mail for Windows 10

APPENDIX B

Initial Study

INITIAL STUDY 770 WOOLSEY STREET PROJECT PLANNING DEPARTMENT CASE NO. 2017-012086ENV

Contents

		Pag	e
Α.	Project De	scription	1
В.	Project Set	ting	1
с.	Compatibility with Existing Zoning and Plans		
	1.	San Francisco Planning Plans and Policies	1
	2.	Other Local Plans and Policies	6
	3.	Regional Plans and Policies	6
D.	Summary	of Environmental Effects	7
	1.	Approach to Environmental Review	7
	2.	Aesthetics and Parking	8
	3.	Automobile Delay and Vehicle Miles Traveled	9
	4.	Effects Found to Be Potentially Significant	9
	5.	Effects Found Not to Be Significant or Not Significant with Identified Mitigation	
		Measures	9
Ε.	Evaluation	of Environmental Effects	1
	1.	Land Use and Planning	1
	2.	Population and Housing	3
	3.	Cultural Resources	5
	4.	Tribal Cultural Resources	0
	5.	Transportation and Circulation	2
	6.	Noise	3
	7.	Air Quality 4	1
	8.	Greenhouse Gas Emissions	3
	9.	Wind	6
	10.	Shadow5	7
	11.	Recreation	8
	12.	Utilities and Service Systems	0
	13.	Public Services	7
	14.	Biological Resources	0
	15.	Geology and Soils	7
	16.	Hydrology and Water Quality	6
	17.	Hazards and Hazardous Materials	1
	18.	Mineral Resources	8

	19.	Energy	99
	20.	Agriculture and Forest Resources	100
	21.	Wildfire	101
	22.	Mandatory Findings of Significance	102
F.	Mitigation	Measures	103
G.	Public Notice and Comment		112
Η.	Determina	tion	113

TABLE

Table 1	Proposed Project Travel Demand	26
Table 2	Typical Noise Levels from Proposed Project Construction Equipment	36
Table 3	Criteria Air Pollutants Significance Thresholds	42
Table 4	Proposed Project Water Demand Relative to Total Retail Demand (mgd)	64
Acronyms and Abbreviations

Acronym/Abbreviation	Definition
ABAG	Association of Bay Area Governments
air district	Bay Area Air Quality Management District
ADA	Americans with Disabilities Act
bgs	below ground surface
building department	San Francisco Department of Building Inspection
California register	California Register of Historical Resources
Cal/EPA	California Environmental Protection Agency
Cal/OSHA	State of California Division of Occupational Safety and Health Administration
CEQA	California Environmental Quality Act
СО	carbon monoxide
dBA	A-weighted decibel
DDD	dichloro-diphenyl-dichloroethane
DDE	dichloro-diphenyldichloro-ethylene
DDT	dichloro-diphenyl-trichloroethane
EPA	United States Environmental Protection Agency
ERO	Environmental Review Officer
GHG	greenhouse gases
health department	San Francisco Department of Public Health
Ldn	day-night sound level
Leq	equivalent sound level
МВТА	Migratory Bird Treaty Act
МТС	Metropolitan Transportation Commission
Muni	San Francisco Municipal Railway
NO ₂	nitrogen dioxide
NOx	oxides of nitrogen
NPDES	National Pollutant Discharge Elimination System
Phase I Site Assessment	site assessment
PM _{2.5}	particulate matter less than 2.5 microns in diameter
PM10	particulate matter less than 10 microns in diameter
ROG	reactive organic gases
fire department	San Francisco Fire Department
SFMTA	San Francisco Municipal Transportation Agency

Acronym/Abbreviation	Definition			
SFPUC	San Francisco Public Utilities Commission			
SO ₂	sulfur dioxide			
TAZ transportation analysis zone				
TNC	transportation network company			
TPH-d	Total petroleum hydrocarbons as diesel			
TPH-g	Total petroleum hydrocarbons as gasoline			
transportation authority	San Francisco County Transportation Authority			
VMT	vehicle miles traveled			

A. Project Description

The project description for the 770 Woolsey Project is included as Chapter 2, Project Description, in the environmental impact report (EIR) to which this initial study is appended.

B. Project Setting

The project setting for the proposed project is included as Chapter 2, Project Description, in the EIR to which this initial study is appended.

C. Compatibility with Existing Zoning and Plans

	Applicable	Not Applicable
Discuss any variances, special authorizations, or changes proposed to the San Francisco planning code or zoning map, if applicable.	\boxtimes	
Discuss any conflicts with any adopted plans and goals of the City or region, if applicable.	\boxtimes	
Discuss any approvals and/or permits from city departments other than the planning department or the Department of Building Inspection, or from regional, state, or federal agencies.	\boxtimes	

This section discusses potential conflicts of the proposed project with applicable local plans and policies, as well as potential conflicts with regional plans and policies, as applicable. Conflicts with existing plans and policies do not, in and of themselves, indicate a significant physical environmental effect. To the extent that adverse physical environmental impacts may result from such inconsistencies, these impacts are analyzed in this initial study under the specific environmental topic sections below in Section E, Evaluation of Environmental Effects, and Chapter 3, Environmental Setting, Impacts, and Mitigation Measures, of the EIR.

1. San Francisco Planning Plans and Policies

SAN FRANCISCO GENERAL PLAN

The San Francisco General Plan (general plan) establishes objectives and policies to guide land use decisions related to the physical development of San Francisco. It is comprised of 10 elements, each of which addresses a particular topic that applies citywide: air quality; arts; commerce and industry; community facilities; community safety; environmental protection; housing; recreation and open space; transportation; and urban design.

The housing element contains objectives and policies that address the city's growing housing demand, focusing on strategies that can be accomplished with the city's limited land supply. In general, the housing element supports projects that increase the city's housing supply (both market-rate and affordable housing), especially in areas that are close to the city's job centers and are well served by transit. The proposed project would construct approximately 62 residential units, including 12 affordable units, and would not conflict with any objectives or policies in the housing element.

The proposed project would not obviously or substantially conflict with any goals, policies, or objectives of the general plan, with the exception of some policies included in the urban design element, as discussed below.

One general plan element expressly applicable to planning considerations associated with the proposed project is the Urban Design Element. Objectives of the general plan's urban design element that are applicable to the proposed project include emphasis of the characteristic pattern, which gives to the city and its neighborhood an image, sense of purpose, and a means of orientation; conservation of resources that provide a sense of nature, continuity with the past, and freedom from overcrowding; and moderating major new development to complement the city pattern, the resources to be conserved, and the neighborhood environment. The proposed project would demolish the existing structures at the site. The property is eligible for listing in the California register due in part to its historical significance with regard to the Italian farming community in the Portola neighborhood and its significance as a rare surviving property type that was once common in the Portola and Excelsior neighborhoods of San Francisco. The project sponsor proposes to rebuild the boiler house and greenhouse numbers 1 and 2 in the original size and location as part of the publicly accessible open space, using salvaged materials from the existing buildings on the project site as feasible. However, reconstruction of greenhouses 1 and 2 and the boiler house may not meet the Secretary of the Interior's Standards for the Treatment of Historic Properties. For these reasons, the proposed project may be inconsistent with policy 2.4 of the urban design element, which calls for the preservation of notable landmarks and areas of historic, architectural, or aesthetic value. The physical environmental impacts that could result from this conflict are discussed in EIR Section 3.A, Historic Architectural Resources, which evaluates impacts on historic architectural resources.

The compatibility of the proposed project with general plan policies that do not relate to physical environmental issues will be considered by decision-makers as part of their decision whether to approve or disapprove the proposed project. Any potential conflicts identified as part of the process would not alter the physical environmental effects of the proposed project.

SAN FRANCISCO PLANNING CODE

The San Francisco Planning Code, which incorporates by reference the city's zoning maps, governs permitted uses, densities, and the configuration of buildings within San Francisco. Permits to construct new buildings (or to alter or demolish existing ones) may not be issued unless: (1) the proposed project complies with the planning code, (2) an allowable exception or variance is granted, or (3) legislative amendments to the planning code are included and adopted as part of the proposed project.

LAND USE

The project site is located in the RH-1 (Residential House One-Family) zoning district. As stated in planning code section 209.1, the RH-1 zoning districts "are occupied almost entirely by single-family houses on lots 25 feet in width, without side yards. Floor sizes and building styles vary, but tend to be uniform within tracts developed in distinct time periods. Though built on separate lots, the structures have the appearance of small-scale row housing, rarely exceeding 35 feet in height. Front setbacks are common, and ground level open space is generous. In most cases the single-family character of these districts has been maintained for a considerable time." The RH-1 zoning district allows up to 1 dwelling unit per lot and up to 1 unit per 3,000 square feet of lot area with conditional use approval.

The proposed project would require a conditional use authorization (planning code sections 303 and 304) for a planned unit development (PUD) from the planning commission to allow for (1) development of more than one dwelling unit not meeting the technical requirements of section 121, (2) exceptions from driveway width and street frontage controls (section 144), and (3) increase in dwelling unit density in the RH-1 zoning district (section 209.1).

Planning code section 304 permits a PUD as a conditional use in all residential districts for properties that are larger than 0.5 acre in size. Planning code section 304(d)(4) allows for dwelling unit density less than what would be allowed for a district permitting a greater density. A conditional use authorization for a PUD is required for the dwelling unit density proposed for the site, which would exceed the conditionally permitted density of 1 unit per 3,000 square feet of lot area under planning code section 209.1. Additional dwelling unit density would be less than the density allowed in the next higher residential district. For the proposed project, the next higher level residential district would be RH-2. In the RH-2 zoning district, 1 dwelling unit per 1,500 square feet of lot area a plub is a planning code section 209.1. Accordingly, up to 63 dwelling units may be allowed on the site under a PUD based on a lot area of 95,997 square feet, which is 1 unit fewer than the RH-2 zoning district. The project proposes 62 dwelling units on the site and is, therefore, within the allowable density of the PUD. The project would require a conditional use authorization to exceed the residential density requirements.

The proposed project would require a subdivision approval to create 31 residential lots, one lot for the publicly accessible open space, and one lot for the common open space known as the "spine", all in accordance with the San Francisco Subdivision Code.

The project site is not located in any special use districts, a community plan area, or in a former redevelopment plan area.

AFFORDABLE HOUSING

The proposed project would comply with the city's Residential Inclusionary Affordable Housing Program requirements (planning code sections 415, et seq.) for new residential development with 25 or more units. The project sponsor has elected to provide on-site affordable units pursuant to planning code section 415.5(g). Since the proposed project consists of 25 or more owned units, the number of affordable units constructed on-site is required to be generally 20 percent of all units constructed on the project site. A minimum of 10 percent of the units are required to be affordable to low-income households, 5 percent of the units are required to be affordable to moderate-income households, and 5 percent of the units are required to be affordable to middle-income households. The proposed project would provide 12 on-site affordable units, which is 20 percent of the total number of units, in compliance with planning code requirements.

HEIGHT AND BULK DISTRICTS

The project site is located in a 40-X height and bulk district, which permits a maximum building height of 40 feet. Pursuant to planning code section 270(a), there are no bulk controls in an "X" district. The proposed dwelling units would be 35 feet in height. Thus, the proposed project would comply with the 40-X height and bulk district limits.

STREET TREES

Planning code section 138.1(c)(1) requires that the project sponsor shall plant and maintain street trees as set forth in article 16, sections 805(a) and (d) and 806(d) of the Public Works Code. Sections 805(a) and (d) and 806(d) require that for every 20 feet of property frontage along each street, one 24-inch box tree be planted, with any remaining fraction of 10 feet or more of frontage requiring an additional tree. The proposed project would comply with section 138.1(c)(1) by planting 33 new street trees along the perimeter of the block on Woolsey, Bowdoin, Wyland, and Hamilton streets.

OPEN SPACE REQUIREMENTS

Planning code section 135 requires either 300 square feet of private open space for each dwelling unit, or shared, common open space in the amount of 400 square feet per dwelling unit. The proposed project would be required to provide 18,600 square feet of private open space, or 24,800 square feet of common open space, or a combination thereof. The proposed project would exceed the open space requirements by providing a combination of approximately 14,890 square feet of private open spaces (e.g., courtyards and rear yards) for 34 dwelling units and, for the remaining 28 dwelling units, private shared open space totaling approximately 11,210 square feet (the "spine" and "mews"), where 11,200 square feet would be required. Although not required by the planning code, the proposed project would also provide an approximately 0.39-acre (17,170-square-foot) publicly accessible open space at the corner of Woolsey and Hamilton streets.

PARKING, LOADING, AND STREET FRONTAGE

The proposed project would include a total of 62 parking spaces at a parking ratio of one space per unit, which is less than the 1.5 spaces per dwelling unit permitted under planning code section 151. Each duplex residential unit would include one vehicle parking space in a shared two-car garage accessed through new curb cuts on the project site. The proposed 16-foot-wide garage entrances would allow two vehicles to park sideby-side within the garage, allowing both vehicles to back out independently. Planning code section 144 stipulates that no more than one-third of the width of the ground story along the front lot line, or along a street side lot line, or along a building wall that is set back from any such lot line, shall be devoted to entrances to off-street parking. With regard to street frontages in RH districts, section 144 stipulates that no less than one-third of the width of the ground story along the front lot line, and along a building wall that is set back from any such lot line, shall be devoted to windows, entrances for dwelling units, landscaping, and other architectural features The proposed project's garage entrances facing its respective front lot lines would be more than one-third of its width devoted to an off-street parking entrance and the ground story of the dwelling unit fronting the front lot line would have less than one-third of its width devoted to windows, entrances for dwelling units, landscaping or other features. Therefore, the proposed project would require a conditional use authorization for a PUD to allow for exceptions from the garage entrance and street frontage controls included in planning code section 144.

Planning code section 155.2 requires one secure (class 1) bicycle parking space for each unit, along with one class 2 space for each 20 units.¹ Therefore, the proposed project, with 62 residential units, would require at least 62 class 1 spaces and four class 2 spaces. The proposed project would comply with planning code requirements and provide 93 class 1 and 12 class 2 bicycle parking spaces (the additional amount of bicycle parking is proposed as part of the proposed project's TDM program). Class 1 bicycle parking would be

¹ Planning code section 155.1(a) defines *class 1 spaces* as "spaces in secure, weather-protected facilities intended for use as long-term, overnight, and work-day bicycle storage by dwelling unit residents, nonresidential occupants, and employees." *Class 2 spaces* are "spaces located in a publicly accessible, highly visible location intended for transient or short-term use by visitors, guests, and patrons to the building or use."

provided within the residential unit garages, while class 2 bicycle parking spaces would be provided on Hamilton, Woolsey and Bowdoin streets (four spaces on each street). The project sponsor would be required to work with the San Francisco Municipal Transportation Authority (SFMTA) Bike Parking Program to coordinate the installation of on-street bicycle racks and ensure that the proposed bicycle racks meet the SFMTA's bicycle parking guidelines.

THE ACCOUNTABLE PLANNING INITIATIVE (PROPOSITION M)

In November 1986, the voters of San Francisco approved Proposition M, the Accountable Planning Initiative, which added section 101.1 to the planning code and established eight priority policies. These policies, and the corresponding sections of the initial study or EIR that address the environmental issues associated with the policies, are:

- 1. Preservation and enhancement of existing neighborhood-serving retail uses and enhancement of future opportunities for resident employment in and ownership of such businesses (Section E.1(b), Land Use and Planning);
- 2. Conservation and protection of existing housing and neighborhood character to preserve the cultural and economic diversity of neighborhoods (Section E.1(b), Land Use and Planning);
- 3. Preservation and enhancement of affordable housing (Section E.2(b), Population and Housing, regarding housing supply and displacement);
- 4. Discouragement of commuter automobiles from impeding Muni service or overburden streets or neighborhood parking (Section E.5(a), Transportation and Circulation, regarding public transit);
- 5. Protection of industrial and service land uses from commercial office development and enhancement of opportunities for resident employment and business ownership (Section E.1(b), Land Use and Planning);
- 6. Maximization of preparedness from injury or loss of life in an earthquake (Sections E.15(a) through E.15(d), Geology and Soils);
- 7. Preservation of landmarks and historic buildings; (EIR Section 3.A, Historic Architectural Resources); and
- 8. Protection of parks and open space and their access to sunlight and vistas (Section E.10, Shadow, and Section E.11(a), Recreation).

Demolition of the project site could conflict with policy 7, which calls for the preservation of historic buildings. The physical environmental impacts that could result from these potential conflicts will be discussed in the EIR, Section 3.A, Historic Architectural Resources, as noted above.

Prior to issuing a permit for any project that requires an initial study under CEQA; prior to issuing a permit for any demolition, conversion, or change of use; and prior to taking any action that requires a finding of consistency with the general plan, the City is required to find that the proposed project or legislation is consistent with the priority policies. In evaluating general plan consistency of the proposed project, the planning commission and/or planning department would make the necessary findings of consistency with the priority policies.

2. Other Local Plans and Policies

In addition to the general plan, planning code, zoning maps, and the Accountable Planning Initiative, other local plans and policies that are relevant to the proposed project are discussed below.

- San Francisco Transit First Policy is a set of principles that emphasize the City's commitment that the use of public rights-of-way by pedestrians, bicyclists, and public transit be given priority over the private automobile. These principles are embodied in the policies and objectives of the transportation element of the San Francisco General Plan. All City boards, commissions, and departments are required by law to implement the City's Transit First Policy principles in conducting the City's affairs.
- San Francisco Bicycle Plan is a citywide bicycle transportation plan that identifies short-term, longterm, and other minor improvements to San Francisco's bicycle route network. The overall goal of the San Francisco Bicycle Plan is to make bicycling an integral part of daily life in San Francisco.
- San Francisco Better Streets Plan was adopted in 2010 to support the City's efforts to enhance the streetscape and the pedestrian environment. It classifies the city's public streets and rights-of-way and creates a unified set of standards, guidelines, and implementation strategies that govern how the City designs, builds, and maintains its public streets and rights-of-way.
- San Francisco Climate Action Strategy is a local action plan that examines the causes of global climate change and the human activities that contribute to global warming. It provides projections regarding climate change impacts on California and San Francisco, based on recent scientific reports; presents estimates of San Francisco's baseline greenhouse gas emissions inventory and reduction targets; and describes recommended actions for reducing the city's greenhouse gas emissions.

The proposed project has been reviewed against these local plans and policies and would not obviously or substantially conflict with any of them.

3. Regional Plans and Policies

In addition to local plans and policies, several regional planning agencies have environmental, land use, and transportation plans and policies that consider growth and development in the nine-county San Francisco Bay Area. Some of these plans and policies are advisory; some include specific goals and provisions that must be adhered to when evaluating a project under CEQA. The regional plans and policies that are relevant to the proposed project are discussed below.

• The Plan Bay Area and Regional Housing Needs Plan, prepared by the Association of Bay Area Governments (ABAG) and the Metropolitan Transportation Commission (MTC), is a long-range land use and transportation plan for the nine-county Bay Area that covers the period from 2010 to 2040. Plan Bay Area calls for concentrating housing and job growth around transit corridors, particularly in areas identified by local jurisdictions as priority development areas. In addition, Plan Bay Area specifies strategies and investments for maintaining, managing, and improving the region's multimodal transportation network and proposes transportation projects and programs to be implemented from reasonably anticipated revenue. Plan Bay Area was adopted in July 2017.²

² Metropolitan Transit Commission and Association of Bay Area Governments, Plan Bay Area 2040: Regional Transportation Plan and Sustainable Communities Strategy for the San Francisco Bay Area 2017–2040, Final, July 26, 2017, *http://files.mtc.ca.gov/library/pub/30060.pdf*, accessed December 4, 2020.

- The Bay Area Air Quality Management District's (air district's) Bay Area 2017 Clean Air Plan requires implementation of "all feasible measures" to reduce ozone and provide a control strategy for reducing ozone, particulate matter, toxic air contaminants, and greenhouse gases. The 2017 Clean Air Plan describes the status of local air quality and identifies the emission control measures that are to be implemented.³
- The Regional Water Quality Control Board's Water Quality Control Plan for the San Francisco Bay Basin is a master water quality control planning document. It designates beneficial uses and water quality objectives for waters of the state, including surface waters and groundwater, and includes implementation programs to achieve water quality objectives.⁴

D. Summary of Environmental Effects

The proposed project could potentially affect the environmental factor(s) checked below. The following pages present a more detailed checklist and discussion of each environmental factor.

	Land Use/Planning		Wind		Hydrology/Water Quality
	Population and Housing		Shadow		Hazards & Hazardous Materials
\times	Cultural Resources		Recreation		Mineral Resources
\boxtimes	Tribal Cultural Resources		Utilities/Service Systems		Energy
	Transportation and Circulation		Public Services		Agriculture and Forestry Resources
\times	Noise	\boxtimes	Biological Resources		Wildfire
\boxtimes	Air Quality	\boxtimes	Geology/Soils	\boxtimes	Mandatory Findings of Significance
	Greenhouse Gas Emissions				

1. Approach to Environmental Review

This initial study examines the proposed project to identify potential effects on the environment. For each item on the initial study checklist, the evaluation considered the impacts of the proposed project both individually and cumulatively, with the exception of greenhouse gas emissions, which are evaluated only in the cumulative context. All items on the initial study checklist that have been checked "Less than Significant Impact with Mitigation Incorporated," "Less than Significant Impact," "No Impact," or "Not Applicable," indicate that, upon evaluation, staff has determined that the proposed project could not have a significant adverse environmental effect relating to that issue. A discussion is included for those issues checked "less than significant impact" and for most items checked "no impact" or "not applicable." For all of the items checked "no impact" or "not applicable."

³ Bay Area Air Quality Management District, 2017 Clean Air Plan: Spare the Air, Cool the Climate, April 19, 2017,

http://www.baaqmd.gov/~/media/files/planning-and-research/plans/2017-clean-air-plan/attachment-a-proposed-final-cap-vol-1-pdf.pdf?la=en, accessed December 4, 2020.

⁴ San Francisco Regional Water Quality Control Board, Water Quality Control Plan (Basin Plan) for the San Francisco Bay Basin, December 16, 2015, *https://www.waterboards.ca.gov/sanfranciscobay/water_issues/programs/planningtmdls/basinplan/web/docs/ADA_compliant/BP_all_chapters.pdf*, accessed December 4, 2020.

without discussion, the conclusions regarding potential significant adverse environmental effects are based upon field observation, staff experience, and expertise on similar projects, and/or standard reference material available within the planning department, such as the department's Transportation Impact Analysis Guidelines for Environmental Review, or the California Natural Diversity Database and maps, published by the California Department of Fish and Wildlife.

CEQA Guidelines section 15125 states that the environmental setting will normally constitute the baseline physical conditions by which a lead agency determines whether an impact is significant. The environmental setting typically includes the existing physical conditions on the project site and vicinity, including projects that are under construction. The environmental analysis then presents existing and existing-plus-project scenarios to identify environmental impacts that would occur from implementation of a proposed project. However, where it is certain that near-term improvements would be implemented prior to a project's construction or operation, such analysis could be misleading or confusing to decision-makers and the public. No near-term improvements are identified that would make this analysis misleading or confusing to decision-makers and the public. This analysis uses the existing environmental setting as the baseline physical conditions to determine whether an impact is significant.

For the analysis of potential cumulative effects, each environmental topic herein briefly identifies the cumulative context relevant to that topic. For example, for shadow impacts, the cumulative context would be nearby projects that could contribute to cumulative shadow effects on the same open space affected by the proposed project. In other cases, such as air quality, the context would be the San Francisco Bay Basin.

2. Aesthetics and Parking

In accordance with CEQA section 21099, Modernization of Transportation Analysis for Transit-Oriented Infill Projects, aesthetics and parking shall not be considered in determining if a project has the potential to result in significant environmental effects, provided that the project meets all of the following three criteria:

- The project is in a transit priority area;⁵
- The project is on an infill site;⁶ and
- The project is a residential, mixed-use residential, or an employment-center.⁷

The proposed project meets each of the three criteria above because it would be (1) located on infill sites that are already developed and/or are surrounded by other urban development, (2) located within 0.5 mile of several bus transit routes, and (3) a residential use. Therefore, this initial study does not consider aesthetics or parking in determining the significance of project impacts under CEQA.⁸ However, the department recognizes that the public and decision makers nonetheless may be interested in information pertaining to the aesthetic effects of a proposed project and desire that such information be provided as part of the

⁵ CEQA section 21099(a)(7) defines a "transit priority area" as an area within 0.5 mile of an existing or planned major transit stop. A "major transit stop" is defined in CEQA section 21064.3 as a rail transit station, a ferry terminal served by either a bus or rail transit service, or the intersection of two or more major bus routes with a frequency-of-service interval of 15 minutes or less during the morning and afternoon peak commute periods.

⁶ CEQA section 21099(a)(4) defines an "infill site" as a lot located within an urban area that has been previously developed or a vacant site where at least 75 percent of the perimeter adjoins, or is separated by only an improved public right-of-way from, parcels that are developed with qualified urban uses.

⁷ CEQA section 21099(a)(1) defines an "employment center" as a project located on property zoned for commercial uses with a floor area ratio of no less than 0.75 within a transit priority area.

⁸ San Francisco Planning Department, Eligibility Checklist: CEQA Section 21099 – Modernization of Transportation Analysis for 770 Woolsey Street, April 21, 2021.

environmental review process. In addition, CEQA section 21099(e) states that a lead agency has the authority to consider aesthetic impacts, pursuant to local design review ordinances or other discretionary powers, and aesthetic impacts do not include impacts on historical or cultural resources. As such, the department does consider aesthetics for design review and for evaluating effects on historic and cultural resources. Renderings of the proposed project are included in EIR Chapter 2, Project Description.

3. Automobile Delay and Vehicle Miles Traveled

In addition, CEQA section 21099(b)(1) requires the Governor's Office of Planning and Research to develop revisions to the CEQA Guidelines to establish criteria for determining the significance of transportation impacts from projects that "promote a reduction in greenhouse gas emissions, the development of multimodal transportation networks, and a diversity of land uses." CEQA section 21099(b)(2) states that, upon certification of the revised guidelines for determining transportation impacts, pursuant to section 21099(b)(1), automobile delay, as described solely by level of service or similar measures of vehicular capacity or traffic congestion, shall not be considered a significant impact on the environment under CEQA.

In January 2016, the Governor's Office of Planning and Research published for public review and comment its Revised Proposal on Updates to the CEQA Guidelines on Evaluating Transportation Impacts in CEQA,⁹ which recommends using a vehicle-miles-traveled (VMT) metric to measure a project's transportation impacts. On March 3, 2016, the San Francisco Planning Commission adopted the Governor's Office of Planning and Research recommendation to use the VMT metric instead of automobile delay in evaluating the transportation impacts of projects (Resolution 19579). (Note: The VMT metric does not apply to the analysis of project impacts on non-automobile modes of travel, such as riding transit, walking, and bicycling.) Accordingly, this initial study does not contain a discussion of impacts regarding automobile delay. Instead, an impact analysis regarding VMT and induced automobile travel is provided in Section E.5, Transportation and Circulation.

4. Effects Found to Be Potentially Significant

The designation of topics as "potentially significant" in the initial study means that the EIR will consider the topic in greater depth and determine whether the impact would be significant. The proposed project could have a significant effect on historic architectural resources because of the potential for such resources to be disturbed by the proposed project. Accordingly, this topic is analyzed further in the EIR.

5. Effects Found Not to Be Significant or Not Significant with Identified Mitigation Measures

The following potential individual and cumulative environmental effects were determined to be either less than significant, or would be reduced to less than significant with mitigation measures identified in this initial study.

- Land Use and Planning
- Population and Housing

⁹ State Office of Planning and Research, *Revised Proposal on Updates to the CEQA Guidelines on Evaluating Transportation Impacts in CEQA*, <u>http://www.opr.ca.gov/docs/Revised_VMT_CEQA_Guidelines_Proposal_January_20_2016.pdf</u>, accessed November 11, 2020.

- Cultural Resources (archeological resources)
- Tribal Cultural Resources
- Transportation and Circulation
- Noise
- Air Quality
- Greenhouse Gas Emissions
- Wind
- Shadow
- Recreation
- Utilities and Service Systems
- Public Services
- Biological Resources
- Geology and Soils
- Hydrology and Water Quality
- Hazards and Hazardous Materials
- Mineral Resources
- Energy Resources
- Agricultural and Forest Resources
- Wildfire

These items are discussed and mitigation measures are included, where appropriate, in Section E of this initial study. They require no further environmental analysis in an EIR. All mitigation measures identified in this initial study are listed in Section F, Mitigation Measures. These measures have been agreed to by the project sponsor and will be implemented.

CUMULATIVE IMPACTS

The cumulative impact analyses for topics addressed in Section E, Evaluation of Environmental Effects, uses a combination of list-based and citywide-projections-based approaches. Reasonably foreseeable development and infrastructure projects that could potentially contribute to cumulative impacts on various resource topics are listed in EIR Table 3-1, Cumulative Projects within a 0.25-Mile Radius of the Proposed Project, p. 3-7, and mapped on EIR Figure 3-1, Cumulative Projects within a 0.25-Mile Radius of the Project Site, p. 3-8.

E. Evaluation of Environmental Effects

1. Land Use and Planning

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
1. LAND USE AND PLANNING. Would the project:					
a) Physically divide an established community?				\boxtimes	
b) Cause a significant physical environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect?			\boxtimes		

Impact LU-1: The proposed project would not physically divide an established community. (No Impact)

The division of an established community typically involves the construction of a physical barrier to neighborhood access, such as a new freeway, or the removal of a means of access, such as a bridge or a roadway. The proposed project would not result in the construction of a physical barrier to neighborhood access or the removal of an existing means of access. It would result in the demolition of the existing structures related to the site's previous agricultural use and construction of 62 dwelling units and publicly accessible open space entirely within the boundaries of the project site. The proposed project would not alter the established street grid, permanently close any streets or sidewalks, or impede the passage of persons or vehicles. Although portions of the sidewalks and streets adjacent to the project site could be closed for periods of time during project construction, these closures would be temporary and only occur during construction. For these reasons, the proposed project would not physically divide an established community, and no mitigation measures are required.

Impact LU-2: The proposed project would not cause a significant physical environmental impact due to a conflict with any land use plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental effect. (*Less than Significant*)

Land use impacts could be considered significant if the proposed project would conflict with any plan, policy, or regulation adopted for the purpose of avoiding or mitigating an environmental impact. Environmental plans and policies are those that directly address environmental issues and/or contain targets or standards that must be met in order to preserve or improve characteristics of the city's physical environment.

As described in Section C, Compatibility with Existing Zoning and Plans, the proposed project would not obviously or substantially conflict with any adopted environmental plan or policy, with the exception of the historic preservation policies contained in the urban design element of the general plan and the Accountable Planning Initiative. Physical environmental impacts resulting from these conflicts with historic preservation policies are discussed in topic E.4, Historic Architectural Resources, below, and evaluated in Section 3.A, Historic Architectural Resources, of the EIR.

To the extent that the proposed project would conflict with general plan objectives and policies that are unrelated to physical environmental issues, those conflicts would be considered by decision makers as part of their decision to approve or disapprove the proposed project independent of the environmental clearance process. Potential conflicts with applicable general plan objectives and policies would continue to be analyzed and considered as part of the review of the entitlement applications required for the proposed project independent of environmental review under CEQA. In addition, the proposed project would not obviously or substantially conflict with any adopted environmental plan or policy, including the 2017 Clean Air Plan, San Francisco's Strategies to Address Greenhouse Gas Emissions (GHG Reduction Strategy), and the San Francisco Urban Forestry Ordinance, as discussed in Section E.7, Air Quality, Section E.8, Greenhouse Gas Emissions, and Section E.14, Biological Resources, nor any of the local plans and policies identified in Section C.2, Other Local Plans and Policies. Therefore, the proposed project would have a *less-thansignificant* impact with regard to conflicts with land use plans, policies, or regulations adopted for the purpose of avoiding or mitigating an environmental effect.

Impact C-LU-1: The proposed project, in combination with cumulative projects, would not result in a significant cumulative impact related to land use and planning. (*Less than Significant*)

The context for the cumulative analysis is the cumulative development in the vicinity of the project site. Table 3-1, p. 3-7, and Figure 3-1, p. 3-8, in Chapter 3 of the EIR identifies cumulative development projects. The cumulative projects include development of three net new residential units. Similar to the proposed project, the cumulative projects would increase the number of residential units within an existing residential area and would not combine with the proposed project to alter the land use pattern of the immediate area or physically divide an established community. The cumulative projects would not result in conflicts with land use plans or policies adopted for the purpose of avoiding or mitigating environmental impacts, because they would be consistent with the city's objectives for increasing the supply of housing. Therefore, the proposed project, in combination with cumulative projects, would result in a *less-than-significant* cumulative impact related to land use and planning.

2. Population and Housing

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
 POPULATION AND HOUSING. Would the project: 					
a) Induce substantial unplanned population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, through extension of roads or other infrastructure)?					
b) Displace substantial numbers of existing people or housing units, necessitating the construction of replacement housing?				\boxtimes	

Impact PH-1: The proposed project would not induce substantial unplanned population growth in an area, either directly or indirectly. (Less than Significant)

Plan Bay Area 2040, which is the current regional transportation plan and sustainable communities strategy, adopted by MTC and ABAG in July 2013, contains housing and employment projections for San Francisco through 2040. Plan Bay Area calls for an increasing percentage of Bay Area growth to occur as infill development in areas with good transit access and the services necessary for daily living in proximity to housing and jobs. With its abundant transit services and mixed-use neighborhoods, San Francisco is expected to accommodate an increasing share of future regional growth.

According to the U.S. Census Bureau's most recent American Community Survey, the City and County of San Francisco had an estimated population of about 881,549 residents, and 401,452 housing units in 2019.¹⁰ Census tract 259, which includes the project site and immediate vicinity, has a population of 4,809 and a total of 1,475 housing units.¹¹ The proposed project would construct 62 dwelling units within Census Tract 259 in the Portola neighborhood of San Francisco. Based on the average household size in the City and County of San Francisco of 2.36 people per household,¹² the addition of 62 new residential units would increase the citywide population by approximately 146 residents.¹³ This would represent a residential population increase of approximately 3.0 percent over the existing census tract population, and approximately 0.02 percent citywide.

In general, a project would be considered growth-inducing if its implementation would result in a substantial unplanned population growth in an area, either directly or indirectly. While the addition of 146 people on the project site would be noticeable to residents of immediately adjacent properties, this would not constitute a substantial increase in the population of the neighborhood or the city. Therefore, the population introduced on the project site as a result of the proposed project would be accommodated within the planned growth

¹⁰ U.S. Census Bureau, San Francisco County, California, 2019, <u>https://www.census.gov/quickfacts/sanfranciscocountycalifornia</u>, accessed May 5, 2020.

¹¹ U.S. Census Bureau, 2018: ACS 5-Year Estimates Data Profiles, Census Tract 259, San Francisco County, California, accessed May 12, 2020.

¹² U.S. Census Bureau, *San Francisco County, California*, 2019, <u>https://www.census.gov/quickfacts/sanfranciscocountycalifornia</u>, accessed May 5, 2020.

 $^{^{13}}$ 62 residential units x 2.36 people per household = 146 new residents.

for the neighborhood and the city, as a whole, and would not directly induce substantial population growth. The proposed project also would not extend any roads or other infrastructure into areas where roads or other infrastructure currently do not exist, which could indirectly induce population growth. Moreover, the proposed project would be consistent with general plan objectives and policies and Plan Bay Area goals and criteria, as it is located on an infill site, is served by existing transit, and is in an established residential neighborhood. Furthermore, as discussed in Section E.12, Utilities and Service Systems, and Section E.13, Public Services, the population growth generated under the proposed project would not require the expansion of infrastructure or services that could cause adverse physical environmental impacts.

For these reasons, the proposed project would not induce substantial direct or indirect unplanned growth in the Portola neighborhood, or in San Francisco as a whole, and impacts would be *less than significant*.

Impact PH-2: The proposed project would not displace substantial numbers of existing people or housing units, necessitating the construction of replacement housing. (*No Impact*)

The proposed project would not displace any residents or housing units, since no housing units currently exist on the project site. Therefore, the proposed project would have **no impact** related to the displacement of housing units or people and would not necessitate the construction of replacement housing, and no mitigation measures are required.

Impact C-PH-1: The proposed project, in combination with cumulative projects in the vicinity, would not result in a significant cumulative impact related to population and housing. (Less than Significant)

The cumulative context for population and housing effects are typically citywide. San Francisco's population is expected to increase by 280,490 persons for a total of 1,085,730 persons by 2040.¹⁴ This would represent a residential population increase of approximately 3.0 percent over the existing census tract population, and approximately 0.02 percent citywide. The proposed project in combination with the cumulative projects would result in a population increase of 153 residents and an increase of 65 residential units. This population growth would constitute only a minor fraction of projected citywide growth, and has been anticipated and accounted for in ABAG's and the city's projections

Over the last several years, the supply of housing has not met the demand for housing in San Francisco. In December 2013, the ABAG projected regional housing needs in the *Regional Housing Need Plan for the San Francisco Bay Area: 2015–2023*. According to this report, the housing growth need of San Francisco for 2015 through 2023 is 28,869 dwelling units: 6,234 units in the very low income level (0 to 50 percent of the area median income); 4,639 units in the low income level (51 to 80 percent); 5,460 units in the moderate income level (81 to 120 percent); and 12,536 units in the above moderate income level (120 percent and higher).¹⁵ The proposed project, in combination with cumulative projects, would introduce 65 housing units (12 of which would be affordable housing units), which is consistent with the development needs identified in Plan Bay Area 2040, a state-mandated, integrated long-range transportation, land use, and housing plan.¹⁶ Therefore, while the proposed project, in combination with other cumulative development, would increase the population in the area, it would not induce substantial population growth beyond that already

¹⁴ Association of Bay Area Governments, *Plan Bay Area*, p. 40, *Plan Bay Area* (2013) | *Plan Bay Area*, accessed May 5, 2020.

¹⁵ ABAG, Regional Housing Need Plan, San Francisco Bay Area, 2015–2023, July 2013.

¹⁶ Metropolitan Transportation Commission and ABAG, *Plan Bay Area: 2040*, July 26, 2017, <u>https://www.planbayarea.org/plan-bay-area-2040</u>, accessed October 5, 2020.

anticipated to occur. As such, the proposed project, in combination with cumulative projects would result in a *less-than-significant* cumulative impact related to population and housing.

3. Cultural Resources

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
3. CULTURAL RESOURCES. Would the project:					
a) Cause a substantial adverse change in the significance of a historical resource pursuant to \$15064.5, including those resources listed in article 10 or article 11 of the San Francisco Planning Code?					
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to §15064.5?		\boxtimes			
c) Disturb any human remains, including those interred outside of formal cemeteries?		\boxtimes			

Impact CR-1: The proposed project could cause a substantial adverse change in the significance of a historical resource pursuant to CEQA Guidelines section 15064.5. *(Potentially Significant)*

The proposed project would demolish the structures on the project site and has the potential to result in a significant impact related to historic architectural resources. Therefore, this topic is addressed in Section 3.A, Historic Architectural Resources of the EIR.

Impact CR-3: The proposed project could cause a substantial adverse change in the significance of an archeological resource. (Less than Significant with Mitigation)

The proposed project would require excavation of approximately 10,800 cubic yards of soil to a depth of 5 feet below ground surface (bgs), and removal of approximately 6,000 cubic yards of soil from the project site. The planning department conducted a preliminary archeological review of the project site to determine the potential for the proposed project to impact archeological resources.¹⁷

The preliminary archeological review determined that there are no known or suspected historic-period resources on or near the project site. A fenced parcel about a block in size with three structures, was present immediately east of the project site in 1869, with similar scattered rural development in the vicinity. By 1905, much of the street grid north of the project site had been developed, but the streets immediately surrounding the project site do not appear to have been completed. A branch of Yosemite Creek ran along

¹⁷ San Francisco Planning Department, *Preliminary Archeological Review: 770 Woolsey Street*, January 2021. Unless otherwise noted, the site description is based on this preliminary review.

the southern boundary of the project site until 1911. The project site remained vacant in 1914, and was at the edge of suburban/rural development, although the adjacent streets had been established by that time. The existing structures at the site were constructed beginning in 1922.

The preliminary archeological review notes that there were exposed soils around the margins of the site, but no evidence of archeological deposits was identified in these locations. Based on the history of development, the potential for historic-period resources appears to be low, with the possible exception of historic-period materials incidentally deposited, associated with greenhouse workers after the 1920s and the historically significant nursery. Soils under the fill and above bedrock are shallow in the western (upslope) part of the site. The relative elevations of the adjacent blocks indicate that substantial cut and fill has occurred on portions of the project site. However, the preliminary archeological review also determined that a branch of Yosemite Creek ran along the southern boundary of the project site, which suggests the potential for prehistoric occupation. Based on the potential for prehistoric sites to be located along Yosemite Creek that were later buried by flooding, the relatively gentle slope, the proximity to a creek, and late and light development history of the project site, the preliminary archeological review determined that the project site has a high to very high potential for near surface and buried prehistoric resources to be present. Construction activity and excavation could result in significant impacts to these potential archeological resources. To reduce potential impacts on archeological resources to a less-than-significant level, the project sponsor would be required to implement **Mitigation Measure M-CR-2, Archeological Testing**.

Mitigation Measure M-CR-2: Archeological Testing. Based on a reasonable presumption that archeological resources may be present within the project site, the following measures shall be undertaken to avoid any potentially significant adverse effect from the proposed project on buried or submerged historical resources. The project sponsor shall retain the services of an archeological consultant having expertise in California prehistoric and urban historical archeology. The archeological consultant shall undertake an archeological testing program as specified herein. In addition, the consultant shall be available to conduct an archeological monitoring and/or data recovery program if required pursuant to this measure. The archeological consultant's work shall be conducted in accordance with this measure at the direction of the Environmental Review Officer (ERO). All plans and reports prepared by the consultant as specified herein shall be submitted first and directly to the ERO for review and comment and shall be considered draft reports subject to revision until final approval by the ERO. Archeological monitoring and/or data recovery programs required by this measure could suspend construction of the project for up to a maximum of four weeks. At the direction of the ERO, the suspension of construction can be extended beyond four weeks only if such a suspension is the only feasible means to reduce to a less than significant level potential effects on a significant archeological resource as defined in CEQA Guidelines section 15064.5(a)(c).

Archeological Testing Program. The archeological testing program shall be conducted in accordance with the approved Archeological Testing Plan (ATP). The purpose of the archeological testing program will be to determine to the extent possible the presence or absence of archeological resources and to identify and to evaluate whether any archeological resource encountered on the site constitutes an historical resource under CEQA.

The archeological consultant and the ERO shall consult on the scope of the ATP reasonably prior to any project-related soils disturbing activities commencing. The archeological consultant shall prepare and submit to the ERO for review and approval an ATP. The ATP shall identify the property types of the expected archeological resource(s) that potentially could be adversely affected by the proposed project, lay out what scientific/historical research questions are applicable to the expected resource, what data classes the resource is expected to possess, and how the expected data classes would address the applicable research questions. The ATP shall also identify the testing method to be used, and the locations recommended for testing and shall identify archeological monitoring requirements for construction soil disturbance as warranted. The archeologist shall implement the approved testing as specified in the approved ATP prior to and/or during construction. The archeologist shall consult with the ERO at the conclusion of testing to report testing results, determine whether data recovery is needed, and provide construction with the ERO.

Archeological Data Recovery Plan. If testing results are positive and the ERO determines that an archeological data recovery program is warranted, the archeological data recovery program shall be conducted in accord with an archeological data recovery plan (ADRP). The archeological consultant, project sponsor, and ERO shall meet and consult on the scope of the ADRP prior to preparation of a draft ADRP. The archeological consultant shall submit a draft ADRP to the ERO. The ADRP shall identify how the proposed data recovery program will preserve the significant information the archeological resource is expected to contain. That is, the ADRP will identify what scientific/historical research questions are applicable to the expected resource, what data classes the resource is expected to possess, and how the expected data classes would address the applicable research questions. Data recovery, in general, should be limited to the portions of the historical property that could be adversely affected by the proposed project. Destructive data recovery methods shall not be applied to portions of the archeological resources if nondestructive methods are practical.

The scope of the ADRP shall include the following elements:

- *Field Methods and Procedures.* Descriptions of proposed field strategies, procedures, and operations.
- *Cataloguing and Laboratory Analysis.* Description of selected cataloguing system and artifact analysis procedures.
- *Discard and Deaccession Policy.* Description of and rationale for field and post-field discard and deaccession policies.
- *Interpretive Program.* Consideration of an on-site/off-site public interpretive program during the course of the archeological data recovery program.
- *Security Measures.* Recommended security measures to protect the archeological resource from vandalism, looting, and non-intentionally damaging activities.
- *Final Report.* Description of proposed report format and distribution of results.
- *Curation.* Description of the procedures and recommendations for the curation of any recovered data having potential research value, identification of appropriate curation facilities, and a summary of the accession policies of the curation facilities.

Consultation with Descendant Communities. On discovery of an archeological site associated with descendant Native Americans, the Overseas Chinese, or other potentially interested descendant group an appropriate representative of the descendant group and the ERO shall be contacted. The

representative of the descendant group shall be given the opportunity to monitor archeological field investigations of the site and to offer recommendations to the ERO regarding appropriate archeological treatment of the site, of recovered data from the site, and, if applicable, any interpretative treatment of the associated archeological site. A copy of the Final Archeological Resources Report (FARR) shall be provided to the representative of the descendant group.

Human Remains and Funerary Objects. The treatment of human remains and funerary objects discovered during any soils disturbing activity shall comply with applicable State and federal laws. This shall include immediate notification of the Medical Examiner of the City and County of San Francisco and, in the event of the Medical Examiner's determination that the human remains are Native American remains, notification of the California State Native American Heritage Commission, which will appoint a Most Likely Descendant (MLD). The MLD will complete his or her inspection of the remains and make recommendations or preferences for treatment within 48 hours of being granted access to the site (Public Resources Code section 5097.98). The ERO also shall be notified immediately upon the discovery of human remains.

The project sponsor and ERO shall make all reasonable efforts to develop a Burial Agreement ("Agreement") with the MLD, as expeditiously as possible, for the treatment and disposition, with appropriate dignity, of human remains and associated or unassociated funerary objects (as detailed in CEQA Guidelines section 15064.5(d)). The Agreement shall take into consideration the appropriate excavation, removal, recordation, scientific analysis, custodianship, curation, and final disposition of the human remains and associated or unassociated funerary objects. If the MLD agrees to scientific analyses of the remains and/or associated or unassociated funerary objects, the archeological consultant shall retain possession of the remains and associated or unassociated or unassociated funerary objects funerary objects until completion of any such analyses, after which the remains and associated or unassociated funerary objects shall be reinterred or curated as specified in the Agreement.

Nothing in existing State regulations or in this mitigation measure compels the project sponsor and the ERO to accept treatment recommendations of the MLD. However, if the ERO, project sponsor, and MLD are unable to reach an Agreement on scientific treatment of the remains and associated or unassociated funerary objects, the ERO, with cooperation of the project sponsor, shall ensure that the remains and associated or unassociated funerary objects are stored securely and respectfully until they can be reinterred on the property, with appropriate dignity, in a location not subject to further or future subsurface disturbance.

Treatment of historic-period human remains and of associated or unassociated funerary objects discovered during any soil-disturbing activity, additionally, shall follow protocols laid out in the project's archeological treatment documents, and in any related agreement established between the project sponsor, Medical Examiner, and the ERO.

Archeological Public Interpretation Plan. The project archeological consultant shall submit an Archeological Public Interpretation Plan (APIP) if a significant archeological resource is discovered during a project. If the resource to be interpreted is a tribal cultural resource, the APIP shall be prepared in consultation with and developed with the participation of Ohlone tribal representatives. The APIP shall describe the interpretive product(s), locations or distribution of interpretive materials or displays, the proposed content and materials, the producers or artists of the displays or installation, and a long-term maintenance program. The APIP shall be sent to the ERO for review and approval. The APIP shall be implemented prior to occupancy of the project.

Final Archeological Resources Report. Whether or not significant archeological resources are encountered, the archeological consultant shall submit a written report of the findings of the monitoring program to the ERO. The archeological consultant shall submit a draft Final Archeological Resources Report (FARR) to the ERO that evaluates the historical significance of any discovered archeological resource and describes the archeological, historical research methods employed in the archeological testing/monitoring/data recovery program(s) undertaken, and if applicable, discusses curation arrangements. Information that may put at risk any archeological resource shall be provided in a separate removable insert within the final report.

Once approved by the ERO, copies of the FARR shall be distributed as follows: California Archeological Site Survey Northwest Information Center (NWIC) shall receive one (1) copy and the ERO shall receive a copy of the transmittal of the FARR to the NWIC. The Environmental Planning division of the Planning Department shall receive one bound and one unlocked, searchable PDF copy on digital medium of the approved FARR along with GIS shapefiles of the site and feature locations and copies of any formal site recordation forms (CA DPR 523 series) and/or documentation for nomination to the National Register of Historic Places/California Register of Historical Resources. In instances of high public interest in or the high interpretive value of the resource, the ERO may require a different final report content, format, and distribution than that presented above.

Curation. Significant archeological collections shall be permanently curated at an established curatorial facility selected in consultation with the ERO.

Implementation of Mitigation Measure M-CR-2 would ensure that potential impacts on archeological resources as a result of construction-related activities on the project site would be **less than significant with** *mitigation*.

Impact CR-4: The project could disturb human remains, including those interred outside of formal cemeteries. (*Less than Significant with Mitigation*)

There are no known or suspected human remains, including those interred outside of formal cemeteries, located in the immediate vicinity of the project site. In the unlikely event that human remains are encountered during construction, any inadvertent damage to human remains would be considered a significant impact. **Mitigation Measure M-CR-2, Archeological Testing**, includes the required procedures to address, protect, and treat human remains should any be discovered during construction. With implementation of Mitigation Measure M-CR-2, as described above, the proposed project's impacts on human remains would be *less than significant with mitigation*.

Impact C-CR-1: The proposed project, in combination with cumulative projects, could result in demolition and/or alteration of historical resources, as defined in CEQA Guidelines section 15064.5. *(Potentially Significant)*

This topic is analyzed in Section 3.A, Historic Architectural Resources of the EIR.

Impact C-CR-2: The proposed project, in combination with cumulative projects, would not result in significant cumulative impacts on archeological resources and human remains. (Less than Significant)

Although archeological resources may be present on the project site, and could be affected by site development, project-related impacts on archeological resources and human remains are site-specific and generally limited to a project's construction area and would be mitigated to a less-than-significant level with implementation of Mitigation Measure M-CR-2. Impacts on resources on the project site would be mitigated to less than significant levels. There are no anticipated projects on adjacent parcels that would have the potential to affect the same resources. For these reasons, the proposed project, in combination with cumulative projects, would not have a significant cumulative impact on archeological resources or human remains; therefore, this impact would be *less than significant*.

Торіс		Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
4.	TRIBAL CULTURAL RESOURCES. Would the project:					
a)	Cause a substantial adverse change in the significance of a tribal cultural resource, defined in Public Resources Code section 21074 as either a site, feature, place, or cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:					
	 Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k), or 					
	 A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code section 5024.1. In applying the criteria set forth in subdivision (c) of Public Resources Code section 5024.1, the lead agency shall consider the significance of the resource to a California Native American tribe. 					

4. Tribal Cultural Resources

Impact TCR-1: The proposed project could cause a substantial adverse change in the significance of a tribal cultural resource as defined in Public Resources Code section 21074. (Less than Significant with Mitigation)

Pursuant to CEQA section 21074, tribal cultural resources are defined as sites, features, places, cultural landscapes, sacred places, and objects with cultural value to a California Native American tribe that are also either (a) included or determined to be eligible for inclusion in the California register or (b) included in a local register of historical resources as defined in CEQA section 5020.1(k). Pursuant to CEQA section 21080.3.1(d), on November 9, 2020, the planning department contacted Native American individuals and organizations for the San Francisco area, providing a description of the project and requesting comments on the identification, presence, and significance of tribal cultural resources in the project vicinity.¹⁸ During the 30day comment period, no Native American tribal representatives contacted the planning department to request consultation. Based on prior Native American consultation, in San Francisco, prehistoric archeological resources are presumed to be potential tribal cultural resources. A tribal cultural resource is adversely affected when a project impacts its significance, which would occur if such a resource were disturbed or destroyed. Based on prior Native American consultation, the preferred treatment for identified tribal cultural resources is preservation in place. If preservation is not feasible, then archeological data recovery is the preferred treatment in consultation with local Native American representatives, in conjunction with public interpretation, as detailed under TCR-1, below. To reduce the potential for impacts to tribal cultural resources to less-than-significant levels, the project sponsor would be required to incorporate Mitigation Measure M-TCR-1, Tribal Cultural Resources Archeological Resource Preservation Plan and/or Interpretive Program.

Mitigation Measure M-TCR-1: Tribal Cultural Resources Archeological Resource Preservation Plan and/or Interpretive Program.

Preservation in Place. In the event of the discovery of an archeological resource of Native American origin, the Environmental Review Officer (ERO), the project sponsor, and the tribal representative, shall consult to determine whether preservation in place would be feasible and effective. If it is determined that preservation-in-place of the tribal cultural resource (TCR) would be both feasible and effective, then the archeological consultant shall prepare an archeological resource preservation plan (ARPP), which shall be implemented by the project sponsor during construction. The consultant shall submit a draft ARPP to Planning for review and approval.

Interpretive Program. If the Environmental Review Officer (ERO), in consultation with the affiliated Native American tribal representatives and the project sponsor, determines that preservation-in-place of the tribal cultural resources is not a sufficient or feasible option, the project sponsor shall implement an interpretive program of the tribal cultural resource in consultation with affiliated tribal representatives. A Tribal Cultural Resources Interpretation Plan (TCRIP) produced in consultation with the ERO and affiliated tribal representatives, at a minimum, and approved by the ERO would be required to guide the interpretive program. The plan shall identify, as appropriate, proposed locations for installations or displays, the proposed content and materials of those displays or installation, the producers or artists of the displays or installation, and a long-term maintenance program. The interpretive program may include artist installations, preferably by local

¹⁸ San Francisco Planning Department, *Tribal Notification Regarding Tribal Cultural Resources and CEQA*, November 9, 2020.

Native American artists, oral histories with local Native Americans, artifacts displays and interpretation, and educational panels or other informational displays.

Implementation of **Mitigation Measure M-TCR-1** would require the appropriate involvement of concerned Native Americans in the treatment of tribal cultural resources discovered during construction and ensure that any such resource would be preserved, or that the information it represents would be preserved and interpreted to the public. These steps would ensure that project excavation would not cause a substantial adverse change in the significance of tribal cultural resources that could be encountered during construction, and that the project's potential impact would be *less than significant with mitigation*.

Impact C-TCR-1: The proposed project, in combination with cumulative projects, would not result in significant cumulative impacts to tribal cultural resources. (Less than Significant)

Project-related impacts on tribal cultural resources are site-specific and generally limited to a project's construction area. In San Francisco, prehistoric archeological resources are considered to be tribal cultural resources. Any project impacts to such a resource would be mitigated to less than significant levels through implementation of M-TCR-1 and, if the resource cannot be avoided, archeological data recovery in consultation with local Native American representatives (as detailed in M-CR-2, above) and public interpretation. There are no anticipated projects on adjacent parcels that would have the potential to affect the same resources. For these reasons, the proposed project, in combination reasonably foreseeable future projects, would have a *less-than-significant* cumulative impact on tribal cultural resources.

Less than Significant Potentially with Less than Significant Mitigation Significant No Not **Topics:** Applicable Impact Incorporated Impact Impact 5. TRANSPORTATION AND CIRCULATION. Would the project: \square \square \times \square \square a) Involve construction that would require a substantially extended duration or intensive activity, the effects of which would create potentially hazardous conditions for people walking, bicycling, or driving, or public transit operations; or interfere with emergency access or accessibility for people walking or bicycling; or substantially delay public transit? \square \square \mathbf{X} \square \square b) Create potentially hazardous conditions for people walking, bicycling, or driving or public transit operations? \square \square \boxtimes \square \square c) Interfere with accessibility of people walking or bicycling to and from the project site, and adjoining areas, or result in inadequate emergency access?

5. Transportation and Circulation

To	pics:	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
d)	Substantially delay public transit?			\boxtimes		
e)	Cause substantial additional vehicle miles travelled or substantially induce additional automobile travel by increasing physical roadway capacity in congested areas (i.e., by adding new mixed-flow travel lanes) or by adding new roadways to the network?					
f)	Result in a loading deficit, the secondary effects of which would create potentially hazardous conditions for people walking, bicycling, or driving; or substantially delay public transit?					
g)	Result in a substantial vehicular parking deficit, the secondary effects of which would create potentially hazardous conditions for people walking, bicycling, or driving; or interfere with accessibility for people walking or bicycling or inadequate access for emergency vehicles; or substantially delay public transit?					

This section presents the existing transportation and circulation conditions and analyzes the potential project-level and cumulative impacts on transportation and circulation during construction and operation of the proposed project. Transportation and circulation topics include walking, bicycling, driving hazards, transit, emergency access, vehicle miles traveled, and loading.

ENVIRONMENTAL SETTING

The 2.2-acre project site is bounded by Wayland Street to the north, Hamilton Street to the east, Woolsey Street to the south, and Bowdoin Street and the University Mound Reservoir to the west (see EIR Figure 2-1, Project Location Map, p. 2-3).

Roadways. Wayland Street, Hamilton Street, Woolsey Street, and Bowdoin Street are all two-way, two-lane (one in each direction) neighborhood residential streets with parallel parking on both sides; the frontages of Woolsey and Bowdoin Streets along the University Mound Reservoir (west of the project site) are designated as park edge streets.¹⁹ Wayland and Woolsey Streets run in the east-west direction; Hamilton and Bowdoin Streets run in the north-south direction. None of the four local roadways used to access the project site have been identified as high injury corridors on the Vision Zero High Injury Network.²⁰

¹⁹ San Francisco Planning Department, San Francisco Better Streets Plan: Street Types, <u>https://www.sfbetterstreets.org/designguidelines/street-types/</u>, accessed September 28, 2020. Neighborhood Residential streets are characterized by relatively low traffic volumes and speeds and Park Edge streets are characterized by higher-than-normal pedestrian activity.

²⁰ San Francisco Department of Public Health, Vision Zero High Injury Network: 2017,

http://sfgov.maps.arcgis.com/apps/webappviewer/index.html?id=fa37f1274b4446f1bdddd7bdf9e708ff, accessed September 28, 2020.

Bicycle Facilities. There are no designated bicycle facilities located adjacent to the project site.

Pedestrian Facilities. There are sidewalks along both sides of the street on Woolsey and Hamilton streets. There is no sidewalk on the east side of Bowdoin Street (project frontage), and only a partial sidewalk on the west side of the street (University Mount Reservoir frontage). There is a sidewalk on the north side of Wayland Street, but no sidewalk on the south side of the street (project frontage). Sidewalks are approximately 10 feet wide and are in fair condition and absent of hazards. The four intersections at the four corners of the project site are stop-controlled; ADA-compliant, striped pedestrian crosswalks and curb ramps are only provided at the Woolsey and Hamilton street intersection at the southeast corner of the project site.

Transit. The project site is served by the San Francisco Municipal Transportation Agency (Muni) transit network and is located adjacent to the 54-Felton line. Other Muni bus lines that operate within 0.5 mile of the project include the 8-Bayshore, 9-San Bruno, 9R-San Bruno Rapid, 29-Sunset, and 44-O'Shaughnessy.

Emergency Access. The project site receives fire protection and emergency medical services from the San Francisco Fire Department's Fire Station No. 42 at 2430 San Bruno Avenue, approximately 0.6 mile northeast of the project site.²¹ The project site receives police protection services from the San Francisco Police Department's Bayview Station at 201 Williams Avenue, approximately 0.75 mile northeast of the project site.²² Emergency access to the site is available along all four local roadways providing access to the project site.

Vehicle Miles Traveled. Vehicle miles traveled (VMT) per person (or per capita) is a measurement of the amount and distance that a resident, employee, or visitor drives, accounting for the number of passengers within a vehicle. In general, higher VMT areas are associated with more air pollution, including greenhouse gas emissions, and energy usage than lower VMT areas. Many interdependent factors affect the amount and distance a person might drive. In particular, the built environment affects how many places a person can access within a given distance, time, and cost, using different ways of travels (e.g., private vehicle, public transit, bicycling, walking, etc.). Typically, low-density development located at great distances from other land uses and in areas with few options for ways of travel provides less access than a location with high density, a mix of land uses, and numerous ways of travel. Therefore, low-density development typically generates more VMT compared to a similarly sized development located in urban areas.

Given these travel behavior factors, on average, persons living or working in San Francisco result in lower amounts of VMT per person than persons living or working elsewhere in the nine-county San Francisco Bay Area region. In addition, on average, persons living or working in some areas of San Francisco result in lower amounts of VMT per person than persons living or working elsewhere in San Francisco. The city displays different amounts of VMT per capita geographically through transportation analysis zones.²³

The San Francisco County Transportation Authority uses the San Francisco chained activity modeling process to estimate VMT by private automobiles and taxis for different transportation analysis zones. The transportation authority calibrates travel behavior in the model based on observed behavior from the California Household Travel Survey [2010-2012], census data regarding automobile ownership rates and county-to-county worker flows, and observed vehicle counts and transit boardings. The model uses a

²¹ San Francisco Fire Department, Fire Station Locations, <u>http://sf-fire.org/FIRE-STATION-LOCATIONS#divisions</u>, accessed September 28, 2020.

²² San Francisco Police Department, Police District Maps, <u>http://sanfranciscopolice.org/police-district-maps?page=796</u>, accessed September 28, 2020.
²³ Planners use these zones as part of transportation planning models for transportation analyses and other planning purposes. The zones vary in size from single city blocks in the downtown core, multiple blocks in outer neighborhoods, to even larger zones in historically industrial areas such as the Hunters Point Shipyard area.

synthetic population, which is a set of individual actors that represents the Bay Area's actual population, who make simulated travel decisions for a complete day.

The model estimates daily VMT for residential, office, and retail land use types. For residential and office uses, the transportation authority uses tour-based analysis. A tour-based analysis examines the entire chain of trips over the course of a day, not just trips to and from a site. For retail uses, the transportation authority uses trip-based analysis. A trip-based analysis counts VMT from individual trips to and from a site (as opposed to entire chain of trips). A trip-based approach, as opposed to a tour-based approach, is necessary for retail sites because a tour is likely to consist of trips stopping in multiple locations, and the summarizing of tour VMT to each location would over-estimate VMT.^{24,25,26}

The existing average daily VMT per capita for residents for the nine-county San Francisco Bay Area is 17.2 miles. For transportation analysis zone 901, the zone in which the project site is located, the existing average daily VMT per capita for residents is 10.5 miles. The existing average daily VMT per capita for the residential uses at the project site (10.5 miles) is approximately 39 percent lower than the regional Bay Area average (17.2 miles).

Loading. There are no commercial or passenger loading zones within a block of the project site.

APPROACH TO ANALYSIS

The following summarizes the methodology and results for the proposed project's travel demand and describes the quantitative thresholds of significance used for determining transportation impacts under existing plus project conditions. The travel demand and impact analysis methodology use the data and guidance within the planning department's 2019 *Transportation Impact Analysis Guidelines for Environmental Review* (SF Guidelines).

Project Travel Demand. Localized daily and p.m. peak period trip generation for the proposed project was calculated using a trip-based analysis and information included in the SF Guidelines for residential uses developed by the San Francisco Planning Department.²⁷ These trips are summarized in **Table 1**. Trip generation refers to the number of estimated trips people would take to and from the project (person trips). These trips are broken down by mode, or the estimated way or method people travel (e.g., walking, bicycling, transit, etc.). Auto trips are further broken down into vehicle trips, which account for average vehicle occupancy in the census tract in which the project site resides.

²⁴ To state another way: a tour-based assessment of VMT at a retail site would consider the VMT for all trips in the tour, for any tour with a stop at the retail site. If a single tour stops at two retail locations, for example, a coffee shop on the way to work and a restaurant on the way back home, then both retail locations would be allotted the total tour VMT. A trip-based approach allows us to apportion all retail-related VMT to retail sites without double-counting.

²⁵ Retail travel is not explicitly captured in San Francisco chained activity modeling process, rather, there is a generic "Other" purpose which includes retail shopping, medical appointments, visiting friends or family, and all other non-work, non-school tours. The retail efficiency metric captures all of the "Other" purpose travel generated by Bay Area households. The denominator of employment (including retail; cultural, institutional, and educational; and medical employment; school enrollment, and number of households) represents the size, or attraction, of the zone for this type of "Other" purpose travel.

²⁶ San Francisco Planning Department, Executive Summary: Resolution Modifying Transportation Impact Analysis, Appendix F, Attachment A, March 3, 2016.

²⁷ San Francisco Planning Department, Travel Demand Tool, <u>https://sftraveldemand.sfcta.org/</u>, accessed September 28, 2020.

	Perso	Person Trips		e Trips
Mode	Daily	PM Peak Period	Daily	PM Peak Period
Auto	277	25	180	16
TNC/Taxi	25	2	17	2
Transit	135	12		
Private Shuttle	2	1		
Bike	28	3		
Walk	244	22		
Total	711	65	197	18

Table 1Proposed Project Travel Demand

Vehicle Miles Traveled Analysis (Existing). The planning department uses the following quantitative thresholds of significance to determine whether the project would generate substantial additional VMT:

- For residential projects, if it exceeds the regional household VMT per capita minus 15 percent.
- For office projects, if it exceeds the regional VMT per employee minus 15 percent.
- For retail projects, if it exceeds the regional VMT per retail employee minus 15 percent.
- For mixed-use projects, evaluate each land use independently, per the thresholds of significance described above.

The planning department uses VMT efficiency metrics (i.e., per capita) for thresholds of significance. VMT per capita reductions mean that individuals will, on average, travel less by automobile than previously but, because the population will continue to grow, it may not mean an overall reduction in the number of miles driven.

The planning department uses a map-based screening criterion to identify types and locations of land use projects that would not exceed these quantitative thresholds of significance. The San Francisco County Transportation Authority uses a model to present VMT for residential, office, and retail in San Francisco and the region, as described and shown under existing conditions. The department uses that data and associated maps to determine whether a project site's location is below the VMT quantitative threshold of significance.

The planning department also presumes that small projects (projects that would generate fewer than 100 vehicle trips per day) would not exceed these quantitative thresholds of significance. Furthermore, the department presumes residential uses proposed within 0.5 mile of an existing major transit stop (as defined by CEQA section 21064.3) or an existing stop along a high-quality transit corridor (as defined by CEQA section 21155) would not exceed these quantitative thresholds of significance. However, this presumption would not apply if the project would: (1) have a floor area ratio of less than 0.75; (2) include more parking for use by residents, customers, or employees of the project than required or allowed, without a conditional use; or (3) is inconsistent with the applicable Sustainable Communities Strategy.²⁸

²⁸ The department considers a project to be inconsistent with the Sustainable Communities Strategy if the project is located outside of areas contemplated for development in the Sustainable Communities Strategy.

TRANSPORTATION IMPACTS

San Francisco Administrative Code chapter 31 directs the department to identify environmental effects of a project using as its base the environmental checklist form set forth in CEQA Guidelines Appendix G. As it relates to transportation and circulation, Appendix G asks whether the project would:

- Conflict with a program, plan, ordinance or policy addressing the circulation system, including transit, roadway, bicycle and pedestrian facilities;
- Conflict or be inconsistent with CEQA Guidelines section 15064.3, subdivision (b);
- Substantially increase hazards due to a geometric design feature (e.g., sharp curves or dangerous intersections) or incompatible uses; and
- Result in inadequate emergency access.

The department uses significance criteria to facilitate the transportation analysis and address the Appendix G checklist. The department separates the significance criteria into construction and operation.

CONSTRUCTION

Construction of the proposed project would have a significant effect on the environment if it would require a substantially extended duration or intense activity; and the effects would create potentially hazardous conditions for people walking, bicycling, or driving, or public transit operations; or interfere with accessibility for people walking or bicycling or substantially delay public transit.

OPERATION

The operational impact analysis addresses the following five significance criteria. A project would have a significant effect if it would:

- Create potentially hazardous conditions for people walking, bicycling, or driving or public transit operations;
- Interfere with accessibility of people walking or bicycling to and from the project site, and adjoining areas, or result in inadequate emergency access;
- Substantially delay public transit;
- Cause substantial additional VMT or substantially induce additional automobile travel by increasing physical roadway capacity in congested areas (i.e., by adding new mixed-flow travel lanes) or by adding new roadways to the network; or
- Result in a loading deficit and the secondary effects would create potentially hazardous conditions for people walking, bicycling, or driving or substantially delay public transit.

IMPACT ANALYSIS

Impact TR-1: Construction of the proposed project would not require a substantially extended duration or an intense activity, the effects of which would create potentially hazardous conditions for people walking, bicycling, or driving, or for public transit operations; would not interfere with emergency access or accessibility for people walking or bicycling; and would not substantially delay public transit. (Less than Significant)

Construction of the proposed project is anticipated to occur over a 24-month period and begin in early 2022. Construction would begin with mobilization and staging, followed by demolition and site preparation, structural and large utility work, and architectural and site work. Construction would occur in a single phase, with no occupancy of the residential units until construction is complete. The site preparation and grading would require approximately 10,800 cubic yards of excavation to a maximum depth of 5 feet bgs. Approximately 6,000 cubic yards of soil would be hauled offsite and 6,000 cubic yards of clean soil would be imported.

Construction would generally occur between the hours of 8 a.m. and 4 p.m., consistent with San Francisco Police Code section 2908. Certain construction activities such as large concrete pours, may require earlier start or later finish times to accommodate such time-specific activities. Construction activities that extend beyond normal hours would be subject to review, permitting, and approval by the San Francisco Department of Building Inspection (building department).

Construction activities would temporarily restrict pedestrian access to the existing sidewalks along Woolsey and Hamilton Streets while streetscape and sidewalk improvements are being constructed. Changes to the transportation network in the project area related to construction activities (e.g., travel lane or sidewalk closures) would be temporary. Construction activities in San Francisco that have the potential to affect the transportation network are subject to the San Francisco Municipal Transportation Agency's San Francisco Regulations for Working in San Francisco Streets ("The Blue Book"), as well as the public works code and public works department orders.²⁹ The Blue Book establishes rules for working safely and causing the least possible interference with people walking, bicycling, taking transit or driving and/or transit operations.

If project construction activities are not able to comply with The Blue Book, the contractor must apply for a special traffic permit from the SFMTA. Additionally, all traffic control implemented as part of any special traffic permit conditions would be required to conform to the California Manual of Uniform Traffic Control Devices.³⁰ With respect to public works' policy, a safe and accessible path of travel must be provided for all people walking, including those with disabilities, around construction sites.³¹ To that end, the public works code includes requirements related to excavation in the public right-of-way and may require the development and implementation of a contractor parking plan. In addition to these, the contractor would be responsible for complying with all city, state and federal codes, rules and regulations. During the 24-month construction period, vehicle trips associated with construction workers would be generated. However, given the project

²⁹ San Francisco Municipal Transportation Agency, *City and County of San Francisco Regulations for Working in San Francisco Streets*, January 2012, *https://www.sfmta.com/reports/construction-regulations-blue-book*, accessed November 2020.

³⁰ California Department of Transportation, 2014 California Manual of Uniform Traffic Control Devices Rev 5, March 2020, <u>https://dot.ca.gov/programs/safety-programs/camuted</u>, accessed November 2020.

³¹ San Francisco Public Works, *Guidelines for the Placement of Barricades at Construction Sites (ORDER NO. 167,840)*, 2008,

http://sfpublicworks.org/sites/default/files/Guidelines_for_Placement_of_Barricades_0.pdf, accessed November 2020.

site's proximity to high-quality local and regional transit service on nearby San Bruno Avenue, a substantial portion of construction workers would be expected to take public transit to and from the project site.

Construction staging would largely occur on the project site, with transport of materials occurring either via Woolsey or Hamilton streets. The impact of construction traffic would temporarily reduce the capacities of surrounding roadways and truck routes, as well as connecting local streets, due to the slower movement and larger turning radii of trucks. Construction truck and worker vehicle traffic could result in minor congestion and conflicts with vehicles, transit, people walking, and bicyclists. However, construction activities would be temporary and of limited duration, and the majority of construction activity would occur during off-peak hours when traffic volumes are minimal and potential for conflicts is low. No bicycle facilities are adjacent to the project site. Emergency access on all streets adjacent to the site would be maintained throughout construction.

Based on the discussion above, construction of the proposed project would result in a *less-than-significant* transportation impact and no mitigation measures are required.

Impact TR-2: The proposed project would not create potentially hazardous conditions for people walking, bicycling, or driving, or public transit operations. (*Less than Significant*)

As shown in Table 1, the proposed project would generate approximately 711 person trips (inbound and outbound) on a weekday daily basis, consisting of 277 auto trips (180 vehicle trips), 25 taxi or transit network company (TNC) trips (17 vehicle trips), 135 transit trips, two private shuttle trips, 28 bicycle trips and 244 walk trips. During the p.m. peak period, the proposed project would generate an estimated 65 daily person trips, consisting of 25 auto trips (16 vehicle trips), two taxi or TNC trips (two vehicle trips), 12 transit trips, one private shuttle trip, three bicycle trips, and 22 walking trips. Although these trips would increase the level of vehicle, pedestrian and bicycling activity in the area, the additional volume would be too small relative to existing conditions to create potentially hazardous conditions for people driving, walking, or bicycling, or for public transit operations. The project would include 31 curb cuts to serve the residential units along all frontage of the project site. Given that each curb cut would serve a garage accommodating a maximum of two automobiles, and there are no bicycling facilities or transit lines operating on the streets adjacent to these curb cuts, they are not expected to create potentially hazardous conditions for people driving, walking, or bicycling, walking, or bicycling, or for public transit operations.

In addition, the proposed project would not alter the existing street grid, reconfigure the intersections near the project site, or introduce other physical features that would increase hazards for people driving, walking, or bicycling, or for public transit operations. Moreover, the proposed project would provide streetscape and sidewalk improvements along the block's street frontages in accordance with the San Francisco Better Streets Plan. The improvements would include four bulb-outs, adding a sidewalk along Wayland Street, filling the trench and adding a sidewalk and curb along Bowdoin Street, landscaping, and planting approximately 33 street trees along the perimeter of the block; these modifications would likely reduce hazards for people driving, walking, or bicycling, or for public transit operations.

Based on the discussion above, operation of the proposed project would not create potentially hazardous conditions for people driving, walking, or bicycling, or for public transit operations. Therefore, impacts would be *less than significant*, and no mitigation measures are necessary.

Impact TR-3: The proposed project would not interfere with accessibility for people walking or bicycling to and from the project site and adjoining areas, and would not result in inadequate emergency access. (Less than Significant)

Implementation of the proposed project would not alter the established street grid or roadway network, permanently close any streets or sidewalks, or eliminate or reconfigure any existing bicycle routes. Therefore, pedestrian, bicycle, and emergency vehicle access would remain unchanged from existing conditions. Pedestrians, bicyclists, and emergency vehicles would continue to access the project site from all four local roadways providing access to the project site. The proposed project would remove the existing three curb cuts on Woolsey Street and establish 31 new curb cuts (12 on Bowdoin Street, eight on both Wayland and Hamilton streets, and three on Woolsey Street). The proposed curb cuts would not interfere with accessibility for people walking or bicycling to and from the project site and adjoining areas. As discussed in TR-2, the proposed project would include four new bulb-outs, add a sidewalk along Wayland Street, and fill the trench and add a sidewalk and curb along Bowdoin Street. These features would improve accessibility at the project site.

Based on the discussion above, accessibility impacts would be *less than significant*, and no mitigation measures are necessary.

Impact TR-4: The proposed project would not substantially delay public transit. (Less than Significant)

As previously described, the project site is served by the city's transit network and is located adjacent to the 54-Felton line. Other Muni bus lines that operate within 0.5 mile of the project include the 8-Bayshore, 9-San Bruno, 9R-San Bruno Rapid, 29-Sunset, and 44-O'Shaughnessy. As shown in Table 1, the proposed project would generate 197 daily vehicle trips, 18 of which would occur during the p.m. peak hour. This number of p.m. peak hour vehicle trips is below the SF Guidelines' transit delay screening criterion of 300 p.m. peak hour vehicle trips, which is the amount of traffic that could potentially substantially delay public transit vehicles operating on routes adjacent to a project site.

Based on the discussion above, the proposed project would not substantially delay public transit. Therefore, impacts on public transit would be *less than significant*, and no mitigation measures would be required.

Impact TR-5: The proposed project would not cause substantial additional vehicle miles traveled or substantially induce additional automobile travel by increasing physical roadway capacity in congested areas (i.e., by adding new mixed-flow travel lanes) or by adding new roadways to the network. (*Less than Significant*)

As stated above, the existing average daily VMT for TAZ 901 is 10.5 per capita for residential uses, which is 39 percent below the existing regional VMT per capita. The project site is located in an area of San Francisco where the existing VMT is more than 15 percent below the regional VMT thresholds. In addition, the proposed project is located within 0.5 mile of numerous major transit stops, has a floor area ration greater than 0.75 (project floor area ration is between 1.48 and 1.59), and would provide 62 parking spaces at a proposed parking ratio of 1 space per unit, which is less than the 1.5 spaces per dwelling unit permitted under San Francisco Municipal Code section 151. Since the proposed project would meet one or more of the screening criteria, new residents resulting from the proposed project would not generate a substantial increase in VMT.

Based on the discussion above, impacts related to VMT would be *less than significant*, and no mitigation measures would be required.

Impact TR-6: The proposed project would not result in a loading deficit, the secondary effects of which would create potentially hazardous conditions for people walking, bicycling, or driving, and would not substantially delay public transit. (*Less than Significant*)

The proposed project would construct 62 dwelling units, comprised of 31 duplexes, and a 0.39-acre publicly accessible open space. Given that the proposed project is primarily low-density residential in nature, the project does not propose any on-street or off-street passenger or freight loading.

The proposed project is estimated to generate demand for one passenger loading space during the p.m. peak hour and one freight loading space during the peak hour for commercial loading. However, it is anticipated that residents would use private and shared driveways, or on-street parking spaces adjacent to the project site for passenger and commercial loading and move-in/move-out activities. There is adequate space in the private and shared driveways to accommodate the estimated passenger and freight loading demand. Should on-street parking be necessary for move-in/move-out activities, spaces would need to be reserved through the SFMTA's temporary signage program.³² Typically, these activities occur during off-peak times, such as in the evenings and on weekends, when there are lower traffic and walking volumes in the area.

Given the multiple on- and off-street options for accommodating residential move-in/move-out activities discussed above, the proposed project would not result in a loading deficit. Therefore, this impact would be *less than significant*, and no mitigation measures are necessary.

Impact C-TR-1: The proposed project, in combination with cumulative projects in the vicinity of the project site, would not result in cumulatively significant impacts related to transportation and circulation. (Less than Significant)

The cumulative context for transportation and circulation effects is typically localized, in the immediate vicinity of the project site or at the neighborhood level. As discussed in EIR Chapter 3, Section G, the cumulative projects include two projects within 0.25 mile of the project site—one would construct an accessory dwelling unit (ADU) at 686 Colby Street, and the other would replace an existing single-family residence with a new single-family residence and two ADUs at 666 Hamilton Street. The latter would occur within one block of the project site.

Construction. Construction of these projects may overlap with construction of the proposed project; however, because of their relatively small scale, they would not substantially increase automobile traffic volumes in the area and consequently would not result in automobile/bicycle and automobile/pedestrian conflicts at intersections or driveways in the project vicinity. The combined construction-related traffic from these projects would be temporary and localized and would not result in permanent impacts on transportation and circulation. In addition, because the cumulative projects do not share any of the same roadway frontages as the proposed project and the construction time frames differ, and because of the

³² Information about the San Francisco Municipal Transportation Agency's temporary signage permits is available at <u>https://www.sfmta.com/permits/temporary-signage</u>, accessed September 29, 2020.

project scale, there would be a *less-than-significant* impact with regard to cumulative construction transportation activities.

Potentially Hazardous Conditions and Accessibility. The proposed project and cumulative development projects would also combine to increase automobile traffic in the area, which could result in an increase in the potential for conflicts between vehicles and people walking and bicycling at intersections and driveways in the project vicinity. However, while there would be a general increase in vehicle, bicycle, and pedestrian traffic in the project vicinity, neither the proposed project nor the cumulative projects would include design features that would combine to create potentially hazardous conditions for people driving, bicycling or walking, or public transit operations. In addition, neither the proposed project nor the cumulative projects would include features that would interfere with bicycle or pedestrian accessibility or emergency access in the vicinity. Therefore, the proposed project, in combination with cumulative projects in the project vicinity, would have a *less-than-significant* cumulative impact on potentially hazardous conditions and accessibility.

Public Transit Delay. The proposed project and cumulative projects would also combine to increase the volume of vehicle traffic within the project vicinity. However, number of cumulative vehicle trips would remain below the SF Guidelines' transit delay screening criterion of 300 p.m. peak hour vehicle trips under cumulative conditions. Therefore, the proposed project, in combination with cumulative projects, would not result in substantial transit delay and would have *less-than-significant* cumulative transit impacts.

Vehicle Miles Traveled (Cumulative). VMT by its nature is largely a cumulative impact. The number and distance of vehicular trips associated with cumulative projects might contribute to the secondary physical environmental impacts associated with VMT. It is likely that no single project by itself would be sufficient in size to prevent the region or state in meeting its VMT reduction goals. Instead, a project's individual VMT contributes to cumulative VMT impacts. The department uses existing plus project level thresholds of significance based on levels at which the department does not anticipate new projects to conflict with state and regional long-term greenhouse gas emission reduction targets and statewide VMT per capita reduction targets.

Therefore, the planning department assesses whether the region is estimated to meet its long-term greenhouse gas emission reduction targets to determine if a cumulative impact would occur. If a cumulative impact would occur, the department uses a map-based screening criterion to identify types and locations of land use projects that would not exceed the same quantitative thresholds of significance described under existing plus project conditions. The analysis uses the 2040 modeling of VMT estimates to present VMT for residential, office, and retail in San Francisco and the region. The planning department uses that data and associated maps to determine whether a project site's location is below the aforementioned VMT quantitative threshold of significance, including for the other land use types described above.

The future (2040) average daily VMT per capita for residents for the nine-county San Francisco Bay Area is 16.1 miles and 9.6 miles for transportation analysis zone 901. The future average daily VMT per capita for the residential uses at the project site (9.6 miles) is approximately 40 percent lower than the regional Bay Area average (16.1 miles). Given that the proposed project and cumulative projects are in an area in which the daily averages for future 2040 residential would be more than 15 percent below the future 2040 regional averages, the proposed project would not combine with cumulative projects to cause substantial additional VMT. Therefore, this impact would be *less than significant*, and no mitigation measures are necessary.

Loading and Parking. While there would be a general increase in parking and loading demand associated with the proposed project and cumulative projects in the project vicinity, parking and loading impacts are localized and site-specific. As discussed under Impact TR-6 and Impact TR-7, the proposed project would not result in either a parking or loading deficit. Moreover, the cumulative development projects in the project vicinity are small in scale and far enough away from the project site that they would not combine to produce a significant cumulative parking or loading impact, and the cumulative impact would be *less than significant*.

Based on the discussion above, the proposed project in combination with cumulative projects in the project vicinity would result in *less-than-significant* cumulative transportation impacts.

6. Noise

Торіс		Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
6.	NOISE. Would the project result in:					
a)	Generate a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?					
b)	Generate excessive groundborne vibration or groundborne noise levels?			\boxtimes		
c)	For a project located within the vicinity of a private airstrip or an airport land use plan area, or, where such a plan has not been adopted, in an area within two miles of a public airport or public use airport, would the project expose people residing or working in the area to excessive noise levels?					

The project site is not located in the vicinity of or within an area covered by an airport land use plan, and is not located within 2 miles of a public airport or a public use airport or in the vicinity of a private airstrip. Therefore, topic E.6(c) is not applicable to the proposed project.

NOISE AND VIBRATION OVERVIEW

NOISE

Noise is generally defined as unwanted sound. Sound travels in the form of waves from its source, exerting a sound pressure level (referred to as "sound level") that is measured in decibels (dB). Decibels are measured on a logarithmic scale because sound pressure varies widely within the range of human hearing. Because the human ear is not equally sensitive to all sound levels, noise measurements are weighted more heavily for the

frequencies that correspond to the human ear's decreased sensitivity to extremely low and high sound levels. This method of frequency weighting is referred to as A-weighting and the units of measure are A-weighted decibels, or dBA.

Noise levels are measures of noise at a given instant in time. Environmental noise levels fluctuate over time, depending on the sources of sound that contribute to the community noise environment. Background noise levels change throughout a typical day, based on the changes in sources such as traffic, and on the addition of short-duration, single-event noise sources such as aircraft flyovers, emergency vehicle sirens, and nearby noisy motor vehicles. The time-varying characteristic of environmental noise is typically described using statistical noise descriptors such as:

- L_{eq}, used to describe noise over a specified period of time in terms of a single value, also referred to as the "average" sound level.
- L_{max}, the maximum instantaneous noise level measured over a specified period of time.
- L_{dn}, also called the day-night average noise level, averaging the A-weighted noise level during a 24-hour day, after an addition of 10dB to measured noise levels between the hours of 10 p.m. and 7 a.m. to account for greater nighttime noise sensitivity.
- CNEL, "Community Noise Equivalent Level," similar to L_{dn} but also includes an addition of 5dB to measured noise levels between 7 and 10 p.m. after the addition of 10 dB to the measured noise levels between 10 p.m. and 7 a.m. to account for greater noise sensitivity in the evening and nighttime.

For a stationary point-source, sound typically attenuates (decreases) at a rate of 6 dB for each doubling of distance (e.g., a sound level of 80 dB at 50 feet would reduce to 74 dB at 100 feet and 68 dB at 200 feet). For a line source such as traffic on a roadway, sound attenuates at a rate of approximately 3 dB for each doubling of distance for hard sites and 4.5 dB for soft sites (e.g., grass or scattered bushes and trees). Barriers such as buildings that block line of sight between the sound source and the receiver increase the attenuation of sound over an equivalent distance.

The effects of noise on people range from annoyance and interference with speech to sleep disturbance, and under extremely noisy conditions, hearing impairment. There is a wide variation in the sound levels that cause annoyance in different receivers, depending in part on the existing (ambient) noise level. Except in carefully controlled laboratory environments, a change of 1 or 2 dBA cannot be perceived. In a typical environment, a change of 3 dBA is a barely perceptible difference, a change of 5 dBA is readily perceptible, and a change of 10 dB is generally perceived as a doubling of loudness.

NOISE-SENSITIVE RECEPTORS

Some land uses and their associated users are considered more sensitive to ambient noise levels than others due to the types of activities typically involved with the land use and the amount of noise exposure (in terms of both exposure duration and insulation from noise). In general, occupants of residences, schools, daycare centers, hospitals, places of worship, and senior housing and nursing homes are considered to be sensitive receptors³³ (i.e., persons who are sensitive to noise based on their specific activities, age, health, etc.). The closest noise sensitive receptors to the project site are existing single-family residential uses across Woolsey, Hamilton, and Wayland streets, approximately 50 feet to the south, east, and north, respectively. Burton High School is approximately 600 feet southeast of the project site and Alta Vista Lower School is approximately

³³ Governor's Office of Planning and Research, 2017 General Plan Guidelines, p. 136.
400 feet to the northwest. Additionally, St. Elizabeth's Catholic Church is located approximately 675 feet northwest of the project site. The nearest day care center is Zacil Daycare, approximately 400 feet to the east of the project site. There are no other noise-sensitive land uses within 900 feet of the project site.

Impact NO-1: Construction activities associated with the proposed project would not result in a significant temporary increase in ambient noise levels in the project vicinity in excess of established standards. (Less than Significant)

The construction period for the proposed project would last approximately 24 months and would not involve construction activities at night. Construction equipment and activities would generate noise that could, at times, be considered an annoyance by occupants of nearby properties. Construction noise levels would fluctuate depending on construction phase, equipment type and duration of use, distance between noise source and affected receptor, and the presence (or absence) of barriers. Noise impacts would generally be limited to periods during demolition of the existing structures, excavation, and new foundation installation, which would occur over the first 11 months. Interior construction noise, which would occur over the subsequent 13 months, would be substantially reduced by the exterior walls of the proposed project. The site preparation and grading would require approximately 10,800 cubic yards of excavation to a maximum depth of 5 feet bgs. Approximately 6,000 cubic yards of soil would be hauled offsite and 6,000 cubic yards of clean soil would be imported. Soil export and import would require approximately 750 truck trips. Site preparation and grading would occur over an approximately 5-month period. Construction noise impacts to biological resources are discussed in Section E.14, Biological Resources.

The proposed foundation system would be slab on grade. Therefore, there would be no noise impacts associated with impact or vibratory pile driving during construction of the proposed project.

Construction noise is regulated by the San Francisco Noise Ordinance (Article 29 of the San Francisco Police Code). The ordinance requires that noise levels from individual pieces of construction equipment, other than impact tools, not exceed 80 dBA at a distance of 100 feet from the source. Table 2 provides typical noise levels produced by various types of construction equipment that would be employed for construction of the proposed project. Impact tools (e.g., jackhammers, hoe rams, impact wrenches) are exempt from the noise ordinance (section 2907) provided they have manufacturer-recommended and city-approved mufflers for both intake and exhaust. In addition, section 2907 requires that jackhammers and pavement breakers, such as hoe rams, be equipped with manufacturer-recommended and city-approved acoustically attenuating shields or shrouds in order to be exempt from the noise ordinance limits. Given that the closest noise sensitive receptors to the project site are residences across Woolsey, Hamilton, and Wayland streets, approximately 50 feet to the south, east, and north, respectively, Table 4 also shows the anticipated dBA of construction equipment at a distance of 50 feet. Table 4 shows the hourly noise levels (L_{max}) produced by equipment proposed by the project sponsor at the 100-foot distance dictated by section 2907. Section 2907 of the city's noise ordinance prohibits operation of any powered construction equipment (non-impact), regardless of age or date of acquisition, if such operation emits noise at a level in excess of 80 dBA when measured at a distance of 100 feet from such equipment. As shown in Table 4, construction equipment used for building construction would operate within the constraints of the Section 2907 noise ordinance standards. Additionally, section 2908 of the noise ordinance prohibits construction work between 8 p.m. and 7 a.m., if noise would exceed the ambient noise level by 5 dBA at the project property line, unless a special permit is authorized by the building department.

Construction Equipment	Noise Level (dBA, Leq at 50 feet)	Noise Level (dBA, Leq at 100 feet)
San Francisco Noise Ordinance Limit	86 (adjusted)	80
Backhoe	78	72
Compactor	83	77
Roller	80	74
Scraper	84	78
Loader	79	73
Dozer	82	76
Excavator	81	75
Grader	85	79
Dump Truck	76	70
Flatbed Truck	74	68
Concrete Truck	81	75
Forklift (gas-powered)	83	77
Generator	81	75
Air Compressor	78	72

Table 2 Typical Noise Levels from Proposed Project Construction Equipment

NOTES: The above Leq noise levels are calculated assuming a 100 percent usage factor at full load (i.e., Lmax noise level 100 percent) for the 1hour measurement period. Noise levels in **bold** exceed the San Francisco Noise Ordinance limit.

As mentioned above, the closest noise sensitive receptors to the project site are residences across Woolsey, Hamilton, and Wayland streets. Additionally, as discussed above sensitive receptors within 900 feet of the project site include Alta Vista Lower School, Burton High School, St. Elizabeth Catholic Church, and Zacil Daycare. Adjacent residences would likely experience temporary and intermittent noise increases associated with construction activities as well as the passage of construction trucks to and from the project site.

Construction of the proposed project would require the use of on-road vehicles to deliver and haul materials to and from the site. Maximum daily haul trips are anticipated to occur during the grading phase for soil export and import. The soil export and import would require approximately 750 truck trips over an approximately 3-month period, generating an average of 12 truck trips per day. Spread across the proposed 8-hour workday, maximum hourly truck trips would be approximately 1.5 per hour. The addition of 1.5 truck trips per work hour would not generate noise that would result in a perceptible increase in ambient noise levels in the vicinity. Burton High School, Alta Vista Lower School, St. Elizabeth's Catholic Church and Zacil Daycare would not likely experience any construction-related noise disturbances, given their distance from the project site, intervening hillside, and intervening buildings. Additionally, compliance with the noise ordinance would further reduce construction noise impacts.

Certain construction activities such as large concrete pours, may require earlier start or later finish times to accommodate such time-specific activities during the foundations and concrete pour stage. Concrete pours

generally occur over one-to-two nights of the overall construction period, and therefore are a very limited occurrence. Construction activities that extend beyond normal hours would be subject to review, permitting, and approval by the building department. Section 2908 of the San Francisco Police Code prohibits any person between the hours of 8 p.m. of any day and 7 a.m. of the following day from erecting, constructing, demolishing, excavating for, altering, or repairing any building or structure if the noise level created is in excess of the ambient noise level by 5 dBA at the nearest property line, unless a special permit has been applied for and granted. Nighttime construction related to the concrete pours may at times result in noise levels at the residences across Woolsey, Hamilton, and Wayland streets that exceed the ambient noise level by 5 dBA. However, this activity would occur over a one- to two-night period and be limited activity within the overall construction period. The project sponsor would receive a special permit from the director of public works or the director of the building department for noise that would exceed the ambient noise level by 5 dBA at the nearest property plane. The project sponsor would comply with all requirements of the special permit to engage in nighttime work; therefore, nighttime noise would be subject to the limits of the permit that is granted. Because any nighttime construction work would be limited to one to two days, it would not result in a significant temporary increase in ambient noise levels in the project vicinity. As such, nighttime construction noise resulting from the proposed project would be **less than significant**.

Project-related construction activities would not expose individuals to temporary increases in noise levels substantially greater than ambient levels. Thus, noise impacts related to construction activities would be *less than significant*.

Impact NO-2: Construction of the proposed project would not generate excessive groundborne noise or vibration levels. (*Less than Significant*)

Vibration is an oscillatory motion through a solid medium in which the motion's amplitude can be described in terms of displacement, velocity, or acceleration. Construction-related vibration primarily results from the use of impact equipment such as pile drivers (both impact and vibratory), hoe rams, vibratory compactors and jack hammers. The operation of heavy construction equipment, particularly pile-drivers and other heavy-duty impact devices (such as pavement breakers), creates seismic waves that radiate along the surface of the ground and downward. These surface waves can be felt as ground vibration and can result in effects that range from annoyance for people to damage to structures. Groundborne vibration generally attenuates rapidly with distance from the source of the vibration.

Receptors sensitive to vibration include structures (especially older masonry structures), people (especially residents, the elderly and the sick), and equipment (e.g., magnetic resonance imaging equipment, high resolution lithographic, optical and electron microscopes). In addition, vibration may disturb nesting and breeding activities for biological resources. Regarding the potential effects of groundborne vibration to people, except for long-term occupational exposure, vibration levels rarely affect human health.

The nearest sensitive uses to the project site include adjacent single-family residential uses across Woolsey, Hamilton, and Wayland streets, approximately 50 feet to the south, east, and north, respectively. The buildings consist of wood (not masonry) construction and have not been identified as historic resources. There are no sensitive equipment uses (e.g., facilities using magnetic resonance imaging equipment, high resolution lithographic, optical and electron microscopes) or biological resources near the project site. The proposed project would not require pile driving, vibratory construction equipment, or impact equipment. Moreover, the nearest structures to the project site are not masonry structures, and therefore are not as susceptible to vibration-related damage.

Operation-related vibration primarily results from the passing of trains, buses, and heavy trucks. The proposed project would construct 62 residential units, and therefore would not contribute any operational sources of vibration to the vicinity.

For these reasons, project-related construction and operational groundborne noise or groundborne vibration impacts would be *less than significant*.

Impact NO-3: Operation of the proposed project would not result in a substantial permanent increase in ambient noise levels in the project vicinity in excess of applicable standards. (Less than Significant with Mitigation)

The proposed project would add 62 residential units to the project vicinity. Vehicular traffic makes the largest contribution to ambient noise levels throughout most of San Francisco. Generally, traffic would have to double in volume to result in a noticeable 3 dBA increase in the ambient noise level in the project vicinity.³⁴ The proposed project would generate approximately 197 daily vehicle trips, 18 of which would occur during the p.m. peak hour. Traffic counts taken at Bowdoin Street at Woolsey Street totaled 46 vehicles during the p.m. peak hours.³⁵ Therefore, project-generated vehicle trips would not cause traffic volumes to double on nearby streets and as a result, project-generated traffic noise would not have a noticeable effect on ambient noise levels in the project site vicinity. This impact would be *less than significant*.

Fixed mechanical building equipment, such as heating, ventilation and air conditioning (HVAC) systems, as well as music- or other noise-producing devices associated with the residential uses would create operational noise. The project proposes to install up to 62 rooftop condenser units, ³⁶ one for each of the individual dwellings.³⁷ The specific model for these units have not yet been selected, however noise levels generated by residential air conditioning units can range from 56 to 73 dB.³⁸ No other exterior mechanical equipment is planned. These noise sources would be subject to the San Francisco Noise Ordinance (article 29 of the San Francisco Police Code). Specifically, section 2909(a) prohibits any person on a residential property from producing or allowing to be produced, a noise level in excess of 5 dBA above ambient noise levels at any point outside the property line. Additionally, section 2909(d) establishes maximum noise levels for fixed noise sources (e.g., mechanical equipment) of 55 dBA (from 7 a.m. to 10 p.m.) and 45 dBA (from 10 p.m. to 7 a.m.) inside any sleeping or living room in any dwelling unit located on a residential property to prevent sleep disturbance. Compliance with both of these standards are considered below.

An acoustical analysis³⁹ was prepared for the proposed condenser units to determine what acoustical considerations would be necessary to meet the standards of section 2909(a), and of 2909 (d). Because the

³⁹ Ibid.

³⁴ United States Department of Transportation, Federal Highway Administration, *Highway Traffic Noise: Analysis and Abatement Guidance*, December 2011, p. 9, <u>http://www.fhwa.dot.gov/environment/noise/regulations and guidance/analysis and abatement guidance/revguidance.pdf</u>, accessed September 29, 2020.

 ³⁵ San Francisco Municipal Transportation Agency, SFMTA Traffic Count Data 1995–2015, <u>https://www.sfmta.com/reports/sfmta-traffic-count-data-1995-2015</u>, accessed September 28, 2020. This represents the closest intersection to the project site for which recent traffic counts have been collected.
 ³⁶ A condenser unit is the outside portion of the air conditioner.

³⁷ Charles Salter and Associates, 770 Woolsey Street, San Francisco, California, Preliminary Project Assessment, February 5, 2019.

³⁸ Carrier website technical specifications available at: <u>https://www.carrier.com/residential/en/us/products/air-conditioners/24aca4--c/</u> and at: https://www.carrier.com/residential/en/us/products/air-conditioners/24vna9/, accessed May 13, 2021.

condenser unit specifications and their locations are unknown, the acoustical analysis identified a performance standard necessary to meet the section 2909(a) and 2909(d) standards. The analysis determined that compliance with the noise ordinance would require each unit to operate at a noise level of 55 dBA at a distance of 5 feet if no shielding were installed. Given, that some units could generate noise levels up to 73 dBA, it is possible that depending on the location of such units, noise levels could exceed the existing ambient noise levels at adjacent residences by more than 5 dBA and result in a significant operational noise impact. This analysis conservatively assumes that the noise levels could exceed 45 dBA inside a sleeping room. To comply with section 2909(a), noise levels from the new rooftop condenser units must not exceed 50 dBA at any point along the property line. The project–specific acoustical analysis determined that certain design considerations would be necessary to ensure compliance with the requirements of 2909(a) and 2909(d). Therefore, operational noise from condenser units could result in noise levels exceeding the applicable ambient plus 5 dBA standard of 2909(a) (50 dBA) standard at the property line or 45 dBA interior standard of section 2909(d), which would be a significant noise impact. Implementation of **Mitigation Measure M-NO-3, Fixed Mechanical Equipment Noise Control for Building Operations**, would require the incorporation of noise attenuation measures for the condenser units.

Mitigation Measure M-NO-3: Fixed Mechanical Equipment Noise Control for Building Operations.

Prior to approval of a building permit, the project sponsor shall submit documentation to the Environmental Review Officer (ERO) or the officer's designee, demonstrating with reasonable certainty that the building's fixed mechanical equipment (such as heating, ventilation and air conditioning [HVAC] equipment) meets the noise limits specified in section 2909 of the noise ordinance (i.e., a 5 dB increase above the ambient noise level at the property plane for residential properties; and interior noise limits of 55 dBA and 45 dBA for daytime and nighttime hours inside any sleeping or living room in a nearby dwelling unit on a residential property assuming windows open, respectively). Acoustical treatments required to meet the noise ordinance may include, but are not limited to:

- Enclosing noise-generating mechanical equipment;
- Installing relatively quiet models of air handlers, condenser units, exhaust fans, and other mechanical equipment;
- Using mufflers or silencers on equipment exhaust fans;
- Orienting or shielding equipment to protect noise sensitive receptors (residences, hospitals, convalescent homes, schools, churches, hotels and motels, and sensitive wildlife habitat) to the greatest extent feasible;
- Increasing the distance between noise-generating equipment and noise-sensitive receptors; and/or
- Placing barriers around the equipment to facilitate the attenuation of noise.

With implementation of **Mitigation Measure M-NO-3** potential operational impacts with respect to noise generated by fixed mechanical equipment would be *less than significant with mitigation*.

Impact C-NO-1: The proposed project, in combination with cumulative projects, would result in lessthan-significant cumulative impacts related to noise and vibration (*Less than significant*)

As described above, with identified mitigation, project-generated construction and operational noise would not substantially increase temporary or permanent ambient noise levels within the project vicinity. EIR Chapter 3, Section G, and EIR Table 3-1, p. 3-7, identifies cumulative development projects within a 0.25-mile radius of the project site that could potentially contribute to ambient noise levels. One involves construction of a single family home and two accessory dwelling units, while the other involves construction of a single accessory dwelling unit. However, these projects are located approximately 320 and 750 feet away from the project site. Construction noise from the cumulative projects would be buffered by distance and intervening residential structures and would not substantially increase ambient noise levels at affected receptors in the project vicinity. Construction noise associated with the proposed project and cumulative development projects in the vicinity would also be subject to the noise ordinance and would be temporary in duration. Therefore, cumulative construction-related noise impacts would be less than significant.

In addition, the proposed project, in combination with the cumulative projects, would not result in a doubling of existing traffic volumes in the vicinity. The proposed project would add approximately 18 peak hour vehicle trips to the local roadway network. The two additional development projects in the vicinity would marginally increase the number of vehicle trips, but to a lesser extent than the proposed project. In addition, these additional vehicle trips would be distributed along the local street network and would not combine with all of the peak hour vehicle trips added by the proposed project to double existing traffic volumes in the vicinity. Therefore, in combination with reasonably foreseeable future cumulative projects, the proposed project would not result in significant cumulative traffic noise impacts.

The proposed project's mechanical equipment and any mechanical equipment associated with cumulative projects would be 320 feet away and 750 feet away. Therefore, due to this distance and intervening buildings, its unlikely to that the proposed project would combine with cumulative projects to result in cumulative operational noise impacts. Therefore, cumulative operational noise impacts would be less than significant.

As stated above, groundborne vibration generally attenuates rapidly with distance from the source of the vibration. The cumulative context for construction vibration impacts is the immediate area surrounding the project site. The proposed project and cumulative development projects in the vicinity are too distant from one another to combine to produce excessive vibration levels.

For these reasons, the proposed project in combination with reasonably foreseeable future projects would result in cumulative impacts related to noise and vibration that would be *less than significant*.

7. Air Quality

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
7. AIR QUALITY. Would the project:					
a) Conflict with or obstruct implementation of the applicable air quality plan?			\boxtimes		
b) Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal, state, or regional ambient air quality standard?					
c) Expose sensitive receptors to substantial pollutant concentrations?		\boxtimes			
d) Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?			\boxtimes		

The Bay Area Air Quality Management District (air district) is the regional agency with jurisdiction over the nine-county San Francisco Bay Area Air Basin (air basin), which includes: San Francisco, Alameda, Contra Costa, Marin, San Mateo, Santa Clara, and Napa Counties, and portions of Sonoma and Solano Counties. The air district is responsible for attaining and maintaining air quality in the air basin within federal and state air quality standards, as established by the federal Clean Air Act (federal clean air act) and the California Clean Air Act (clean air act), respectively. Specifically, the air district has the responsibility to monitor ambient air pollutant levels throughout the air basin and to develop and implement strategies to attain the applicable federal and state standards. The federal clean air act and the clean air act require plans to be developed for areas that do not meet air quality standards, generally.

The most recent air quality plan, the *2017 Clean Air Plan* (clean air plan), was adopted by the air district on April 19, 2017. The clean air plan updates the most recent Bay Area ozone plan, the 2010 clean air plan, in accordance with the requirements of the state Clean Air Act to implement all feasible measures to reduce ozone; provide a control strategy to reduce ozone, particulate matter, air toxics, and greenhouse gases (GHGs) in a single, integrated plan; and establish emission control measures to be adopted or implemented. The clean air plan contains the following primary goals:

- Protect air quality and health at the regional and local scale: attain all state and national air quality standards, and eliminate disparities among Bay Area communities in cancer health risk from toxic air contaminants; and
- Protect the climate: reduce Bay Area greenhouse gas emissions to 40 percent below 1990 levels by 2030 and 80 percent below 1990 levels by 2050.

The clean air plan represents the most current applicable air quality plan for the air basin. Consistency with this plan is the basis for determining whether the proposed project would conflict with or obstruct implementation of air quality plans (checklist question E.7.a).

CRITERIA AIR POLLUTANTS

In accordance with the state and federal clean air acts, air pollutant standards are identified for the following six criteria air pollutants: ozone, carbon monoxide (CO), particulate matter (PM), nitrogen dioxide (NO₂), sulfur dioxide (SO₂), and lead. These air pollutants are termed criteria air pollutants because they are regulated by developing specific public health- and welfare-based criteria as the basis for setting permissible levels. The air basin is designated as either in attainment or unclassified for most criteria pollutants with the exception of ozone, PM_{2.5}, and PM₁₀,⁴⁰ for which these pollutants are designated as non-attainment for either the state or federal standards.⁴¹ Ozone is a secondary air pollutant produced in the atmosphere through a complex series of photochemical reactions involving reactive organic gases (ROG) and oxides of nitrogen (NOx).

By its very nature, regional air pollution is largely a cumulative impact in that no single project is sufficient in size to, by itself, result in non-attainment of air quality standards. Instead, a project's individual emissions contribute to existing cumulative air quality impacts. If a project's contribution to cumulative air quality impacts is "considerable," then the project's impact on air quality would be considered significant.

Land use projects typically result in ozone precursor and particulate matter emissions because of increases in vehicle trips, space heating and natural gas combustion, landscape maintenance, and construction activities. For this reason, the air district has established significance thresholds for non-attainment criteria air pollutants, as shown in **Table 3**.

	Construction Thresholds	ion Thresholds Operational Thresholds			
Pollutant	Average Daily Emissions (Pounds/day)	Average Daily Emissions (Pounds/day)	Maximum Annual Emissions (tons/year)		
ROG	54	54	10		
NO _x	54	54	10		
PM ₁₀	82 (exhaust)	82	15		
PM _{2.5}	54 (exhaust)	54	10		
Fugitive Dust	Construction Dust Ordinance or other Best Management Practices	None			

Table 3 Criteria Air Pollutants Significance Thresholds

SOURCE: BAAQMD CEQA Guidelines, Thresholds of Significance, 2017.

⁴⁰ PM₁₀ is often termed "coarse" particulate matter and is made of particulates that are 10 microns in diameter or smaller. PM_{2.5}, termed "fine" particulate matter, is composed of particles that are 2.5 microns or less in diameter.

⁴¹ "Attainment" status refers to those regions that are meeting federal and/or state standards for a specified criteria pollutant. "Non-attainment" refers to regions that do not meet federal and/or state standards for a specified criteria pollutant. "Unclassified" refers to regions where there is not enough data to determine the region's attainment status for a specified criteria air pollutant.

The significance thresholds for ROG and NOx are based on the stationary source limits in air district regulation 2, rule 2, which requires that any new source that emits criteria air pollutants above the ROG and NOx emissions limit in Table 3, must offset those emissions. The significance thresholds for particulate matter is based on the emissions limit in the federal New Source Review for stationary sources in nonattainment areas. The air district's California Environmental Quality Act Air Quality Guidelines⁴² and supporting materials⁴³ provide additional evidence to support these thresholds. Projects that would result in criteria air pollutant emissions below these significance thresholds would not result in a cumulatively considerable net increase in non-attainment criteria air pollutants within the air basin.⁴⁴ Due to the temporary nature of construction activities, only the average daily thresholds are applicable to construction phase emissions.

Fugitive Dust. Additionally, fugitive dust emissions are typically generated during construction phases. Studies have shown that the application of best management practices at construction sites significantly control fugitive dust⁴⁵ and individual measures have been shown to reduce fugitive dust by anywhere from 30 to 90 percent.⁴⁶ The air district has identified a number of best management practices to control fugitive dust emissions from construction activities.⁴⁷ The city's Construction Dust Control Ordinance (Ordinance 176-08, effective July 30, 2008) requires a number of measures to control fugitive dust, and the best management practices employed in compliance with the ordinance is an effective strategy for controlling construction-related fugitive dust. The ordinance requires that all site preparation work, demolition, or other construction activities within San Francisco that have the potential to create dust or expose or disturb more than 10 cubic yards, or 500 square feet, of soil comply with specified dust control measures, whether or not the activity requires a permit from the building department.

LOCAL HEALTH RISKS AND HAZARDS

In addition to criteria air pollutants, individual projects may emit *toxic air contaminants*. Toxic air contaminants collectively refer to a diverse group of air pollutants that can cause chronic (i.e., of long duration) and acute (i.e., severe but short-term) adverse effects to human health, including carcinogenic effects. Human health effects of toxic air contaminants include birth defects, neurological damage, cancer, and mortality. There are hundreds of different types of toxic air contaminants with varying degrees of toxicity; at a given level of exposure, one toxic air contaminant may pose a hazard that is many times greater than another.

Unlike criteria air pollutants, toxic air contaminants do not have ambient air quality standards but are regulated by the air district using a risk-based approach to determine which sources and pollutants to control as well as the degree of control. A health risk assessment is an analysis in which human health exposure to toxic substances is estimated and considered together with information regarding the toxic

 ⁴² Bay Area Air Quality Management District (air district), *California Environmental Quality Act Air Quality Guidelines*, May 2017. Available at: <u>https://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/ceqa_guidelines_may2017-pdf.pdf?la=en</u>, accessed February 5, 2021.
 ⁴³ Bay Area Air Quality Management District, *Revised Draft Options and Justification Report, California Environmental Quality Act Thresholds of Significance*, October 2009. Available at: <u>https://www.baaqmd.gov/~/media/files/planning-and-research/ceqa/thresholds-justification-report-oct-2009.pdf?la=en</u>, accessed February 5, 2021.

⁴⁴ Bay Area Air Quality Management District, *CEQA Air Quality Guidelines*, May 2017.

⁴⁵ Western Regional Air Partnership, *WRAP Fugitive Dust Handbook*, September 7, 2006,

http://www.wrapair.org/forums/dejf/fdh/content/FDHandbook Rev 06.pdf, accessed September 2020.

⁴⁶ Bay Area Air Quality Management District, *Revised Draft Options and Justification Report: California Environmental Quality Act Thresholds of Significance*, October 2009, p. 27.

⁴⁷ BAAQMD, CEQA Air Quality Guidelines, May 2017.

potency of the substances, to provide quantitative estimates of health risks.⁴⁸ Exposures to fine particulate matter (PM_{2.5}) are strongly associated with mortality, respiratory diseases, and decreased lung development in children, and other endpoints such as hospitalization for cardiopulmonary disease.⁴⁹ In addition to PM_{2.5}, diesel particulate matter is also of concern. The California Air Resources Board (air board) identified diesel particulate matter as a toxic air contaminant in 1998, primarily based on evidence demonstrating cancer effects in humans.⁵⁰ The estimated cancer risk from exposure to diesel exhaust is much higher than the risk associated with any other toxic air contaminants routinely measured in the region.

Air pollution does not affect every individual in the population in the same way, and some groups are more sensitive to adverse health effects than others. Land uses such as residences, schools, children's day care centers, hospitals, and nursing and convalescent homes are considered to be the most sensitive to poor air quality because the population groups associated with these uses have increased susceptibility to respiratory distress or, as in the case of residential receptors, their exposure time is greater than that for other land uses. Therefore, these groups are referred to as sensitive receptors. Exposure assessment guidance typically assumes that residences would be exposed to air pollution 24 hours per day, 7 days a week, for 30 years.⁵¹ Therefore, assessments of air pollutant exposure to residents typically result in the greatest adverse health outcomes of all population groups.

Excess Cancer Risk. The air pollutant exposure zone includes areas where modeled cancer risk exceeds 100 incidents per million persons exposed. This criterion is based on United States Environmental Protection Agency (EPA) guidance for conducting air toxic analyses and making risk management decisions at the facility and community-scale level.⁵² The 100 per 1 million excess cancer cases is also consistent with the ambient cancer risk in the most pristine portions of the Bay Area based on air district regional modeling.⁵³

Fine Particulate Matter. In April 2011, the EPA published the Policy Assessment for the Particulate Matter Review of the National Ambient Air Quality Standards, Particulate Matter Policy Assessment." In this document, EPA staff strongly support a $PM_{2.5}$ standard within the range of 12 to 11 µg/m³.⁵⁴ The air pollutant exposure zone for San Francisco is based on the health-protective $PM_{2.5}$ standard of 11 µg/m³, as supported by the EPA's Policy Assessment for the Particulate Matter Review of the National Ambient Air Quality Standards, although lowered to 10 µg/m³ to account for uncertainty in accurately predicting air pollutant concentrations using emissions modeling programs.

Proximity to Freeways. According to the air board, studies have shown an association between the proximity of sensitive land uses to freeways and a variety of respiratory symptoms, asthma exacerbations, and decreases in lung function in children. Siting sensitive uses near freeways increases both exposure to air

⁵⁴ Bay Area Air Quality Management District, *Revised Draft Options and Justification Report, California Environmental Quality Act Thresholds of Significance*, October 2009, page 67.

⁴⁸ In general, a health risk assessment is required if the air district concludes that projected emissions of a specific air toxic compound from a proposed new or modified source suggest a potential public health risk. The applicant is then subject to a health risk assessment for the source in question. Such an assessment generally evaluates chronic, long-term effects, estimating the increased risk of cancer as a result of exposure to one or more TACs.

⁴⁹ San Francisco Department of Public Health, Assessment and Mitigation of Air Pollutant Health Effects from Intra-Urban Roadways: Guidance for Land Use Planning and Environmental Review, May 2008.

⁵⁰ California Air Resources Board (ARB), Fact Sheet, "The Toxic Air Contaminant Identification Process: Toxic Air Contaminant Emissions from Dieselfueled Engines," October 1998.

 ⁵¹ California Office of Environmental Health Hazard Assessment, Air Toxics Hot Spot Program Risk Assessment Guidelines, February, 2015. Pg. 4-44, 8-6.
 ⁵² Bay Area Air Quality Management District, Revised Draft Options and Justification Report, California Environmental Quality Act Thresholds of Significance, October 2009, page 67.

⁵³ Bay Area Air Quality Management District, *CEQA Air Quality Guidelines*, May 2017, page D-43.

pollution and the potential for adverse health effects. As evidence shows that sensitive uses in an area within a 500-foot buffer of any freeway are at an increased health risk from air pollution,⁵⁵ lots that are within 500 feet of freeways are included in the air pollutant exposure zone.

Health Vulnerable Locations. Based on the air district's evaluation of health vulnerability in the Bay Area, those zip codes (94102, 94103, 94110, 94124, and 94134) in the worst quintile of Bay Area health vulnerability scores as a result of air pollution-related causes were afforded additional protection by lowering the standards for identifying lots in the air pollutant exposure zone to: (1) an excess cancer risk greater than 90 per 1 million persons exposed, and/or (2) PM_{2.5} concentrations in excess of 9 μg/m³.⁵⁶

The above citywide health risk modeling is referenced in the Enhanced Ventilation Required for Urban Infill Sensitive Use Developments or Health Code, article 38 (Ordinance No. 224-14, effective December 8, 2014) (article 38). The purpose of article 38 is to protect the public health and welfare by establishing an air pollutant exposure zone and imposing an enhanced ventilation requirement for all urban infill sensitive use development within that zone. The project site is not located within the air pollutant exposure zone and health code article 38 does not apply to the proposed project. In addition, projects within the air pollutant exposure zone require special consideration to determine whether the project's activities would add a substantial amount of emissions to areas already adversely affected by poor air quality. The proposed project is not within an air pollutant exposure zone.

Impact AQ-1: The proposed project would not conflict with or obstruct implementation of the 2017 Clean Air Plan. (Less than Significant)

The most recently adopted air quality plan for the air basin is the air district's 2017 clean air plan.⁵⁷ The clean air plan is a road map that demonstrates how the San Francisco Bay Area will achieve compliance with the state ozone standards and how the region will reduce the transport of ozone and ozone precursors to neighboring air basins. In determining consistency with the plan, this analysis considers whether the project would: (1) support the primary goals of the plan; (2) include applicable control measures from the plan; and (3) avoid disrupting or hindering implementation of control measures identified in the plan.

The primary goals of the clean air plan are to: (1) protect air quality and health at the regional and local scale; (2) eliminate disparities among Bay Area communities in cancer health risk from toxic air contaminants; and (3) protect the climate by reducing greenhouse gas emissions. To meet the primary goals, the plan recommends 85 specific control measures and actions. These control measures are grouped into various categories and include stationary and area source measures, mobile source measures, transportation control measures, land use measures, and energy and climate measures. To the extent that the air district has regulatory authority over an emissions source generated by the project, the control measures may be requirements of the proposed project. Other measures in the plan not within the air district's regulatory authority may be advisory or are otherwise not specifically applicable to land use development projects.

⁵⁵ California Air Resources Board, *Air Quality and Land Use Handbook: A Community Health Perspective*, April 2005, <u>http://www.arb.ca.gov/ch/landuse.htm</u>, accessed February 5, 2021

⁵⁶ San Francisco Planning Department and San Francisco Department of Public Health, *San Francisco Citywide Health Risk Assessment: Technical Support Documentation*, September 2020.

⁵⁷ Bay Area Air Quality Management District, Spare the Air Cool the Climate, *Final 2017 Clean Air Plan*, April 2017,

https://www.baaqmd.gov/~/media/files/planning-and-research/plans/2017-clean-air-plan/attachment-a_-proposed-final-cap-vol-1-pdf.pdf?la=en, accessed February 5, 2021.

The clean air plan recognizes that to a great extent, community design dictates individual travel mode, and that a key long-term control strategy to reduce emissions of criteria pollutants, air toxics, and greenhouse gases from motor vehicles is to channel future Bay Area growth into vibrant urban communities where goods and services are close at hand, and people have a range of viable transportation options. The control measures most applicable to the proposed project are transportation control measures and energy and climate control measures. The proposed project's impact with respect to GHGs are discussed in Section E.8, *Greenhouse Gas Emissions*, p. 53, which demonstrates that the proposed project would comply with the applicable provisions of the city's Greenhouse Gas Reduction Strategy.

The infill nature of the proposed project and high availability of viable transportation options ensure that residents could bicycle, walk, and ride transit to and from the project site instead of taking trips via private automobile. These features ensure that the project would avoid substantial growth in automobile trips and vehicle miles traveled. The proposed project's anticipated 197 new daily vehicle trips would result in a negligible increase in air pollutant emissions. Transportation control measures that are identified in the clean air plan are implemented by the *San Francisco General Plan* and the planning code, for example, through the city's Transit First Policy, transportation demand management program requirements, and transit impact development fees. Compliance with these requirements would ensure the project includes relevant transportation control measures specified in the clean air plan. Therefore, the proposed project would include applicable control measures identified in the clean air plan to meeting the plan's primary goals.

Examples of a project that could cause the disruption or delay of the plan's control measures are projects that would preclude the extension of a transit line or bike path or inhibit walkability of the surrounding area. The proposed project would add 62 dwelling units, 93 class 1 bicycle spaces, and 12 class 2 bicycle spaces to a walkable developed area near transit service. The proposed project would not preclude the extension of a transit line or bike path or bike path.

For the reasons described above, the proposed project would not conflict with or obstruct implementation of the 2017 Clean Air Plan, and therefore, would have a *less-than-significant* impact.

Impact AQ-2: The proposed project's construction activities would generate fugitive dust and criteria air pollutants, but would not result in a cumulatively considerable net increase of non-attainment criteria air pollutants within the air basin. (Less than Significant)

Construction activities (short-term) typically result in emissions of ozone precursors and particulate matter in the form of dust (fugitive dust) and exhaust (e.g., vehicle tailpipe emissions). Emissions of ozone precursors and particulate matter are primarily a result of the combustion of fuel from on-road and off-road vehicles. However, ROGs are also emitted from activities that involve painting, application of other types of architectural coatings, or asphalt paving.

The proposed project would demolish the existing greenhouses and accessory buildings on the project site, which would take approximately 3 months. After demolition, debris and known contaminated soil would be removed in accordance with the soil management plan prepared for the proposed project. Construction would occur in a single phase, with no occupancy of the residential units until construction is complete. The proposed project would require approximately 10,800 cubic yards of excavation to a maximum depth of 5 feet bgs. Approximately 6,000 cubic yards of soil would be hauled offsite and 6,000 cubic yards of clean soil

would be imported. During the 24-month construction period, construction activities would have the potential to result in emissions of ozone precursors and PM, as discussed below.

FUGITIVE DUST

Project-related demolition, excavation, grading, and other construction activities may cause wind-blown dust that could contribute particulate matter into the local atmosphere. Depending on exposure, adverse health effects can occur due to this particulate matter in general and due to specific contaminants, such as lead or asbestos that may be constituents of soil. The current health burden of particulate matter demands that, where possible, public agencies take feasible available actions to reduce sources of particulate matter exposure.

In response, the San Francisco Board of Supervisors approved the Construction Dust Control Ordinance (Ordinance 176-08, effective July 30, 2008) with the intent of reducing the quantity of dust generated during site preparation, demolition and construction work in order to protect the health of the general public and of onsite workers, minimize public nuisance complaints, and to avoid orders to stop work by the department of building inspection.

The construction dust control ordinance requires that all site preparation work, demolition, or other construction activities within San Francisco that have the potential to create dust or to expose or disturb more than 10 cubic yards or 500 square feet of soil comply with specified dust control measures whether or not the activity requires a permit from the department of building inspection.⁵⁸

For projects over 0.5 acre, such as the proposed project, the dust control ordinance requires that the project sponsor submit a dust control plan for approval by the San Francisco Department of Public Health (health department). The site-specific dust control plan would require the implementation of additional dust control measures such as installation of dust curtains and windbreaks, independent third-party inspections and monitoring, provision of a public complaint hotline, and suspension of construction during high wind conditions.

Compliance with the regulations and procedures set forth by the dust control ordinance would ensure that potential dust-related air quality impacts would be reduced to *less than significant*.

CRITERIA AIR POLLUTANTS

As discussed above, construction activities would result in emissions of criteria air pollutants from the use of off- and on-road vehicles and equipment. To assist lead agencies in determining whether short-term construction-related air pollutant emissions require further analysis as to whether the project may exceed the criteria air pollutant significance thresholds shown in Table 5, p. x, the air district developed screening criteria.⁵⁹ If a proposed project meets the screening criteria, then construction of the project would result in less-than-significant criteria air pollutant impacts. A project that exceeds the screening criteria may require a detailed air quality assessment to determine whether criteria air pollutant emissions would exceed significance thresholds. The CEQA Air Quality Guidelines note that the screening levels are generally representative of new development on greenfield⁶⁰ sites without any form of mitigation measures taken into

⁵⁸ The director of the department of building inspection may waive this requirement for activities on sites less than one half-acre that are unlikely to result in any visible wind-blown dust.

⁵⁹ Bay Area Air Quality Management District, *CEQA Air Quality Guidelines*, May 2017.

⁶⁰ A greenfield site refers to agricultural or forest land or an undeveloped site earmarked for commercial, residential, or industrial projects.

consideration. In addition, the screening criteria do not account for project design features, attributes, or local development requirements that could also result in lower emissions.

The proposed project would construct 62 dwelling units comprised of 31 duplexes, which is well below the construction screening criteria for a low-rise apartment building (240 dwelling units). The amount of proposed excavation, about 10,800 cubic yards of soil, exceeds the criteria air pollutant screening criterion of 10,000 cubic yards by about 800 cubic yards. Quantification of criteria air pollutant emissions for much larger development projects involving more than 100,000 cubic yards of excavation has demonstrated that emissions would be well below the maximum allowable daily construction emissions for criteria air pollutants. Since the amount of excavation for the proposed project would be well below 100,000 cubic yards, quantification of construction-related criteria air pollutant emissions for the proposed project is not required. The proposed project's construction activities would result in a *less-than-significant* impact related to criteria air pollutants.

Impact AQ-3: The proposed project's construction and operational activities would generate toxic air contaminants, including diesel particulate matter, which would expose sensitive receptors to substantial pollutant concentrations. (Less than Significant with Mitigation)

As previously indicated, the project site is not located within the air pollutant exposure zone. Existing sensitive land uses in the project vicinity include residential, one childcare, and two school uses. The closest sensitive receptors to the project site are residences across Woolsey, Hamilton, and Wayland streets, approximately 50 feet to the south, east, and north, respectively. Burton High School is approximately 600 feet southeast of the project site and Alta Vista Lower School is approximately 400 feet to the northwest. The nearest day care center is Zacil Daycare, approximately 400 feet to the east of the project site.

CONSTRUCTION EMISSIONS

According to the California air board, off-road equipment, which includes construction equipment, was the third largest source of mobile particulate matter emissions in California in 2012, the latest year for which inventory data is available.⁶¹

However, a number of federal and state regulations are requiring cleaner off-road equipment, ranging from Tier 1 to Tier 4. Tier 1 emission standards were phased in between 1996 and 2000, and Tier 4 Interim and Final emission standards for all new engines have been phased in between 2008 and 2015. To meet the Tier 4 emission standards, engine manufacturers are required to produce new engines with advanced emission-control technologies. Although the full benefits of these regulations will not be realized for several years, the EPA estimated that by implementing the federal Tier 4 standards, NO_x and PM emissions will be reduced by more than 90 percent.⁶²

In addition, construction activities do not lend themselves to analysis of long-term health risks because of their temporary and variable nature. As explained in the air district's CEQA Air Quality Guidelines:

"Due to the variable nature of construction activity, the generation of TAC emissions in most cases would be temporary, especially considering the short amount of time such equipment is typically within an influential distance that would result in the exposure of sensitive receptors

⁶¹ California Air Resources Board, 2017, 2012 Base Year Emissions, Off-Road Sources, <u>https://ww3.arb.ca.gov/ei/emissiondata.htm</u>, accessed February 3, 2021.

⁶² USEPA, *Clean Air Nonroad Diesel Rule: Fact Sheet*, May 2004.

to substantial concentrations. Concentrations of mobile-source diesel PM emissions are typically reduced by 70 percent at a distance of approximately 500 feet (ARB 2005). In addition, current models and methodologies for conducting health risk assessments are associated with longer-term exposure periods of 9, 40, and 70 years, which do not correlate well with the temporary and highly variable nature of construction activities. This results in difficulties with producing accurate estimates of health risk.⁶³

Therefore, project-level analyses of construction activities have a tendency to produce overestimated assessments of long-term health risks.

The proposed project would require construction activities over a 24-month period, which would result in short-term emissions of diesel particulate matter and other TACs. Adjacent sensitive receptors that are downwind of project construction activities are located in an area that already experiences poor air quality and project construction activities would generate additional air pollution that would affect those nearby sensitive receptors and result in a significant impact. Implementation of **Mitigation Measure M-AQ-3**, **Construction Air Quality**, would reduce this impact to a less-than-significant level.

While emission reductions from limiting idling, educating workers and the public, and properly maintaining equipment are difficult to quantify, other measures in the Clean Construction Ordinance, specifically the requirement for equipment with Tier 2 engines and Level 3 VDECS can reduce construction emissions of PM exhaust by 89 to 94 percent compared to equipment with engines meeting no emission standards and without a VDECS.⁶⁴ Emissions reductions from the combination of Tier 2 equipment with Level 3 VDECS has a similar diesel particulate matter reduction efficiency to that of requiring only equipment with Tier 4 Final engines. Therefore, compliance with Mitigation Measure M-AQ-3 would reduce construction emissions impacts on nearby sensitive receptors to a *less-than-significant* level.

Mitigation Measure M-AQ-3: Construction Air Quality. The project sponsor or the project sponsor's contractor shall comply with the following:

- A. Engine Requirements.
 - All off-road equipment greater than 25 hp and operating for more than 20 total hours over the entire duration of construction activities shall have engines that meet or exceed either U.S. Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim or Tier 4 Final off-road emission standards.
 - 2. Where access to alternative sources of power are available, portable diesel engines shall be prohibited.

⁶³ BAAQMD, CEQA Air Quality Guidelines, May 2017, p. 8-6.

⁶⁴ PM emissions benefits are estimated by comparing off-road PM emission standards for Tier 2 with Tiers 1 and 0. Tier 0 off-road engines do not have PM emission standards, but the United States Environmental Protection Agency's *Exhaust and Crankcase Emissions Factors for Nonroad Engine Modeling – Compression Ignition* has estimated Tier 0 engines between 50 hp and 100 hp to have a PM emission factor of 0.72 g/hp-hr and greater than 100 hp to have a PM emission factor of 0.40 g/hp-hr. Therefore, requiring off-road equipment to have at least a Tier 2 engine would result in between a 25 percent and 63 percent reduction in PM emissions, as compared to off-road equipment with Tier 0 or Tier 1 engines. The 25 percent reduction comes from comparing the PM emission standards for off-road engines between 25 hp and 50 hp for Tier 2 (0.45 g/bhp-hr) and Tier 1 (0.60 g/bhp-hr). The 63 percent reduction comes from comparing the PM emission standards for off-road engines above 175 hp for Tier 2 (0.15 g/bhp-hr) and Tier 0 (0.40 g/bhp-hr). In addition to the Tier 2 requirement, ARB Level 3 VDECSs are required and would reduce PM by an additional 85 percent. Therefore, the Clean Construction Ordinance would result in between an 89 percent (0.0675 g/bhp-hr) and 94 percent (0.0225 g/bhp-hr) reduction in PM emissions, as compared to equipment with Tier 1 (0.60 g/bhp-hr) or Tier 0 engines (0.40 g/bhp-hr).

- 3. Diesel engines, whether for off-road or on-road equipment, shall not be left idling for more than two minutes, at any location, except as provided in exceptions to the applicable state regulations regarding idling for off-road and on-road equipment (e.g., traffic conditions, safe operating conditions). The contractor shall post legible and visible signs in English, Spanish, and Chinese, in designated queuing areas and at the construction site to remind operators of the two-minute idling limit.
- 4. The contractor shall instruct construction workers and equipment operators on the maintenance and tuning of construction equipment, and require that such workers and operators properly maintain and tune equipment in accordance with manufacturer specifications.
- B. Waivers.
 - The Environmental Review Officer (ERO) or designee may waive the alternative source of power requirement of Subsection (A)(2) if an alternative source of power is limited or infeasible at the project site. If the ERO grants the waiver, the contractor must submit documentation that the equipment used for onsite power generation meets the requirements of Subsection (A)(1).
 - 2. The ERO may waive the equipment requirements of Subsection (A)(1) if: a particular piece of Tier 4 interim or Tier 4 final off-road equipment is technically not feasible; the equipment would not produce desired emissions reduction due to expected operating modes; installation of the equipment would create a safety hazard or impaired visibility for the operator; or, there is a compelling emergency need to use off-road equipment that is not Tier 4 compliant. If the ERO grants the waiver, the contractor must use the next cleanest piece of off-road equipment, according to table below. Emerging technologies with verifiable emissions reductions supported by substantial evidence may also be employed in lieu of the step-down schedule below.

Compliance Alternative	Engine Emission Standard	Emissions Control		
1	Tier 2	ARB Level 3 VDECS*		
2	Tier 2	ARB Level 2 VDECS		
3	Tier 2	ARB Level 1 VDECS		

rable M-AQ	-3-1	Off-Road Equ	ipment Com	pliance Ste	p-down Schedul
able M-AQ	-2-T	Ull-Ruau Equ	ipilient com	pliance ste	p-uown Scheuut

How to use the table: If the ERO determines that the equipment requirements cannot be met, then the project sponsor would need to meet Compliance Alternative 1. If the ERO determines that the Contractor cannot supply off-road equipment meeting Compliance Alternative 1, then the Contractor must meet Compliance Alternative 2. If the ERO determines that the Contractor cannot supply off-road equipment meeting Compliance Alternative 2, then the Contractor must meet Compliance Alternative 3.

* ARB = air resources board

VDECS = verified diesel emissions control strategy

C. Construction Emissions Minimization Plan.

Before starting on-site construction activities, the contractor shall submit a Construction Emissions Minimization Plan (Plan) to the ERO for review and approval. The Plan shall state, in reasonable detail, how the contractor will meet the requirements of section A.

- 1. The Plan shall include estimates of the construction timeline by phase, with a description of each piece of off-road equipment required for every construction phase. The description may include, but is not limited to: equipment type, equipment manufacturer, equipment identification number, engine model year, engine certification (Tier rating), horsepower, engine serial number, and expected fuel use and hours of operation. For VDECS installed, the description may include: technology type, serial number, make, model, manufacturer, ARB verification number level, and installation date and hour meter reading on installation date. For off-road equipment using alternative fuels, the description shall also specify the type of alternative fuel being used.
- 2. The project sponsor shall ensure that all applicable requirements of the Plan have been incorporated into the contractor's contract specifications. The Plan shall include a certification statement that the contractor agrees to comply fully with the Plan.
- 3. The contractor shall make the Plan available to the public for review on-site during working hours. The contractor shall post at the construction site a legible and visible sign summarizing the Plan. The sign shall also state that the public may ask to inspect the Plan for the project at any time during working hours and shall explain how to request to inspect the Plan. The contractor shall post at least one copy of the sign in a visible location on each side of the construction site facing a public right-of-way.
- D. Monitoring.

After start of construction activities, the contractor shall submit quarterly reports to the ERO documenting compliance with the Plan. After completion of construction activities and prior to receiving a final certificate of occupancy, the project sponsor shall submit to the ERO a final report summarizing construction activities, including the start and end dates and duration of each construction phase, and the specific information required in the Plan.

OPERATIONAL EMISSIONS

As discussed above under Impact AQ-2, the air district has developed screening criteria to determine whether a project requires an analysis of project-generated criteria air pollutants. If all of the screening criteria are met by a project, then the lead agency or applicant is not required to perform a detailed air quality assessment.

The proposed project would construct 62 new dwelling units comprised of 31 duplexes, which together would generate approximately 197 daily vehicle trips. The proposed project would fall below the operational criteria air pollutant screening size for low-rise apartment land uses (240 dwelling units) identified in the air district's CEQA Air Quality Guidelines. Thus, quantification of project-generated criteria air pollutant emissions is not required, since the proposed project would not exceed any of the significance thresholds for criteria air pollutants. Therefore, the proposed project would result in a *less-than-significant* impact with respect to criteria air pollutant emissions, and no mitigation measures are required.

Impact AQ-4: The proposed project would generate toxic air contaminants, including diesel particulate matter, but not at levels that would expose sensitive receptors to substantial air pollutant concentrations. (*Less than Significant*)

As discussed above, the project site is not located within an air pollutant exposure zone but is in close proximity to a variety of sensitive receptors, including residences, two schools, and one daycare facility.

SOURCES OF TOXIC AIR CONTAMINANTS

The proposed 62 dwelling units would not require the use of back-up diesel generators or generate substantial on-site quantities of TACs from other sources. However, the proposed project would increase the number of daily vehicle trips in the project vicinity by 197 trips, which would increase TAC emissions in the area. The air district considers roads with less than 10,000 vehicles per day "minor, low-impact" sources that do not pose a significant health impact, even in combination with other nearby sources, and recommends that these sources be excluded from the environmental analysis. Traffic counts taken at Woolsey and Bowdoin street (the closest intersection to the project site for which recent traffic counts have been collected) totaled 452 vehicles per day, which is well below the 10,000 vehicle per day threshold.⁶⁵ Additionally, the project's contribution of 197 new daily vehicle trips to the project vicinity would be too small to contribute a substantial amount of toxic air contaminant emissions that could affect nearby sensitive receptors. Furthermore, the 197 additional vehicle trips would be distributed among the local roadway network, and not concentrated at a particular roadway segment. Therefore, an assessment of project-generated toxic air contaminants resulting from vehicle trips is not required.

SITING SENSITIVE LAND USES

The proposed project would not site residential uses, which are considered sensitive land uses for the purpose of air quality evaluation, within an Air Pollutant Exposure Zone. Therefore, impacts related to exposure to existing sources of TACs would be *less than significant*, and no mitigation measures are required.

Impact AQ-5: The proposed project would not create objectionable odors that would affect a substantial number of people. (Less than Significant)

Typical odor sources of concern include wastewater treatment plants, sanitary landfills, transfer stations, composting facilities, petroleum refineries, asphalt batch plants, chemical manufacturing facilities, fiberglass manufacturing facilities, auto body shops, rendering plants, and coffee roasting facilities. During construction, diesel exhaust from construction equipment would generate some odors. However, construction-related odors would be temporary and would not persist upon project completion. Additionally, the proposed project would not introduce new sources of odors in the vicinity, as the proposed residential land use is consistent with the existing land uses in the area. Therefore, odor impacts from the proposed project would be *less than significant*.

⁶⁵ San Francisco Municipal Transportation Agency, SFMTA Traffic Count Data 1995–2015, <u>https://www.sfmta.com/reports/sfmta-traffic-count-data-1995-2015</u>, accessed September 28, 2020.

Impact C-AQ-1: The proposed project, in combination with cumulative projects would result in less than significant cumulative air quality impacts. *(Less than Significant with Mitigation)*

As discussed above, regional air pollution is by its nature largely a cumulative impact. The San Francisco Bay Area air basin, as governed by the air district, composes the geographic context for an evaluation of cumulative air quality impacts. Emissions from cumulative projects contribute to the region's adverse air quality on a cumulative basis. No single project by itself would be sufficient in size to result in regional nonattainment of ambient air quality standards. Instead, a project's individual emissions contribute to existing cumulative adverse air quality impacts.⁶⁶ The project-level thresholds for criteria air pollutants are based on levels below which new sources are not anticipated to contribute to an air quality violation or result in a considerable net increase in criteria air pollutants. Therefore, cumulative criteria air pollutant analysis is presented in Impacts AQ-2 and AQ-3. The remainder of this cumulative air quality analysis address cumulative health risks and odors to sensitive receptors.

As discussed above, the project site is not located in an area that already experiences poor air quality. The proposed project would add new sources of TACs (e.g., construction-related vehicle trips). The construction-related component would constitute a significant cumulative impact. However, the proposed project would be required to implement **Mitigation Measure M-AQ-3**, **Construction Air Quality**, which could reduce construction period emissions by as much as 94 percent and would thereby reduce the project's contribution to cumulative air quality impacts to a *less-than-significant* level.

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
8. GREENHOUSE GAS EMISSIONS. Would the project:					
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?			\boxtimes		
b) Conflict with any applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gases?			\boxtimes		

8. Greenhouse Gas Emissions

Greenhouse gas (GHG) emissions and global climate change represent cumulative impacts. GHG emissions cumulatively contribute to the significant adverse environmental impacts of global climate change. No single project could generate enough GHG emissions to noticeably change the global average temperature; instead, the combination of GHG emissions from cumulative projects have contributed and will continue to contribute to global climate change and its associated environmental impacts.

⁶⁶ Bay Area Air Quality Management District (BAAQMD), California Environmental Quality Act Air Quality Guidelines, May 2017.

The air district has prepared guidelines and methodologies for analyzing GHGs. These guidelines are consistent with CEQA Guidelines sections 15064.4 and 15183.5, which address the analysis and determination of significant impacts from a proposed project's GHG emissions. CEQA Guidelines section 15064.4 allows lead agencies to rely on a qualitative analysis to describe GHG emissions resulting from a project. CEQA Guidelines section 15183.5 allows for public agencies to analyze and mitigate GHG emissions as part of a larger plan for the reduction of GHGs and describes the required contents of such a plan. Accordingly, San Francisco has prepared Strategies to Address Greenhouse Gas Emissions, ⁶⁷ which presents a comprehensive assessment of policies, programs, and ordinances that collectively represent San Francisco's qualified GHG reduction strategy in compliance with the CEQA guidelines. These GHG reduction actions have resulted in a 35 percent reduction in GHG emissions in 2018 compared to 1990 levels, ⁶⁸ exceeding the year 2020 reduction goals outlined in the air district's 2017 Clean Air Plan, Executive Order S-3-05, and Assembly Bill 32 (also known as the Global Warming Solutions Act).⁶⁹

Given that the city has met the state and region's 2020 GHG reduction targets and San Francisco's GHG education goals are consistent with, or more aggressive than, the long-term goals established under order S-3-05,⁷⁰ order B-30-15,^{71,72} and Senate Bill 32^{73,74} the city's GHG reduction goals are consistent with order S-3-05, order B-30-15, Assembly Bill 32, Senate Bill 32 and the 2017 Clean Air Plan. Therefore, proposed projects that are consistent with the city's GHG reduction strategy would be consistent with the aforementioned GHG reduction goals, would not conflict with these plans or result in significant GHG emissions, and would therefore not exceed San Francisco's applicable GHG threshold of significance.

The following analysis of the proposed project's impact on climate change focuses on the project's contribution to cumulatively significant GHG emissions. Because no individual project could emit GHGs at a level that could result in a significant impact on the global climate, this analysis is in a cumulative context, and this section does not include an individual project-specific impact statement.

⁷⁰ Office of the Governor, Executive Order S-3-05, June 1, 2005,

⁶⁷ San Francisco Planning Department, Strategies to Address Greenhouse Gas Emissions in San Francisco, July 2017, <u>http://sf-planning.org/strategies-address-greenhouse-gas-emissions</u>.

⁶⁸ San Francisco Department of the Environment, *San Francisco's Carbon Footprint*, <u>https://sfenvironment.org/carbon-footprint</u>, accessed May 12, 2020.

⁶⁹ Executive Order S-3-05, Assembly Bill 32, and the air district's 2017 Clean Air Plan (continuing the trajectory set in the 2010 Clean Air Plan) set a target of reducing GHG emissions to below 1990 levels by year 2020.

http://static1.squarespace.com/static/549885d4e4b0ba0bff5dc695/t/54d7f1e0e4b0f0798cee3010/1423438304744/California+Executive+Order+S-3-05+(June+2005).pdf. Executive Order S-3-05 sets forth a series of target dates by which statewide emissions of GHGs need to be progressively reduced, as follows: by 2010, reduce GHG emissions to 2000 levels (approximately 457 million metric tons of carbon dioxide equivalents (MTCO₂e)); by 2020, reduce emissions to 1990 levels (approximately 427 million MTCO₂e); and by 2050 reduce emissions to 80 percent below 1990 levels (approximately 85 million MTCO₂e). Because of the differential heat absorption potential of various GHGs, GHG emissions are frequently measured in "carbon dioxide-equivalents," which present a weighted average based on each gas's heat absorption (or "global warming") potential.

¹¹ Office of the Governor, *Executive Order B-30-15*, April 29, 2015, <u>https://www.ca.gov/archive/gov39/wp-content/uploads/2017/09/B-35-15.pdf</u>, accessed May 12, 2020. Executive Order B-30-15, issued on April 29, 2015, sets forth a target of reducing GHG emissions to 40 percent below 1990 levels by 2030 (estimated at 2.9 million MTCO₂e).

⁷² San Francisco's GHG reduction goals are codified in Section 902 of the Environment Code and include: (i) by 2008, determine City GHG emissions for year 1990; (ii) by 2017, reduce GHG emissions by 25 percent below 1990 levels; (iii) by 2025, reduce GHG emissions by 40 percent below 1990 levels; and by 2050, reduce GHG emissions by 80 percent below 1990 levels.

⁷³ Senate Bill 32 amends California Health and Safety Code Division 25.5 (also known as the California Global Warming Solutions Act of 2006) by adding Section 38566, which directs that statewide greenhouse gas emissions to be reduced by 40 percent below 1990 levels by 2030.

⁷⁴ Senate Bill 32 was paired with Assembly Bill 197, which would modify the structure of the State Air Resources Board; institute requirements for the disclosure of greenhouse gas emissions criteria pollutants, and toxic air contaminants; and establish requirements for the review and adoption of rules, regulations, and measures for the reduction of greenhouse gas emissions.

Impact C-GG-1: The proposed project would generate greenhouse gas emissions, but not at levels that would result in a significant impact on the environment or conflict with any policy, plan, or regulation adopted for the purpose of reducing greenhouse gas emissions. (Less than Significant)

Individual projects contribute to the cumulative effects of climate change by directly or indirectly emitting GHGs during construction and operational phases. Direct operational emissions include GHG emissions from new vehicle trips and area sources (natural gas combustion). Indirect emissions include emissions from electricity providers; energy required to pump, treat, and convey water; and emissions associated with waste removal, disposal, and landfill operations.

The proposed project would increase the intensity of use of the site by constructing 62 dwelling units on a currently unused site. Therefore, the proposed project would contribute to annual long-term increases in GHGs as a result of increased vehicle trips (mobile sources) and residential operations that result in an increase in energy use, water use, wastewater treatment, and solid waste disposal. Construction activities would also result in temporary increases in GHG emissions.

The proposed project would be subject to regulations adopted to reduce GHG emissions as identified in the GHG reduction strategy. As discussed below, compliance with the applicable regulations would reduce the project's GHG emissions related to transportation, energy use, waste disposal, wood burning, and use of refrigerants.

Compliance with the transportation management programs, and bicycle parking requirements would reduce the proposed project's transportation-related emissions. These regulations reduce GHG emissions from single-occupancy vehicles by promoting the use of alternative transportation modes with zero or lower GHG emissions on a per capita basis.

The proposed project would be required to comply with the energy efficiency requirements of the city's Green Building Code, San Francisco Stormwater Management Ordinance, Water Efficient Irrigation Ordinance, Residential Water Conservation Ordinance, and Residential Energy Conservation Ordinance, which would promote energy and water efficiency, thereby reducing the proposed project's energy-related GHG emissions.⁷⁵ Additionally, the project would be required to meet the renewable energy criteria of the Green Building Code, including renewable energy generation or green roof installation, further reducing the project's energy-related GHG emissions.

The proposed project's waste-related emissions would be reduced through compliance with the city's Recycling and Compositing Ordinance, Construction and Demolition Debris Recovery Ordinance, Construction and Demolition Debris Recycling Requirements, and Green Building Code requirements. These regulations reduce the amount of materials sent to a landfill, reducing GHGs emitted by landfill operations. These regulations also promote reuse of materials, conserving their embodied energy⁷⁶ and reducing the energy required to produce new materials.

Compliance with the city's street tree planting requirements would serve to increase carbon sequestration. Other regulations, including those limiting refrigerant emissions and the air district's wood-burning

⁷⁵ Compliance with water conservation measures reduce the energy (and GHG emissions) required to convey, pump and treat water required for the project.

⁷⁶ Embodied energy is the total energy required for the extraction, processing, manufacture and delivery of building materials to the building site.

regulations would reduce emissions of GHGs and black carbon, respectively. Regulations requiring lowemitting finishes would reduce volatile organic compounds.⁷⁷ Thus, the proposed project was determined to be consistent with San Francisco's GHG reduction strategy.⁷⁸

The project sponsor is required to comply with these regulations, which have proven effective as San Francisco's GHG emissions have measurably decreased when compared to 1990 emissions levels, demonstrating that the city has met and exceeded Executive Order S-3-05, Assembly Bill 32, and the 2017 Clean Air Plan GHG reduction goals for the year 2020. Furthermore, the city has met its 2017 GHG reduction goal of reducing GHG emissions to 25 percent below 1990 levels by 2017. Other existing regulations, such as those implemented through Assembly Bill 32, will continue to reduce a proposed project's contribution to climate change. In addition, San Francisco's local GHG reduction targets are consistent with the long-term GHG reduction goals of Executive Order S-3-05, Executive Order B-30-15, Assembly Bill 32, and the 2017 Clean Air Plan. Therefore, because the proposed project is consistent with the city's GHG reduction strategy, it is also consistent with the GHG reduction goals of Executive Order S-3-05, Executive Order B-30-15, Assembly Bill 32, Senate Bill 32, senate Bill 32, senate Bill 32 and the 2017 Clean Air Plan, would not conflict with these plans, and would therefore not exceed San Francisco's applicable GHG threshold of significance. As such, the proposed project would result in a **less-than-significant** impact with respect to GHG emissions. No mitigation measures are necessary.

9. Wind

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
9. WIND. Would the project:					
a) Create wind hazards in publicly accessible areas of substantial pedestrian use?			\boxtimes		

Impact WI-1: The proposed project would not create wind hazards in publicly accessible areas of substantial pedestrian use. (Less than Significant)

Wind impacts are directly related to the height, orientation, design, location, and surrounding development context of a proposed project. In addition, tall buildings and exposed structures can strongly affect the wind environment for pedestrians. Based on wind analyses for other development projects in San Francisco, a building that does not exceed a height of 85 feet generally has little potential to cause substantial changes to ground-level wind conditions.

The project site is offered protection from westerly and northwesterly winds by the University Mound Reservoir South Basin, which is approximately 45 to 65 feet above the height of the project site from its highest to lowest point along Bowdoin Street. The project site is also offered protection from the

⁷⁷ While not a GHG, volatile organic compounds are precursor pollutants that form ground level ozone. Increased ground level ozone is an anticipated effect of future global warming that would result in added health effects locally. Reducing volatile organic compound emissions would reduce the anticipated local effects of global warming.

⁷⁸ San Francisco Planning Department, Greenhouse Gas Analysis: Compliance Checklist for 770 Woolsey Street, October 4, 2019.

southwesterly winds by the hill along Mansell Avenue, which is more than 200 feet above that of the project site. Thus, the prevailing winds are impeded by the existing topography.

The proposed project would construct dwelling units that are 35 feet in height, which is one story taller than the existing two-story development along Woolsey, Hamilton, and Wayland streets. The greatest difference in height between the proposed project and the adjacent buildings would be less than 10 feet. The proposed project would not result in large building masses extending substantially above the heights of adjacent buildings and topography. Additionally, the proposed dwelling units would have façade and roofline articulation, reducing any wind effects. Therefore, the proposed project would not result in adverse effects on ground-level winds. Accordingly, the proposed project would result in a **less-than-significant** wind impact.

Impact C-WI-1: The proposed project, in combination with cumulative projects, would not result in a cumulative wind impact. (Less than Significant)

EIR Chapter 3, Section G, and EIR Table 3-1, p. 3-7, identifies cumulative development projects within a 0.25mile radius of the project site that are undergoing environmental review. The cumulative projects include development of new residential units including accessory dwelling units and a single-family home. Similar to the proposed project, the cumulative projects are offered protection from winds by the University Mound Reservoir South Basin and by the hill along Mansell Avenue, and would be below 80 feet in height. The design of the proposed project and other future developments in the neighborhood are required to comply with the applicable height and bulk requirements, as defined in the planning code. As such, the proposed project, in combination with cumulative projects proposed in the vicinity, would not substantially alter the wind patterns that could affect public areas, and cumulative wind impacts would be **less than significant**.

10. Shadow

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
10. SHADOW. Would the project:					
a) Create new shadow that substantially and adversely affects the use and enjoyment of publicly accessible open spaces?			\boxtimes		

Impact SH-1: The proposed project would not create new shadow that substantially and adversely affects the use and enjoyment of publicly accessible open space. (Less than Significant)

In 1984, San Francisco voters approved an initiative known as "Proposition K, The Sunlight Ordinance," which was codified as planning code section 295 in 1985. Planning code section 295 generally prohibits new structures above 40 feet in height that would cast additional shadows on open space that is under the jurisdiction of the San Francisco Recreation and Park Commission between one hour after sunrise and one hour before sunset, at any time of the year, unless that shadow would not result in a significant adverse

effect on the use of the open space. Public open spaces that are not under the jurisdiction of the recreation and park commission, as well as private open spaces, are not subject to planning code section 295.

The proposed project would result in the construction of 62 residential units approximately 35 feet in height, which would be one story taller than the existing surrounding development. The nearest public open space to the project site is John McLaren Park, located approximately 900 feet to the west. Given the fact that the proposed project would not include buildings greater than 40 feet in height, a shadow study is not required.

The proposed project would shade portions of nearby streets and sidewalks and private property in the project vicinity at various times throughout the year. Shadows on streets and sidewalks would not exceed levels commonly expected in urban areas. Although occupants of nearby properties may regard the increase in shadow as undesirable, the limited increase in shading of private properties as a result of the proposed project would not be considered a significant impact under CEQA.

For the reasons discussed above, the proposed project would result in a *less-than-significant* impact with regard to shadow.

Impact C-SH-1: The proposed project, in combination with cumulative projects, would not result in a significant cumulative shadow impact. (Less than Significant)

As discussed above, the proposed project would not shade any nearby public parks or open spaces. Although implementation of the proposed project and nearby cumulative development projects would add net new shadow to the sidewalks in the neighborhood, these shadows would be transitory in nature, would not substantially affect the use of the sidewalks, and would not increase shadows above levels that are common and generally expected in a densely developed urban environment. Therefore, the proposed project, in combination with cumulative projects, would result in a *less-than-significant* cumulative shadow impact.

11. Recreation

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
11. RECREATION. Would the project:					
a) Increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facilities would occur or be accelerated?					
b) Include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment?					

Impact RE-1: The proposed project would not increase the use of existing neighborhood and regional parks or other recreational facilities such that substantial physical deterioration of the facilities would occur or be accelerated. (*Less than Significant*)

As described in Section E.2, Population and Housing, implementation of the proposed project would add approximately 146 residents to the project site. This would represent an approximately 3 percent increase over the existing population of 4,809 in census tract 259.

Parks and recreational facilities closest to the project site include McLaren Park and the Palega Recreation Center. McLaren Park, a 310-acre park owned by the San Francisco Recreation and Park Department, is located three blocks west of the project site. McLaren Park is San Francisco's second largest park and offers both active and passive recreational opportunities, including six playgrounds, five picnic areas, tennis and basketball courts, an amphitheater, a clubhouse, off-leash dog play area, golf course, reservoir, marsh, natural areas, and more than 7 miles of trails. The 6-acre Palega Recreation Center is located 3 blocks north of the site, and provides indoor and outdoor recreation space for residents, including a multi-purpose athletic field, gymnasium, outdoor basketball court, picnic area, playground, community rooms, and a community garden.

In accordance with the San Francisco Planning Code, the proposed project would provide approximately 14,890 square feet of private open space in the form of rear yards and courtyards and approximately 11,210 square feet of private shared open space referred to as "the spine" and intersecting "mews" for residents only. In addition, the proposed project would also provide an approximately 17,170-square-foot publicly accessible open space at the corner of Woolsey and Hamilton streets. Residents are also expected to use the nearby McLaren Park and Palega Recreation Center, as well as other regional open space attractions offered in the city including Golden Gate Park, the Presidio, and Lake Merced. As discussed in Section E.2, Population and Housing, the proposed project would not substantially increase the population in the vicinity. Therefore, the proposed project would not result in an increase in the use of existing regional and neighborhood parks, or other recreational facilities within the project vicinity such that substantial physical deterioration of these facilities would occur or be accelerated; therefore, proposed project's impacts on recreational facilities would be *less than significant*.

Impact RE-2: The proposed project would not include recreational facilities or require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment. *(Less than Significant)*

As described above, the proposed project would provide approximately 23,640 square feet of private open space, approximately 7,510 square feet of common open space for residents, and a 16,390-square-foot publicly accessible open space. The publicly accessible would partially offset the demand for recreational facilities. In addition, the project site is within walking distance to a McLaren Park and Palega Recreation Center. These existing recreational facilities would be able to accommodate the increase in demand for recreational recreational resources generated by the proposed project given the relatively small number of residents anticipated under the project. Therefore, the proposed project would not require the construction or expansion of recreational facilities that might have an adverse physical effect on the environment. This impact would be **less than significant**, and no mitigation measures are necessary.

Impact C-RE-1: The proposed project, in combination with cumulative projects, would not result in significant impacts on recreational resources. (*Less than Significant*)

Cumulative development in the project vicinity would result in an additional three residential units and an increase in the demand for recreational facilities and resources; however, the demand generated from the three cumulative dwelling units would be incremental and would not combine to result in cumulative impacts. The city has accounted for such growth as part of the recreation and open space element of the general plan. For these reasons, the proposed project would not combine with cumulative projects in the project vicinity to create a significant cumulative impact on recreational facilities and impacts would be **less than significant**.

12. Utilities and Service Systems

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
12. UTILITIES AND SERVICE SYSTEMS. Would the project:					
a) Require or result in the relocation or construction of new or expanded, water, wastewater treatment, or storm water drainage, electric power, natural gas, or telecommunications facilities, the construction or relocation of which could cause significant environmental effects?					
b) Have sufficient water supplies available to serve the project and reasonably foreseeable future development during normal, dry, and multiple dry years?					
c) Result in a determination by the wastewater treatment provider which serves or may serve the project that it has inadequate capacity to serve the project's projected demand in addition to the provider's existing commitments?					
d) Generate solid waste in excess of state or local standards, or in excess of the capacity of local infrastructure, or otherwise impair the attainment of solid waste reduction goals?					
e) Comply with federal, state, and local management and reduction statutes and regulations related to solid waste?				\boxtimes	

Impact UT-1: Implementation of the proposed project would not exceed the wastewater treatment capacity of the provider that would serve the project and would not require or result in the relocation or construction of new or expanded water, wastewater treatment, or stormwater drainage, electric power, natural gas, or telecommunications facilities. (*Less than Significant*)

The SFPUC provides and operates water supply and wastewater/stormwater collection and treatment facilities for the city. Pacific Gas and Electric Company provides electricity and natural gas to the project site, and various private companies provide telecommunications facilities.

Implementation of the proposed project would incrementally increase wastewater flows from the project site due to the introduction of 146 new residents. The proposed project would incorporate water-efficient fixtures, as required by Title 24 of the California Code of Regulations and the San Francisco Green Building Ordinance. Compliance with these regulations would reduce wastewater flows and the amount of potable water used for building functions. The SFPUC's infrastructure capacity plans account for projected population and employment growth. The incorporation of water-efficient fixtures into new development is also accounted for by the SFPUC because widespread adoption can lead to more efficient use of existing capacity.

The project site contains both impervious and pervious surfaces. The proposed project would comply with the San Francisco Stormwater Management Ordinance (as codified in section 147 of the public works code), which requires the proposed project to maintain, reduce, or eliminate the existing volume and rate of stormwater runoff discharged from the project site. To achieve this objective, the proposed project would implement and install appropriate stormwater management systems that retain runoff onsite, promote stormwater reuse, and limit site discharges from entering the city's combined stormwater/sewer system. This, in turn, would limit the incremental demand on both the collection system and wastewater facilities resulting from stormwater discharges and would minimize the potential for constructing new or expanding existing stormwater drainage facilities. A stormwater control plan, required per the City's Stormwater Management Ordinance (Ordinance No. 83-10), would be designed for review and approval by the SFPUC because the proposed project would result in ground disturbance of an area greater than 5,000 square feet. The stormwater control plan would also include a maintenance agreement, signed by the project sponsor, to ensure proper care of the necessary stormwater controls. Therefore, the proposed project would not substantially increase the amount of stormwater runoff to the extent that existing facilities would need to be expanded or new facilities would need to be constructed. Impacts on stormwater infrastructure would be less than significant. For these reasons, the population increase associated with the proposed project would not require the construction of new or an expansion of existing wastewater treatment facilities.

The proposed project would result in an incremental increase in the demand for electricity, natural gas, and telecommunications; however, this modest increase would not exceed the demand expected and provided for in the project area by utility service providers. As discussed in in Impact UT-2, below, the proposed project would result in an incremental increase in the demand for water supply, but would not itself result in the need for the construction of new or expanded water treatment facilities or delivery infrastructure.

For these reasons, the utilities demand associated with the proposed project would not exceed the service capacity of the existing providers and would not require the construction of new facilities or expansion of existing facilities. Therefore, this impact would be *less than significant*, and no mitigation measures are necessary.

Impact UT-2: Sufficient water supplies are available to serve the proposed project and reasonably foreseeable future development in normal, dry, and multiple dry years unless the Bay Delta Plan Amendment is implemented; in that event the public utilities commission may develop new or expanded water supply facilities to address shortfalls in single and multiple dry years but this would occur with or without the proposed project. Impacts related to new or expanded water supply facilities cannot be identified at this time or implemented in the near term; instead, the public utilities commission would address supply shortfalls through increased rationing, which could result in significant cumulative effects, but the project would not make a considerable contribution to impacts from increased rationing. (Less than Significant)

The SFPUC adopted the 2015 Urban Water Management Plan for the City and County of San Francisco. The plan estimates that current and projected water supplies will be sufficient to meet future retail demand through 2035 under normal year, single dry-year and multiple dry-year conditions; however, if a multiple dry-year event occurs, the SFPUC would implement water use and supply reductions through its drought response plan and a corresponding retail water shortage allocation plan.

In December 2018, the State Water Resources Control Board adopted amendments to the Water Quality Control Plan for the San Francisco Bay/Sacramento-San Joaquin Delta Estuary, which establishes water quality objectives to maintain the health of our rivers and the Bay-Delta ecosystem (the Bay-Delta Plan Amendment). The state water board has stated that it intends to implement the Bay-Delta Plan Amendment by the year 2022, assuming all required approvals are obtained by that time. Implementation of the Bay Delta Plan Amendment would result in a substantial reduction in the SFPUC's water supplies from the Tuolumne River watershed during dry years, requiring rationing to a greater degree in San Francisco than previously anticipated to address supply shortages not accounted for in the 2015 Urban Water Management Plan.

The public utilities commission has prepared a memorandum discussing future water supply scenarios given adoption of the Bay-Delta Plan Amendment. As discussed in the memorandum, implementation of the plan amendment is uncertain for several reasons and whether, when, and the form in which the Bay Delta Plan Amendment would be implemented, and how those amendments could affect the SFPUC's water supply, is currently unknown. The memorandum estimates total shortfalls in water supply (that is, total retail demand minus total retail supply) to retail customers through 2040 under three increasingly supply-limited scenarios:

- 1. Without implementation of the Bay-Delta Plan Amendment wherein the water supply and demand assumptions contained in the 2015 Urban Water Management Plan and the 2009 Water Supply Agreement as amended would remain applicable.
- 2. With implementation of a voluntary agreement between the public utilities commission and the State Water Resources Control Board that would include a combination of flow and non-flow measures that are designed to benefit fisheries at a lower water cost, particularly during multiple dry years, than would occur under the Bay-Delta Plan Amendment).
- 3. With implementation of the Bay-Delta Plan Amendment as adopted.

As estimated in the public utilities commission memorandum, water supply shortfalls during dry years would be lowest without implementation and highest with implementation of the Bay-Delta Plan Amendment. Shortfalls under the proposed voluntary agreement would be between those with and without implementation of the Bay-Delta Plan Amendment.

Under these three scenarios, the public utilities commission would have adequate water to meet total retail demands through 2040 in normal years. For single dry and multiple (years 1, 2 and 3) dry years of an extended drought, the public utilities commission memorandum estimates that shortfalls of water supply relative to demand would occur both with and without implementation of the Bay-Delta Plan Amendment. Without implementation of the plan amendment, shortfalls would range from approximately 3.6 to 6.1 mgd or 5 to 6.8 percent shortfall during dry years through the year 2040.

With implementation of the Bay-Delta Plan Amendment, shortfalls would range from 12.3 mgd (15.6 percent) in a single dry year to 36.1 mgd (45.7 percent) in years seven and eight of the 8.5-year design drought based on 2025 demand levels and from 21 mgd (23.4 percent) in a single dry year to 44.8 mgd (49.8 percent) in years seven and eight of the 8.5-year design drought based on 2040 demand.

The proposed project does not require a water supply assessment under the California Water Code. Under sections 10910 through 10915 of the California Water Code, urban water suppliers like the public utilities commission must prepare water supply assessments for certain large "water demand" projects, as defined in CEQA Guidelines section 15155. The proposed would add 62 dwelling units; as such it does not qualify as a "water demand" project as defined by CEQA Guidelines section 15155(a)(1) and a water supply assessment is not required and has not been prepared for the project.

While a water supply assessment is not required, the following discussion provides an estimate of the project's maximum water demand in relation to the three supply scenarios. No single development project alone in San Francisco would require the development of new or expanded water supply facilities or require the public utilities commission to take other actions, such as imposing a higher level of rationing across the city in the event of a supply shortage in dry years. Therefore, a separate project-only analysis is not provided for this topic. The following analysis instead considers whether the proposed project in combination with both existing development and projected growth through 2040 would require new or expanded water supply facilities, the construction or relocation of which could have significant cumulative impacts on the environment. It also considers whether a high level of rationing would be required that could have significant cumulative impacts. It is only under this cumulative context that development in San Francisco could have the potential to require new or expanded water supply facilities or require the public utilities commission to take other actions, which in turn could result in significant physical environmental impacts related to water supply. If significant cumulative impacts could result, then the analysis considers whether the project would make a considerable contribution to the cumulative impact.

Based on guidance from the California Department of Water Resources and a citywide demand analysis, the public utilities commission has established 50,000 gallons per day as an equivalent project demand for projects that do not meet the definitions provided in CEQA Guidelines section 15155(a)(1). The development proposed by the project (62 dwelling units) would represent approximately 4 percent of the 500-unit limit provided in CEQA Guidelines section 15155(1)(A). In addition, the proposed project would incorporate water-efficient fixtures as required by Title 24 of the California Code of Regulations and the city's Green Building Ordinance. It is therefore reasonable to assume that the proposed project would result in an average daily demand of less than 50,000 gallons per day of water.

The public utilities commission has prepared estimates of total retail demand in five-year intervals from 2020 through 2040.⁷⁹ Assuming the project would demand no more than 50,000 gallons of water per day (or

⁷⁹ Memorandum from Steven R. Ritchie, assistant general manager, Water Enterprise, San Francisco Public Utilities Commission, to Lisa Gibson, Environmental Review Officer, San Francisco Planning Department-Environmental Planning, May 31, 2019.

0.05 mgd), **Table 4** compares this maximum with the total retail demand from 2020 through 2040. At most, the proposed project's water demand would represent a small fraction of the total projected retail water demand, ranging from 0.07 to 0.06 percent between 2020 and 2040. As such, the project's water demand is not substantial enough to require or result in the relocation or construction of new or expanded water facilities the construction or relocation of which could cause significant environmental effects.

	2020	2025	2030	2035	2040
Total Retail Demand	72.1	79	82.3	85.9	89.9
Total Demand of Proposed Project	0.05	0.05	0.05	0.05	0.05
Total Demand of Proposed Project as Percentage of Total Retail Demand	0.07%	0.06%	0.06%	0.06%	0.06%

Table 4 Proposed Project Water Demand Relative to Total Retail Demand (mgd)

Sufficient water supplies are available to serve the proposed project and reasonably foreseeable future development in normal, dry, and multiple dry years unless the Bay-Delta Plan Amendment is implemented. As indicated above, the proposed project's maximum demand would represent less than 0.06 percent of the total retail demand in 2040 when implementation of the Bay-Delta Plan Amendment would result in a retail supply shortfall of up to 49.8 percent in a multi-year drought. The public utilities commission has indicated that it is accelerating its efforts to develop additional water supplies and explore other projects that would increase overall water supply resilience in the case that the Bay-Delta Plan Amendment is implemented. The public utilities commission has identified possible projects that it will study, but it has not determined the feasibility of the possible projects, has not made any decision to pursue any particular supply projects, and has determined that the identified potential projects would take anywhere from 10 to 30 years or more to implement. The potential impacts that could result from the construction and/or operation of any such water supply facility projects cannot be identified at this time. In any event, under such a worst-case scenario, the demand for the public utilities commission to develop new or expanded dry-year water supplies would exist regardless of whether the proposed project is constructed.

Given the long lead times associated with developing additional water supplies, in the event the Bay-Delta Plan Amendment were to take effect sometime after 2022 and result in a dry-year shortfall, the expected action of the public utilities commission for the next 10 to 30 years (or more) would be limited to requiring increased rationing. As discussed in the public utilities commission memorandum, the public utilities commission has established a process through its Retail Water Shortage Allocation Plan for actions it would take under circumstances requiring rationing. The level of rationing that would be required of the proposed project is unknown at this time. Both direct and indirect environmental impacts could result from high levels of rationing. However, the small increase in potable water demand attributable to the project compared to citywide demand would not substantially affect the levels of dry-year rationing that would otherwise be required throughout the city. Therefore, the proposed project would not make a considerable contribution to a cumulative environmental impact caused by implementation of the Bay-Delta Plan Amendment. This impact would be **less than significant** and no mitigation measures are necessary.

Impact UT-3: The proposed project would be served by a landfill with adequate permitted capacity to accommodate the project's solid waste disposal needs and comply with all applicable statutes and regulations related to solid waste. (Less than Significant)

In September 2015, the City entered into a landfill disposal agreement with Recology, Inc. for disposal of all solid waste collected in San Francisco, at the Recology Hay Road Landfill in Solano County, through September 2024 or until 3.4 million tons have been disposed, whichever occurs first. The city would have an option to renew the agreement for a period of six years or until an additional 1.6 million tons have been disposed, whichever occurs first.⁸⁰ The Recology Hay Road Landfill is permitted to accept up to 2,400 tons per day of solid waste. At that maximum permitted rate, the landfill has the capacity to accommodate solid waste until approximately 2034. Under existing conditions, the landfill receives an average of approximately 1,850 tons per day from all sources, with approximately 1,200 tons per day from San Francisco, which includes residential and commercial waste and demolition and construction debris that cannot be reused or recycled⁸¹ (see discussion below). At the current rate of disposal, the landfill closure has operating capacity until 2041. The city's contract with the Recology Hay Road Landfill will extend until 2031 or when the city has disposed 5 million tons of solid waste, whichever occurs first. At that point, the city would either further extend the landfill contract or find and entitle an alternative landfill site.

Further, the project would be required to implement the city's Mandatory Recycling and Composting Ordinance (No. 100-09), the objective of which is to minimize the city's landfill trash generation. In compliance with this ordinance, the proposed project would be required to provide convenient facilities for the separation of recyclables, compostables, and landfill trash for its users. Occupants of the project site would be required to separate disposed material.

Project construction would generate demolition and construction waste. The city's Construction and Demolition Debris Recovery Ordinance prohibits construction and demolition material from being taken to landfill or placed in the garbage. All mixed debris must be transported by a registered hauler to a registered facility to be processed for recycling, and source separated material must be taken to a facility that recycles or reuses those materials. Additionally, materials from the original boiler house and greenhouses would be salvaged as much as possible, and used in the two rebuilt greenhouse structures, the rebuilt boiler house structure, and fencing around the publicly accessible open space.

As discussed above, the city has access to adequate landfill capacity at least through 2031 and potentially through 2041 and anticipates that an adequate alternative site will be identified at that point. On this basis, the city has adequate solid waste capacity to serve the proposed project, and the project's impact with respect to landfill capacity would be *less than significant*, and no mitigation measures are required.

Impact UT-4: Construction and operation of the proposed project would follow all applicable statutes and regulations related to solid waste. *(No Impact)*

The California Integrated Waste Management Act of 1989 (Assembly Bill 939) requires municipalities to adopt an integrated waste management plan to establish objectives, policies, and programs related to waste disposal, management, source reduction, and recycling. Reports filed by the San Francisco Department of

⁸⁰ San Francisco Planning Department, Agreement for Disposal of San Francisco Municipal Solid Waste at Recology Hay Road Landfill in Solano County, Final Negative Declaration, Planning Department Case No. 2014.0653, May 21, 2015, <u>http://sfmea.sfplanning.org/2014.0653E_Revised_FND.pdf</u>, accessed May 2020.

⁸¹ Ibid.

the Environment show that the city generated approximately 870,000 tons of waste material in 2000. By 2010, that figured decreased to approximately 455,000 tons. Waste diverted from landfills is defined as recycled or composted. San Francisco has a goal of 75 percent landfill diversion by 2010 and 100 percent by 2020.189 As of 2012, 80 percent of San Francisco's solid waste was being diverted from landfills, indicating that San Francisco exceeded the 2010 diversion target.⁸²

San Francisco's Construction and Demolition Ordinance (Ordinance No. 27-06) requires a minimum of 65 percent of all construction and demolition debris to be recycled and diverted from landfills. Furthermore, San Francisco Ordinance No. 100-09 (the Mandatory Recycling and Composting Ordinance) requires everyone in San Francisco to separate their solid waste into recyclables, compostables, and trash. The proposed project would be subject to and would comply with San Francisco Ordinance No. 27-06, San Francisco Ordinance No. 100-09, and all other applicable statutes and regulations related to solid waste. In addition, as discussed in Section E.17: Hazards and Hazardous Materials, soils from excavation activities could be classified as a California hazardous waste. Accordingly, the proposed project would be required to follow state and federal regulations related to the disposal of hazardous wastes, and hazardous wastes would be transported to a permitted disposal or recycling facility. The proposed project would comply with all applicable local, state, and federal laws and regulations pertaining to solid waste, and there would be *no impact*.

Impact C-UT-1: The proposed project, in combination with cumulative projects, would not result in a cumulative impact on utilities and service systems. (Less than Significant)

Implementation of the proposed project, in combination with cumulative development in the project vicinity would result in an incremental increase in population, water consumption, and wastewater and solid waste generation. The SFPUC has accounted for such growth in its water demand and wastewater service projections, and the city has implemented various programs to divert solid waste from landfills. For these reasons, the proposed project would not combine with cumulative projects in the project vicinity to create a significant cumulative impact on utilities and service systems; these impacts would be **less than significant**.

⁸² San Francisco Department of the Environment, Zero Waste FAQ, <u>http://www.sfenvironment.org/zerowaste/overview/zero-waste-faq</u>, accessed May 18, 2020.

13. Public Services

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
13. PUBLIC SERVICES. Would the project:					
a) Result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times, or other performance objectives for any of the public services such as fire protection, police protection, schools, parks, or other public facilities?					

The project's impacts to parks are discussed in Section E.11, Recreation. Impacts to other public services are discussed below.

Impact PS-1: The proposed project would increase demand for police protection, fire protection, and other government services, but not to an extent that would require new or physically altered governmental facilities, the construction of which could cause significant environmental impacts. *(Less than Significant)*

FIRE PROTECTION AND EMERGENCY MEDICAL SERVICES

The San Francisco Fire Department provides fire suppression services and unified emergency medical services and transport, including basic life support and advanced life support services in the city. The project site is within the service area of Station 42, located at 2430 San Bruno Avenue, which is 0.8 mile northeast of the project site.⁸³ Other stations include Station 44 (1298 Girard Street) approximately 1 mile southeast of the project site and Station 43 (720 Moscow Street) approximately 2 miles west of the project site.

As discussed in Section E.2, Population and Housing, the proposed project would add approximately 146 residents on the project site. The increased population resulting from the proposed project would be expected to increase demand for fire protection and emergency medical services. However, this increase in demand would not be substantial given the overall demand for such services on a citywide basis. Furthermore, the fire department conducts ongoing assessments of its service capacity and response times to maintain acceptable service levels, given the demand resulting from changes in population.

The fire department and the building department would review building plans to ensure that the proposed project complies with the latest California Building Code requirements for life safety measures as specified in the San Francisco Fire Code. The proposed project would be required to comply with all applicable building

⁸³ San Francisco Fire Department, Fire Station Locations, <u>https://sf-fire.org/sites/default/files/FileCenter/Documents/1975-</u> <u>Station%20Location%20Map%20-%20w%20FS51.pdf</u>, accessed May 18, 2020.

and fire codes, which establish requirements pertaining to fire protection systems, including but not limited to the provision of state-mandated smoke alarms, fire alarms, and sprinkler systems, fire extinguishers, required number and location of egress with appropriate distance separation, and emergency response notification systems. Because the proposed project would be required to comply with all applicable building and fire codes, and the proposed project would result in an incremental increase in demand for service and oversight, it would not result in the need for new or altered fire protection facilities, the construction of which could result in significant environmental impacts. Therefore, the proposed project would have a *less-than-significant* impact on fire protection and emergency services and no mitigation measures would be required.

POLICE PROTECTION SERVICES

The San Francisco Police Department provides police protection services for the city. The police department's Bayview District Station, at 201 Williams Avenue, is the nearest police station located approximately 0.9 mile northeast of the project site.⁸⁴ The proposed project would add 146 residents on the project site. This increased population resulting from the proposed project would likely increase demand for police protection services. The police department conducts ongoing assessments of its staffing and facility needs as part of the city's annual operating and capital budget process. This increase in demand would not be substantial given the overall demand for such services on a citywide basis and the low number of additional residents added to the area. As such, the proposed project would not require the construction of new or altered of police protection facilities, the construction of which could result in significant environmental impacts. Therefore, this impact would be *less than significant*, and no mitigation measures would be required.

Impact PS-2: The proposed project would increase the population of school-aged children and the demand for school services, but not to the extent that would require new or physically altered school facilities, the construction of which could result in significant environmental impacts. (Less than Significant)

The San Francisco Unified School District operates San Francisco's public schools. The project site is within the boundary of Taylor Elementary School, King Middle School, and Burton High School.⁸⁵ Under the current system, school district students are not automatically assigned to a particular school but, rather, entered into a diversity index lottery system in which families can request to be enrolled in schools anywhere in the district. The system assigns students to schools according to several factors, including parental choice, school capacity, and special program needs.⁸⁶

To analyze the demand on schools resulting from implementation of the proposed project, estimates are made regarding the number of students that would be generated by the proposed project. In 2018, a study was conducted to evaluate variations in student generation rates between different San Francisco developments.⁸⁷ The study noted that, overall, student generation rates are affected by several factors, including the size of the unit, cost of housing (including market-rate vs. affordable units), unit occupancy type (rental vs. ownership), housing type (e.g., high-rise, townhouse, garden-style housing), and the neighborhood type. According to a 2015 enrollment study, the projected student generation rates for public

 ⁸⁴ San Francisco Police Department, Station Finder, <u>https://www.sanfranciscopolice.org/your-sfpd/sfpd-stations/station-finder</u>, accessed May 18, 2020.
 ⁸⁵ San Francisco Unified School District, Find My Attendance Area School, <u>http://enrollinschool.org/lookup/address.php</u>, accessed May 18, 2020.
 ⁸⁶ Can Francisco Unified School District, History of the Student Assignment in the San Francisco Unified School District, 2000.

⁸⁶ San Francisco Unified School District, History of the Student Assignment in the San Francisco Unified School District, 2009, <u>https://archive.sfusd.edu/en/assets/sfusd-staff/enroll/files/SFUSD-Presentation-Handouts-1-2016-09-21.pdf</u>, accessed May 27, 2020.

⁸⁷ Lapkoff & Gobalet Demographic Research, Inc., Demographic Analyses and Enrollment Forecasts for the San Francisco Unified School District,

February 16, 2018, p. 2, <u>https://archive.sfusd.edu/en/assets/sfusd-staff/about-SFUSD/files/demographic-analyses-enrollment-forecast.pdf</u>, accessed May 27, 2020.

schools are 0.25 kindergarten through 12th grade students per unit for inclusionary affordable housing and 0.10 students per unit for market-rate housing.⁸⁸ Based on this study, the project would result in approximately eight students.⁸⁹

It is anticipated that the San Francisco Unified School District would be able to accommodate the additional eight students generated by the proposed project. For these reasons, implementation of the proposed project would not result in a substantial demand for new or altered school facilities, the construction of which could result in significant environmental impacts. Thus, the proposed project *less than significant* would not require the construction of new or altered school facilities and this impact would be less than significant. No mitigation measures are required.

OTHER PUBLIC SERVICES

The proposed project would also incrementally increase the demand for other governmental services and facilities, such as libraries. The San Francisco Public Library operates 27 branches throughout San Francisco, with the closest library (the Portola Branch Library) located approximately 0.4 mile northeast of the project site. As discussed in Section E.2, Population and Housing, the proposed project would add approximately 146 residents on the project site. The increased population resulting from the proposed project would be expected to increase demand on library services. However, in the context of overall citywide demand for library services, the population increase resulting from the proposed project would not be substantial. Therefore, implementation of the proposed project would not require the construction of new or altered public facilities, including library facilities, the construction of which could result in significant environmental impacts. Therefore, this impact would be **less than significant**, and no mitigation measures would be required.

Impact C-PS-1: The proposed project, in combination with cumulative projects, would not result in a cumulative impact on public services. (Less than Significant)

Cumulative development in the project vicinity, which would result in an additional three residential units, would result in an intensification of land uses and an increase in the demand for fire protection, police protection, school services, and other public services. The fire department, the police department, the school district, and other city agencies have accounted for such growth in providing public services to the residents of San Francisco. For these reasons, the proposed project would not combine with reasonably foreseeable future projects in the project vicinity to create a significant cumulative impact on public services, and this impact would be *less than significant*.

⁸⁸ Ibid, p. 36.

⁸⁹ Student generation rates are calculated based on the following: of 62 units, 12 would be affordable and 50 would be market-rate, therefore (12 units x 0.25 students/unit) + (50 units x 0.10 students/unit) = 8 students.

14. Biological Resources

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
14. BIOLOGICAL RESOURCES. Would the project:					
a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special- status species in local or regional plans, policies, or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?					
 b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies, regulations or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service? 					
c) Have a substantial adverse effect on state or federally protected wetlands (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?					
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?					
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?			\boxtimes		
f) Conflict with the provisions of an adopted habitat conservation plan, natural community conservation plan, or other approved local, regional, or state habitat conservation plan?					

The project area does not include riparian habitat or other sensitive natural communities, as defined by the California Department of Fish and Wildlife (CDFW) and the U.S. Fish and Wildlife Service. The project area does not contain any wetlands, as defined by section 404 of the Clean Water Act. The project site is not located within the jurisdiction of an adopted habitat conservation plan, natural community conservation plan, or other approved local, regional, or state habitat conservation plan. Therefore, Topics E.14(b), E.14(c), and E.14(f) will not be discussed further in this section.
Impact BI-1: The proposed project would not have a substantial adverse effect, either directly or indirectly through habitat modifications, on any special-status species and would not interfere with the movement of native resident or wildlife species or with established native resident or migratory wildlife corridor, or impede the use of native wildlife nursery site. (*Less than Significant with Mitigation*)

The project site is unused and contains dilapidated structures associated with the site's previous agricultural use. Vegetation at the site consists principally of non-native grasses such as wild oats (*Avena* spp.), bromes (*Bromus* spp.), forbs, and blackberry (*Rubus* spp.). Vegetation within the greenhouses on the project site includes roses (*Rosa* spp.), English ivy (*Hedera helix*), and other ornamental species presumably from the prior nursery business. Native vegetation on the site includes coyote brush (*Baccharis pilularis*) and California poppy (*Eschscholzia californica*). Due to the developed nature of the project area, only common wildlife species and birds are expected to use the project site. The nearest undeveloped areas with potential wildlife habitat are McLaren Park located 0.25 mile to the west and San Bruno Mountain State and County Park approximately 2 miles to the southeast. Due to its prior use, prior development, and perimeter fencing, the project site does not serve as a native wildlife nursery site or movement corridor for native resident or migratory fish or wildlife.

A qualified biologist reviewed the California Natural Diversity Database,⁹⁰ California Native Plant Society,⁹¹ and U.S. Fish and Wildlife Service IPaC report⁹² to review occurrences of special-status plant and wildlife species described within 5 miles of the project site. The likelihood of special-status species occurrence on the project site was considered for each species based on known species occurrences and natural history parameters, including but not limited to the species' range, habitat, foraging needs, migration routes, and reproductive requirements.

Based on a review of the site history provided in the Historic Resource Evaluation, records from the California Natural Diversity Database and California Native Plant Society databases, and current site conditions, the project site does not contain suitable habitat for any species identified as a candidate, sensitive, or special-status species in local or regional plans, policies, or regulations or by the CDFW or U.S. Fish and Wildlife Service and there is a very low likelihood of candidate, sensitive, or special-status species on the project site. Therefore, the impacts of the proposed project on candidate, sensitive, or special-status species would be less than significant with the possible exception of impacts on nesting birds and common or special-status roosting bats, if present, which are discussed below.

Nesting and Migratory Birds. The proposed project would remove dilapidated structures associated with the site's previous agricultural use and construct 62 new dwelling units on the project site, which would add structures with windows and increased heights. This could result in an increase in bird injury or mortality in the event of a collision as structures in an urban setting may present risks for birds as they traverse their migratory paths due to building location or features. The city has adopted guidelines to address this issue and provided regulations for bird-safe design within the city.⁹³ The regulations establish bird-safe standards for new building construction, additions to existing buildings, and replacement façades to reduce bird

⁹⁰ California Department of Fish and Wildlife, *California Natural Diversity Database Summary Table Query for the San Francisco South USGS 7.5-minute quadrangle*, September 27, 2020.

⁹¹ California Native Plant Society, Rare Plant Program, *Inventory of Rare and Endangered Plants of California (online edition, v8-03 0.39)*, <u>http://www.rareplants.cnps.org</u>, accessed September 27, 2020.

⁹² U.S. Fish and Wildlife Service, *IPaC Resource List*, <u>https://ecos.fws.gov/ipac/location/XST5KADN6RE3FDJS2FWLNCBOE4/resources</u>, accessed September 30, 2020.

⁹³ San Francisco Planning Department, *Standards for Bird Safe Buildings*, 2011, <u>https://sfplanning.org/standards-bird-safe-buildings</u>, accessed May 18, 2020.

mortality from circumstances that are known to pose a high risk to birds and are considered to be "bird hazards."

Planning code section 139, Standards for Bird-Safe Buildings, establishes building design standards to reduce avian mortality rates associated with bird strikes. The building standards are based on two types of hazards: (1) location-related hazards where the siting of a structure inside or within 300 feet of an Urban Bird Refuge (open spaces that are 2 acres and larger and dominated by vegetation or open water) creates an increased risk to birds, and (2) feature-related hazards, which may increase risks to birds regardless of where the structure is located. For new building construction where the location-related standard would apply, the façade requirements include no more than 10 percent untreated glazing and minimal lighting. Any lighting that is used must be shielded and prevented from resulting in any uplighting. Feature-related hazards include free-standing glass walls, wind barriers, skywalks, balconies, and greenhouses on rooftops that have unbroken glazed segments 24 square feet or larger in size. Any structure that contains these elements must treat 100 percent of the glazing.

The project site is located within 300 feet of an Urban Bird Refuge.⁹⁴ The standards for location-related hazards would therefore apply prior to the application of mitigation. In compliance with the location-related hazards requirements of the city's Standards for Bird Safe Buildings, the proposed project's façades would include no more than 10 percent untreated glazing and minimal lighting, and any lighting that would be shielded and prevented from resulting in any uplighting.

As noted above, landscaped areas within the project site could provide suitable habitat for nesting birds covered under the Migratory Bird Treaty Act (MBTA) of 1918 (16 U.S.C. 703–711) and the California Fish and Game Code (sections 3503 and 3503.5). If nesting birds are present, vegetation removal and construction-related activities associated with the proposed project could adversely affect bird breeding and nest behaviors at the project site and in the immediate vicinity. Common bird species that could be affected include American robin (*Turdus migratorius*), California towhee (*Melozone crissalis*), Anna's hummingbird (*Calypte anna*). Although adult birds can escape the project site to avoid direct harm during construction, eggs or chicks associated with active nests could still be permanently affected (i.e., abandoned or killed) by project construction activities. The proposed project may result in the displacement of nesting migratory birds and/or the abandonment of active nests should construction and vegetation removal occur during the typical nesting season (January 15 through August 15).

Following the reduction of potential impacts to birds through adherence to the city's Standards for Bird-Safe Buildings, implementation of **Mitigation Measure M-BI-1a: Conduct Pre-construction Surveys for Nesting Migratory Birds and Buffer Areas**, would further reduce potentially significant impacts on nesting birds covered under the MBTA and California Fish and Game Code to a less-than-significant level by ensuring project activities do not result in the loss of any active nests.

Mitigation Measure M-BI-1a: Conduct Pre-construction Surveys for Nesting Migratory Birds and Buffer Areas. Nesting birds and their nests shall be protected during construction by implementation of the following measures for each construction phase:

a. To the extent feasible, the project sponsor shall conduct initial activities including, but not limited to, vegetation removal, tree trimming or removal, ground disturbance, building

⁹⁴ San Francisco Planning Department, *Urban Bird Refuge*, July 23, 2014, <u>https://sfplanning.org/sites/default/files/resources/2018-08/Urban%20Bird%20Refuge.pdf</u>, accessed May 19, 2020.

demolition, site grading, and other construction activities that may compromise breeding birds or the success of their nests outside of the nesting season (January 15 through August 15).

- b. If construction during the bird nesting season cannot be fully avoided, a qualified wildlife biologist shall conduct pre-construction nesting surveys within 14 days prior to the start of construction or demolition at areas that have not been previously disturbed by project activities or after any construction breaks of 14 days or more. Typical experience requirements for a "qualified biologist" include a minimum of four years of academic training and professional experience in biological sciences and related resource management activities and a minimum of two years of experience in biological monitoring or surveying for nesting birds. Surveys shall be performed in publicly accessible areas within 100 feet of common bird species and within 250 feet of the project site in order to locate any active raptor (birds of prey) nests.
- c. If active nests are located during the preconstruction nesting bird surveys, a qualified biologist shall evaluate if the schedule of construction activities could affect the active nests; if so, the following measures shall apply, as determined by the biologist:
 - i. If construction is not likely to affect the active nest, construction may proceed without restriction; however, a qualified biologist shall regularly monitor the nest at a frequency determined appropriate for the surrounding construction activity to confirm there is no adverse effect. Spot-check monitoring frequency would be determined on a nest-by-nest basis considering the particular construction activity, duration, proximity to the nest, and physical barriers which may screen activity from the nest. The qualified biologist may revise their determination at any time during the nesting season in coordination with the planning department.
 - ii. If it is determined that construction may affect the active nest, the qualified biologist shall establish a no-disturbance buffer around the nest(s) and all project work shall halt within the buffer until a qualified biologist determines the nest is no longer in use. These buffer distances shall be equivalent to survey distances (100 feet for passerines and 250 feet for raptors); however, the buffers may be adjusted if an obstruction, such as a building, is within line-of-sight between the nest and construction.
 - iii. Modifying nest buffer distances, allowing certain construction activities within the buffer, and/or modifying construction methods in proximity to active nests shall be done at the discretion of the qualified biologist and in coordination with the planning department, who would notify California Department of Fish and Wildlife (CDFW). Necessary actions to remove or relocate an active nest(s) shall be coordinated with the planning department and approved by CDFW.
 - iv. Any work that must occur within established no-disturbance buffers around active nests shall be monitored by a qualified biologist. If adverse effects in response to project work within the buffer are observed and could compromise the nest, work within the nodisturbance buffer(s) shall halt until the nest occupants have fledged.
 - v. Any birds that begin nesting within the project area and survey buffers amid construction activities are assumed to be habituated to construction-related or similar noise and disturbance levels, so exclusion zones around nests may be reduced or eliminated in these cases as determined by the qualified biologist in coordination with the planning

department, who would notify CDFW. Work may proceed around these active nests as long as the nests and their occupants are not directly affected.

d. In the event inactive nests are observed within or adjacent to the project site at any time throughout the year, any removal or relocation of the inactive nests shall be at the discretion of the qualified biologist in coordination with the planning department, who would notify and seek approval from the CDFW, as appropriate. Work may proceed around these inactive nests.

Special-Status Bats. Removal of the garage/storage building and boiler house on the site could encounter one of several common or special-status bat species. Little brown bat (*Myotis lucifugus*) and fringed myotis (*Myotis thysanodes*), both common species, and Townsend's big-eared bat (*Corynorhinus townsendii*), a California species of special concern, could occupy cracks and crevices within the buildings on the project site. The buildings offer roost protection and seclusion from humans could host bat roosts.

Bats and other non-game mammals are protected in California under the California Fish and Game Code section 4150. Maternity roosts are roosts occupied by pregnant females or females with non-flying young. Non-breeding roosts are day roosts without pregnant females or non-flying young. Destruction of an occupied, non-breeding bat roost, resulting in the death of bats; disturbance that causes the loss of a maternity colony of bats (resulting in the death of young); or destruction of *hibernacula*⁹⁵ are prohibited under CEQA and would be considered a significant impact. Construction-associated noise, or increased human activity in the project area during general construction could result in behavioral alterations including the temporary avoidance of work areas by foraging bats during construction. Such temporary alteration of behavior during construction would be a less-than-significant impact.

The mortality of special-status bats resulting from direct actions (e.g., destruction of an occupied roost) or indirect actions (e.g., elevated noise or vibration which causes roost or young abandonment) attributable to project construction would be a significant impact. Additionally, common bats may establish maternity roosts in these same locations and disturbance that results in loss of a maternity colony would be a significant impact. The implementation of **Mitigation Measure M-BI-1b**, **Avoidance and Minimization Measures for Bats**, would reduce potential impacts on special-status bats and common bat maternity roosts to a less-than-significant level by requiring preconstruction surveys and implementing avoidance measures if potential roosting habitat or active roosts are located.

Mitigation Measure M-BI-1b: Avoidance and Minimization Measures for Bats. A qualified biologist who is experienced with bat surveying techniques shall conduct a pre-construction habitat assessment of the project site to characterize potential bat habitat and identify potentially active roost sites. Typical experience requirements for a "qualified biologist" include a minimum of four years of academic training and professional experience in biological sciences and related resource management activities, and a minimum of two years of experience monitoring or surveying for bats. No further action is required should the pre-construction habitat assessment not identify bat habitat or signs of potentially active bat roosts within the project site (e.g., guano, urine staining, dead bats, etc.).

⁹⁵ *Hibernaculum* refers to the winter quarters of a hibernating animal. Hibernacula is the plural form of the word.

The following measures shall be implemented should potential roosting habitat or potentially active bat roosts be identified during the habitat assessment in trees to be removed or buildings to be demolished under the proposed project:

- Building demolition shall occur when bats are active, approximately between the periods of March 1 to April 15 and August 15 to October 15, to the extent feasible. These dates avoid the bat maternity roosting season and period of winter *torpor*.⁹⁶
- 2. Depending on temporal guidance as defined below, the qualified biologist shall conduct preconstruction surveys of potential bat roost sites identified during the initial habitat assessment no more than 14 days prior to tree trimming/removal or building demolition.
- 3. If active bat roosts or evidence of roosting is identified during pre-construction surveys, the qualified biologist shall determine, if possible, the type of roost and species. A no-disturbance buffer shall be established around roost sites until the qualified biologist determines they are no longer active. The size of the no-disturbance buffer would be determined by the qualified biologist and would depend on the species present, roost type, existing screening around the roost site (such as dense vegetation or a building), as well as the type of construction activity that would occur around the roost site.
- 4. If special-status bat species or maternity or hibernation roosts are detected during these surveys, appropriate species- and roost-specific avoidance and protection measures shall be developed by the qualified biologist in coordination with the California Department of Fish and Wildlife. Such measures may include postponing the removal of buildings, establishing exclusionary work buffers while the roost is active (e.g., 100-foot no-disturbance buffer), or other avoidance measures.
- 5. The qualified biologist shall be present during building demolition if potential bat roosting habitat or active bat roosts are present. Buildings with active roosts shall be disturbed only under clear weather conditions when precipitation is not forecast for three days and when daytime temperatures are at least 50 degrees Fahrenheit.
- 6. The demolition of buildings containing or suspected to contain bat roosting habitat or active bat roosts shall be done under the supervision of the qualified biologist. When appropriate, buildings shall be partially dismantled to significantly change the roost conditions, causing bats to abandon and not return to the roost, likely in the evening and after bats have emerged from the roost to forage. Under no circumstances shall active maternity roosts be disturbed until the roost disbands at the completion of the maternity roosting season or otherwise becomes inactive, as determined by the qualified biologist.

With planning code section 139 compliance and implementation of Mitigation Measures M-BI-1a and M-BI-1b, the proposed project would not interfere substantially with the movement of any native resident or migratory wildlife species or with established native resident or migratory wildlife corridors. This impact would be *less than significant with mitigation*.

⁹⁶ *Torpor* refers to a state of decreased physiological activity with reduced body temperature and metabolic rate.

Impact BI-2: The proposed project would not conflict with any local policies protecting biological resources, such as a tree preservation policy or ordinance. (*Less than Significant*)

The city's Urban Forestry Ordinance, Public Works Code section 801 et seq., requires a permit from public works to remove any protected trees. Protected trees include landmark trees, significant trees, or street trees located on private or public property anywhere within the territorial limits of the City and County of San Francisco. As under the ordinance, "significant" trees must be located on property under the jurisdiction of the public works department, or on privately owned property with any portion of its trunk within 10 feet of a public right-of-way and satisfying at least one of the following criteria: (a) a diameter at breast height in excess of 12 inches, (b) a height in excess of 20 feet, or (c) a canopy in excess of 15 feet. The proposed project would remove the trunk of a topped pine tree and several small 6- to 8-inch diameter trees on the project site; however, the trees do not meet the criteria of a "significant" tree as specified under the ordinance. There are no landmark trees on the project site. Therefore, no on-site trees are protected under the Urban Forestry Ordinance.

The proposed project would comply with San Francisco Public Works code section 806(d)(2) requirements for street trees associated with new developments by adding 33 new street trees along the frontages of Woolsey, Bowdoin, Wayland, and Hamilton streets. Additional trees would be planted in the corner publicly accessible open space and within the residential common open space. The proposed project would not conflict with the city's local tree ordinance and this impact would be **less than significant**. No mitigation measures are required.

Impact C-BI-1: The proposed project, in combination with cumulative projects, would not result in a significant cumulative impact related to biological resources. (Less than Significant)

The project site and the surrounding area do not currently support any candidate species, wetlands as defined by section 404 of the Clean Water Act, riparian habitat, or any other sensitive natural community identified in local or regional plans, policies, or regulations. Demolition of the garage/storage building and boiler house could potentially impact several common or special-status bat species. This impact would be site-specific and mitigated to a less-than-significant level with implementation of Mitigation Measure M-BI-1b. Cumulative development projects identified in EIR Chapter 3, Section G, and EIR Table 3-1, p. 3-7, would also be subject to the requirements of the MBTA, California Fish and Game Code, and the city's bird-safe building standards and Urban Forestry Ordinance. Therefore, the proposed project would not combine with cumulative development projects to result in a cumulative impact related to biological resources and cumulative impacts would be *less than significant*. No mitigation measures are required.

15. Geology and Soils

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
15. GEOLOGY AND SOILS. Would the project:					
a) Directly or indirectly cause potential substantial adverse effects, including the risk of loss, injury, or death involving:					
 Rupture of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? Refer to Division of Mines and Geology Special Publication 42. 					
ii) Strong seismic ground shaking?			\boxtimes		
iii) Seismic-related ground failure, including liquefaction?			\boxtimes		
iv) Landslides?			\boxtimes		
b) Result in substantial soil erosion or the loss of topsoil?			\boxtimes		
c) Be located on geologic unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on- or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?					
d) Be located on expansive soil, as defined in Table 18 1 B of the Uniform Building Code (1994), creating substantial direct or indirect risks to life or property?			\boxtimes		
e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of waste water?					
 f) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature? 		\boxtimes			

The proposed project would connect to San Francisco's sewer and stormwater collection treatment system and would not use a septic water disposal system. Therefore, topic E.15(e) is not applicable to the proposed project.

This section describes the geology, soils, and seismicity characteristics of the project area as they relate to the proposed project, and relies on the information and findings provided in a geotechnical investigation that was conducted for the project site and proposed project.⁹⁷ The geotechnical investigation included : review of available geologic and geotechnical data for the site vicinity, an engineering analysis of the proposed project in the context of geologic and geotechnical site conditions, a site visit, and project-specific design and construction recommendations including for the foundation(s).

The project site slopes downward in the southeast direction, from 141 to 94 feet above sea level. Subsurface data from previous geotechnical studies in the vicinity ranged from 15.8 to 90 feet bgs. The data indicates that the site is likely underlain by 2 to 6 feet of undocumented fill consisting of medium dense sand with varying amounts of silt and gravel, and stiff to hard sandy and gravelly clay. The undocumented fill is likely underlain by 8 to 20 feet of medium dense to very dense sand with variable silt and clay content. Bedrock is generally sloping down in the southeast direction from about 140 to 50 feet above sea level; therefore, corresponding to depths of about 1 to 54 feet bgs at the project site. The boring taken near the northwest corner of the project site indicate that bedrock may be 6 feet bgs. Tests performed on layers of clayey fill in the borings taken near the northwest and southwest corners of the site indicate that the clayey fill has a low to moderate expansion potential. Groundwater was encountered in the previous borings at 11 to 16 feet below the ground surface and likely slopes with the bedrock surface and fluctuates seasonally.

The major active faults in the project area are the San Andreas, San Gregorio, and Hayward faults. The closest fault segments to the project site are from the North San Andreas fault, located approximately 4.97miles to the west of the project site. The project site is not within an earthquake fault zone, as defined by the Alquist-Priolo Earthquake Fault Zoning Act, and no known active or potentially active faults exist on the project site. ⁹⁸ The project site is not located within a seismic-induced landslide hazard zone. ⁹⁹ Based on the results of liquefaction analyses, the preliminarily geotechnical report concluded that the potential for liquefaction and lateral spreading at the project site is low.¹⁰⁰The project site is not within a locally designated slope protection area.

The proposed project would require the excavation of approximately 10,800 cubic yards to a depth of 5 feet bgs. It is anticipated that the proposed foundation system for the buildings would be slab on grade. No pile driving is proposed. As described below, the project sponsor would be required to comply with the San Francisco Building Code. As part of the building permit review process, project construction documents would be reviewed for conformance with the geotechnical investigation recommendations for the proposed project.

APPLICABLE REGULATIONS

The Alquist-Priolo Earthquake Fault Zoning Act of 1972 (Alquist-Priolo Act). The Alquist-Priolo Act (Public Resources Code section 2621 et seq.) is intended to reduce the risk to life and property from surface fault rupture during earthquakes. The Alquist-Priolo Act prohibits the location and construction of most types of

 ⁹⁷ Langan Engineering, Updated Preliminary Geotechnical Evaluation 770 Woolsey Street, January 21, 2019.
 ⁹⁸ Ibid.

⁹⁹ San Francisco Planning Department, San Francisco General Plan, Community Safety Element, Map 4,

http://generalplan.sfplanning.org/Community_Safety_Element_2012.pdf, accessed March 15, 2021.

¹⁰⁰ Langan Engineering, Updated Preliminary Geotechnical Evaluation 770 Woolsey Street, January 21, 2019.

structures intended for human occupancy¹⁰¹ over active fault traces and strictly regulates construction in the corridors along active faults (i.e., earthquake fault zones).

State Building Code Chapters 18 and 16. Chapter 18, Soils and Foundations, of the state building code provides the parameters for geotechnical investigations and structural considerations in the selection, design, and installation of foundation systems to support the loads from the structure above. Section 1803 (Geotechnical Investigations) sets forth the scope of geotechnical investigations conducted. Section 1804 (Excavation, Grading and Fill) specifies considerations for excavation, grading, and fill to protect adjacent structures and to prevent destabilization of slopes due to erosion and/or drainage. In particular, Section 1804.1 (Excavation near foundations) requires that adjacent foundations be protected against a reduction in lateral support as a result of project excavation. This is typically accomplished by underpinning or protecting said adjacent foundations from detrimental lateral or vertical movement, or both. Section 1807 (Foundation Walls, Retaining Walls, and Embedded Posts and Poles) specifies requirements for foundation walls, retaining walls, and embedded posts and poles to ensure stability against overturning, sliding, and excessive pressure, and water lift, including seismic considerations. Sections 1808 through 1810 (Foundations) specify requirements for foundation systems based on the most unfavorable loads specified in Chapter 16, Structural, for the structure's seismic design category in combination with the soil classification at the project site. The building department reviews project plans for conformance with the recommendations in project-specific geotechnical report during its review of the building permit for the project and may require additional site-specific soils report(s) through the building permit application process.

The Seismic Hazards Mapping Act of 1990 (Landslide and Liquefaction Hazard Zones). Pursuant to the Seismic Hazards Mapping Act of 1990 (seismic hazards act), the California State Geologist has designated seismic hazard zones for landslide and liquefaction hazards. These mapped areas enable cities and counties to adequately prepare the safety element of their general plans and to encourage land use management policies and regulations to reduce and mitigate those hazards in order to protect public health and safety.¹⁰²

Projects located within a seismic hazard zone for liquefaction or landslide hazard are subject to the seismic hazards act requirements, which include the preparation of a geotechnical investigation by qualified engineer and/or geologist to delineate the area of hazard and to propose measures to address any identified hazards. The local building official must incorporate the recommended measures to address such hazards into the conditions of the building permit.

San Francisco Building Code

Building Department Permit Review Process. San Francisco relies on the state and local regulatory review process for review and approval of building permits pursuant to the California Building Standards Code (California Code of Regulations, Title 24); the San Francisco Building Code, which is the state building code plus local amendments (including administrative bulletins) that supplement the state code; the building department's implementing procedures, including information sheets; and the Seismic Hazards Mapping Act of 1990 (Public Resources Code sections 2690 to 2699.6). Administrative Bulletin No. AB-82 provides

¹⁰¹ With reference to the Alquist-Priolo Act, a *structure for human occupancy* is defined as one "used or intended for supporting or sheltering any use or occupancy, which is expected to have a human occupancy rate of more than 2,000 person-hours per year" (California Code of Regulations, Title 14, division 2, section 3601[e]).

¹⁰² In the context of the seismic hazards act, "mitigation" refers to measures that are consistent with established practice and that will reduce seismic risk to acceptable levels, rather than the mitigation measures that are identified under the California Environmental Quality Act (CEQA) to reduce or avoid environmental impacts of a proposed project.

guidelines and procedures for structural, geotechnical, and seismic hazard engineering design review.¹⁰³ Information Sheet No. S-05 identifies the type of work for which geotechnical reports are required, such as for new construction, building additions, and grading, and report submittal requirements.¹⁰⁴

Slope and Seismic Protection Hazard Zone Act (San Francisco Building Code section 106A.4.1.4).¹⁰⁵ As described in Information Sheet S-19,¹⁰⁶ the building permit must be accompanied by a geotechnical report prepared and signed by both a licensed geologist and a licensed geotechnical engineer and must identify areas of potential slope instabilities, define potential geological and geotechnical risks, and make recommendations to address these concerns. A project subject to this act is assigned a project review tier that requires additional geotechnical and structural review and may result in a third-party peer review and/or assignment to a Structural Advisory Committee as determined by the building department. The three-member Structural Advisory Committee would advise the building department on matters pertaining to the building's design and construction.¹⁰⁷

San Francisco Subdivision Code. Section 1358, Preliminary Soils Report, of the city's subdivision ordinance requires that developers file soil reports indicating any soil characteristics which may create hazards, and identifying measures to avoid soil hazards and prevent grading from creating unstable slopes. The ordinance requires that a state-registered civil engineer prepare the soils report.

San Francisco Public Works Code. Section 146, Construction Site Runoff Control, requires that all construction sites must implement best management practices to minimize surface runoff erosion and sedimentation. In addition, pursuant to section 146.7, if construction activities would disturb 5,000 square feet or more of ground surface, then the project sponsor must have an Erosion and Sediment Control Plan (erosion control plan) developed and submit a project application to the San Francisco Public Utilities Commission prior to commencing construction related activities. An erosion control plan is a site-specific plan that details the use, location and emplacement of sediment and erosion control devices.

Impact GE-1: The proposed project would not exacerbate the potential to expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving rupture of a known earthquake fault, seismic ground shaking, liquefaction, seismically induced ground failure, or landslides. (*Less Than Significant*)

To ensure that the potential for adverse effects related to geology and soils are adequately addressed, San Francisco relies on the state and local regulatory process for review and approval of building permits pursuant to the California Building Code and the San Francisco Building Code, which is the state building code plus local amendments that supplement the state code, including the building department's administrative bulletins. The applicable state and local regulations applicable to this project are described above.

¹⁰³ San Francisco Department of Building Inspection, Administrative Bulletin No. AB-082, Guidelines and Procedures for Structural, Geotechnical, and Seismic Hazard Engineering Design Review, November 21, 2018. Available at https://sfdbi.org/sites/default/files/AB-082.pdf.

¹⁰⁴ San Francisco Department of Building Inspection, Information Sheet No. S-05, Geotechnical Report Requirements, May 7, 2019. Available at https://sfdbi.org/sites/default/files/IS%20S-05.pdf.

¹⁰⁵ Enacted by Ordinance No. 121-18, effective June 23, 2018.

¹⁰⁶ Department of Building Inspection Information Sheet No. S-19, *Properties Subject to the Slope and Seismic Hazard Zone Protection Act (SSPA) Ordinance*, October 2, 2018. Available at https://sfdbi.org/sites/default/files/IS%20S-19.pdf.

¹⁰⁷ San Francisco Building Code Section 105A.6 establishes and defines the process and requirements for identifying the members of the Structural Advisory Committee. The three committee members must be selected from a list of qualified engineers submitted by the Structural Engineers Association of Northern California and approved by the building department.

The proposed project would require the excavation of approximately 10,800 cubic yards to a depth of 5 feet bgs. It is anticipated that the proposed foundation system would be slab on grade. The project site may be subject to differential compaction of non-saturated sand due to earthquake vibrations. Since it is likely that variable subsurface conditions would be encountered during foundation construction (including a mix of undocumented fill, native medium-dense to dense sand, and bedrock), foundations may bear directly on native medium dense to dense sand or bedrock.

During the building department's review of a building permit application, the building department would review the construction plans for conformance with recommendations in the project-specific geotechnical report. The building permit application would be reviewed pursuant to the building department's implementation of the building code, including administrative bulletins, local implementing procedures such as the building department information sheets, and state laws, regulations, and guidelines would ensure that the proposed project would have no significant impacts related to soils, seismic, or other geological hazards.

Thus, the proposed project would result in a *less-than-significant* impact related to soils, seismic, or other geological hazards, and no mitigation measures are necessary.

Impact GE-2: The proposed project would not result in substantial loss of topsoil or erosion. (Less than Significant)

The project site slopes downward from an elevation of approximately 145 feet above sea level at the northwest corner at Bowdoin and Wayland streets to an elevation of approximately 100 feet above sea level at the southeast corner of Woolsey and Hamilton streets and is covered with a combination of vegetation and impervious surfaces; the latter of which is generally concentrated to the south side of the site.

The proposed project would excavate the project site approximately 5 feet bgs and remove approximately 6,000 cubic yards of soil from the project site to construct the dwelling units. Erosion could occur due to soil exposure during grading and excavation of the site. However, the project sponsor and its contractor would be required to comply with section 146, Construction Site Runoff Control, of the public works code which requires all construction sites, regardless of size, to implement best management practices to minimize surface runoff erosion and sedimentation.¹⁰⁸ Pursuant to section 146.7, if construction activities disturb 5,000 square feet or more of ground surface, the project sponsor must develop an erosion and sediment control plan. The erosion and sediment control plan would identify best management practices to control discharge of sediment and other pollutants from entering the city's combined sewer system during construction. Compliance with section 146 of the public works code would ensure that the proposed project would not result in substantial loss of topsoil or soil erosion. Therefore, impacts related to loss of topsoil or substantial soil erosion would be **less than significant**. No mitigation measures would be required.

¹⁰⁸ SFPUC, San Francisco Construction Site Runoff Control Program, available at https://sfwater.org/index.aspx?page=235.

Impact GE-3: The project site would not be located on a geologic unit or soil that is unstable, or that could become unstable as a result of the project. (Less than Significant)

The area around the project site does not include hills or cut slopes likely to be subject to landslide and as discussed under Impact GE-1, the project site is not located within a landslide zone. The proposed project would require excavation to a depth of 5 feet bgs for the proposed slab on grade foundation system.

According to the geotechnical report conducted for the proposed project, the project site is underlain by undocumented fill, native medium dense to dense sand, and bedrock. The geotechnical report concludes that the primary geotechnical concerns would be the presence of loose to medium dense sand layers at the site that have the potential to densify and settle during a major earthquake on a nearby fault; the presence of undocumented fill at the site, including moderately expansive clay and loose to medium dense sand; and the selection of an appropriate foundation system to support anticipated building loads. The geotechnical report finds that the site would not be expected to be subject to seismic ground failure, and that the potential for liquefaction and lateral spreading at the site is low. The project site may be subject to differential compaction of non-saturated sand due to earthquake vibrations. Since it is likely that variable subsurface conditions will be encountered during foundation construction (including a mix of undocumented fill, native medium dense to dense sand, and bedrock), foundations may bear directly on native medium dense to dense sand or bedrock. To reduce the potential for differential settlement, additional excavation and recompaction may be required to create more uniform foundation support. Provided the soil is adequately prepared where needed, the geotechnical report concludes that the buildings may be supported on shallow foundations bearing on engineered fill, native medium to dense sand, or bedrock. The proposed project would comply with this recommendation and the proposed buildings would be supported by a proposed slab on grade foundation system.

In addition, the proposed project would be required to comply with the mandatory provisions of the California Building Code and San Francisco Building Code. Adherence to these requirements would further ensure that the project sponsor adequately addresses any potential impacts related to unstable soils as part of the design-level geotechnical investigation that would be prepared for the proposed project. Therefore, any potential impacts related to unstable soils would be *less than significant*, and no mitigation measures would be required.

Impact GE-4: The proposed project would not create substantial risks to life or property as a result of being located on expansive soil. (*Less than Significant*)

Expansive soils are typically very fine grained with a high percentage of clay. They can damage structures and buried utilities and increase maintenance requirements. Expansive soils expand and contract in response to changes in soil moisture, most notably when nearby surface soils change from saturated to a low-moisture content condition and back again. The presence of expansive soils is typically associated with high clay content and determined based on site-specific data. The project site is underlain by undocumented fill, including moderately expansive clay. If the proposed project foundation footings are underlain by moderately expansive clay, the geotechnical report recommends that foundations should be supported below the zone of severe moisture change, which would accommodate the volume changes during seasonal fluctuations in moisture content that can cause cracking of foundations.

The San Francisco Building Code would require an analysis of the project site's potential for soil expansion impacts and, if applicable, implementation of measures to address them as part of the design-level

geotechnical investigation prepared for the proposed project. Compliance with building code requirements and implementation of the recommendations in the geotechnical report to address expansive soils would ensure that potential impacts related to expansive soils would be *less than significant*. No mitigation measures are required.

Impact GE-5: The proposed project would not directly or indirectly destroy a unique paleontological resource or site or geologic feature. (*Less than Significant with Mitigation*)

A unique geologic or physical feature embodies distinctive characteristics of any regional or local geologic principles, provides a key piece of information important to geologic history, contains minerals not known to occur elsewhere in the county, and/or is used as a teaching tool. The project site is currently developed with an existing building and structures associated with the previous nursery operations. No unique geologic features exist at the project site. Therefore, the proposed project would have no impact on unique geologic features.

Paleontological resources include fossilized remains or traces of animals, plants, and invertebrates, including their imprints, from a previous geological period. Paleontological resources are deposited and preserved within particular lithologic (rock) units. Lithologic units that may contain fossils include sedimentary and volcanic formations. Collecting localities and the geological formations containing those localities are also considered paleontological resources; they represent a limited, nonrenewable resource that, once destroyed, cannot be replaced. Rock units from which vertebrate or significant invertebrate, plant, or trace fossils have been recovered have high potential for containing additional significant paleontological resources.¹⁰⁹

The proposed project would require the excavation to a depth of 5 feet bgs. Bedrock is in the project vicinity at depths of 1 to 54 feet bgs, comprised of undifferentiated sedimentary deposits and likely of the Colma formation, which have a moderate potential to yield fossils.^{110,111,112} Therefore, the proposed construction activities could disturb paleontological resources if such resources are present within the project site.¹¹³

Implementation of **Mitigation Measure M-GE-5a**, Worker Environmental Awareness Training During Ground Disturbing Construction Activities, and Mitigation Measure **M-GE-5b**, **Discovery of Unanticipated Paleontological Resources during Ground Disturbing Construction Activities**, would ensure that the proposed project would not cause a substantial adverse change to the scientific significance of a paleontological resource.

Mitigation Measure GE-5a: Worker Environmental Awareness Training During Ground Disturbing Construction Activities. Prior to commencing construction, and ongoing throughout ground disturbing activities (e.g., excavation, utility installation, the project sponsor or their designee (herein referred as project sponsor) shall ensure that all project construction workers are trained on the contents of the Paleontological Resources Alert Sheet (Draft for Review provided), as provided by the Environmental Review Officer (ERO). The Paleontological Resources Alert Sheet

¹⁰⁹ Society of Vertebrate Paleontology, Standard Procedures for the Assessment and Mitigation of Adverse Impacts to Paleontological Resources, 2010, <u>http://vertpaleo.org/Membership/MemberEthics/SVP_Impact_Mitigation_Guidelines.aspx</u>, accessed November 12, 2020.

¹¹⁰ USGS, Bedrock-Surface Map of the San Francisco South Quadrangle, California, 1964.

¹¹¹ San Francisco Planning Department, *Preliminary Archeological Review: 770 Woolsey Street*, January 2021.

¹¹² Langan Engineering, Updated Preliminary Geotechnical Evaluation 770 Woolsey Street, January 21, 2019.

¹¹³ Memorandum from Michael Burns, P.G., Environmental Science Associates, to Debra Dwyer, Principal Environmental Planner, San Francisco Planning Department, June 3, 2021.

shall be prominently displayed at the construction site, during ground disturbing activities, to provide pre-construction worker environmental awareness training regarding potential paleontological resources.

In addition, the project sponsor shall inform construction personnel of the immediate stop work procedures and other procedures to be followed if bones or other potential fossils are unearthed at the project site. As new workers that will be involved in ground disturbing activities arrive at the project site, the construction supervisor shall train them.

The project sponsor shall submit in writing (email, letter, memo) confirming the timing of the worker training) to the ERO. The letter shall confirm the project's location, the date of training, the location of the informational handout display, and the number of participants. The letter shall be transmitted to the ERO within five (5) business days of conducting the training.

Mitigation Measure M-GE-5b: Discovery of Unanticipated Paleontological Resources during Ground Disturbing Construction Activities. In the event of the discovery of an unanticipated paleontological resource during construction, the project sponsor or their designee (herein referred as project sponsor) shall ensure ground disturbing activities shall temporarily be halted within 20 feet of the find until the discovery is examined by a qualified paleontologist as recommended by the Society of Vertebrate Paleontology standards (SVP 2010) and Best Practices in Mitigation Paleontology (Murphey et al. 2019). Work within the sensitive area shall resume only when deemed appropriate by the qualified paleontologist in consultation with the Environmental Review Officer (ERO).

The qualified paleontologist shall determine: (1) if the discovery is scientifically significant; (2) the necessity for involving other responsible or resource agencies and stakeholders, if required or determined applicable; and (3) methods for resource recovery. If a paleontological resource assessment results in a determination that the resource is not scientifically important, this conclusion shall be documented in a Paleontological Evaluation Letter to demonstrate compliance with applicable statutory requirements (e.g., Federal Antiquities Act of 1906, CEQA Guidelines section 15064.5, California Public Resources Code chapter 17, section 5097.5, Paleontological Resources Preservation Act 2009). The Paleontological Evaluation Letter shall be submitted to the ERO for review within 30 days of the discovery.

If the qualified paleontologist determines that a paleontological resource is of scientific importance, and there are no feasible measures to avoid disturbing this paleontological resource, the qualified paleontologist shall prepare a Paleontological Impact Reduction Program (impact reduction program). The impact reduction program shall include measures to fully document and recover the resource of scientific importance. The qualified paleontologist shall submit the impact reduction program to the ERO for review and approval. The impact reduction program shall be submitted to the ERO for review within 10 business days of the discovery. Upon approval by the ERO, ground disturbing activities in the project area shall resume and be monitored as determined by the qualified paleontologist for the duration of such activities.

The impact reduction program shall include: (1) procedures for construction monitoring at the project site; (2) fossil preparation and identification procedures; (3) curation of paleontological resources of scientific importance into an appropriate repository; and (4) preparation of a Paleontological Resources Report (report or paleontology report) at the conclusion of ground

disturbing activities. The report shall include dates of field work, results of monitoring, fossil identifications to the lowest possible taxonomic level, analysis of the fossil collection, a discussion of the scientific significance of the fossil collection, conclusions, locality forms, an itemized list of specimens, and a repository receipt from the curation facility. The project sponsor shall be responsible for the preparation and implementation of the impact reduction program, in addition to any costs necessary to prepare and identify collected fossils, and for any curation fees charged by the paleontological repository. The paleontology report shall be submitted to the ERO for review within 30 business days from conclusion of ground disturbing activities, or as negotiated following consultation with the ERO.

Implementation of Mitigation Measures M-GE-5a and M-GE-5b would reduce paleontological impacts to a *less-than-significant* level.

Impact C-GE-1: The proposed project, in combination with cumulative projects, would not result in significant cumulative impacts on geology and soils or paleontological resources. (Less than Significant)

Environmental impacts related to geology, soils, and paleontological features are generally site-specific. All development within San Francisco is subject to the seismic safety standards and design review procedures of the California and local building codes and to construction site runoff regulations of section 146 of the public works code. These regulations would ensure that cumulative effects of development on seismic safety, geologic hazards, and erosion are less than significant. For these reasons, the proposed project would not combine with cumulative projects in the project vicinity to create a significant cumulative impact related to geology and soils.

Similarly, environmental impacts related to paleontological resources are site specific. Impacts of cumulative projects would be unlikely to combine with impacts of the proposed project to result in cumulative impacts on paleontological resources. For these reasons, the proposed project would not combine with cumulative projects in the project vicinity to create a significant cumulative impact related to geology and soils, including paleontological resources or features, and cumulative impacts would be *less than significant*.

16. Hydrology and Water Quality

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
16. HYDROLOGY AND WATER QUALITY. Would the project:					
a) Violate any water quality standards or waste discharge requirements or otherwise substantially degrade surface or groundwater quality?					
b) Substantially decrease groundwater supplies or interfere substantially with groundwater recharge such that the project may impede sustainable groundwater management of the basin?					
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner that would:					
 Result in substantial erosion or siltation on- or offsite; 			\boxtimes		
 Substantially increase the rate or amount of surface runoff in a manner which would result in flooding on or offsite; 					
 iii) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff; or 					
iv) Impede or redirect flood flows?			\boxtimes		
d) In flood hazard, tsunami, or seiche zones, risk release of pollutants due a project inundation?					\boxtimes
e) Conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan?					

According to SFPUC's 100-Year Storm Flood Risk Map, the project site is not located within a 100-year flood hazard area, ¹¹⁴ or an area identified as being subject to potential inundation in the event of a tsunami along

¹¹⁴ San Francisco Public Utilities Commission, Flood Maps 100-Year Storm Flood Risk Map, <u>https://sfwater.org/index.aspx?page=1229</u>, July 1, 2019, accessed May 19, 2020.

the San Francisco coast.¹¹⁵ Therefore, the proposed project would not create a risk related to a release of pollutants due to inundation in a flood hazard, tsunami, or seiche zone and topic E.16(d) is not applicable to the proposed project and is not discussed below.

Impact HY-1: The proposed project would not violate any water quality standards or waste discharge requirements or otherwise substantially degrade water quality. *(Less than Significant)*

CONSTRUCTION

The proposed project would require excavation to a depth of 5 feet bgs to remove contaminated soil, recompact fill, and construct the foundation mat footings. As discussed in Section E.15, Geology and Soils, excavation activities would likely not require dewatering given that the depth of groundwater is estimated between 11 and 16 feet bgs. However, based on the geotechnical report, groundwater levels could fluctuate seasonally and if any groundwater is encountered during construction, it would be discharged into the combined stormwater and sewer system subject to the requirements of the San Francisco Sewer Use Ordinance (Ordinance No. 19-92, amended by Ordinance No. 116-97), as supplemented by the San Francisco Department of Public Works Order No. 158170. These regulations require a permit from the Wastewater Enterprise Collection System Division of the SFPUC. A permit may be issued only if an effective pretreatment system is maintained and operated. Each permit for such discharge shall contain specified water quality standards and may require the project sponsor to install and maintain meters to measure the volume of the discharge to the combined sewer system.

The proposed project would also require the demolition and fill of the two hand dug wells at the southern end of the project site. These wells are approximately 30 feet deep and no longer in use. The older well adjacent to the garage/storage building, is encased in redwood except for the near surface concrete structure, while the other is cased in concrete.¹¹⁶ Demolition and fill of the wells would be subject to the requirements of article 12B of the San Francisco Health Code, which stipulates that upon the discontinuation of the operation of a well, the owner or operator shall make all reasonable efforts to prevent the contamination or pollution of the well and to minimize the safety hazards caused by the presence of the well until the well is destroyed. The project sponsor would submit an application to the health department for the destruction of the wells and comply with the standards specified in sections 818–920 in article 12B of the health code. The application would require the project sponsor to specify the materials and procedures to be used in the well destruction including how they would be filled in, and preparation of a plan for the handling and disposal of the well and extracted water from the wells.

The proposed project would involve demolition of existing structures, excavation, site preparation, and construction. Excavation, earthmoving, and grading activities would expose soil and could result in erosion and excess sediments being carried in stormwater runoff to the combined sewer system. In addition, stormwater runoff from temporary onsite use and storage of vehicles, fuels, waste, and other hazardous materials could carry pollutants to the combined stormwater/sewer system if proper handling methods are not employed.

During construction, the proposed project would be required to comply with article 4.2 of the San Francisco Public Works Code. Specifically, the proposed project would comply with section 146 by implementing an erosion and sediment control plan. The erosion and sediment control plan would identify the best

¹¹⁵ City and County of San Francisco, Community Safety Element of the San Francisco General Plan, 2012, Map 5 (Tsunami Hazard Zones San Francisco), https://generalplan.sfplanning.org/Community_Safety_Element_2012.pdf, accessed May 19, 2020.

¹¹⁶ Cornerstone Earth Group, Phase I Environmental Site Assessment and Soil Quality Evaluation, March 1, 2017.

management practices and erosion and sedimentation control measures to prevent sediment from entering the city's combined sewer system. The construction best management practices that would most likely be implemented as part of the proposed project would address inspection and maintenance, water conservation, spill prevention and control, street cleaning, and prevention of illicit connection and discharge. These best management practices would minimize disturbance to the project site, adjacent areas, and storm drains and would retain sediment. The SFPUC's Construction Runoff Control Program staff enforces this requirement through periodic and unplanned site inspections. In addition, prior to the commencement of any land-disturbing activities, the project sponsor would be required to obtain a construction site runoff control permit.

Construction stormwater discharged to the city's combined sewer system would be subject to the requirements of article 4.1, which incorporates the requirements of the city's National Pollutant Discharge Elimination System (NPDES) permit and the federal Combined Sewer Overflow Control Policy. Stormwater drainage during construction would flow to the city's combined sewer system, where it would receive treatment at the Southeast Plant and would be discharged through an existing outfall or overflow structure in compliance with the existing pollutant discharge permit. Therefore, the project's compliance with applicable permits and regulatory requirements would reduce water quality impacts during construction and dewatering activities.

OPERATION

During operation, wastewater discharges would be related to the proposed residential use. Stormwater discharges would include runoff from streets, sidewalks, and other impervious surfaces from the project site. Wastewater and stormwater generated at the project site would be directed to the city's combined sewer system and treated to the standards of the NPDES permit for the Southeast Water Pollution Control Plant prior to discharge to the Pacific Ocean.

The proposed project would be required to implement a stormwater control plan in accordance with the city's stormwater management ordinance. The project sponsor would be required to submit a stormwater control plan for review and approval by SFPUC that complies with the Stormwater Management Requirements to ensure the proposed project meets performance measures set by SFPUC related to stormwater runoff rate and volume prior to connection to the existing combined sewer system. To meet the SFPUC's requirements, the project sponsor would be required to design and incorporate low-impact development features and best management practices within the parcel and associated private driveways to reduce the stormwater peak flow and volume from a two-year, 24-hour storm event by at least 25 percent, as required, which would reduce peak flows entering the combined sewer system during wet-weather events and minimize the potential for downstream or localized flooding.¹¹⁷ Compliance with San Francisco's Stormwater Management Requirements would reduce the quantity and rate of stormwater runoff to the city's combined sewer system and improve the water quality of those discharges.

The proposed project's construction and operational activities would not result in significant water quality impacts or obstruct implementation of a water quality control plan. Furthermore, the proposed project would not violate water quality standards or release substantial additional sources of polluted runoff, or otherwise degrade water quality. Therefore, this impact would be *less than significant*, and no mitigation measures are required.

¹¹⁷ San Francisco Public Utilities Commission, Stormwater Management Requirements and Design Guidelines, 2016.

Impact HY-2: The proposed project would not substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level. (*Less than Significant*)

The project site is located in the South San Francisco Groundwater Basin. This basin is not used as a potable water source and is not used for groundwater production. As discussed under Section E.15, Geology and Soils, groundwater is approximately 11 to 16 feet bgs and dewatering is unlikely to be necessary during construction. Nevertheless, if any groundwater is encountered during construction, construction dewatering would represent a temporary condition on the underlying groundwater table. The proposed project would not require long-term dewatering, and does not propose to extract any underlying groundwater supplies. For these reasons, the proposed project would not deplete groundwater supplies or substantially interfere with groundwater recharge. This impact would be *less than significant*, and no mitigation measures are necessary.

Impact HY-3: The proposed project would not substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river or through the addition of impervious surfaces, in a manner that would result in substantial erosion, siltation, or flooding onsite or offsite; substantially increase the rate or amount of surface runoff in a manner that would result in flooding onsite or offsite; or create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff. (*Less than Significant*)

The project site is developed with structures associated with its previous agricultural use and covered in vegetation. No streams or rivers exist at the project site. Therefore, the proposed project would not alter the course of a stream or river.

Construction activities would have the potential to result in erosion and transportation of soil particles off site through excavation and grading activities. However, as described in Section E.15, Geology and Soils, the proposed project would be required to implement best management practices to control construction site runoff.

The proposed project would alter the existing drainage pattern of the project site by demolishing a majority of the existing structures on the project site and constructing 62 residential units, associated open space and landscaping, and park space, but not in a manner that would result insubstantial erosion or flooding. The proposed project would incrementally reduce the amount of impervious surface on the project site through implementation of low-impact design measures as required by the San Francisco Stormwater Management Ordinance and Stormwater Management Requirements. Specifically, the proposed project would be required to reduce the existing stormwater rate and volume at the project site by 25 percent for a two-year 24-hour design storm with the implementation of low impact design measures. The proposed project would meet this requirement by installing vegetated sidewalk planting areas, permeable pavement, and bioretention areas or flow-through planters to manage onsite stormwater. In addition, the proposed project would plant street trees along the project's Woolsey, Bowdoin, Wayland, and Hamilton street frontages. Therefore, the proposed project would not be expected to result in substantial erosion or flooding associated with changes in drainage patterns.

As noted above under Impact HY-1, treatment would be provided pursuant to the effluent discharge standards contained in the City's NPDES permit for the plant. Moreover, during construction and operation,

the proposed project would be required to comply with all local wastewater discharge and water quality requirements. Compliance with these requirements would ensure that the proposed project would not exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted runoff. The impact of the proposed project related to potential erosion or flooding and runoff would be *less than significant*, and no mitigation measures are required.

Impact HY 4: The proposed project would not conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan. (Less than Significant)

As discussed under Impacts HY-1 through HY-3, the proposed project would be required to comply with existing water quality, dewatering, and drainage control regulations. In addition, the proposed project would not increase the amount of impervious surface at the site so as to interfere substantially with groundwater recharge. Therefore, the proposed project would not conflict with or obstruct implementation of a water quality control plan or sustainable groundwater management plan. This impact would be *less than significant*, and no mitigation measures are necessary.

Impact C-HY-1: The proposed project, in combination with cumulative projects, would not result in cumulative impacts on hydrology and water quality. *(Less than Significant)*

As discussed above, the proposed project would not result in any significant impacts with respect to hydrology and water quality during construction or operation with implementation of and compliance with applicable regulatory requirements for hydrology and water quality. In addition, impacts on hydrology and water quality, such as the release of stormwater pollutants during construction activities, groundwater supply and recharge, and the addition of wastewater and stormwater to the combined sewer system, as a result of implementation of the proposed project would be less than significant.

Since the proposed project and all future projects within San Francisco would be required to comply with the existing water quality, dewatering, and drainage control requirements described above, cumulative contributions to erosion, siltation and water pollution in the site vicinity would not be substantial and peak stormwater drainage rates and volumes resulting from design storms would gradually decrease over time with the implementation of new, conforming development projects. In addition, San Francisco's limited current use of groundwater would preclude any significant adverse cumulative effects to groundwater levels. Therefore, the proposed project would not combine with cumulative development projects to create a significant cumulative impact related to hydrology and water quality, and thus, cumulative impacts would be *less than significant*.

17. Hazards and Hazardous Materials

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
17. HAZARDS AND HAZARDOUS MATERIALS. Would the project:					
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?			\square		
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?					
c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within one-quarter mile of an existing or proposed school?			\boxtimes		
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?					
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard or excessive noise for people residing or working in the project area?					
f) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?			\boxtimes		
g) Expose people or structures, either directly or indirectly, to a significant risk of loss, injury or death involving wildland fires?					\boxtimes

The project site is not located within an airport land use plan area or in the vicinity of a private airstrip, or in an area susceptible to wildland fire. The project site is not located in or near state responsibility areas or lands classified as very high fire hazard severity zones.¹¹⁸ Therefore, topics E.17(e) and E.17(g) are not applicable to the proposed project.

¹¹⁸ California Department of Forestry and Fire Protection, San Francisco County Draft Fire Hazard Severity Zones in Local Responsibility Areas Map, October 5, 2007, <u>http://frap.fire.ca.gov/webdata/maps/san_francisco/fhszl06_1_map.38.pdf</u>.

Impact HZ-1: The proposed project would not create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials. (Less than Significant)

Hazardous wastes that may be generated during project construction could include: (1) excavated soil that is considered hazardous under federal and state regulations or (2) spent and unspent hazardous materials use from construction. The handling and disposal of contaminated soil is addressed in Impact HZ-2 below.

Construction activities would require the use and storage of limited quantities of hazardous materials such as fuels, oils solvents, paints, and other common construction materials. Transportation of hazardous materials to and from the project site would occur on designated hazardous materials routes, by licensed hazardous materials handlers, as required, and would be subject to regulation by the California Highway Patrol and the California Department of Transportation. Compliance with these regulations would reduce any risk from the routine transport, use, or disposal of hazardous materials to a less-than-significant level.

The proposed project's residential uses and publicly accessible open space uses would involve the use of relatively small quantities of common types of hazardous materials such as cleaners, disinfectants, pesticides, and herbicides. These products are labeled to inform users of potential risks and to instruct them in appropriate handling procedures. Most of these materials are consumed through use, resulting in relatively little waste. For these reasons, the proposed project would not create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials. This impact would be *less than significant*, and no mitigation measures would be required.

Impact HZ-2: The proposed project is not included on a list of hazardous materials sites compiled pursuant to Government Code section 65962.5, and the proposed project would not create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment. (*Less than Significant*)

The project site is located in an area subject to San Francisco Health Code article 22A (also known as the Maher Ordinance), meaning that it is known or suspected to contain contaminated soil and/or groundwater.¹¹⁹ The goal of the Maher Ordinance is to protect public health and safety by requiring appropriate handling, treatment, disposal and when necessary, remediation of contaminated soils that are encountered in the building construction process. Projects that disturb 50 cubic yards or more of soil that are located on sites with potentially hazardous soil or groundwater are subject to this ordinance. The proposed project would require excavation to a depth of 5 feet bgs and the disturbance of approximately 10,800 cubic yards of soil. Therefore, the proposed project is subject to the Maher Ordinance, which is administered and overseen by the health department.

In compliance with health code article 22A, the project sponsor has enrolled in the Maher program and submitted a phase I site assessment (site assessment) to the health department.^{120,121} The site assessment identified the site's previous uses and conducted a soil investigation that sampled and analyzed soil samples for various chemicals.¹²² The site assessment notes that a regulatory agency database report (EDR Report)

¹¹⁹ San Francisco Planning Department, San Francisco Property Information Map,

https://sfplanninggis.org/pim/map.html?layers=Maher%20Ordinance, accessed April 27, 2020.

¹²⁰ The project sponsor submitted the Maher Application to the San Francisco Department of Public Health in accordance with San Francisco Health Code article 22A on April 30, 2020.

¹²¹ Cornerstone Earth Group, Phase I Environmental Site Assessment and Soil Quality Evaluation, March 1, 2017.

¹²² Cornerstone Earth Group, Phase I Environmental Site Assessment and Soil Quality Evaluation, March 1, 2017.

indicates that the project site is identified in the City and County of San Francisco's Underground Storage Tank database, in the Statewide Environmental Evaluation and Planning System (SWEEPS) Underground Storage Tank database, and in the Facility Inventory Database (FID) Underground Storage Tank database. One 2,000-gallon underground storage tank is noted to have been present on-site and removed in 1989 under the health department's oversight. The underground storage tank historically provided fuel for the onsite boiler and the analyses of soil show that this prior underground storage tank does not appear to have impacted the site.¹²³ The site assessment states that based on information presented in the databases, no nearby off-site spill incidents were reported that would impact soil, soil vapor, or groundwater beneath the site.¹²⁴

According to the site assessment, the wood-frame storage structure at the southern portion of the project site (garage/storage building) contained two vehicles,¹²⁵ two unlabeled and empty 55-gallon drums, an above ground steel tank with a capacity of approximately 55 gallons, and other miscellaneous items. The smaller wood-framed shed adjacent to the east of the garage/storage building was used for storing and mixing pesticides during the site's nursery operations. Two steel above ground storage tanks, pumps, and associated piping are also present in this shed. The site assessment notes that the pesticides mixed in this shed were pumped via below-ground piping that exited the shed leading north along the central aisle between the greenhouses. Along the aisle, the below ground piping connected to above-grade hose bibs. Flexible hoses were connected to the hose bibs to spray the roses within the greenhouses. Two exterior above ground storage tanks are adjacent to the pesticide storage shed; the larger above ground storage tank was installed to replace two water tanks that were removed and the smaller above ground storage tank was a water pressure tank associated with the irrigation system. A non-operational, natural gas fueled boiler that was operated using fuel stored within the previously removed 2,000-gallon underground storage tank is located within the boiler house. One steel above ground storage tank is located within the boiler house and another above ground storage tank is discarded near the southern fence line; these two above ground storage tanks were used for condensation collection during operation of the steam boiler system.

A concrete mixing tank with a paddle mixer extending into the top of the tank is located north of the boiler house. This tank was used for mixing of pesticides prior to installation of the steel pesticide mixing tanks in the mixing shed described above.

Twenty-four soil samples were collected from the following areas on the site as part of the site assessment: in the greenhouse areas, central aisle between the greenhouses, adjacent to the foundation of the garage/storage building, adjacent to the foundation of the mixing shed, interior of the mixing shed, undeveloped area on the southeast portion of the site, adjacent to the concrete pesticide mixing tank, and adjacent to the foundation of the boiler house. The soil samples were analyzed for organochlorine pesticides and pesticide-related metals including lead, arsenic, and mercury. Based on representative soil sample analytical results, the site assessment concludes the following:

• In 18 of the 24 samples, detected lead concentrations exceed the residential screening level.¹²⁶

¹²³ Ibid.

¹²⁴ Ibid.

¹²⁵ As of this writing and according to the project sponsor, there is now only one deteriorated vehicle in the garage/storage building. Theuer, Maya, Project Manager, L37 Partners, e-mail correspondence with Susan Yogi, Senior Managing Associate, Environmental Science Associates, March 18, 2021.

¹²⁶ Residential screening levels are used to screen sites for potential human health concerns where releases of chemicals to soil have occurred. Screening levels are not de facto cleanup standards and not applied as such. The screening level's role in site screening is to help identify areas, contaminants, and conditions that require further attention and identify initial cleanup goals at a particular site.

- Chlordane (an organochlorine compound used as pesticide) concentrations exceed the residential screening level in five samples, with the greatest concentrations identified at the mixing shed.
- Three soil samples collected near the boiler house exceed the respective residential screening levels for dichloro-diphenyl-dichloroethane (DDD), dichloro-diphenyldichloro-ethylene (DDE), and dichloro-diphenyl-trichloroethane (DDT) concentration, all of which are organochlorine compounds used as pesticides.
- Six soil samples exceed the concentrations for total DDT or chlordane concentrations at which soil is considered hazardous waste for waste disposal classification purposes.

The Maher Ordinance requires the project sponsor to retain the services of a qualified professional to prepare an environmental site assessment that meets the requirements of San Francisco Health Code section 22.A.6. The site assessment must determine whether hazardous substances may be present on the site at levels that exceed health risk levels or other applicable standards established by California Environmental Protection Agencies, the Regional Water Quality Control Board, and the Department of Toxics Substances Control (Cal/EPA). If so, the project sponsor is required to conduct soil and/or groundwater sampling and analysis under a work plan approved by the health department. Where such analysis reveals the presence of hazardous substances that exceed Cal/EPA public health risk levels given the intended use, the project sponsor must submit a site mitigation plan to the health department. The site mitigation plan must identify the measures that the project sponsor will take to assure that the intended use will not result in public health or safety hazards in excess of the acceptable public health risk levels established by Cal/EPA or other applicable regulatory standards. The site mitigation plan also must identify any soil and/or groundwater sampling and analysis that it recommends the project sponsor conduct following completion of the measures to verify that remediation is complete. If the project sponsor chooses to mitigate public health or safety hazards from hazardous substances through land use or activity restrictions, the project sponsor must record a deed restriction specifying the land use restrictions or other controls that will assure protection of public health or safety from hazards substances remaining on the site.

Compliance with health code article 22A and the related regulations identified above would ensure that project activities that disturb or release of hazardous substances that may be present at the project site would not expose construction workers or users of the site to unacceptable risk levels for the intended project uses.

HAZARDOUS SOIL

During construction, particularly during excavation and grading, construction workers and nearby residents could be exposed to chemicals in the soil through inhalation of airborne dust or vapors if proper precautions are not implemented. Soil adjacent to structures that are painted with lead-containing paint can become impacted with lead as a result of weathering and/or peeling of painted surfaces.¹²⁷ As described above, the total DDT or chlordane concentrations at the site also exceed residential screening levels from prior pesticide use. The results of soil sampling performed at the project site indicate that the greatest concentrations of lead and organochlorine pesticides were generally identified near the existing on-site structures including the boiler house, garage/storage building, and the mixing shed.¹²⁸

¹²⁷ Cornerstone Earth Group, *Phase I Environmental Site Assessment and Soil Quality Evaluation*, March 1, 2017, p. 16. ¹²⁸ Ibid.

To comply with various regulatory requirements, the health department would require the project sponsor to submit a site mitigation plan that includes measures to mitigate potential risks to the environment and to protect construction workers, nearby residents, workers, and/or pedestrians from potential exposure to hazardous substances and underground structures during soil excavation and grading activities. Specified construction procedures at a minimum must comply with building code section 106A.3.2.6.3 and health code article 22B related to construction dust control; and public works code section 146 et seq. concerning construction site runoff control. Additional measures would typically include notification, field screening, and worker health and safety measures to comply with Cal/OSHA requirements.

As noted above, several above ground storage tanks are present on the project site. The health department would require any discovered aboveground and underground storage tanks to be closed pursuant to article 21 of the health code and comply with applicable provisions of chapters 6.7 and 6.75 of the California Health and Safety Code (commencing with section 25280) and its implementing regulations.

Given the age of the structures and results of the soil sampling results, the demolition of the structures and excavation activities could result in disturbance of lead paint. Therefore, the proposed project must comply with section 3426 of the San Francisco Building Code, Work Practices for Lead-Based Paint on Pre-1979 Buildings and Steel Structures. The ordinance contains performance standards, including establishment of containment barriers, at least as effective at protecting human health and the environment as those in the U.S. Department of Housing and Urban Development Guidelines (the most recent Guidelines for Evaluation and Control of Lead-Based Paint Hazards) and identifies prohibited practices that may not be used in disturbances or removal of lead-based paint.

The ordinance also includes notification requirements and requirements for signs. Prior to the commencement of work, the project sponsor must provide written notice to the director of the building department

The proposed demolition would also be subject to the occupational safety and health administration's Lead in Construction Standard (8 CCR section 1532.1). This standard requires development and implementation of a lead compliance plan when materials containing lead would be disturbed during construction. Implementation of procedures required by the building code and the Lead in Construction Standard would ensure that potential impacts of demolition or renovation of structures with lead-based paint would be less than significant.

ASBESTOS-CONTAINING MATERIALS

The project site contains structures that were constructed between the 1920s and 1960s. The proposed project would include demolition of these structures, and materials from the original boiler house and greenhouses would be salvaged as much as possible. Based on the dates of construction of the various buildings, asbestos-containing materials may be present in building materials that could become airborne as a result of demolition disturbance.

The California Department of Toxic Substance Control considers asbestos hazardous, and removal of asbestos-containing materials is required prior to demolition or construction activities that could result in disturbance of these materials. Asbestos-containing materials must be removed in accordance with local and state regulations, air district, Cal/OSHA, and California Department of Health Services requirements. Specifically, section 19827.5 of the California Health and Safety Code requires that local agencies not issue

demolition or alteration permits until an applicant has demonstrated compliance with notification requirements under applicable federal regulations regarding hazardous air pollutants, including asbestos.

The California legislature vests the air district with the authority to regulate airborne pollutants, including asbestos, through both inspection and law enforcement, and the air district is to be notified 10 days in advance of any proposed demolition or abatement work. Any asbestos-containing material disturbance at the project site would be subject to the requirements of air district Regulation 11, Rule 2: Hazardous Materials—Asbestos Demolition, Renovation, and Manufacturing. The local office of the occupational safety and health administration must also be notified of asbestos abatement to be carried out. Asbestos abatement contractors must follow state regulations contained in Title 8 of California Code of Regulations section 1529 and sections 341.6 through 341.14, where there is asbestos-related work involving 100 gross square feet or more of asbestos-containing material. The owner of the property where abatement is to occur must have a Hazardous Waste Generator Number assigned by and registered with the Office of the California Department of Health Services. The contractor and hauler of the material are required to file a Hazardous Waste Manifest that details the hauling of the material from the site and the disposal of it. Pursuant to California law, the building department would not issue the required permit until the applicant has complied with the requirements described above. These regulations and procedures already established as part of the building permit review process would ensure that any potential impacts due to asbestos would be reduced to a less-than-significant level.

CONCLUSION

The proposed project would be required to remediate potential soil contamination described above in accordance with article 22A. Remediation would typically be achieved through one of several methods that include off haul and disposal of contaminated soils, on-site treatment of soil or groundwater, or a vapor barrier installation. The health department would oversee this process, and compliance with health code article 22A and the related regulations identified above would ensure that project activities that disturb or release of hazardous substances that may be present at the project site would not expose people in the project vicinity to unacceptable risk levels.

Based on mandatory compliance with existing regulatory requirements and the Maher Ordinance, the proposed project would not result in a significant hazard to the public or environment from contaminated soil and/or groundwater, asbestos, or lead-based paint, and the proposed project would result in a *less-than-significant* impact with respect to these hazards, and no mitigation measures are necessary.

Impact HZ-3: The proposed project would not emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within 0.25 mile of an existing or proposed school. *(Less than Significant)*

The project site is within 0.25 mile of Alta Vista Lower School located at 450 Somerset Street, Phillip and Sala Burton Academic High School located at 400 Mansell Street, ER Taylor Elementary School located at 423 Burrows Street, and Dr. Martin Luther King Jr. Academic Middle School located at 350 Girard Street. The proposed project would not store, handle, or dispose of significant quantities of hazardous materials or otherwise include any uses that would result in the emission of hazardous substances. Any hazardous materials currently on the site, such as asbestos, lead-based paint, and contaminated soils would be removed before or during demolition of the existing buildings and prior to construction. The materials would be handled in compliance with applicable laws and regulations, as described under Impact HZ-2 above. With adherence to these regulations, there would be no potential for such materials to affect the nearest school. Therefore, the proposed project would have a *less-than-significant* impact related to hazardous emissions or materials within 0.25 mile of a school. No mitigation measures are necessary.

Impact HZ-4: The proposed project would not impair implementation of an adopted emergency response plan or emergency evacuation plan. (*Less than Significant*)

The city's Emergency Management Program is part of a jurisdiction-wide system that provides emergency management guidance related to prevention, preparedness, response, and recovery. The city's Emergency Response Plan uses an all-hazards approach to emergency planning and, therefore, encompasses all hazards that are applicable to the city and county, both natural and manmade, ranging from planned events to large-scale disasters.¹²⁹

San Francisco ensures fire safety primarily through provisions of the building and fire codes. Final building plans would be reviewed and approved by the San Francisco Fire Department and Department of Building Inspection, to ensure conformance with these provisions. In this way, potential fire hazards, including those associated with hydrant water pressures and emergency access, would be mitigated during the permit review process. Compliance with fire safety regulations would ensure that the proposed project would not impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan or expose people or structures to a significant risk of loss, injury, or death involving fires.

Implementation of the proposed project could add incrementally to transportation conditions in the immediate area in the event of an emergency evacuation. As discussed in Section E.5, Transportation and Circulation, the proposed project's contribution to traffic conditions would not be substantial within the context of the urban setting of the project site, and it is expected that project-related traffic would be dispersed within the existing street grid, such that there would be no significant adverse impacts on transportation conditions. Therefore, the proposed project would not impair implementation of an adopted emergency response plan or emergency evacuation plan. This impact would be *less than significant*, and no mitigation measures are necessary.

Impact C-HZ-1: The proposed project, in combination with cumulative projects, would not result in significant cumulative impacts related to hazards and hazardous materials. (Less than Significant)

Hazards and hazardous materials related impacts are generally site-specific and typically do not combine with impacts from other planned and foreseeable projects to result in significant cumulative impacts. New developments in the vicinity of the project site would be subject to similar regulatory requirements and mitigation measures as the proposed project. Therefore, large, unexpected releases of hazardous materials of the type that would contribute to significant cumulative impacts are not expected. Compliance with existing regulations pertaining to the treatment and management of hazardous materials would ensure that the proposed project would not combine with cumulative projects in the vicinity to result in a significant cumulative impacts. Therefore, cumulative projects would be *less than significant*, and no mitigation measures would be required.

¹²⁹ City and County of San Francisco, *Emergency Response Plan*, December 2010.

18. Mineral Resources

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
18. MINERAL RESOURCES. Would the project:					
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?				\boxtimes	
 b) Result in the loss of availability of a locally important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan? 				\square	

Impact MI-1: The proposed project would have no impact on mineral resources. (No Impact)

All land in San Francisco, including the project site, is designated Mineral Resource Zone 4 (MRZ4) by the California Division of Mines and Geology under the Surface Mining and Reclamation Act of 1975.¹³⁰ This designation indicates that there is inadequate information available for assignment to any other mineral resource zone, and thus, the project site is not a designated area of significant mineral deposits. Furthermore, according to the general plan, no significant mineral resources exist in San Francisco. No operational mineral resource recovery sites exist in the project area. Therefore, the proposed project would not result in the loss of availability of a locally or regionally important mineral resource and would have **no impact** on mineral resources. No mitigation measures are required.

Impact C-MI-1: The proposed project, in combination with cumulative projects, would not result in a significant cumulative impact related to mineral resources. (*No Impact*)

As described above, the entire city is designated MRZ- 4, which indicates that no known significant mineral resources exist at the project site or within the project vicinity. Because the project would result in no impact to mineral resources, the proposed project would not have the potential to contribute to cumulative impacts related to mineral resources. No mitigation measures are required.

¹³⁰ California Division of Mines and Geology, Update of Mineral Land Classification: Aggregate Materials in the South San Francisco Bay Production-Consumption Zone, Open File Report 96-03, 1996.

19. Energy

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
19. ENERGY. Would the project:					
a) Result in potentially significant environmental impact due to wasteful, inefficient, or unnecessary consumption of energy resources, during project construction or operation?					
b) Conflict with or obstruct a state or local plan for renewable energy or energy efficiency?			\boxtimes		

Impact EN-1: The proposed project would not result in wasteful, inefficient, or unnecessary consumption of energy resources during construction or operation or conflict with or obstruct a state or local plan for renewable energy or energy efficiency. *(Less than Significant)*

The proposed project would increase the population and intensity of use on the project site but would not exceed anticipated growth in the area. The proposed project would be subject to the energy conservation standards included in the San Francisco Green Building Ordinance. Documentation showing compliance with the ordinance would be required to be submitted with the building permit applications, and compliance would be enforced by the building department. In addition, as described in Section E.8, Greenhouse Gas Emissions, compliance with the applicable provisions of the city's GHG Reduction Strategy demonstrates that the proposed project would not result in wasteful or inefficient consumption of energy resources. The project would also conserve fuel and energy use because it would include the addition of 62 dwelling units in an urban area that is accessible by transit and is bicycle and pedestrian friendly. Therefore, the proposed project would not cause a wasteful use of energy, and impacts related to use of fuel, water, and energy. The impact would be **less than significant**, and no mitigation would be required.

Impact C-EN-1: The proposed project, in combination with cumulative projects, would increase the use of energy, fuel and water resources, but not in a wasteful manner. (*Less than Significant*)

While overall energy demand in California is increasing with increases in population, the state is also making concerted energy conservation efforts. While the city produces a substantial demand for energy and fuel, both city and state policies seek to minimize increases in demand through conservation and energy efficiency regulations and policies such that energy is not used in a wasteful manner, and the cumulative impacts with respect to energy and fuel use. Because San Francisco is substantially built out, development in the city's urban core focuses on densification, which effectively reduces per capita use of energy and fuel by concentrating utilities and services in locations where they can be used efficiently. Similarly, the City recognizes the need for water conservation and has instituted programs and policies to maximize water conservation. San Francisco has one of the lowest per capita water use rates in the state¹³¹ and routinely implements water conservation measures through code requirements and policy. Nearby cumulative

¹³¹ San Francisco Public Utilities Commission, Water Resources Division Annual Report, Fiscal Year 2018–19, <u>https://sfwater.org/Modules/ShowDocument.aspx?documentid=14560</u>, accessed March 15, 2021.

development projects would be subject to the same energy and water conservation ordinances applicable to the proposed project. Therefore, the proposed project, in combination with cumulative projects, would result in a *less-than-significant* cumulative impact related to energy, fuel, and water resources.

20. Agriculture and Forest Resources

Торі	c	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable	
20.	20. AGRICULTURE AND FORESTRY RESOURCES. In determining whether impacts to agricultural resources are significant environmental effects, lead agencies may refer to the California Agricultural Land Evaluation and Site Assessment Model (1997) prepared by the California Department. of Conservation as an optional model to use in assessing impacts on agriculture and farmland. In determining whether impacts to forest resources, including timberland, are significant environmental effects, lead agencies may refer to information compiled by the California Department of Forestry and Fire Protection regarding the state's inventory of forest land, including the Forest and Range Assessment Project and the Forest Legacy Assessment project; and forest carbon measurement methodology provided in Forest Protocols adopted by the California Air Resources Board. Would the project:						
a) (Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance, as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?						
b) (Conflict with existing zoning for agricultural use, or a Williamson Act contract?					\boxtimes	
c) (Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?						
d)	Result in the loss of forest land or conversion of forest land to non-forest use?					\boxtimes	
e)	Involve other changes in the existing environment which, due to their location or nature, could result in conversion of farmland to non-agricultural use or forest land to non-forest use?						

The project site is located within an urbanized area of San Francisco. No land in San Francisco has been designated by the California Department of Conservation's Farmland Mapping and Monitoring Program as agricultural land. The project site was used for agricultural uses (flower nursery) until the early 1990s;

however, the site has not been used since. The project site is zoned for residential uses and would not require the conversion of any land designated as prime farmland, unique farmland, or Farmland of Statewide Importance to nonagricultural use. The proposed project would not conflict with any existing agricultural zoning or Williamson Act contracts, as no lands in San Francisco are zoned agricultural or are under Williamson Act contracts. No land in San Francisco is designated as forest land or timberland production by CEQA or government code. Therefore, the proposed project would not conflict with zoning for forest land, cause a loss of forest land, or convert forest land to a different use. Therefore, none of the agriculture and forest resources significance criteria is applicable to the proposed project, and these topics are not discussed further.

21. Wildfire

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
21.WILDFIRE. If located in or near state responsibility areas or lands classified as very high fire hazard severity zones, would the project:					
a) Substantially impair an adopted emergency response plan or emergency evacuation plans?					\boxtimes
 b) Due to slope, prevailing winds, and other factors, exacerbate wildfire risks, and thereby expose project occupants to, pollutant concentrations from a wildfire or the uncontrolled spread of a wildfire? 					
c) Require the installation or maintenance of associated infrastructure (such as roads, fuel breaks, emergency water sources, power lines or other utilities) that may exacerbate fire risk or that may result in temporary or ongoing impacts to the environment?					
d) Expose people or structures to significant risks including downslope or downstream flooding or landslides, as a result of runoff, post-fire slope instability, or drainage changes?					

The project site is not located in or near state responsibility areas or lands classified as very high fire hazard severity zones.¹³² Therefore, none of the wildfire significance criteria are applicable to the proposed project, and these topics are not discussed further.

¹³² California Department of Forestry and Fire Protection, San Francisco County Draft Fire Hazard Severity Zones in Local Responsibility Areas Map, October 5, 2007, <u>http://frap.fire.ca.gov/webdata/maps/san_francisco/fhszl06_1_map.38.pdf</u>.

22. Mandatory Findings of Significance

Торіс	Potentially Significant Impact	Less than Significant with Mitigation Incorporated	Less than Significant Impact	No Impact	Not Applicable
22. MANDATORY FINDINGS OF SIGNIFICANCE. Does the project:					
a) Have the potential to substantially degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self- sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of a rare or endangered plant or animal, or eliminate important examples of the major periods of California history or prehistory?					
 b) Have impacts that are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.) 					
c) Have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?					

As discussed in the various topics in this initial study, the proposed project is anticipated to have less-thansignificant impacts on most of the environmental topics discussed. Where necessary, mitigation measures have been identified to reduce impacts to less-than-significant levels. Mitigation measures are included for the following topics: archeological resources, tribal cultural resources, noise, air quality, biological resources, and paleontological resources. However, the proposed project could have potentially significant impacts related to historic architectural resources; therefore, this topic is further discussed and analyzed in the EIR.

The proposed project, in combination with foreseeable projects, as described in Section E, would not result in significant cumulative impacts on land use, population and housing, tribal cultural resources, transportation and circulation, noise, air quality, GHG emissions, wind, shadow, recreation, utilities and service systems, public services, biological resources, geology and soils, hydrology and water quality, hazards and hazardous materials, mineral resources, energy resources, agricultural and forest resources, and wildfire with implementation of identified mitigation. However, the proposed project, in combination with foreseeable projects, would not result in cumulative impacts related to historic architectural resources. Potential adverse effects on human beings have been considered as a part of the analysis of individual environmental topics in this initial study. As discussed above, the proposed project has the potential to result in significant impacts with respect to historic architectural resources, which could adversely affect human beings. The EIR assesses this topic and identifies mitigation measures where applicable.

F. Mitigation Measures

Mitigation Measure M-CR-2: Archeological Testing. Based on a reasonable presumption that archeological resources may be present within the project site, the following measures shall be undertaken to avoid any potentially significant adverse effect from the proposed project on buried or submerged historical resources. The project sponsor shall retain the services of an archeological consultant having expertise in California prehistoric and urban historical archeology. The archeological consultant shall undertake an archeological testing program as specified herein. In addition, the consultant shall be available to conduct an archeological consultant's work shall be conducted in accordance with this measure at the direction of the Environmental Review Officer (ERO). All plans and reports prepared by the consultant as specified herein shall be submitted first and directly to the ERO for review and comment and shall be considered draft reports subject to revision until final approval by the ERO. Archeological monitoring and/or data recovery programs required by this measure could suspend construction of the project for up to a maximum of four weeks. At the direction of the ERO, the suspension of construction can be extended beyond four weeks only if such a suspension is the only feasible means to reduce to a less than significant level potential effects on a significant archeological resource as defined in CEQA Guidelines section 15064.5(a)(c).

Archeological Testing Program. The archeological testing program shall be conducted in accordance with the approved Archeological Testing Plan (ATP). The purpose of the archeological testing program will be to determine to the extent possible the presence or absence of archeological resources and to identify and to evaluate whether any archeological resource encountered on the site constitutes an historical resource under CEQA.

The archeological consultant and the ERO shall consult on the scope of the ATP reasonably prior to any project-related soils disturbing activities commencing. The archeological consultant shall prepare and submit to the ERO for review and approval an ATP. The ATP shall identify the property types of the expected archeological resource(s) that potentially could be adversely affected by the proposed project, lay out what scientific/historical research questions are applicable to the expected resource, what data classes the resource is expected to possess, and how the expected data classes would address the applicable research questions. The ATP shall identify the testing method to be used, and the locations recommended for testing and shall identify archeological monitoring requirements for construction soil disturbance as warranted. The archeologist shall implement the approved testing as specified in the approved ATP prior to and/or during construction. The archeologist shall consult with the ERO at the conclusion of testing to report testing results, determine whether data recovery is needed, and provide construction monitoring recommendations and shall implement monitoring as determined in consultation with the ERO.

Archeological Data Recovery Plan. If testing results are positive and the ERO determines that an archeological data recovery program is warranted, the archeological data recovery program shall be conducted in accord with an archeological data recovery plan (ADRP). The archeological consultant, project sponsor, and ERO

shall meet and consult on the scope of the ADRP prior to preparation of a draft ADRP. The archeological consultant shall submit a draft ADRP to the ERO. The ADRP shall identify how the proposed data recovery program will preserve the significant information the archeological resource is expected to contain. That is, the ADRP will identify what scientific/historical research questions are applicable to the expected resource, what data classes the resource is expected to possess, and how the expected data classes would address the applicable research questions. Data recovery, in general, should be limited to the portions of the historical property that could be adversely affected by the proposed project. Destructive data recovery methods shall not be applied to portions of the archeological resources if nondestructive methods are practical.

The scope of the ADRP shall include the following elements:

- *Field Methods and Procedures.* Descriptions of proposed field strategies, procedures, and operations.
- *Cataloguing and Laboratory Analysis.* Description of selected cataloguing system and artifact analysis procedures.
- *Discard and Deaccession Policy.* Description of and rationale for field and post-field discard and deaccession policies.
- *Interpretive Program.* Consideration of an on-site/off-site public interpretive program during the course of the archeological data recovery program.
- *Security Measures.* Recommended security measures to protect the archeological resource from vandalism, looting, and non-intentionally damaging activities.
- *Final Report.* Description of proposed report format and distribution of results.
- *Curation.* Description of the procedures and recommendations for the curation of any recovered data having potential research value, identification of appropriate curation facilities, and a summary of the accession policies of the curation facilities.

Consultation with Descendant Communities. On discovery of an archeological site associated with descendant Native Americans, the Overseas Chinese, or other potentially interested descendant group an appropriate representative of the descendant group and the ERO shall be contacted. The representative of the descendant group shall be given the opportunity to monitor archeological field investigations of the site and to offer recommendations to the ERO regarding appropriate archeological treatment of the site, of recovered data from the site, and, if applicable, any interpretative treatment of the associated archeological site. A copy of the Final Archeological Resources Report (FARR) shall be provided to the representative of the descendant group.

Human Remains and Funerary Objects. The treatment of human remains and funerary objects discovered during any soils disturbing activity shall comply with applicable State and federal laws. This shall include immediate notification of the Medical Examiner of the City and County of San Francisco and, in the event of the Medical Examiner's determination that the human remains are Native American remains, notification of the California State Native American Heritage Commission, which will appoint a Most Likely Descendant (MLD). The MLD will complete his or her inspection of the remains and make recommendations or preferences for treatment within 48 hours of being granted access to the site (Public Resources Code section 5097.98). The ERO also shall be notified immediately upon the discovery of human remains.

The project sponsor and ERO shall make all reasonable efforts to develop a Burial Agreement ("Agreement") with the MLD, as expeditiously as possible, for the treatment and disposition, with appropriate dignity, of human

remains and associated or unassociated funerary objects (as detailed in CEQA Guidelines section 15064.5(d)). The Agreement shall take into consideration the appropriate excavation, removal, recordation, scientific analysis, custodianship, curation, and final disposition of the human remains and associated or unassociated funerary objects. If the MLD agrees to scientific analyses of the remains and/or associated or unassociated funerary objects, the archeological consultant shall retain possession of the remains and associated or unassociated or unassociated funerary objects until completion of any such analyses, after which the remains and associated or unassociated or unassociated funerary objects shall be reinterred or curated as specified in the Agreement.

Nothing in existing State regulations or in this mitigation measure compels the project sponsor and the ERO to accept treatment recommendations of the MLD. However, if the ERO, project sponsor, and MLD are unable to reach an Agreement on scientific treatment of the remains and associated or unassociated funerary objects, the ERO, with cooperation of the project sponsor, shall ensure that the remains and associated or unassociated funerary objects are stored securely and respectfully until they can be reinterred on the property, with appropriate dignity, in a location not subject to further or future subsurface disturbance.

Treatment of historic-period human remains and of associated or unassociated funerary objects discovered during any soil-disturbing activity, additionally, shall follow protocols laid out in the project's archeological treatment documents, and in any related agreement established between the project sponsor, Medical Examiner, and the ERO.

Archeological Public Interpretation Plan. The project archeological consultant shall submit an Archeological Public Interpretation Plan (APIP) if a significant archeological resource is discovered during a project. If the resource to be interpreted is a tribal cultural resource, the APIP shall be prepared in consultation with and developed with the participation of Ohlone tribal representatives. The APIP shall describe the interpretive product(s), locations or distribution of interpretive materials or displays, the proposed content and materials, the producers or artists of the displays or installation, and a long-term maintenance program. The APIP shall be sent to the ERO for review and approval. The APIP shall be implemented prior to occupancy of the project.

Final Archeological Resources Report. Whether or not significant archeological resources are encountered, the archeological consultant shall submit a written report of the findings of the monitoring program to the ERO. The archeological consultant shall submit a draft Final Archeological Resources Report (FARR) to the ERO that evaluates the historical significance of any discovered archeological resource and describes the archeological, historical research methods employed in the archeological testing/monitoring/data recovery program(s) undertaken, and if applicable, discusses curation arrangements. Information that may put at risk any archeological resource shall be provided in a separate removable insert within the final report.

Once approved by the ERO, copies of the FARR shall be distributed as follows: California Archeological Site Survey Northwest Information Center (NWIC) shall receive one (1) copy and the ERO shall receive a copy of the transmittal of the FARR to the NWIC. The Environmental Planning division of the Planning Department shall receive one bound and one unlocked, searchable PDF copy on digital medium of the approved FARR along with GIS shapefiles of the site and feature locations and copies of any formal site recordation forms (CA DPR 523 series) and/or documentation for nomination to the National Register of Historic Places/California Register of Historical Resources. In instances of high public interest in or the high interpretive value of the resource, the ERO may require a different final report content, format, and distribution than that presented above.

Curation. Significant archeological collections shall be permanently curated at an established curatorial facility selected in consultation with the ERO.

Mitigation Measure M-TCR-1: Tribal Cultural Resources Archeological Resource Preservation Plan and/or Interpretive Program.

Preservation in Place. In the event of the discovery of an archeological resource of Native American origin, the Environmental Review Officer (ERO), the project sponsor, and the tribal representative, shall consult to determine whether preservation in place would be feasible and effective. If it is determined that preservation-in-place of the tribal cultural resource (TCR) would be both feasible and effective, then the archeological consultant shall prepare an archeological resource preservation plan (ARPP), which shall be implemented by the project sponsor during construction. The consultant shall submit a draft ARPP to Planning for review and approval.

Interpretive Program. If the Environmental Review Officer (ERO), in consultation with the affiliated Native American tribal representatives and the project sponsor, determines that preservation-in-place of the tribal cultural resources is not a sufficient or feasible option, the project sponsor shall implement an interpretive program of the tribal cultural resource in consultation with affiliated tribal representatives. A Tribal Cultural Resources Interpretation Plan (TCRIP) produced in consultation with the ERO and affiliated tribal representatives, at a minimum, and approved by the ERO would be required to guide the interpretive program. The plan shall identify, as appropriate, proposed locations for installations or displays, the proposed content and materials of those displays or installation, the producers or artists of the displays or installation, and a long-term maintenance program. The interpretive program may include artist installations, preferably by local Native American artists, oral histories with local Native Americans, artifacts displays and interpretation, and educational panels or other informational displays.

Mitigation Measure M-NO-3: Fixed Mechanical Equipment Noise Control for Building Operations. Prior to approval of a building permit, the project sponsor shall submit documentation to the Environmental Review Officer (ERO) or the officer's designee, demonstrating with reasonable certainty that the building's fixed mechanical equipment (such as heating, ventilation and air conditioning [HVAC] equipment) meets the noise limits specified in section 2909 of the noise ordinance (i.e., a 5 dB increase above the ambient noise level at the property plane for residential properties; and interior noise limits of 55 dBA and 45 dBA for daytime and nighttime hours inside any sleeping or living room in a nearby dwelling unit on a residential property assuming windows open, respectively). Acoustical treatments required to meet the noise ordinance may include, but are not limited to:

- Enclosing noise-generating mechanical equipment;
- Installing relatively quiet models of air handlers, condenser units, exhaust fans, and other mechanical equipment;
- Using mufflers or silencers on equipment exhaust fans;
- Orienting or shielding equipment to protect noise sensitive receptors (residences, hospitals, convalescent homes, schools, churches, hotels and motels, and sensitive wildlife habitat) to the greatest extent feasible;
- Increasing the distance between noise-generating equipment and noise-sensitive receptors; and/or
- Placing barriers around the equipment to facilitate the attenuation of noise.
Mitigation Measure M-AQ-3: Construction Air Quality. The project sponsor or the project sponsor's contractor shall comply with the following:

- A. Engine Requirements.
 - 1. All off-road equipment greater than 25 hp and operating for more than 20 total hours over the entire duration of construction activities shall have engines that meet or exceed either U.S. Environmental Protection Agency (USEPA) or California Air Resources Board (CARB) Tier 4 Interim or Tier 4 Final off-road emission standards.
 - 2. Where access to alternative sources of power are available, portable diesel engines shall be prohibited.
 - 3. Diesel engines, whether for off-road or on-road equipment, shall not be left idling for more than two minutes, at any location, except as provided in exceptions to the applicable state regulations regarding idling for off-road and on-road equipment (e.g., traffic conditions, safe operating conditions). The contractor shall post legible and visible signs in English, Spanish, and Chinese, in designated queuing areas and at the construction site to remind operators of the two-minute idling limit.
 - 4. The contractor shall instruct construction workers and equipment operators on the maintenance and tuning of construction equipment, and require that such workers and operators properly maintain and tune equipment in accordance with manufacturer specifications.
- B. Waivers.
 - 1. The Environmental Review Officer (ERO) or designee may waive the alternative source of power requirement of Subsection (A)(2) if an alternative source of power is limited or infeasible at the project site. If the ERO grants the waiver, the contractor must submit documentation that the equipment used for onsite power generation meets the requirements of Subsection (A)(1).
 - 2. The ERO may waive the equipment requirements of Subsection (A)(1) if: a particular piece of Tier 4 interim or Tier 4 final off-road equipment is technically not feasible; the equipment would not produce desired emissions reduction due to expected operating modes; installation of the equipment would create a safety hazard or impaired visibility for the operator; or, there is a compelling emergency need to use off-road equipment that is not Tier 4 compliant. If the ERO grants the waiver, the contractor must use the next cleanest piece of off-road equipment, according to table below. Emerging technologies with verifiable emissions reductions supported by substantial evidence may also be employed in lieu of the step-down schedule below.

Compliance Alternative	Engine Emission Standard	Emissions Control
1	Tier 2	ARB Level 3 VDECS*
2	Tier 2	ARB Level 2 VDECS
3	Tier 2	ARB Level 1 VDECS

Table M-AQ-3-1 Off-Road Equipment Compliance Step-down Schedule

How to use the table: If the ERO determines that the equipment requirements cannot be met, then the project sponsor would need to meet Compliance Alternative 1. If the ERO determines that the Contractor cannot supply off-road equipment meeting Compliance Alternative 2. If the ERO determines that the Contractor cannot supply off-road equipment meeting Compliance Alternative 2, then the Contractor must meet Compliance Alternative 3.

* ARB = air resources board

VDECS = verified diesel emissions control strategy

C. Construction Emissions Minimization Plan.

Before starting on-site construction activities, the contractor shall submit a Construction Emissions Minimization Plan (Plan) to the ERO for review and approval. The Plan shall state, in reasonable detail, how the contractor will meet the requirements of section A.

- The Plan shall include estimates of the construction timeline by phase, with a description of each piece of off-road equipment required for every construction phase. The description may include, but is not limited to: equipment type, equipment manufacturer, equipment identification number, engine model year, engine certification (Tier rating), horsepower, engine serial number, and expected fuel use and hours of operation. For VDECS installed, the description may include: technology type, serial number, make, model, manufacturer, ARB verification number level, and installation date and hour meter reading on installation date. For off-road equipment using alternative fuels, the description shall also specify the type of alternative fuel being used.
- 2. The project sponsor shall ensure that all applicable requirements of the Plan have been incorporated into the contractor's contract specifications. The Plan shall include a certification statement that the contractor agrees to comply fully with the Plan.
- 3. The contractor shall make the Plan available to the public for review on-site during working hours. The contractor shall post at the construction site a legible and visible sign summarizing the Plan. The sign shall also state that the public may ask to inspect the Plan for the project at any time during working hours and shall explain how to request to inspect the Plan. The contractor shall post at least one copy of the sign in a visible location on each side of the construction site facing a public right-ofway.
- D. Monitoring.

After start of construction activities, the contractor shall submit quarterly reports to the ERO documenting compliance with the Plan. After completion of construction activities and prior to receiving a final certificate of occupancy, the project sponsor shall submit to the ERO a final report summarizing construction activities, including the start and end dates and duration of each construction phase, and the specific information required in the Plan.

Mitigation Measure M-BI-1a: Conduct Pre-construction Surveys for Nesting Migratory Birds and Buffer Areas. Nesting birds and their nests shall be protected during construction by implementation of the following measures for each construction phase:

- a. To the extent feasible, the project sponsor shall conduct initial activities including, but not limited to, vegetation removal, tree trimming or removal, ground disturbance, building demolition, site grading, and other construction activities that may compromise breeding birds or the success of their nests outside of the nesting season (January 15 through August 15).
- b. If construction during the bird nesting season cannot be fully avoided, a qualified wildlife biologist shall conduct pre-construction nesting surveys within 14 days prior to the start of construction or demolition at areas that have not been previously disturbed by project activities or after any construction breaks of 14 days or more. Typical experience requirements for a "qualified biologist" include a minimum of four years of academic training and professional experience in biological sciences and related resource management activities and a minimum of two years of experience in biological monitoring or surveying for nesting birds. Surveys shall be performed in publicly accessible areas within 100 feet of common bird species and within 250 feet of the project site in order to locate any active raptor (birds of prey) nests.
- c. If active nests are located during the preconstruction nesting bird surveys, a qualified biologist shall evaluate if the schedule of construction activities could affect the active nests; if so, the following measures shall apply, as determined by the biologist:
 - i. If construction is not likely to affect the active nest, construction may proceed without restriction; however, a qualified biologist shall regularly monitor the nest at a frequency determined appropriate for the surrounding construction activity to confirm there is no adverse effect. Spotcheck monitoring frequency would be determined on a nest-by-nest basis considering the particular construction activity, duration, proximity to the nest, and physical barriers which may screen activity from the nest. The qualified biologist may revise their determination at any time during the nesting season in coordination with the planning department.
 - ii. If it is determined that construction may affect the active nest, the qualified biologist shall establish a no-disturbance buffer around the nest(s) and all project work shall halt within the buffer until a qualified biologist determines the nest is no longer in use. These buffer distances shall be equivalent to survey distances (100 feet for passerines and 250 feet for raptors); however, the buffers may be adjusted if an obstruction, such as a building, is within line-of-sight between the nest and construction.
 - iii. Modifying nest buffer distances, allowing certain construction activities within the buffer, and/or modifying construction methods in proximity to active nests shall be done at the discretion of the qualified biologist and in coordination with the planning department, who would notify California Department of Fish and Wildlife (CDFW). Necessary actions to remove or relocate an active nest(s) shall be coordinated with the planning department and approved by CDFW.
 - iv. Any work that must occur within established no-disturbance buffers around active nests shall be monitored by a qualified biologist. If adverse effects in response to project work within the buffer are observed and could compromise the nest, work within the no-disturbance buffer(s) shall halt until the nest occupants have fledged.
 - v. Any birds that begin nesting within the project area and survey buffers amid construction activities are assumed to be habituated to construction-related or similar noise and disturbance levels, so

exclusion zones around nests may be reduced or eliminated in these cases as determined by the qualified biologist in coordination with the planning department, who would notify CDFW. Work may proceed around these active nests as long as the nests and their occupants are not directly affected.

d. In the event inactive nests are observed within or adjacent to the project site at any time throughout the year, any removal or relocation of the inactive nests shall be at the discretion of the qualified biologist in coordination with the planning department, who would notify and seek approval from the CDFW, as appropriate. Work may proceed around these inactive nests.

Mitigation Measure M-BI-1b: Avoidance and Minimization Measures for Bats. A qualified biologist who is experienced with bat surveying techniques shall conduct a pre-construction habitat assessment of the project site to characterize potential bat habitat and identify potentially active roost sites. Typical experience requirements for a "qualified biologist" include a minimum of four years of academic training and professional experience in biological sciences and related resource management activities, and a minimum of two years of experience monitoring or surveying for bats. No further action is required should the preconstruction habitat assessment not identify bat habitat or signs of potentially active bat roosts within the project site (e.g., guano, urine staining, dead bats, etc.).

The following measures shall be implemented should potential roosting habitat or potentially active bat roosts be identified during the habitat assessment in trees to be removed or buildings to be demolished under the proposed project:

- Building demolition shall occur when bats are active, approximately between the periods of March 1 to April 15 and August 15 to October 15, to the extent feasible. These dates avoid the bat maternity roosting season and period of winter *torpor*.¹³³
- 2. Depending on temporal guidance as defined below, the qualified biologist shall conduct preconstruction surveys of potential bat roost sites identified during the initial habitat assessment no more than 14 days prior to tree trimming/removal or building demolition.
- 3. If active bat roosts or evidence of roosting is identified during pre-construction surveys, the qualified biologist shall determine, if possible, the type of roost and species. A no-disturbance buffer shall be established around roost sites until the qualified biologist determines they are no longer active. The size of the no-disturbance buffer would be determined by the qualified biologist and would depend on the species present, roost type, existing screening around the roost site (such as dense vegetation or a building), as well as the type of construction activity that would occur around the roost site.
- 4. If special-status bat species or maternity or hibernation roosts are detected during these surveys, appropriate species- and roost-specific avoidance and protection measures shall be developed by the qualified biologist in coordination with the California Department of Fish and Wildlife. Such measures may include postponing the removal of buildings, establishing exclusionary work buffers while the roost is active (e.g., 100-foot no-disturbance buffer), or other avoidance measures.
- 5. The qualified biologist shall be present during building demolition if potential bat roosting habitat or active bat roosts are present. Buildings with active roosts shall be disturbed only under clear weather

¹³³ *Torpor* refers to a state of decreased physiological activity with reduced body temperature and metabolic rate.

conditions when precipitation is not forecast for three days and when daytime temperatures are at least 50 degrees Fahrenheit.

6. The demolition of buildings containing or suspected to contain bat roosting habitat or active bat roosts shall be done under the supervision of the qualified biologist. When appropriate, buildings shall be partially dismantled to significantly change the roost conditions, causing bats to abandon and not return to the roost, likely in the evening and after bats have emerged from the roost to forage. Under no circumstances shall active maternity roosts be disturbed until the roost disbands at the completion of the maternity roosting season or otherwise becomes inactive, as determined by the qualified biologist.

Mitigation Measure GE-5a: Worker Environmental Awareness Training During Ground Disturbing

Construction Activities. Prior to commencing construction, and ongoing throughout ground disturbing activities (e.g., excavation, utility installation, the project sponsor or their designee (herein referred as project sponsor) shall ensure that all project construction workers are trained on the contents of the Paleontological Resources Alert Sheet (Draft for Review provided), as provided by the Environmental Review Officer (ERO). The Paleontological Resources Alert Sheet shall be prominently displayed at the construction site, during ground disturbing activities, to provide pre-construction worker environmental awareness training regarding potential paleontological resources.

In addition, the project sponsor shall inform construction personnel of the immediate stop work procedures and other procedures to be followed if bones or other potential fossils are unearthed at the project site. As new workers that will be involved in ground disturbing activities arrive at the project site, the construction supervisor shall train them.

The project sponsor shall submit in writing (email, letter, memo) confirming the timing of the worker training) to the ERO. The letter shall confirm the project's location, the date of training, the location of the informational handout display, and the number of participants. The letter shall be transmitted to the ERO within five (5) business days of conducting the training.

Mitigation Measure M-GE-5b: Discovery of Unanticipated Paleontological Resources during Ground Disturbing Construction Activities. In the event of the discovery of an unanticipated paleontological resource during construction, the project sponsor or their designee (herein referred as project sponsor) shall ensure ground disturbing activities shall temporarily be halted within 20 feet of the find until the discovery is examined by a qualified paleontologist as recommended by the Society of Vertebrate Paleontology standards (SVP 2010) and Best Practices in Mitigation Paleontology (Murphey et al. 2019). Work within the sensitive area shall resume only when deemed appropriate by the qualified paleontologist in consultation with the Environmental Review Officer (ERO).

The qualified paleontologist shall determine: (1) if the discovery is scientifically significant; (2) the necessity for involving other responsible or resource agencies and stakeholders, if required or determined applicable; and (3) methods for resource recovery. If a paleontological resource assessment results in a determination that the resource is not scientifically important, this conclusion shall be documented in a Paleontological Evaluation Letter to demonstrate compliance with applicable statutory requirements (e.g., Federal Antiquities Act of 1906, CEQA Guidelines section 15064.5, California Public Resources Code chapter 17,

section 5097.5, Paleontological Resources Preservation Act 2009). The Paleontological Evaluation Letter shall be submitted to the ERO for review within 30 days of the discovery.

If the qualified paleontologist determines that a paleontological resource is of scientific importance, and there are no feasible measures to avoid disturbing this paleontological resource, the qualified paleontologist shall prepare a Paleontological Impact Reduction Program (impact reduction program). The impact reduction program shall include measures to fully document and recover the resource of scientific importance. The qualified paleontologist shall submit the impact reduction program to the ERO for review and approval. The impact reduction program shall be submitted to the ERO for review within 10 business days of the discovery. Upon approval by the ERO, ground disturbing activities in the project area shall resume and be monitored as determined by the qualified paleontologist for the duration of such activities.

The impact reduction program shall include: (1) procedures for construction monitoring at the project site; (2) fossil preparation and identification procedures; (3) curation of paleontological resources of scientific importance into an appropriate repository; and (4) preparation of a Paleontological Resources Report (report or paleontology report) at the conclusion of ground disturbing activities. The report shall include dates of field work, results of monitoring, fossil identifications to the lowest possible taxonomic level, analysis of the fossil collection, a discussion of the scientific significance of the fossil collection, conclusions, locality forms, an itemized list of specimens, and a repository receipt from the curation facility. The project sponsor shall be responsible for the preparation and implementation of the impact reduction program, in addition to any costs necessary to prepare and identify collected fossils, and for any curation fees charged by the paleontological repository. The paleontology report shall be submitted to the ERO for review within 30 business days from conclusion of ground disturbing activities, or as negotiated following consultation with the ERO.

G. Public Notice and Comment

Publication of the Notice of Preparation (NOP) initiated a 30-day public review and comment period that began on August 26, 2020, and ended on September 25, 2020. During the NOP review and comment period, a total of nine comments were submitted to the planning department. The topics raised in the comment letters are addressed in this initial study and this EIR to which this initial study is attached, as appropriate (refer to EIR Chapter 1, Introduction, for additional detail on the public noticing and comments). The planning department considered the comments made by the public in preparation of the initial study and EIR for the proposed project. The NOP and comment letters are included as EIR Appendix A.

H. Determination

On the basis of this Initial Study:

- □ I find that the proposed project COULD NOT have a significant effect on the environment, and a NEGATIVE DECLARATION will be prepared.
- □ I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because revisions in the project have been made by or agreed to by the project proponent. A MITIGATED NEGATIVE DECLARATION will be prepared.

□ I find that the proposed project MAY have a significant effect on the environment, and an environmental impact report is required.

- I find that the proposed project MAY have a "potentially significant impact" or "potentially significant unless mitigated" impact on the environment, but at least one effect 1) has been adequately analyzed in an earlier document pursuant to applicable legal standards, and 2) has been addressed by mitigation measures based on the earlier analysis as described on attached sheets. An ENVIRONMENTAL IMPACT REPORT is required, but it must analyze only the effects that remain to be addressed.
- □ I find that although the proposed project could have a significant effect on the environment, because all potentially significant effects (a) have been analyzed adequately in an earlier EIR or NEGATIVE DECLARATION pursuant to applicable standards, and (b) have been avoided or mitigated pursuant to that earlier EIR or NEGATIVE DECLARATION, including revisions or mitigation measures that are imposed upon the proposed project, no further environmental documentation is required.

Devyani Jain Lisa Gibson

Lisa Gildson Environmental Review Officer for Rich Hillis Director of Planning

DATE June 23, 2021

I. Initial Study Preparers

Planning Department, City and County of San Francisco

Environmental Planning Division 49 South Van Ness Avenue, Suite 1400 San Francisco, CA 94103

- Environmental Review Officer: Lisa Gibson
- Principal Environmental Planner: Chelsea Fordham
- Senior Environmental Planner: Jenny Delumo
- Archeologist: Sally Morgan
- Current Planner: Kimberly Durandet

ENVIRONMENTAL CONSULTANTS

Environmental Science Associates

550 Kearny Street, Suite 800 San Francisco, CA 94108

- Project Director: Eryn Brennan
- Project Manager: Susan Yogi
- Brian Pittman
- Heidi Koenig
- Jill Feyk-Miney
- Joel Miller
- Chris Sanchez
- James Songco

Architectural Resources Group

Pier 9, The Embarcadero, Suite 107 San Francisco, CA 94111

• Architectural Historian/Preservation Planner: Erica Schultz

PROJECT SPONSOR

L37 Partners

988 Market Street, Suite 400 San Francisco, CA 94102

- Managing Partner: Eric Tao
- Development Manager: Maya Theuer

PROJECT ARCHITECT

IwamotoScott Architecture

128 Texas Street San Francisco, CA 94107

Mark Shkolnikov

PROJECT SPONSOR'S LEGAL COUNSEL

J. Abrams Law, P.C.

One Maritime Plaza, Suite 1900

- San Francisco, CA 94111
- Jim Abrams
- Nick Roosevelt

PAGE INTENTIONALLY BLANK

APPENDIX C

Historic Resource Evaluations

C1 Historic Resource Evaluation Response Part I



SAN FRANCISCO PLANNING DEPARTMENT

Historic Resource Evaluation Response

Record No.:	2017-012086ENV		
Project Address:	770 WOOLSEY ST		
Zoning:	RH-1 RESIDENTIAL- HOUSE, ONE FAMILY Zoning District		
	40-X Height and Bulk District		
Block/Lot:	6055/001		
Staff Contact:	Alesia Hsiao, Senior Environmental Planner - 415-575-9044		
	Alesia.Hsiao@sfgov.org		
	Justin Greving, Senior Preservation Planner – 415 – 575-9169		
	Justin.greving@sfgov.org		

1650 Mission St. Suite 400 San Francisco, CA 94103-2479

Reception: 415.558.6378

Fax: 415.558.6409

Planning Information: **415.558.6377**

PART I: HISTORIC RESOURCE EVALUATION

PROJECT SPONSOR SUBMITTAL:

To assist in the evaluation of the proposed project, the Project Sponsor has submitted a:

- □ Supplemental Information for Historic Resource Determination Form (HRD)
- Consultant-prepared Historic Resource Evaluation (HRE Part 1)
- Prepared by: Architectural Resources Group, Historic Resource Evaluation, 770 Woolsey St. (March

<u>2019)</u>

Staff consensus with Consultant's HRE report: 🛛 🖾 Agree

Disagree

Additional Comments:

Planning Staff concurs with the HRE Part 1 provided by ARG including the statement of significance and identification of character-defining features.

BUILDINGS AND PROPERTY DESCRIPTION:

- Neighborhood: Portola/Excelsior
- Date of Construction:
- Construction Type: Wood-Frame
- Architect: Unknown/Robert Nordin
- Builder: Unknown

770 Woolsey, also known as the University Mound Nursery, is located in the Portola/Excelsior neighborhood and is generally situated amongst single family homes constructed during the 1920s and 1930 and during the 1950s and 1960s, as well as being directly east of the San Francisco Public Utilities Commission's University Mound Reservoir. The subject property encompasses the entire 2.2-acre city block bounded by Wayland Street to the north, Hamilton Street to the east, Woolsey Street to the south, and Bowdoin Street to the west. The site was once an agricultural nursery and features 18 greenhouses arranged along a central walkway that runs north-south and acts as an axial spine for the site. The greenhouses are arranged lengthwise east to west with the short gable-ends of the greenhouses facing Bowdoin and Hamilton streets and the long ends parallel to Woolsey and Wayland streets. As shown on figure 3 of the HRE, the greenhouses are numbered 1-10 moving north along Hamilton Street and 11-18 moving north

along Bowdoin Street. Greenhouses 1 and 16-17 are partially collapsed. Although there are some minor variations in the greenhouses, most are approximately 30-34 feet wide and 110-120 feet long and are conjoined lengthwise at the base where the roof gables meet. The wood frame structures have gable ends supported by 4 rows of square wood studs set in narrow concrete foundations. Most buildings have a 2-foot tall wall covered in shiplap siding that sits on a 6-inch-high concrete foundation wall. The remaining walls and roofs of the greenhouses consist of sparsely framed wood studs that support simple glass panes measuring approximately 18 by 20 inches. No more than approximately 20 percent of the glass panes remain attached to the greenhouses as the rest have shattered or fallen on the ground.

Although the site is mostly occupied by greenhouses, the southern portion of the property is more open and contains a number of other ancillary agricultural structures. Facing Woolsey Street is a garage/storage building, mixing shed, water storage and pressure tanks, and a hand-dug well. Further east towards Hamilton is a boiler house, pesticide mixing tank, and a second hand-dug well. The northwest corner of the site is also not occupied by greenhouses and was the location of two water tanks that have since been demolished. See p. 3-15 of the HRE for a more detailed description of the site and individual features.

PRE-EXISTING HISTORIC RATING / SURVEY

- Category A Known Historic Resource, per: _____
- Category B Age Eligible/Historic Status Unknown
- Category C Not Age Eligible / No Historic Resource Present, per:

Adjacent or Nearby Historic Resources: 🛛 No 🖾 Yes:

<u>770 Woolsey is located east of the SFPUC University Mound Reservoir, which is part of the Hetch Hetchy</u> <u>Regional Water System.</u>

CEQA HISTORICAL RESOURCE(S) EVALUATION:

Step A: Significance

Individual Significance	Historic District/Context Significance		
Property is individually eligible for inclusion in a	Property is eligible for inclusion in a California		
California Register under one or more of the	Register Historic District/Context under one or		
following Criteria:	more of the following Criteria:		
Criterion 1 - Event: \square Yes \square No	Criterion 1 - Event: □Yes ⊠No		
Criterion 2 - Persons: \Box Yes \boxtimes No	Criterion 2 - Persons: \Box Yes \boxtimes No		
Criterion 3 - Architecture: \square Yes \square No	Criterion 3 - Architecture: \Box Yes \boxtimes No		
Criterion 4 - Info. Potential: \Box Yes \boxtimes No	Criterion 4 - Info. Potential: \Box Yes \boxtimes No		
Period of Significance: 1925-1990	Period of Significance:		
	Contributor Non-Contributor N/A		

Analysis:

Preservation staff concurs with the HRE's determination that the University Mound Nursery is eligible for listing in the California Register of Historical Resources (CRHR) under Criterion 1 as a significant cultural

landscape associated with the agricultural settlement of the Portola neighborhood by the Italian American community in the early twentieth century. Preservation staff also agree with the HRE's conclusion that the subject property is eligible under Criterion 3 as a rare vernacular cultural landscape of San Francisco. As a small-scale family-operated nursery 770 Woolsey represents an extremely rare property type for San Francisco and even the Bay Area.

The University Mound Nursery was owned and operated by the Garibaldi brothers and their descendants for almost 50 years. In 1921, 5 brothers – Vittorio, Antonio, Giovanni, Ernesto, and Gio Batta Garibaldi – purchased two city blocks from Bernard and Felicie Cassou and established the University Mound Nursery. The brothers first grew fields of flowers on the eastern block (not a part of the subject property), and slowly subdivided it so each brother could have a house, before finally selling off the remaining portion to be developed with houses between 1959 and 1962. On the western block (subject property), the brothers constructed greenhouses and by 1925 the Garibaldis had constructed two rows of 14 greenhouses along a central walkway (identified in the HRE as greenhouses #2-10 and #12-15) and the boilerhouse (a map of the subject property's site features is located on p. of the HRER and is labeled as figure 1). A well was also dug on the site by this time (identified as hand dug well #1). By 1941 greenhouses # 1 and 11 had been constructed along with the pesticide mixing tank. According to building permits, the architect Robert Nordin was responsible for the design of 4 greenhouses that were built in 1951, but it appears only #16-18 were constructed during this time along with the water storage tank.

In 1958, Steve Garibaldi, the son of Giovanni and Matilda Garibaldi, and his cousin, Andrew L. Garibaldi, the son of Antonio and Assunta Garibaldi, purchased the subject property from the other brothers and continued the farming operation. Later that year the two cousins added the garage facing Woolsey Street and installed a fence around the perimeter of the site. The cousins were also responsible for the construction of the pesticide mixing shed (built sometime between 1963 and 1965), and the water pressure tank (built ca. 1960s or later). Since the nursery closed in the early 1990s the site has remained vacant but largely intact with the most significant change being the collapse of greenhouses 1, 2, and 15-17.

The University Mound nursery represents the significant contributions of the Italian farmers in the Portola neighborhood and it is estimated that this nursery was one of over 20 similarly sized nurseries operated by Italians in the Portola during the early to mid-twentieth century. The subject property represents but one part of San Francisco's larger history as the center of an important cut flower industry that flourished during the twentieth century. In San Francisco the flower industry was dominated by three different groups that each had their own specialty: the Chinese were known for their asters, sweet peas, and pompoms; the Japanese for their chrysanthemums and greenhouse cut flowers; and the Italians for their violets, ferns, roses, carnations, and other cut flowers. According to the HRE the Garibaldis were known particularly for their roses and Steve Garibaldi was known amongst the other flower growers as the "Rose King." As one of the very last remaining greenhouses in San Francisco and the Bay Area, the subject property points to the Portola's agricultural history that has all but disappeared in the urban environment.

The subject property also represents a significant property type that was once ubiquitous in neighborhoods like Portola and the Excelsior in San Francisco that have all but vanished. The HRE provides a detailed history of the greenhouse as an architectural typology and concludes that the subject property is significant under Criterion 3 as a rare vernacular cultural landscape in San Francisco. Planning department staff agree that 770 Woolsey is a highly intact representation of an early twentieth century small-scale, family-operated commercial nursery that has become an increasingly rare property type.

The period of significance spans from 1921-1990 and encompasses the time from when the Garibaldi family purchased the subject property and began operation of the University Mound Nursery, up until 1990 with the death of Steve Garibaldi, as the nursery operation closed shortly thereafter and remained vacant.

Step B: Integrity

The subject property has retained or lacks integrity from the period of significance noted in Step A:						
Location:	🛛 Retains	□ Lacks	Setting:	🛛 Retains	□ Lacks	
Association:	🛛 Retains	□ Lacks	Feeling:	🛛 Retains	□ Lacks	
Design:	🛛 Retains	□ Lacks	Materials:	🛛 Retains	□ Lacks	
Workmanship:	🛛 Retains	\Box Lacks				
Analysis:						
In order to be determined eligible for the CRHR, the subject building must be found to retain sufficient						
integrity to convey its historic significance under Criterion 1 and 3. Planning staff concur with the HRE's						
finding that the buildings and other structures retain all seven aspects of integrity. The site as it exists						
today remains largely unaltered since the Garibaldi family stopped cultivating roses there in 1990 and						

while a number of greenhouses may have collapsed and the buildings may be in poor condition, the site itself still retains a high degree of integrity. For a more detailed analysis of the 7 aspects of integrity, see p. 50-51 of the HRE.

Step C: Character Defining Features

The character-defining features of the subject property include the following:

Site

- Boundary encompassing the entire 240-foot-wide by 400-foot-long block and enclosed mostly by wood fencing
- Topography that slopes gently from the northwest to southeast corner
- Spatial organization of greenhouses oriented along a central north-south axis and filling the majority of the site, ancillary buildings clustered at the southern end, and small open spaces at the northwest corner and the southern end
- Axial circulation through the site via a 9-foot wide pathway extending north-south through the center of the site
- Surviving rose plants within the greenhouses

Greenhouses

- · Rectangular plans with short gabled ends facing Bowdoin and Hamilton streets
- Location in two parallel rows with the majority abutting each other
- One-story height
- Asymmetrical gable roofs
- Wood structural system with wood studs, rafters, and mullions
- Perimeter concrete foundation
- Horizontal wood cladding along the base
- Sliding wood doors, some with concrete steps
- Louver panels with associated chains and sprockets
- Wood box gutters and metal downspouts
- Narrow concrete walkways adjacent to the exterior facades

Boiler House

- Rectangular plan, one-story height, wood frame building
- Asymmetrical gable roof with no overhand and rolled roofing
- Horizontal wood v-groove cladding
- Openings including hinged door on east façade, five-light wood-sash clerestory window on south façade, and wood louvered panels at gable ends
- Tall metal smoke stack

Garage/Storage Building

- Rectangular plan, one-story height, wood-frame
- Shallow gable roof with wide eave overhangs
- Horizontal wood v-groove siding
- Garage doors on north and south facades
- Multi-light, steel sash windows on north and south facades

Mixing Shed

- Rectangular plan, one-story height, wood-frame building
- Shed roof
- Vertical wood v-groove siding
- Hinged door on north façade
- Associated piping connecting to water storage and pressure tanks

Infrastructure

• All extant water and small-scale features (secondary), including two hand-dug wells; water storage tank; water pressure tank; pesticide mixing tank; the system of piping, both above and belowground, to convey water, steam, and pesticides to the greenhouses; and the water drainage channel extending along the central pathway and terminating at the garage/storage building

CEQA HISTORIC RESOURCE DETERMINATION:

- Individually-eligible Historical Resource Present
- Contributor to an eligible Historical District / Contextual Resource Present
- Non-contributor to an eligible Historic District / Context / Cultural District
- □ No Historical Resource Present

NEXT STEPS:

- HRER Part II Review Required
- Categorically Exempt, consult:
 - □ Historic Design Review
 - Design Advisory Team
 - Current Planner

PART I: PRINCIPAL PRESERVATION PLANNER REVIEW

	Allison K.	Vanderslice	Digitally signed by Allison K. Vanderslice
Signature:		ſ	Dute: 2020.03.04 10.00.20 07 00

Date:

Allison Vanderslice, Principal Preservation Planner CEQA Cultural Resources Team Manager, Environmental Planning Division

CC: Kimberly Durandet, Senior Current Planner Alana Callagy, Senior Environmental Planner

Historic Resource Evaluation Response, Part I

Record No. 2017-012086ENV 770 WOOLSEY ST



Figure 1: Aerial view of 770 Woolsey showing key structures and buildings on site (image courtesy of HRE Part 1, p. 5)



Figure 2: View west of the northwest corner of Woolsey and Hamilton streets. (image courtesy of google maps)



Figure 3: View southeast of northwest corner of site at the intersection of Wayland and Bowdoin streets (SF Planning Department)



Figure 4: View west of the south elevation of greenhouse #11 (SF Planning Department)



Figure 5: Interior view of greenhouses (SF Planning Department)



Figure 6: Although the site has been vacant since the 1990s roses continue to grow in some areas (SF Planning Department)

C2 Historic Resource Evaluation Response Part II





PART II HISTORIC RESOURCE EVALUATION RESPONSE

Record No.:	2017-012086ENV
Project Address:	770 Woolsey
Zoning:	RH-1 RESIDENTIAL – House, ONE FAMILY Zoning District
	40-X Height and Bulk District
Block/Lot:	6055/001
Staff Contact:	Justin Greving, Senior Preservation Planner – (628) 652 – 7553
	<u>Justin.greving@sfgov.org</u>

PART I: Historic Resource Summary

As stated in the Historic Resource Evaluation Response Part 1 dated May 4, 2020 (HRER Part 1), the subject property at 770 Woolsey, University Mound Nursery, is individually eligible for listing in the California Register of Historical Resources (CRHR) under Criterion 1 as a significant cultural landscape associated with the agricultural settlement of the Portola neighborhood by the Italian American community in the early twentieth century. 770 Woolsey is also eligible under Criterion 3 as a rare vernacular cultural landscape of San Francisco. As a small-scale family-operated nursery 770 Woolsey represents an extremely rare property type for San Francisco and even the Bay Area. The period of significance spans from 1921-1990 and encompasses the time from when the Garibaldi family purchased the subject property and began operation of the University Mound Nursery, up until 1990 with the death of Steve Garibaldi, as the nursery operation closed shortly thereafter and remained vacant. The site as it exists today remains largely unaltered since the Garibaldi family stopped cultivating roses there in 1990 and while a number of greenhouses may have collapsed and the buildings may be in poor condition, the site itself still retains a high degree of integrity.

Character-defining features of the subject property include the following:

<u>Site</u>

- Boundary encompassing the entire 240-foot-wide by 400-foot-long block and enclosed mostly by wood fencing
- Topography that slopes gently from the northwest to southeast corner
- Spatial organization of greenhouses oriented along a central north-south axis and filling the majority of the site, ancillary buildings clustered at the southern end, and small open spaces at the northwest corner and the southern end
- Axial circulation through the site via a 9-foot wide pathway extending north-south through the center of the site
- Surviving rose plants within the greenhouses

<u>Greenhouses</u>

- Rectangular plans with short gabled ends facing Bowdoin and Hamilton streets
- Location in two parallel rows with the majority abutting each other
- One-story height

- Asymmetrical gable roofs
- Wood structural system with wood studs, rafters, and mullions
- Perimeter concrete foundation
- Horizontal wood cladding along the base
- Sliding wood doors, some with concrete steps
- Louver panels with associated chains and sprockets
- Wood box gutters and metal downspouts
- Narrow concrete walkways adjacent to the exterior facades

Boiler House

- Rectangular plan, one-story height, wood frame building
- Asymmetrical gable roof with no overhand and rolled roofing
- Horizontal wood v-groove cladding
- Openings including hinged door on east façade, five-light wood-sash clerestory window on south façade, and wood louvered panels at gable ends
- Tall metal smoke stack

Garage/Storage Building

- Rectangular plan, one-story height, wood-frame
- Shallow gable roof with wide eave overhangs
- Horizontal wood v-groove siding
- Garage doors on north and south facades
- Multi-light, steel sash windows on north and south facades

Mixing Shed

- Rectangular plan, one-story height, wood-frame building
- Shed roof
- Vertical wood v-groove siding
- Hinged door on north façade
- Associated piping connecting to water storage and pressure tanks

<u>Infrastructure</u>

• All extant water and small-scale features (secondary), including two hand-dug wells; water storage tank; water pressure tank; pesticide mixing tank; the system of piping, both above and belowground, to convey water, steam, and pesticides to the greenhouses; and the water drainage channel extending along the central pathway and terminating at the garage/storage building

PART II: Project Determination:

Based on the Historic Resource Evaluation in Part I and the assessment below, the project's scope of work:

- ☑ <u>Will</u> cause a significant impact to the <u>individual historic resource</u> as proposed.
- □ <u>Will</u> cause a significant impact to a <u>historic district / context</u> as proposed.
- □ <u>Will not</u> cause a significant impact to the <u>individual historic resource</u> as proposed.
- □ <u>Will not</u> cause a significant impact to a <u>historic district / context</u> as proposed.



PART II: Project Evaluation

Proposed Project:		Per Drawings Dated:	
☑ Demolition / New Construction	□ Alteration	10/27/2020	

PROJECT DESCRIPTION

The proposed project includes demolition of almost all existing structures on the site (including the perimeter wood fence), and the construction of 62 dwelling units comprised of 31 duplexes. The project will also include 62 parking spaces. The southeast corner of the site is to be used as an open space that will retain or rebuild some character-defining features of the site including the boiler house and greenhouses 1 and 2.

PROJECT EVALUATION

The proposed project's conformance with the Secretary of the Interior's Standards:					
Standard 1 – Minimal Change: Standard 2 – Maintain Character: Standard 3 – Avoid Conjecture: Standard 4 – Acquired Significance: Standard 5 – Building Techniques:	 Yes ⋈ No □ N/A 	Standard 6 – Repairment: Standard 7 – Treatments: Standard 8 – Archeology: Standard 9 – Compatibility: Standard 10 – Reversibility:	□ Yes ⊠ No □ N/A □ Yes ⊠ No □ N/A		

PROJECT IMPACT ANALYSIS

While the majority of the character-defining site features on the site will be removed as part of the proposed project, there are a few that will be retained. The topography that slopes gently from the northwest to the southeast corner will not be removed as part of the proposed project. Additionally, the axial circulation pattern through the site will be partially maintained through the location of the duplexes around a landscaped center portion of the site, although this landscaped portion will not be the same width of the existing axial circulation, nor is it the same length. Additionally, there is an intention to protect the existing rose plants on the site so that they could be replanted or incorporated within the landscape plan in some way. However, all other character-defining site features will be removed as part of the proposed project.

Most of the structures on the site are proposed to be demolished, including greenhouses 3-18, the garage/storage building, and the mixing shed. Greenhouses 1 and 2 and the boiler house are proposed to be retained or reconstructed with the same dimensions and in their same locations.

The boundary of the site that is enclosed mostly by wood fencing will be removed, as will the spatial organization of greenhouses oriented along a central north-south axis and ancillary buildings clustered at the southern end. While the open space at the southeastern end of the site will be retained and used as a park, the open space at the southwestern corner will be developed.

All of the character-defining infrastructure is also proposed to be removed, including the two-hand dug wells, water storage tank, water pressure tank, pesticide mixing tank, the system of piping (above and below ground), and the water drainage channel along the central pathway.



Despite the retention of some character-defining site features, the majority of the character-defining site features, buildings, and infrastructure will be removed as part of the proposed project. While some features related to the site's agricultural history will remain, the extensive removal of most character-defining features combined with the development of 62 units of housing across the site is such that 770 Woolsey will no longer be able to convey its historical significance as a cultural landscape associated with the agricultural settlement of the Portola neighborhood and as a rare vernacular cultural landscape in the form of a family-operated nursery. The extensive demolition will remove historic materials, features, and spaces that characterize the property and would result in physical destruction, damage or alteration such that the significance of the individual historical resource would be materially impaired. As such, staff finds that the proposed project would result in a significant unavoidable impact to 770 Woolsey Street.

MITIGATION MEASURES

Because it is determined that the proposed project will cause a significant unavoidable impact to 770 Woolsey Street, the Department requires the following Mitigation Measures to reduce impacts to the historic resource. Although these measures may reduce impacts to historic resources through the documentation of the affected property and presentation of the findings to the community, they will not reduce the impact to a less-thansignificant-level. Only avoidance of substantial adverse changes would reduce impacts to less-than-significant levels. Although the following mitigation measures have been identified they may be amended and additional measures may be required as the project develops.

Mitigation Measure 1: Documentation of Historical Resource(s)

Mitigation Measure 2: Interpretive Program

Mitigation Measure 3: Salvage Plan

Mitigation Measure 4: Retention of Roses

The project sponsor will protect the existing roses that are currently growing on the site and will relocate them off site prior to any demolition. The roses will be incorporated into the landscape plan as well as the interpretation plan.

CONCLUSION

Although these mitigation measures may reduce impacts to historic resources through the documentation of the affected property and presentation of the findings to the community, they will not reduce the impact to a less-than-significant-level. Only avoidance of substantial adverse changes would reduce impacts to less-than-significant levels. Therefore, the impact to the identified historic resource at 770 Woolsey will be significant and unavoidable.

PART II: Approval

Signature:

|--|

Allison Vanderslice, *Principal Preservation Planner* CEQA Cultural Resources Team Manager, Environmental Planning Division

CC: Alana Callagy, Senior Environmental Planner, Environmental Planning Division Kimberly Durandet, Senior Current Planner, Current Planning Division



C3 Preservation Alternatives Memorandum

PRESERVATION ALTERNATIVES ANALYSIS

770 Woolsey Street San Francisco, California

San Francisco Planning Department | December 2020

Architecture Planning Conservation





Architectural Resources Group



Preservation Alternatives Analysis 770 Woolsey Street San Francisco, California

December 2020

TABLE OF CONTENTS

1.	Introduction	. 1
	Methodology	.2
2.	Summary of Significance	. 5
	Statement of Significance	.5
	Period of Significance	.6
	Character-defining Features	.6
3.	Project Description	.7
4.	Full Preservation Alternative	. 8
	Description of the Alternative	.8
	Analysis for Conformance with the Standards for Rehabilitation	.9
	Impact Analysis under CEQA	12
5.	Partial Preservation Alternative	13
	Description of Alternative	13
	Analysis for Conformance with the Standards for Rehabilitation	14
	Impact Analysis under CEQA	16
6.	Preservation Alternatives Considered but Rejected	٢7
7.	Conclusion	18
8.	Bibliography	19

Appendix

Preservation Alternatives Graphics Package

1. INTRODUCTION

At the request of the San Francisco Planning Department and the project sponsor L37 Partners, Architectural Resources Group (ARG) has prepared this Preservation Alternatives Analysis for the proposed project at 770 Woolsey Street (Block 6055, Lot 001) in San Francisco. The subject property encompasses the entire block bounded by Wayland Street to the north, Hamilton Street to the east, Woolsey Street to the south, and Bowdoin Street to the west in the Portola neighborhood. The property contains greenhouses and other infrastructure that were operated as the University Mound Nursery by the Garibaldi family for seven decades (Figure 1). Founded in 1921, the Garibaldi family operated this successful small-scale nursery, growing a variety of flowers for the thriving cut flower market in San Francisco until the early 1990s. Over time, other cut flower nurseries in the Portola neighborhood were demolished, leaving the University Mound Nursery as the sole example of this property type that characterized the neighborhood landscape for nearly a century.



Figure 1. Site map of 770 Woolsey Street with construction dates for extant and demolished features (Pictometry, amended by author)

In March 2019, ARG prepared an Historic Resource Evaluation (HRE) Part 1 report for 770 Woolsey Street and found that the property qualifies for listing in the California Register of Historical Resources (California Register) under Criteria 1 and 3 as a significant cultural landscape comprised of an early twentieth century nursery established by Italian immigrants in the Portola neighborhood. Despite remaining vacant for the past three decades, it retains a high level of integrity.¹ In May 2020, the San Francisco Planning Department issued an Historic Resource Evaluation Response (HRER) Part I memo, concurring with the statement of significance, eligibility for listing in the California Register under Criteria 1 and 3, and identification of character-defining features presented in the March 2019 HRE Part 1 report.² As such, the property is an individual historical resource for the purposes of environmental review under the California Environmental Quality Act (CEQA).

The proposed project includes the demolition of almost all existing structures on the site (including the perimeter wood fence) and the construction of 62 dwelling units comprised of 31 duplexes. The project will also include 62 parking spaces. The southeast corner of the site will be used as open space that will retain or rebuild some character-defining features of the site, including Greenhouses #1 and #2 and the boiler house. In November 2020, the San Francisco Planning Department issued an HRER Part II memo (Project Evaluation) that concludes that the proposed project does not comply with the Secretary of the Interior's Standards for Rehabilitation and therefore constitutes a significant impact to the historical resource under CEQA. The memo also includes a revised list of character-defining features.³

This report analyzes two preservation alternatives to the proposed project to be included in the 770 Woolsey Street Environmental Impact Report (EIR): the Full Preservation Alternative and the Partial Preservation Alternative. Alternatives to a proposed project are developed to consider alternate schemes that would avoid or lessen significant project impacts resulting from demolition, additions, and related new construction.⁴ This report provides a description for both alternatives and an evaluation of impacts associated with each alternative. It also discusses the alternatives considered but rejected. Graphics illustrating the proposed project and preservation alternatives are appended.

Methodology

The preservation alternatives presented in this report were developed with input from ARG, project sponsor L37 Partners, and project architects IwamotoScott Architecture. Development of the alternatives has also been completed under the direction of the San Francisco Planning Department. This analysis focuses on the treatment of the existing historical resource at 770 Woolsey Street, proposed alterations and new construction under the Full Preservation and Partial Preservation Alternatives, as well as the impacts of these changes on the character-defining features of the resource

¹ Architectural Resources Group, "770 Woolsey Street, San Francisco, California, Historic Resource Evaluation," prepared for 140 Partners LP, March 2019.

² San Francisco Planning Department, "Historic Resource Evaluation Response, Part I: Historic Resource Evaluation, 770 Woolsey Street, Record No. 2017-012086ENV," May 4, 2020.

³ San Francisco Planning Department, "Historic Resource Evaluation Response, Part II: Project Evaluation, 770 Woolsey Street, Record No. 2017-012086ENV," November 9, 2020, and summary of the project description provided by the project sponsor.

⁴ This preservation alternatives analysis complies with San Francisco Historic Preservation Commission "Resolution No. 0746, Adoption of a Policy Statement to Clarify Historic Preservation Commission Expectations for the Development and Evaluation of Preservation Alternatives in Environmental Impact Reports for the Purposes of the California Environmental Quality Act," adopted on March 18, 2015.
delineated in Section 2. The Full Preservation and Partial Preservation Alternatives are evaluated for conformance with the Secretary of the Interior's Standards for Rehabilitation.

California Environmental Quality Act

This analysis examines the character-defining features that would be affected by each proposed alternative, and then determines whether the alternative would cause a significant impact to the historical resource per CEQA. To evaluate potential impacts of each alternative, this memorandum draws primarily on CEQA Guidelines Section 15064.5, "Determining the Significance of Impacts to Archaeological and Historical Resources." Relevant sections are presented below:

(b) A project with an effect that may cause a substantial adverse change in the significance of an historical resource is a project that may have a significant effect on the environment.

(1) Substantial adverse change in the significance of an historical resource means physical demolition, destruction, relocation, or alteration of the resource or its immediate surroundings such that the significance of an historical resource would be materially impaired.

(2) The significance of an historical resource is materially impaired when a project:

(C) Demolishes or materially alters in an adverse manner those physical characteristics of a historical resource that convey its historical significance and that justify its eligibility for inclusion in the California Register of Historical Resources as determined by a lead agency for purposes of CEQA.

(3) Generally, a project that follows the Secretary of the Interior's Standards for the Treatment of Historic Properties with Guidelines for Preserving, Rehabilitating, Restoring, and Reconstructing Historic Buildings or the Secretary of the Interior's Standards for Rehabilitation and Guidelines for Rehabilitating Historic Buildings (1995, revised 2017), Weeks and Grimmer, shall be considered as mitigated to a level of less than a significant impact on the historical resource.⁵

Secretary of the Interior's Standards

The Secretary of the Interior's Standards (Standards) are a series of concepts developed by the U.S. Department of the Interior to assist in the continued preservation of a property's historical significance through the preservation of character-defining materials and features. They are intended to guide the appropriate maintenance, repair, and replacement of historic materials and to direct the design of compatible new additions or alterations to historic buildings. The Standards are used by federal, state, and local agencies to review both federal and nonfederal rehabilitation proposals.

⁵ California Environmental Quality Act (CEQA) Guidelines, California Code of Regulations, Title 14, Division 6, Chapter 3, Article 5, Preliminary Review of Projects and Conduct of Initial Study (Sections 15060-15065), accessed August 28, 2020, <u>https://casetext.com/regulation/california-code-of-regulations/title-14-natural-</u> <u>resources/division-6-resources-agency/chapter-3-guidelines-for-implementation-of-the-california-environmental-</u> <u>guality-act/article-5-preliminary-review-of-projects-and-conduct-of-initial-study</u>.

In California, properties listed in, or formally determined eligible for listing in, the California Register or a local historic register qualify as historical resources under CEQA and must be considered in the environmental review process. (Resources formally determined eligible for, or listed in, the National Register of Historic Places are automatically listed in the California Register.) In general, a project involving a historical resource that has been determined to comply with the Secretary of the Interior's Standards can be considered a project that will not cause a significant impact on the historical resource per CEQA.

The Standards offer four approaches to the treatment of historic properties—preservation, rehabilitation, restoration, and reconstruction. The Standards for Rehabilitation (codified in 36 CFR 67 for use in the Federal Historic Preservation Tax Incentives program) address the most prevalent treatment. Rehabilitation is defined as "the process of returning a property to a state of utility, through repair or alteration, which makes possible an efficient contemporary use while preserving those portions and features of the property which are significant to its historic, architectural, and cultural values."⁶ The ten Standards for Rehabilitation are:

- 1) A property shall be used for its historic purpose or be placed in a new use that requires minimal change to the defining characteristics of the building and its site and environment.
- 2) The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.
- 3) Each property shall be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjectural features or architectural elements from other buildings, shall not be undertaken.
- 4) Most properties change over time; those changes that have acquired historic significance in their own right shall be retained and preserved.
- 5) Distinctive features, finishes, and construction techniques or examples of craftsmanship that characterize a historic property shall be preserved.
- 6) Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, physical, or pictorial evidence.
- 7) Chemical or physical treatments, such as sandblasting, that cause damage to historic materials shall not be used. The surface cleaning of structures, if appropriate, shall be undertaken using the gentlest means possible.
- 8) Significant archeological resources affected by a project shall be protected and preserved. If such resources must be disturbed, mitigation measures shall be undertaken.

⁶ National Park Service, Technical Preservation Services, "Standards for Rehabilitation," *The Secretary of the Interior's Standards*, accessed January 31, 2020, <u>https://www.nps.gov/tps/standards/four-treatments/treatment-rehabilitation.htm</u>.

- 9) New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.
- 10) New additions and adjacent or related new construction shall be undertaken in such a manner that if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

2. SUMMARY OF SIGNIFICANCE

The following statement of significance and description of the period of significance for 770 Woolsey Street have been excerpted from the March 2019 HRE Part 1 report. The revised list of characterdefining features has been excerpted from the November 2020 HRER Part II memo.

Statement of Significance

The University Mound Nursery at 770 Woolsey Street is eligible for listing in the California Register under Criterion 1 as a significant cultural landscape associated with the agricultural settlement of the Portola neighborhood by the Italian American community in the early twentieth century. In addition to dairies and vegetable and duck farms, Portola became home to upward of twenty small-scale, family-run nurseries established by Italian immigrants. By operating efficiently within one to two city blocks, employing family members, and living on site, Italian flower growers in the Portola earned a profit and in turn, sustained San Francisco's thriving cut flower market in conjunction with Japanese and Chinese growers. The five Garibaldi brothers, who had emigrated from Genoa, Italy, in the preceding decades, founded the University Mound Nursery shortly after purchasing two adjacent blocks in the Portola neighborhood in 1921. The family operated the nursery for nearly seventy years, thereby contributing both to the neighborhood's and San Francisco's floriculture industry.

Additionally, the subject property is eligible for the California Register under Criterion 3 as a rare vernacular cultural landscape in San Francisco. The city's early twentieth century nurseries were efficiently laid out with fields of flowers, rows of greenhouses accessed by narrow walkways, ancillary buildings clustered together, and single-family homes located at the margin. Although only the western portion of the nursery survives, it retains the compact spatial layout, orderly rows of greenhouses serrated with gable roofs, hand-dug wells, and small-scale buildings, including the original boiler house with its distinctive smokestack. The small-scale, family-operated commercial nursery is an extremely rare property type, both in the city and the San Francisco Bay Area, with the majority of the nurseries demolished and redeveloped for other uses.

The property was found ineligible for listing in the California Register under Criterion 2. The five founding Garibaldi brothers, followed by the second generation, Steve and Andrew Garibaldi, operated a successful, family-owned nursery, growing roses and other plants for the cut flower market in San Francisco and beyond. Although they operated a successful business in San Francisco, the Garibaldi family members are not known to have made broader contributions to the cut flower industry or to the Italian American community in San Francisco. Rather their contributions to the industry and settlement of the Portola neighborhood are best reflected under Criterion 1. Therefore, the subject property does not appear to meet the threshold for listing in the California Register under this criterion.

Period of Significance

The period of significance spans from 1921 when the Garibaldi brothers purchased the property to 1990 when the third generation flower-grower Steve Garibaldi unexpectedly passed away, and the business closed shortly thereafter. Despite the vacancy of the subject property since the early 1990s, the former University Mound Nursery at 770 Woolsey Street retains a high level of integrity. The majority of the greenhouses; the boiler house and other support buildings; surviving rose plants; unpaved surface; and layout and circulation pattern of the site remain intact.

Character-defining Features

A character-defining feature is an aspect of a building or structure's design, construction, or detail that is representative of its function, type, or architectural style. Generally, character-defining features include specific building systems, architectural ornament, construction details, massing, materials, craftsmanship, site characteristics, and landscaping built or installed within the period of significance. In order for an important historic property to retain its significance, its character-defining features must be retained to the greatest extent possible.

Character-defining features of 770 Woolsey Street include those pertaining to the overall site as well as individual buildings and structures:

Site
Boundary encompassing the entire 240-foot-wide by 400-foot-long block and enclosed mostly
by wood fencing
Topography that slopes gently from the northwest to southeast corner
Spatial organization of greenhouses oriented along a central north-south axis and filling the
majority of the site, ancillary buildings clustered at the southern end, and small open spaces
at the northwest corner and southern end
Axial circulation through the site via a nine-foot-wide pathway extending north-south through
the center of the site
Surviving rose plants within the greenhouses
Greenhouses
Rectangular plans with the short gabled ends facing Bowdoin and Hamilton streets
Location in two parallel rows with the majority abutting each other
One-story height
Asymmetrical gable roofs
Wood structural system with wood studs, rafters, and mullions
Perimeter concrete foundation
Horizontal wood cladding along the base
Sliding wood doors, some with concrete steps
Louver panels with associated chains and sprockets
Wood box gutters and metal downspouts
Narrow concrete walkways adjacent to the exterior façades
Boiler House
Rectangular plan, one-story height, wood frame
Asymmetrical gable roof with no overhang and rolled roofing
Horizontal wood v-groove cladding

Openings, including hinged door on the east façade, five-light wood-sash clerestory window
on the south façade, and wood louvered panels at the gable ends
Tall metal smoke stack
Garage/Storage Building
Rectangular plan, one-story height, wood frame
Shallow gable roof with wide eave overhang
Horizontal wood v-groove siding
Garage doors on the north and south façades
Multi-light, steel sash windows on the north and south façades
Mixing Shed
Rectangular plan, one-story height, wood frame
Shed roof
Vertical wood v-groove cladding
Hinged door on the north façade
Associated piping connecting to water storage and pressure tanks
Infrastructure
All extant water and small-scale features (secondary), including two hand-dug wells; water
storage tank; water pressure tank; pesticide mixing tank; the system of piping, both above
and belowground, to convey water, steam, and pesticides to the greenhouses; and the water
drainage channel extending along the central pathway and terminating at the garage/storage

building

3. PROJECT DESCRIPTION

Project Sponsor's Objectives

The project sponsor would like to achieve the following objectives by undertaking the proposed project:

- Develop a mixed-income residential development consistent with and maximize housing density pursuant to the Planning Code within project site constraints and incorporating on-site affordable units.
- Replace an abandoned commercial cut-flower lot with residential uses and design consistent with the surrounding Portola neighborhood without displacement.
- Contribute to the city's goal as designated in the General Plan of maximizing housing potential in keeping with the character of the Portola District neighborhood.
- Provide public open space and replicate some site conditions to preserve elements of the historical uses.
- Provide adequate light and air to all housing units in the new development.
- Develop a project that is financially feasible and able to support the equity and debt returns as required by investors and lenders without public subsidy.

Project Sponsor's Description

The following project description was provided by the project sponsor:

- The majority of the existing greenhouses and associated buildings and structures would be demolished, and the site would be developed with 62 duplex units and public and private open space. The project would result in approximately 124,900 square feet of residential area consisting of three-story attached duplexes.
- The design of the new residential architecture would reference the existing asymmetrical gable rooflines of the greenhouses and the rhythm of existing neighborhood homes' rectangular fenestration.
- Private open space landscaping would consist of a central spine similar to the existing central pathway between the existing greenhouses.
- Approximately 16,320 square feet of public open space would be developed at the corner of Woolsey and Hamilton streets (southeast corner of the site). Greenhouses #1 and #2 and the boiler house would be rebuilt in the original size and location.
- Surviving rose plants would be replanted throughout the site.

4. FULL PRESERVATION ALTERNATIVE

Description of the Alternative

The following description summarizes the Full Preservation Alternative. The graphic package detailing this alternative is appended to this document.

- Twenty-four housing units featuring the same architecture and massing as the proposed project would be developed on the west side of the lot fronting Bowdoin and Wayland streets. The new housing would be bordered by Greenhouse #11 to the south and the central pathway to the east.
- The duplexes facing Bowdoin Street would be arranged in tandem (with a front and rear unit) in parallel rows complementing the existing orientation and arrangement of the greenhouses. The new duplexes fronting Wayland Street would form a slightly taller, denser massing than those fronting Bowdoin Street.
- Greenhouses #12, #13, #14 and #18 and remnants of Greenhouses #15-17 would be demolished, because they are located within the footprint of the new housing.
- Approximately 1.45 acres open space with existing greenhouses (Greenhouses #1-10 and #11) and other contributing buildings, structures, and small-scale features (including the boiler house, garage/storage building, pesticide mixing tank, water pressure tank, water storage tank, pesticide mixing tank, and two hand-dug wells) would be rehabilitated following the Secretary of the Interior's Standards.
- The portion of the property that would be retained, including the greenhouses, would be given a compatible new use, such as community garden space.

• Surviving rose plants would be replanted within the site.

The Full Preservation Alternative would retain the majority of the character-defining features of the site, including the majority of the greenhouses, central pathway, and the ancillary buildings, structures, and small-scale features at the south end of the property. The character-defining features specific to the greenhouses and individual buildings and structures would be retained in the surviving buildings and structures.

Character-defining Feature	Retained	Partially Retained	Not Retained
Boundary encompassing the entire block	Х		
Topography that slopes from the	V		
northwest to southeast corner	^		
Spatial organization of greenhouses,	v		
ancillary buildings, and open spaces	^		
Axial circulation through the site via a	V		
nine-foot-wide pathway	^		
Surviving rose plants	Х		

Analysis for Conformance with the Standards for Rehabilitation

The following section evaluates the Full Preservation Alternative for conformance with the Secretary of the Interior's Standards for Rehabilitation.

Standard 1. A property shall be used for its historic purpose or be placed in a new use that requires minimal change to the defining characteristics of the building and its site and environment.

The portion of the property that would be retained would be given a compatible new use, such as community garden space. The horticultural use of the site would not require modifications to the character-defining features beyond rehabilitating the existing buildings, structures, and small-scale features within the boundary of the proposed public open space. The majority of the character-defining features, including Greenhouses #1-11 and the supporting infrastructure, including water and pesticide storage and conveyance, would remain. Site circulation, including the central pathway and the open space at the south end of the property, would be retained. The retention of the full row of greenhouses along Hamilton Street would convey the overall scale of the site and the massing and distinctive repetition of the gable roofs of the structures. The new housing would be developed in the northwest quadrant of the site, within a rectangular footprint that conforms to the existing footprint of the greenhouses. The greenhouses proposed for demolition include three that have already collapsed (#15-17). As such, the proposed location of new construction maximizes the retention of intact character-defining features. Although the Full Preservation Alternative would physically alter the site and result in the demolition of some contributing greenhouses, the overall historic character of the site would remain. It would be evident that the entire block had functioned as a nursery.

The Full Preservation Alternative as proposed would be in conformance with this Standard.

Standard 2. The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.

See the discussion under Standard 1. The proposed project would retain the majority of the characterdefining features. The majority of the historic greenhouses and all of the supporting structures and small-scale features, surviving rose plants, and the overall plan and circulation would remain. Although a row of greenhouses (#12-18) would be demolished, this area has been compromised through the collapse of three greenhouses (Greenhouses #15-17) following the site's closure in the early 1990s. The historic character of the site would be retained despite the removal of some contributing greenhouses.

The Full Preservation Alternative as proposed would be in conformance with this Standard.

Standard 3. Each property shall be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjectural features or architectural elements from other buildings, shall not be undertaken.

Conjectural features or other elements that would create a false sense of historical development are not proposed under this alternative. No new construction would occur outside of the footprint of the proposed new housing. No greenhouse infrastructure from other nurseries would be relocated to this property. Although the design has not been finalized, the new housing would appear contemporary and distinct from the historic nursery (as described below under Standard 9), such that it would be clear that it was not constructed by or associated with the Garibaldi family's development and use of the site.

The Full Preservation Alternative as proposed would be in conformance with this Standard.

Standard 4. Most properties change over time; those changes that have acquired historic significance in their own right shall be retained and preserved.

The broad period of significance (1921-1990) encompasses all of the extant character-defining features. No new construction or alterations (beyond the physical deterioration of select buildings and structures) have occurred since the Garibaldi family closed the nursery in the early 1990s. As such, the property does not contain changes that have acquired significance in their own right.

The Full Preservation Alternative as proposed would be in conformance with this Standard.

Standard 5. Distinctive features, finishes, and construction techniques or examples of craftsmanship that characterize a historic property shall be preserved.

See the discussion under Standards 1 and 2. This alternative would retain the majority of the greenhouses and all of the other extant buildings, structures, and small-scale features. These character-defining features would be rehabilitated following the Secretary of the Interior's Standards. Thus, the construction material, features, and distinctive construction and craftsmanship for the majority of the site (including the character-defining features of individual buildings and structures listed above in Section 2) would be retained.

The Full Preservation Alternative as proposed would be in conformance with this Standard.

Standard 6. Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, physical, or pictorial evidence.

Although a condition assessment has not been completed to understand the current condition and treatment recommendations, the character-defining features to be retained would be repaired when feasible. Features that are severely deteriorated (such as sections of the wood framing of Greenhouse #1) would be replaced using the same design, color, texture, and material of the original structures.

The Full Preservation Alternative as proposed would be in conformance with this Standard.

Standard 7. Chemical or physical treatments, such as sandblasting, that cause damage to historic materials shall not be used. The surface cleaning of structures, if appropriate, shall be undertaken using the gentlest means possible.

Although cleaning treatments, both chemical and physical, have not been determined, they would follow the Secretary of the Interior's Standards and would be undertaken using the gentlest means possible.

The Full Preservation Alternative as proposed would be in conformance with this Standard.

Standard 8. Significant archeological resources affected by a project shall be protected and preserved. If such resources must be disturbed, mitigation measures shall be undertaken.

The San Francisco Planning Department's procedures for the treatment of archaeological resources would be implemented should these resources be encountered during construction of the Full Preservation Alternative.

The Full Preservation Alternative as proposed would be in conformance with this Standard.

Standard 9. New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.

See the discussion above under Standards 1 and 2. No additions or exterior alterations the building, structures, and small-scale features to be retained are proposed. The new housing is located within a discrete footprint at the northeast quadrant of the site; this location would minimize the number of greenhouses to be demolished. Thus, the majority of the character-defining features would remain. Although the design has not been finalized, the new housing would complement the greenhouses by echoing the asymmetrical gable roofs while featuring a contemporary design. This would achieve a compatible design that does not explicitly replicate original building fabric.

The Full Preservation Alternative as proposed would be in conformance with this Standard.

Standard 10. New additions and adjacent or related new construction shall be undertaken in such a manner that if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

Response: This alternative would result in the irreversible loss of some character-defining features of the site. However, the majority of the features would be rehabilitated and the essential form and integrity of the site would be retained. The new housing would be detached from the contributing buildings, structures, and small-scale features, and the removal of the duplex units would not impact the remaining character-defining features of the property.

The Full Preservation Alternative as proposed would be in conformance with this Standard.

Impact Analysis under CEQA

Based on the analysis presented above, the Full Preservation Alternative appears to be in conformance with the Secretary of the Interior's Standards for Rehabilitation. A substantial number of character-defining features of 770 Woolsey Street would be preserved and would convey the property's historic significance. Under CEQA, a project's impact will generally be considered mitigated below a level of significance and thus is not significant if it complies with the Standards.

The Full Preservation Alternative would meet the following project objectives:

Project Objective	Completely	Partially	Not at All
Develop a mixed-income residential			
development consistent with and			
maximize housing density pursuant to the		х	
Planning Code within project site		X	
constraints and incorporating on-site			
affordable units.			
Replace an abandoned commercial cut-			
flower lot with residential uses and design		x	
consistent with the surrounding Portola		Λ	
neighborhood without displacement.			
Contribute to the city's goal as designated			
in the General Plan of maximizing housing		v	
potential in keeping with the character of		~	
the Portola District neighborhood.			
Provide public open space and replicate			
some site conditions to preserve elements	Х		
of the historical uses.			
Provide adequate light and air to all	v		
housing units in the new development.	^		
Develop a project that is financially			
feasible and able to support the equity and			V
debt returns as required by investors and			Λ
lenders without public subsidy.			

5. PARTIAL PRESERVATION ALTERNATIVE

Description of Alternative

The following description summarizes the Partial Preservation Alternative. The graphic package detailing this alternative is appended to this document.

- Forty housing units of the same architecture and massing as the proposed project would be developed on the northern portion of the site, fronting Bowdoin, Wayland, and Hamilton streets. The new housing would be bordered by Greenhouses #3 and 13 to the south, and the central pathway would extend through the new construction.
- The duplexes facing Bowdoin and Hamilton streets would be arranged in tandem (with a front and rear unit) in parallel rows complementing the existing orientation and arrangement of the greenhouses. The new duplexes fronting Wayland Street would form a slightly taller, denser massing than those fronting Bowdoin Street.
- Greenhouses #4-10, #14, #18 and remnants of Greenhouses #15-17 would be demolished, because they are located within the footprint of the new housing.
- Approximately 0.9 acre of public open space with existing greenhouses and other contributing buildings, structures, and small-scale features (including Greenhouses #1-3 and #11-13 and the boiler house, garage/storage building, pesticide mixing tank, water pressure tank, water storage tank, pesticide mixing tank, and two hand-dug wells) would be rehabilitated following the Secretary of the Interior's Standards.
- The portion of the property that would be retained, including the greenhouses, would be given a compatible new use, such as community garden space.
- Surviving rose plants would be replanted throughout the site.

The Partial Preservation Alternative would retain the some of the character-defining features of the site, including the majority of the greenhouses, central pathway, and the ancillary buildings, structures, and small-scale features at the south end of the property. The character-defining features specific to the greenhouses and individual buildings and structures would be retained in the surviving buildings and structures. Under this preservation alternative, however, the majority of the greenhouses would be demolished.

Character-defining Feature	Retained	Partially Retained	Not Retained
Boundary encompassing the entire block	Х		
Topography that slopes from the	v		
northwest to southeast corner	^		
Spatial organization of greenhouses,		×	
ancillary buildings, and open spaces		^	
Axial circulation through the site via a	v		
nine-foot-wide pathway	^		
Surviving rose plants	Х		

Analysis for Conformance with the Standards for Rehabilitation

Standard 1. A property shall be used for its historic purpose or be placed in a new use that requires minimal change to the defining characteristics of the building and its site and environment.

Under the Partial Preservation Alternative, the portion of the property that would be retained would be given a compatible new use, such as community garden space. The horticultural use of the site would not require modifications to the character-defining features beyond rehabilitating the existing buildings, structures, and small-scale features within the proposed public open space. Site circulation, including the central pathway and the open space at the south end of the property, would be retained. However, the accommodation of a new residential use in the northern half of the site would require the demolition of the majority of the greenhouses (#4-10 and #14-18) and would result in a substantial change to the distinctive materials, features, and spatial relationships that characterize the site. In particular, the overall scale of the nursery operation and the massing and distinctive repetition of the gable roofs of the greenhouses would be diminished through the demolition of the majority of the greenhouses character of the site would be greatly compromised by the new housing development.

The Partial Preservation Alternative as proposed would not be in conformance with this Standard.

Standard 2. The historic character of a property shall be retained and preserved. The removal of historic materials or alteration of features and spaces that characterize a property shall be avoided.

See the discussion under Standard 1. The proposed alternative would result in the loss of a significant number of the contributing greenhouses, resulting in a loss of the scale, spatial relationship, and historic material of these structures and compromising the integrity of 770 Woolsey Street. While the southern portion of the site designated as public open space would retain character-defining features that convey the site's historic use as a nursery, the full use of the entire block as a commercial cut-flower operation would be irreversibly lost.

The Partial Preservation Alternative as proposed would not be in conformance with this Standard.

Standard 3. Each property shall be recognized as a physical record of its time, place, and use. Changes that create a false sense of historical development, such as adding conjectural features or architectural elements from other buildings, shall not be undertaken.

Conjectural features or other elements that would create a false sense of historical development are not proposed under this alternative. No new construction would occur outside of the footprint of the proposed new housing. No greenhouse infrastructure from other nurseries would be relocated to this property. Although the design has not been finalized, the new housing would appear contemporary and distinct from the historic nursery (as described below under Standard 9), such that it would be clear that it was not constructed by or associated with the Garibaldi family's development and use of the site.

The Partial Preservation Alternative as proposed would be in conformance with this Standard.

Standard 4. Most properties change over time; those changes that have acquired historic significance in their own right shall be retained and preserved.

The broad period of significance (1921-1990) encompasses all of the extant character-defining features. No new construction or alterations (beyond the physical deterioration of select buildings and structures) have occurred since the Garibaldi family closed the nursery in the early 1990s. As such, the property does not contain changes that have acquired significance in their own right.

The Partial Preservation Alternative as proposed would be in conformance with this Standard.

Standard 5. Distinctive features, finishes, and construction techniques or examples of craftsmanship that characterize a historic property shall be preserved.

See the discussion under Standards 1 and 2. This alternative would retain the character-defining features (including Greenhouses #1-3 and #11-13, the boiler house, garage/storage building, water and pesticide storage and conveyance systems, and other small-scale features) located in the southern portion of the property that would be converted to public open space. These buildings, structures, and small-scale features would be rehabilitated following the Secretary of the Interior's Standards. However, the majority of the greenhouses at 770 Woolsey Street would be demolished, resulting in a significant loss of the distinctive materials, features, finishes, and construction techniques and craftsmanship that characterize the property.

The Partial Preservation Alternative as proposed would not be in conformance with this Standard.

Standard 6. Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive feature, the new feature shall match the old in design, color, texture, and other visual qualities and, where possible, materials. Replacement of missing features shall be substantiated by documentary, physical, or pictorial evidence.

Although a condition assessment has not been completed to understand the current condition and treatment recommendations, the character-defining features to be retained would be repaired when feasible. Features that are severely deteriorated (such as sections of the wood framing of Greenhouse #1) would be replaced using the same design, color, texture, and material of the original.

The Partial Preservation Alternative as proposed would be in conformance with this Standard.

Standard 7. Chemical or physical treatments, such as sandblasting, that cause damage to historic materials shall not be used. The surface cleaning of structures, if appropriate, shall be undertaken using the gentlest means possible.

Although cleaning treatments, both chemical and physical, have not been determined, they would follow the Secretary of the Interior's Standards and would be undertaken using the gentlest means possible.

The Partial Preservation Alternative as proposed would be in conformance with this Standard.

Standard 8. Significant archeological resources affected by a project shall be protected and preserved. If such resources must be disturbed, mitigation measures shall be undertaken.

The San Francisco Planning Department's procedures for the treatment of archaeological resources would be implemented should these resources be encountered during construction of the Partial Preservation Alternative.

The Partial Preservation Alternative as proposed would be in conformance with this Standard.

Standard 9. New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.

Although the design has not been finalized, the new housing would complement the greenhouses by echoing the asymmetrical gable roofs while featuring a contemporary design. This would achieve a compatible design that does not explicitly replicate original building fabric. However, as described above under Standards 1 and 2, the Partial Preservation Alternative would result in the destruction of the historic materials, features, and spatial relationships of the majority of the greenhouses. These structures are the most visually distinctive within the property and were integral to the commercial operation and success of the nursery. The overall massing and scale of the property and the majority of the architectural features of the greenhouses would not be preserved.

The Partial Preservation Alternative as proposed would not be in conformance with this Standard.

Standard 10. New additions and adjacent or related new construction shall be undertaken in such a manner that if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

Response: The new housing would be detached from the contributing buildings, structures, and smallscale features, and the removal of the duplex units would not impact the remaining character-defining features of the property. However, this alternative would result in the irreversible loss of the majority of the greenhouses, which are among the most important character-defining features of the site. Thus, the essential form and integrity of 770 Woolsey Street would be significantly impaired.

The Partial Preservation Alternative as proposed would not be in conformance with this Standard.

Impact Analysis under CEQA

The Partial Preservation Alternative does not appear to be in conformance with the Secretary of the Interior's Standards for Rehabilitation and would result in a greater visual and physical impact on the character-defining features of 770 Woolsey Street than the Full Preservation Alternative. Thus, the Partial Preservation Alternative would materially impair the historical resource and would not result in a project with a less than significant impact under CEQA.

This alternative would meet the following project objectives:

Project Objective	Completely	Partially	Not at All
Develop a mixed-income residential development consistent with and maximize housing density pursuant to the Planning Code within project site constraints and incorporating on-site affordable units.		Х	
Replace an abandoned commercial cut- flower lot with residential uses and design consistent with the surrounding Portola neighborhood without displacement.		Х	
Contribute to the city's goal as designated in the General Plan of maximizing housing potential in keeping with the character of the Portola District neighborhood.		Х	
Provide public open space and replicate some site conditions to preserve elements of the historical uses.	Х		
Provide adequate light and air to all housing units in the new development.	Х		
Develop a project that is financially feasible and able to support the equity and debt returns as required by investors and lenders without public subsidy.			Х

6. PRESERVATION ALTERNATIVES CONSIDERED BUT REJECTED

Several preservation alternatives were considered but ultimately discarded, as described below. Graphics illustrating these alternatives are appended.

• The San Francisco Planning Department, project sponsor L37 Partners, project architects IwamotoScott Architecture, and ARG considered concentrating the new residential units at the northwest corner of the parcel (identified as "Full Preservation Alternative – Considered but Rejected" in the graphics package). The new housing would be located in a seven-story residential building over a partially subterranean basement. It would require the demolition of Greenhouses #12, #13, #14 and #18 and remnants of Greenhouses #15-17, because they would be in located within the footprint of the proposed residential building. The remaining greenhouses and other contributing buildings, structures, small-scale features, rose plants, and the central pathway would be retained. Although this alternative would result in a similar unit count as the proposed project, it was rejected, because the tall building is out-of-scale with the historic greenhouses. The height and bulky massing is not visually compatible with the historic property.

- The San Francisco Planning Department, project sponsor L37 Partners, project architects IwamotoScott Architecture, and ARG considered constructing three-story buildings containing 40 duplex units (identified as "Partial Preservation Alternative – Considered by Rejected 1" in the graphics package). The new buildings would face Bowdoin and Wayland streets north of Greenhouse #11 and face Hamilton Street between Greenhouses #3 and #9. Six greenhouses (Greenhouses #1-3, #9-11) and the other contributing buildings, structures, small-scale features, rose plants, and the central pathway would be retained. This alternative was rejected, because it physically and visually separates Greenhouses #9-10 at the northeast corner from the cluster of greenhouses and ancillary buildings at the south end of the site. This could make the greenhouses prone to demolition in the future.
- The San Francisco Planning Department, project sponsor L37 Partners, project architects IwamotoScott Architecture, and ARG considered constructing 40 duplex units along the northern and western sides of the property (identified as "Partial Preservation Alternative – Considered by Rejected 2" in the graphics package). Greenhouses #1-6 and #11, along with the other contributing buildings, structures, small-scale features, rose plants, and the central pathway would be retained. The retention of Greenhouses #1-6 facing Hamilton Street would convey the scale, density, and rhythm of these structures. This alternative was rejected, because it does not create a cohesive group of greenhouses that would more easily be maintained as a community garden in the southern portion of the site.

7. CONCLUSION

Originally founded in 1921 as the University Mound Nursery and continually operated as a cut-flower nursery by the Garibaldi family until it closed in the early 1990s, the property at 770 Woolsey Street is a significant cultural landscape comprising an early twentieth century nursery established by Italian immigrants in the Portola neighborhood. As such, it qualifies for listing in the California Register under Criteria 1 and 3 and retains a high level of integrity.

The proposed project at 770 Woolsey Street would remove most of the property's historic material and eliminate a significant number of historic features and spaces that characterize the historical resource. As such, it would not comply with the Secretary of the Interior's Standards for Rehabilitation and constitutes a significant impact to this historical resource.

Two alternatives have been developed to the proposed project: a Full Preservation Alternative and a Partial Preservation Alternative. This analysis finds that the Full Preservation Alternative would maintain the majority of the character-defining features of the historic nursery and therefore, would result in a less-than-significant impact on the historical resource at 770 Woolsey Street. The Partial Preservation Alternative would maintain the character-defining features of the existing historical resource in the southern section of the site, which would be converted to public open space. However, the proposed new construction in the northern section of the site would result in the demolition of the majority of the historic greenhouses. In contrast to the Proposed Project, the Partial Preservation Alternative would reduce impacts to the historical resource and meet several of the project objectives; however, it would not result in a project with a less than significant impact.

8. **BIBLIOGRAPHY**

- Architectural Resources Group. "770 Woolsey Street, San Francisco, California, Historic Resource Evaluation." Prepared for 140 Partners LP. March 2019.
- California Environmental Quality Act (CEQA) Guidelines, California Code of Regulations, Title 14, Division 6, Chapter 3, Article 5, Preliminary Review of Projects and Conduct of Initial Study (Sections 15060-15065). Accessed August 28, 2020, <u>https://casetext.com/regulation/california-code-ofregulations/title-14-natural-resources/division-6-resources-agency/chapter-3-guidelines-forimplementation-of-the-california-environmental-quality-act/article-5-preliminary-review-ofprojects-and-conduct-of-initial-study.</u>
- National Park Service, Technical Preservation Services. "Standards for Rehabilitation," *The Secretary of the Interior's Standards*. Accessed January 31, 2020. <u>https://www.nps.gov/tps/standards/four-treatments/treatment-rehabilitation.htm</u>.
- San Francisco Historic Preservation Commission. "Resolution No. 0746, Adoption of a Policy Statement to Clarify Historic Preservation Commission Expectations for the Development and Evaluation of Preservation Alternatives in Environmental Impact Reports for the Purposes of the California Environmental Quality Act." Adopted on March 18, 2015.
- San Francisco Planning Department. "Historic Resource Evaluation Response, Part 1: Historic Resource Evaluation, 770 Woolsey Street, Record No. 2017-012086ENV." May 4, 2020.
- _____. "Historic Resource Evaluation Response, Part II: Project Evaluation, 770 Woolsey Street, Record No. 2017-012086ENV." November 9, 2020.

Appendix Preservation Alternatives Graphics Package



770 WOOLSEY Site Plan Alternative

October 22, 2020 PROJECT DESCRIPTION EXISTING SITE CONDITION FULL PRESERVATION ALTERNATIVE PARTIAL PRESERVATION ALTERNATIVE GFA SUMMARY FULL PRESERVATION ALTERNATIVE - CONSIDERED BUT REJECTED PARTIAL PRESERVATION ALTERNATIVE - CONSIDERED BUT REJECTED 1 PARTIAL PRESERVATION ALTERNATIVE - CONSIDERED BUT REJECTED 2 GFA SUMMARY

Project Description

Email (5/21/2020) from Justin Greving (Senior Preservation Planner @ SF Planning) Enumerated by IwamotoScott for Coordination

cdfs from the HRER Part 1 for reference and they are as follows:

1. Site

- 1a. Boundary encompassing the entire 240-foot-wide by 400-foot-long block and enclosed mostly by wood fencing
- 1b. Topography that slopes gently from the northwest to southeast corner
- 1c. Spatial organization of greenhouses oriented along a central north-south axis and filling the majority of the site, ancillary buildings clustered at the southern end, and small open spaces at the northwest corner and the southern end
- 1d. Axial circulation through the site via a 9-foot wide pathway extending north-south through the center of the site
- 1e. Surviving rose plants within the greenhouses
- 2 Greenhouses
- 3. Boiler House
- 4. Garage/Storage Building
- 5. Mixing Shed
- 6. Infrastructure (All extant water and small-scale features (secondary), including two hand-dug wells; water storage tank; water pressure tank; pesticide mixing tank; the system of piping, both above and below ground, to convey water, steam, and pesticides to the greenhouses; and the water drainage channel extending along the central pathway and terminating at the garage/storage building)

Under the Full Preservation Alternative we would want to see the following cdfs retained:

1. Site

- 1a. Boundary encompassing the entire 240-foot-wide by 400-foot-long block and enclosed mostly by wood fencing (the boundary will be retained, possibly keep some of fencing in areas where the greenhouses are to be kept)
- 1b. Topography that slopes gently from the northwest to southeast corner (this will likely remain)
- 1c. Spatial organization of greenhouses oriented along a central north-south axis and filling the majority of the site. ancillary buildings clustered at the southern end, and small open spaces at the northwest corner and the southern end (this will generally be retained in some sense in areas where the greenhouses are to be kept. But we understand the NW corner will not be retained)
- 1d. Axial circulation through the site via a 9-foot wide pathway extending north-south through the center of the site (this should be kept
- 1e. Surviving rose plants within the greenhouses (these should be incorporated somehow but they can be moved)
- 2. Greenhouses (retain Greenhouses 2-10, probably also 1 and 11. Retention of 11 would allow for understanding the the greenhouses were stacked two deep on the site. Keep open space south of greenhouses 1 and 11 open). As Erica notes the team should be aware that #1 and #2 are in poor condition; #1 has largely collapsed but enough remains that it could be reconstructed. Another option is to salvage, rehabilitate, and shift some of the greenhouses south.
- 3. Boiler House (retain)
- 4. Garage/Storage Building (retain)
- 5. Mixing Shed (retain)

IWAMOTOSCOTT

ARCHITECTURE

6. Infrastructure (of the infrastructure listed it would be important to retain the two hand-dug wells; water storage tank; water pressure tank; pesticide mixing tank. I don't think the existing piping needs to be retained in its entirety under this alternative, maybe some small pieces to demonstrate their function as it relates to the greenhouses that would remain under this alternative. And piping would be documented as part of mitigation).

Under the Partial Preservation Alternative we would want to see the following cdfs retained:

1. Site

- 1a. Boundary encompassing the entire 240-foot-wide by 400-foot-long block and enclosed mostly by wood fencing (the boundary will be retained, but the fencing doesn't necessarily need to be retained)
- 1b. Topography that slopes gently from the northwest to southeast corner (this will likely remain)
- 1c. Spatial organization of greenhouses oriented along a central north-south axis and filling the majority of the site, ancillary buildings clustered at the southern end, and small open spaces at the northwest corner and the southern end (this will be partially retained but will not give the idea that the greenhouses filled the majority of the site as the NW corner of the site will be developed).
- 1d. Axial circulation through the site via a 9-foot wide pathway extending north-south through the center of the site (this should be kept)
- 1e. Surviving rose plants within the greenhouses (these should be incorporated somehow but they can be moved)
- 2. Greenhouses (Retain a few of the greenhouses numbered 1-10, variations to explore include retaining 1-3 and 9-10, or 1-6. These are not exact numbers but the general goal is to see what it would look like to retain a number of greenhouses in a way that would still allow for them to look like they once encompassed the entire site) 3. Boiler House (retain)
- 4. Garage/Storage Building (allow for this to be demolished)
- 5. Mixing Shed (allow this to be demolished as it is attached to the Garage)
- 6. Infrastructure (of the infrastructure listed it would be important to retain one of the two hand-dug wells (likely #2 on the SE corner); and possibly not all of the tanks on the site (water storage tank; water pressure tank; pesticide mixing tank). I don't think the existing piping needs to be retained in its entirety under this alternative, maybe some small pieces to demonstrate their function as it relates to the greenhouses that would remain under this alternative)

PROJECT DESCRIPTION

770 WOOLSEY

10.22.2020

pg. 2

Historic Resource Evaluation Response, Part I

Record No. 2017-012086ENV 770 WOOLSEY ST



Figure 1: Aerial view of 770 Woolsey showing key structures and buildings on site (image courtesy of HRE Part 1, p. 5)



Figure 2: View west of the northwest corner of Woolsey and Hamilton streets. (image courtesy of google maps)

770 WOOLSEY

10.22.2020

pg. 3

PROJECT DESCRIPTION

BOWDOIN ST





60FT

120FT

IWAMOTOSCOTT ARCHITECTURE

0 20FT



EXISTING SITE CONDITION

770 WOOLSEY



EXISTING SITE CONDITION

770 WOOLSEY





0 20FT 60FT

IWAMOTOSCOTT ARCHITECTURE

24 Residential Units

770 WOOLSEY



FULL PRESERVATION ALTERNATIVE 24 Residential Units

770 WOOLSEY



770 WOOLSEY



PARTIAL PRESERVATION ALTERNATIVE **40 Residential Units**

770 WOOLSEY



	SF PLANNING RESUBMISSION REV 2	FULL PRESERVATION ALTERNATIVE	PARTIAL PRESERVATION ALTERNATIVE
RESIDENTIAL UNIT#	62	24	40
GROSS FLOOR AREA (SF)	120,967	46,677	77,795



GFA SUMMARY

10.22.2020 pg. 10

770 WOOLSEY





770 WOOLSEY

10.22.2020

pg. 11



FULL PRESERVATION ALTERNATIVE - CONSIDERED BUT REJECTED

IWAMOTOSCOTT ARCHITECTURE

CONSIDERED BUT REJECTED 63 Residential Units

770 WOOLSEY



770 WOOLSEY

40 Residential Units



PARTIAL PRESERVATION ALTERNATIVE - CONSIDERED BUT REJECTED 1

IWAMOTOSCOTT ARCHITECTURE

CONSIDERED BUT REJECTED 1 40 Residential Units

770 WOOLSEY





770 WOOLSEY



PARTIAL PRESERVATION ALTERNATIVE - CONSIDERED BUT REJECTED 2

IWAMOTOSCOTT ARCHITECTURE

CONSIDERED BUT REJECTED 2 40 Residential Units

770 WOOLSEY



	SF PLANNING RESUBMISSION REV 2	FULL PRESERVATION ALTERNATIVE	FULL PRESERVATION ALT CONSIDERED BUT REJECTED	PARTIAL PRESERVATION ALTERNATIVE	PARTIAL PRESERVATION ALT CONSIDERED BUT REJECTED 1	PARTIAL PRESERVATION ALT CONSIDERED BUT REJECTED 2
RESIDENTIAL UNIT#	62	24	63	40	40	40
GROSS FLOOR AREA (SF)	120,967	46,677	129,366	77,795	77,795	77,795



GFA SUMMARY

10.22.2020 pg. 17

770 WOOLSEY

SAN FRANCISCO

Pier 9, The Embarcadero, Suite 107 San Francisco, California 94111 T: 415.421.1680 F: 415.421.0127

argsf.com

LOS ANGELES

360 E. 2nd Street, Suite 225 Los Angeles, CA 90012 T: 626.583.1401 F: 626.583.1414

arg-la.com

PORTLAND

720 SW Washington Street, Suite 300 Portland, OR 97205 T: 971.256.5324

arg-pnw.com